List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9542815/publications.pdf Version: 2024-02-01



POBREDTIKOK

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Post-loading of proangiogenic growth factors in PLGA microspheres. European Journal of Pharmaceutics and Biopharmaceutics, 2021, 158, 1-10. | 4.3 | 12 |
| 2 | <i>In Vitro</i> and <i>In Vivo</i> Studies on HPMA-Based Polymeric Micelles Loaded with Curcumin. Molecular Pharmaceutics, 2021, 18, 1247-1263. | 4.6 | 29 |
| 3 | Assessing the Effects of VEGF Releasing Microspheres on the Angiogenic and Foreign Body Response to a 3D Printed Silicone-Based Macroencapsulation Device. Pharmaceutics, 2021, 13, 2077. | 4.5 | 7 |
| 4 | Vascular Endothelial Growth Factor–Releasing Microspheres Based on Poly(ε-Caprolactone-PEG-ε-Caprolactone)-b-Poly(L-Lactide) Multiblock Copolymers Incorporated in a Three-Dimensional Printed Poly(Dimethylsiloxane) Cell Macroencapsulation Device. Journal of Pharmaceutical Sciences, 2020, 109, 863-870. | 3.3 | 15 |
| 5 | Correlation between in vitro stability and pharmacokinetics of poly(ε-caprolactone)-based micelles loaded with a photosensitizer. Journal of Controlled Release, 2020, 328, 942-951. | 9.9 | 12 |
| 6 | Folate decorated polymeric micelles for targeted delivery of the kinase inhibitor dactolisib to cancer cells. International Journal of Pharmaceutics, 2020, 582, 119305. | 5.2 | 21 |
| 7 | π-π-Stacked Poly(ε-caprolactone)-b-poly(ethylene glycol) Micelles Loaded with a Photosensitizer for Photodynamic Therapy. Pharmaceutics, 2020, 12, 338. | 4.5 | 6 |
| 8 | Polymeric Micelles Employing Platinum(II) Linker for the Delivery of the Kinase Inhibitor Dactolisib. Particle and Particle Systems Characterization, 2019, 36, 1900236. | 2.3 | 3 |
| 9 | Sustained Release of Vascular Endothelial Growth Factor from Poly(ε-caprolactone-PEG-ε-caprolactone)- <i>b</i> -Poly(<scp>l</scp> -lactide) Multiblock Copolymer Microspheres. ACS Omega, 2019, 4, 11481-11492. | 3.5 | 21 |
| 10 | Connective Tissue Growth Factor Is Related to All-cause Mortality in Hemodialysis Patients and Is Lowered by On-line Hemodiafiltration: Results from the Convective Transport Study. Toxins, 2019, 11, 268. | 3.4 | 3 |
| 11 | Hyperthermia-triggered release of hypoxic cell radiosensitizers from temperature-sensitive liposomes improves radiotherapy efficacy <i>in vitro</i> . Nanotechnology, 2019, 30, 264001. | 2.6 | 14 |
| 12 | Liposomes with asymmetric bilayers produced from inverse emulsions for nucleic acid delivery. Journal of Drug Targeting, 2019, 27, 681-689. | 4.4 | 21 |
| 13 | Colloidal formulation of mistletoe extracts in a pharmaceutical flow process for targeted cancer therapy. Phytomedicine, 2019, 61, 1. | 5.3 | 1 |
| 14 | Ultrasound-Sensitive Liposomes for Triggered Macromolecular Drug Delivery: Formulation and In Vitro Characterization. Frontiers in Pharmacology, 2019, 10, 1463. | 3.5 | 30 |
| 15 | Folate-dactolisib conjugates for targeting tubular cells in polycystic kidneys. Journal of Controlled Release, 2019, 293, 113-125. | 9.9 | 19 |
| 16 | Reversibly core-crosslinked PEG-P(HPMA) micelles: Platinum coordination chemistry for competitive-ligand-regulated drug delivery. Journal of Colloid and Interface Science, 2019, 535, 505-515. | 9.4 | 23 |
| 17 | Adsorption of phospholipids at oil/water interfaces during emulsification is controlled by stress relaxation and diffusion. Soft Matter, 2018, 14, 3730-3737. | 2.7 | 12 |
| 18 | Quantitative analysis of receptor-mediated uptake and pro-apoptotic activity of mistletoe lectin-1 by high content imaging. Scientific Reports, 2018, 8, 2768. | 3.3 | 26 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Anti-GD2 Immunoliposomes for Targeted Delivery of the Survivin Inhibitor Sepantronium Bromide (YM155) to Neuroblastoma Tumor Cells. Pharmaceutical Research, 2018, 35, 85. | 3.5 | 22 |
| 20 | PLGA-PEG nanoparticles for targeted delivery of the mTOR/PI3kinase inhibitor dactolisib to inflamed endothelium. International Journal of Pharmaceutics, 2018, 548, 747-758. | 5.2 | 40 |
| 21 | Fabrication and characterization of gefitinib-releasing polyurethane foam as a coating for drug-eluting stent in the treatment of bronchotracheal cancer. International Journal of Pharmaceutics, 2018, 548, 803-811. | 5.2 | 20 |
| 22 | E-selectin targeted immunoliposomes for rapamycin delivery to activated endothelial cells. International Journal of Pharmaceutics, 2018, 548, 759-770. | 5.2 | 31 |
| 23 | Complement activation in vitro and reactogenicity of low-molecular weight dextran-coated SPIONs in the pig CARPA model: Correlation with physicochemical features and clinical information. Journal of Controlled Release, 2018, 270, 268-274. | 9.9 | 36 |
| 24 | Instability Mechanisms of Water-in-Oil Nanoemulsions with Phospholipids: Temporal and Morphological Structures. Langmuir, 2018, 34, 572-584. | 3.5 | 29 |
| 25 | Influence of cholesterol inclusion on the doxorubicin release characteristics of lysolipid-based thermosensitive liposomes. International Journal of Pharmaceutics, 2018, 548, 778-782. | 5.2 | 30 |
| 26 | Thermosensitive liposomes for triggered release of cytotoxic proteins. European Journal of Pharmaceutics and Biopharmaceutics, 2018, 132, 211-221. | 4.3 | 37 |
| 27 | Synthesis and characterization of amino acid substituted sunitinib analogues for the treatment of AML. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 2391-2398. | 2.2 | 6 |
| 28 | Gefitinib/gefitinib microspheres loaded polyurethane constructs as drug-eluting stent coating. European Journal of Pharmaceutical Sciences, 2017, 103, 94-103. | 4.0 | 11 |
| 29 | Effect of Particle Size on Drug Loading and Release Kinetics of Gefitinib-Loaded PLGA Microspheres. Molecular Pharmaceutics, 2017, 14, 459-467. | 4.6 | 159 |
| 30 | PulmoStent: In Vitro to In Vivo Evaluation of a Tissue Engineered Endobronchial Stent. Annals of Biomedical Engineering, 2017, 45, 873-883. | 2.5 | 13 |
| 31 | Docosahexaenoic acid liposomes for targeting chronic inflammatory diseases and cancer: an in vitro assessment. International Journal of Nanomedicine, 2016, Volume 11, 5027-5040. | 6.7 | 40 |
| 32 | Selection and fabrication of a non-woven polycarbonate urethane cover for a tissue engineered airway stent. International Journal of Pharmaceutics, 2016, 514, 255-262. | 5.2 | 8 |
| 33 | Gene based therapies for kidney regeneration. European Journal of Pharmacology, 2016, 790, 99-108. | 3.5 | 7 |
| 34 | Plasma CTGF is independently related to an increased risk of cardiovascular events and mortality in patients with atherosclerotic disease: the SMART study. Growth Factors, 2016, 34, 149-158. | 1.7 | 19 |
| 35 | Strategies for encapsulation of small hydrophilic and amphiphilic drugs in PLGA microspheres: State-of-the-art and challenges. International Journal of Pharmaceutics, 2016, 499, 358-367. | 5.2 | 207 |
| 36 | Inhibition of Octreotide Acylation Inside PLGA Microspheres by Derivatization of the Amines of the Peptide with a Self-Immolative Protecting Group. Bioconjugate Chemistry, 2016, 27, 576-585. | 3.6 | 14 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Locoregional cancer therapy using polymer-based drug depots. Drug Discovery Today, 2016, 21, 640-647. | 6.4 | 25 |
| 38 | Ligand-targeted Particulate Nanomedicines Undergoing Clinical Evaluation: Current Status. Fundamental Biomedical Technologies, 2016, , 163-200. | 0.2 | 16 |
| 39 | Elevated Urinary Connective Tissue Growth Factor in Diabetic Nephropathy Is Caused by Local Production and Tubular Dysfunction. Journal of Diabetes Research, 2015, 2015, 1-11. | 2.3 | 18 |
| 40 | Polymer-Free Drug-Eluting Stents: An Overview of Coating Strategies and Comparison with Polymer-Coated Drug-Eluting Stents. Bioconjugate Chemistry, 2015, 26, 1277-1288. | 3.6 | 64 |
| 41 | Diverse origins of the myofibroblast—implications for kidney fibrosis. Nature Reviews Nephrology, 2015, 11, 233-244. | 9.6 | 210 |
| 42 | Sunitinib microspheres based on [PDLLA-PEG-PDLLA]-b-PLLA multi-block copolymers for ocular drug delivery. European Journal of Pharmaceutics and Biopharmaceutics, 2015, 95, 368-377. | 4.3 | 36 |
| 43 | Formulation and characterization of microspheres loaded with imatinib for sustained delivery. International Journal of Pharmaceutics, 2015, 482, 123-130. | 5.2 | 48 |
| 44 | Cyclin-Dependent Kinase Inhibitor AT7519 as a Potential Drug for MYCN-Dependent Neuroblastoma. Clinical Cancer Research, 2015, 21, 5100-5109. | 7.0 | 49 |
| 45 | Release and pharmacokinetics of near-infrared labeled albumin from monodisperse poly(d,l-lactic-co-hydroxymethyl glycolic acid) microspheres after subcapsular renal injection. Acta Biomaterialia, 2015, 22, 141-154. | 8.3 | 8 |
| 46 | Biocompatibility of poly(d,l-lactic-co-hydroxymethyl glycolic acid) microspheres after subcutaneous and subcapsular renal injection. International Journal of Pharmaceutics, 2015, 482, 99-109. | 5.2 | 11 |
| 47 | Local therapeutic efficacy with reduced systemic side effects by rapamycin-loaded subcapsular microspheres. Biomaterials, 2015, 42, 151-160. | 11.4 | 39 |
| 48 | Targeting Rapamycin to Podocytes Using a Vascular Cell Adhesion Molecule-1 (VCAM-1)-Harnessed SAINT-Based Lipid Carrier System. PLoS ONE, 2015, 10, e0138870. | 2.5 | 35 |
| 49 | Epac-Rap Signaling Reduces Oxidative Stress in the Tubular Epithelium. Journal of the American Society of Nephrology: JASN, 2014, 25, 1474-1485. | 6.1 | 31 |
| 50 | Targeting hepatocyte growth factor receptor (Met) positive tumor cells using internalizing nanobody-decorated albumin nanoparticles. Biomaterials, 2014, 35, 601-610. | 11.4 | 72 |
| 51 | Features of complement activation-related pseudoallergy to liposomes with different surface charge and PEGylation: Comparison of the porcine and rat responses. Journal of Controlled Release, 2014, 195, 2-10. | 9.9 | 79 |
| 52 | Release behavior and intra-articular biocompatibility of celecoxib-loaded acetyl-capped PCLA-PEG-PCLA thermogels. Biomaterials, 2014, 35, 7919-7928. | 11.4 | 73 |
| 53 | Computer Modeling Assisted Design of Monodisperse PLGA Microspheres with Controlled Porosity Affords Zero Order Release of an Encapsulated Macromolecule for 3ÂMonths. Pharmaceutical Research, 2014, 31, 2844-2856. | 3.5 | 29 |
| 54 | Inhibition of Tumor Growth by Targeted Anti-EGFR/IGF-1R Nanobullets Depends on Efficient Blocking of Cell Survival Pathways. Molecular Pharmaceutics, 2013, 10, 3717-3727. | 4.6 | 26 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Ligand-targeted particulate nanomedicines undergoing clinical evaluation: Current status. Advanced Drug Delivery Reviews, 2013, 65, 1284-1298. | 13.7 | 338 |
| 56 | Targeting tumors with nanobodies for cancer imaging and therapy. Journal of Controlled Release, 2013, 172, 607-617. | 9.9 | 172 |
| 57 | Nanobody-albumin nanoparticles (NANAPs) for the delivery of a multikinase inhibitor 17864 to EGFR overexpressing tumor cells. Journal of Controlled Release, 2013, 165, 110-118. | 9.9 | 88 |
| 58 | Nanomedicines as Cancer Therapeutics: Current Status. Current Cancer Drug Targets, 2013, 13, 362-378. | 1.6 | 123 |
| 59 | Kinase Inhibitor Conjugates. Current Pharmaceutical Design, 2012, 18, 2891-2900. | 1.9 | 7 |
| 60 | 121 Tumor-targeted Nanobullets for Anti-cancer Combination Therapy. European Journal of Cancer, 2012, 48, 38. | 2.8 | 0 |
| 61 | Gold nanoparticles in theranostic oncology: current state-of-the-art. Expert Opinion on Drug Delivery, 2012, 9, 1225-1243. | 5.0 | 116 |
| 62 | A micelle-shedding thermosensitive hydrogel as sustained release formulation. Journal of Controlled Release, 2012, 162, 582-590. | 9.9 | 50 |
| 63 | Targeted inhibition of renal Rho kinase reduces macrophage infiltration and lymphangiogenesis in acute renal allograft rejection. European Journal of Pharmacology, 2012, 694, 111-119. | 3.5 | 18 |
| 64 | Targeting of a platinum-bound sunitinib analog to renal proximal tubular cells. International Journal of Nanomedicine, 2012, 7, 417. | 6.7 | 22 |
| 65 | Targeting epidermal growth factor receptor in tumors: From conventional monoclonal antibodies via heavy chain-only antibodies to nanobodies. European Journal of Pharmaceutical Sciences, 2012, 45, 399-407. | 4.0 | 38 |
| 66 | Effect of GFR on Plasma N-Terminal Connective Tissue Growth Factor (CTGF) Concentrations. American Journal of Kidney Diseases, 2012, 59, 619-627. | 1.9 | 21 |
| 67 | Imatinib-ULS-lysozyme: A proximal tubular cell-targeted conjugate of imatinib for the treatment of renal diseases. Journal of Controlled Release, 2012, 157, 461-468. | 9.9 | 25 |
| 68 | Tumor-targeted Nanobullets: Anti-EGFR nanobody-liposomes loaded with anti-IGF-1R kinase inhibitor for cancer treatment. Journal of Controlled Release, 2012, 159, 281-289. | 9.9 | 83 |
| 69 | Dendrimerâ€Based Macromolecular Conjugate for the Kidneyâ€Directed Delivery of a Multitargeted Sunitinib Analogue. Macromolecular Bioscience, 2012, 12, 93-103. | 4.1 | 17 |
| 70 | Controlled Release of Octreotide and Assessment of Peptide Acylation from Poly(D,L-lactide-co-hydroxymethyl glycolide) Compared to PLGA Microspheres. Pharmaceutical Research, 2012, 29, 110-120. | 3.5 | 58 |
| 71 | Development of a Cell-Selective and Intrinsically Active Multikinase Inhibitor Bioconjugate. Bioconjugate Chemistry, 2011, 22, 540-545. | 3.6 | 18 |
| 72 | Oxidative stress in obstructive nephropathy. International Journal of Experimental Pathology, 2011, 92, 202-210. | 1.3 | 100 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | How to screen non-viral gene delivery systems in vitro?. Journal of Controlled Release, 2011, 154, 218-232. | 9.9 | 105 |
| 74 | The VEGF/Rho GTPase signalling pathway: A promising target for anti-angiogenic/anti-invasion therapy. Drug Discovery Today, 2011, 16, 219-228. | 6.4 | 65 |
| 75 | DNA Nuclear Targeting Sequences for Non-Viral Gene Delivery. Pharmaceutical Research, 2011, 28, 1707-1722. | 3.5 | 49 |
| 76 | Characterization of drug-lysozyme conjugates by sheathless capillary electrophoresis–time-of-flight mass spectrometry. Analytica Chimica Acta, 2011, 698, 77-83. | 5.4 | 34 |
| 77 | Connective tissue growth factor (CTGF/CCN2) ELISA: a novel tool for monitoring fibrosis. Biomarkers, 2011, 16, 289-301. | 1.9 | 55 |
| 78 | Targeted Delivery of Kinase Inhibitors: A Nanomedicine Approach for Improved Selectivity in Cancer. Current Signal Transduction Therapy, 2011, 6, 267-278. | 0.5 | 1 |
| 79 | Drug targeting to the kidney: Advances in the active targeting of therapeutics to proximal tubular cellsâ~†. Advanced Drug Delivery Reviews, 2010, 62, 1344-1357. | 13.7 | 130 |
| 80 | Targeting podocyte-associated diseasesâ~†. Advanced Drug Delivery Reviews, 2010, 62, 1325-1336. | 13.7 | 89 |
| 81 | Drug targeting to the kidneyâ~†. Advanced Drug Delivery Reviews, 2010, 62, 1323-1324. | 13.7 | 3 |
| 82 | Reduction of advanced liver fibrosis by short-term targeted delivery of an angiotensin receptor blocker to hepatic stellate cells in rats. Hepatology, 2010, 51, NA-NA. | 7.3 | 96 |
| 83 | Renal proximal tubular dysfunction is a major determinant of urinary connective tissue growth factor excretion. American Journal of Physiology - Renal Physiology, 2010, 298, F1457-F1464. | 2.7 | 25 |
| 84 | c-Jun NH ₂ -Terminal Kinase Is Crucially Involved in Renal Tubulo-Interstitial Inflammation. Journal of Pharmacology and Experimental Therapeutics, 2009, 331, 896-905. | 2.5 | 58 |
| 85 | Cell-specific Delivery of a Transforming Growth Factor-beta Type I Receptor Kinase Inhibitor to Proximal Tubular Cells for the Treatment of Renal Fibrosis. Pharmaceutical Research, 2008, 25, 2427-2439. | 3.5 | 44 |
| 86 | Targets in Fibrotic Disorders. Pharmaceutical Research, 2008, 25, 2413-2415. | 3.5 | 0 |
| 87 | RGD-avidin–biotin pretargeting to αvβ3 integrin enhances the proapoptotic activity of TNFα related apoptosis inducing ligand (TRAIL). Apoptosis: an International Journal on Programmed Cell Death, 2008, 13, 225-235. | 4.9 | 10 |
| 88 | Renal targeting of kinase inhibitors. International Journal of Pharmaceutics, 2008, 364, 249-257. | 5.2 | 22 |
| 89 | Intervention in growth factor activated signaling pathways by renally targeted kinase inhibitors. Journal of Controlled Release, 2008, 132, 200-207. | 9.9 | 21 |
| 90 | Inhibition of Renal Rho Kinase Attenuates Ischemia/Reperfusion-Induced Injury. Journal of the American Society of Nephrology: JASN, 2008, 19, 2086-2097. | 6.1 | 62 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Novel Therapeutic Targets for the Treatment of Tubulointerstitial Fibrosis. Current Signal Transduction Therapy, 2008, 3, 97-111. | 0.5 | 5 |
| 92 | Organ- and Cell-Type Specific Delivery of Kinase Inhibitors: A Novel Approach in the Development of Targeted Drugs. Current Molecular Pharmacology, 2008, 1, 1-12. | 1.5 | 15 |
| 93 | Local Inhibition of Liver Fibrosis by Specific Delivery of a Platelet-Derived Growth Factor Kinase Inhibitor to Hepatic Stellate Cells. Journal of Pharmacology and Experimental Therapeutics, 2007, 321, 856-865. | 2.5 | 76 |
| 94 | Improved Efficacy of α _v β ₃ -Targeted Albumin Conjugates by Conjugation of a Novel Auristatin Derivative. Molecular Pharmaceutics, 2007, 4, 686-694. | 4.6 | 42 |
| 95 | Antivascular Therapies: Targets Beyond the Vessel Wall. ChemMedChem, 2007, 2, 433-435. | 3.2 | 4 |
| 96 | Glomerular and tubular induction of the transcription factor câ€Jun in human renal disease. Journal of Pathology, 2007, 213, 219-228. | 4.5 | 88 |
| 97 | Delivery of the p38 MAPkinase Inhibitor SB202190 to Angiogenic Endothelial Cells:  Development of Novel RGD-Equipped and PEGylated Drugâ°'Albumin Conjugates Using Platinum(II)-Based Drug Linker Technology. Bioconjugate Chemistry, 2006, 17, 1246-1255. | 3.6 | 45 |
| 98 | Evaluation of RGD-Targeted Albumin Carriers for Specific Delivery of Auristatin E to Tumor Blood Vessels. Bioconjugate Chemistry, 2006, 17, 1385-1394. | 3.6 | 51 |
| 99 | Covalently Linked Au Nanoparticles to a Viral Vector:  Potential for Combined Photothermal and Gene Cancer Therapy. Nano Letters, 2006, 6, 587-591. | 9.1 | 250 |
| 100 | Selective targeting of pentoxifylline to hepatic stellate cells using a novel platinum-based linker technology. Journal of Controlled Release, 2006, 111, 193-203. | 9.9 | 50 |
| 101 | Targeting of the VEGF-kinase inhibitor PTK787 to angiogenic vasculature using RGD-equipped albumin carrier molecules. Journal of Controlled Release, 2006, 116, e57. | 9.9 | 1 |
| 102 | Targeting of angiogenic endothelial cells at sites of inflammation by dexamethasone phosphate–containing RGD peptide liposomes inhibits experimental arthritis. Arthritis and Rheumatism, 2006, 54, 1198-1208. | 6.7 | 164 |
| 103 | Rational Design of RGD–Albumin Conjugates for Targeted Delivery of the VEGF-R Kinase Inhibitor PTK787 to Angiogenic Endothelium. ChemMedChem, 2006, 1, 1200-1203. | 3.2 | 33 |
| 104 | Intracellular Delivery of the p38 Mitogen-Activated Protein Kinase Inhibitor SB202190 [4-(4-Fluorophenyl)-2-(4-hydroxyphenyl)-5-(4-pyridyl)1 <i>H</i> -imidazole] in Renal Tubular Cells: A Novel Strategy to Treat Renal Fibrosis. Journal of Pharmacology and Experimental Therapeutics, 2006, 319 8-19 | 2.5 | 59 |
| 105 | Bioanalysis and pharmacokinetics of the p38 MAPkinase inhibitor SB202190 in rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 826, 220-225. | 2.3 | 7 |
| 106 | RENAL-SELECTIVE DELIVERY AND ANGIOTENSIN-CONVERTING ENZYME INHIBITION BY SUBCUTANEOUSLY ADMINISTERED CAPTOPRIL-LYSOZYME. Drug Metabolism and Disposition, 2005, 33, 683-688. | 3.3 | 18 |
| 107 | Differential effects of NF-κB and p38 MAPK inhibitors and combinations thereof on TNF-α- and IL-1β-induced proinflammatory status of endothelial cells in vitro. American Journal of Physiology - Cell Physiology, 2005, 289, C1229-C1239. | 4.6 | 135 |
| 108 | RGD-based strategies for selective delivery of therapeutics and imaging agents to the tumour vasculature. Drug Resistance Updates, 2005, 8, 381-402. | 14.4 | 412 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Renal targeting of captopril using captopril-lysozyme conjugate enhances its antiproteinuric effect in adriamycin-induced nephrosis. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2004, 5, 197-202. | 1.7 | 11 |
| 110 | A nonviral carrier for targeted gene delivery to tumor cells. Cancer Gene Therapy, 2004, 11, 156-164. | 4.6 | 22 |
| 111 | RGD-modified anti-CD3 antibodies redirect cytolytic capacity of cytotoxic T lymphocytes toward ?v?3-expressing endothelial cells. International Journal of Cancer, 2004, 112, 279-285. | 5.1 | 16 |
| 112 | A Novel Strategy to Modify Adenovirus Tropism and Enhance Transgene Delivery to Activated Vascular Endothelial CellsIn VitroandIn Vivo. Human Gene Therapy, 2004, 15, 433-443. | 2.7 | 124 |
| 113 | In vitro cellular handling and in vivo targeting of E-selectin-directed immunoconjugates and immunoliposomes used for drug delivery to inflamed endothelium. Pharmaceutical Research, 2003, 20, 64-72. | 3.5 | 65 |
| 114 | Delivery of pharmacologically active dexamethasone into activated endothelial cells by dexamethasone–anti-E-selectin immunoconjugate. Biochemical Pharmacology, 2003, 65, 1729-1739. | 4.4 | 24 |
| 115 | Anti-tumor efficacy of tumor vasculature-targeted liposomal doxorubicin. Journal of Controlled Release, 2003, 91, 115-122. | 9.9 | 298 |
| 116 | Selective Intracellular Delivery of Dexamethasone into Activated Endothelial Cells Using an E-Selectin-Directed Immunoconjugate. Journal of Immunology, 2002, 168, 883-889. | 0.8 | 85 |
| 117 | Preparation and Functional Evaluation of RGD-Modified Proteins as αvβ3Integrin Directed Therapeutics. Bioconjugate Chemistry, 2002, 13, 128-135. | 3.6 | 134 |
| 118 | LIGAND-TARGETED LIPOSOMES DIRECTED AGAINST PATHOLOGICAL VASCULATURE. Journal of Liposome Research, 2002, 12, 129-135. | 3.3 | 17 |
| 119 | Endothelial cells internalize and degrade RGD-modified proteins developed for tumor vasculature targeting. Journal of Controlled Release, 2002, 83, 241-251. | 9.9 | 57 |
| 120 | Targeting of RGD-modified proteins to tumor vasculature: A pharmacokinetic and cellular distribution study. International Journal of Cancer, 2002, 102, 469-475. | 5.1 | 66 |
| 121 | Cellular handling of a dexamethasone-anti-E-selectin immunoconjugate by activated endothelial cells: comparison with free dexamethasone. Pharmaceutical Research, 2002, 19, 1730-1735. | 3.5 | 22 |
| 122 | Drug Delivery to the Kidneys and the Bladder with the Low Molecular Weight Protein Lysozyme. Renal Failure, 1998, 20, 211-217. | 2.1 | 21 |
| 123 | Bioanalysis of captopril: two sensitive high-performance liquid chromatographic methods with pre- or postcolumn fluorescent labeling. Biomedical Applications, 1997, 693, 181-189. | 1.7 | 49 |