

Markus A Busch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9544561/publications.pdf>

Version: 2024-02-01

65
papers

5,916
citations

126907

33
h-index

76900

74
g-index

85
all docs

85
docs citations

85
times ranked

7513
citing authors

#	ARTICLE	IF	CITATIONS
1	Sports activity patterns and cardio-metabolic health over time among adults in Germany: Results of a nationwide 12-year follow-up study. <i>Journal of Sport and Health Science</i> , 2021, 10, 439-446.	6.5	7
2	Are depressive symptoms associated with quality of care in diabetes? Findings from a nationwide population-based study. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e001804.	2.8	9
3	Care for the chronically ill in Germany - The challenges during the COVID-19 pandemic.. , 2021, 5, 2-27.		14
4	SARS-CoV-2 Transmissibility Within Day Care Centersâ€”Study Protocol of a Prospective Analysis of Outbreaks in Germany. <i>Frontiers in Public Health</i> , 2021, 9, 773850.	2.7	6
5	Seroepidemiological study on the spread of SARS-CoV-2 in Germany: Study protocol of the CORONA-MONITORING bundesweit' study (RKI-SOEP study).. , 2021, 6, 2-16.		4
6	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	1.9	44
7	Seroepidemiological study on the spread of SARS-CoV-2 in populations in especially affected areas in Germany - Study protocol of the CORONA-MONITORING lokal study.. , 2020, 5, 2-16.		12
8	Time trends in healthy lifestyle among adults in Germany: Results from three national health interview and examination surveys between 1990 and 2011. <i>PLoS ONE</i> , 2019, 14, e0222218.	2.5	10
9	Associations between the use of specific psychotropic drugs and all-cause mortality among older adults in Germany: Results of the mortality follow-up of the German National Health Interview and Examination Survey 1998. <i>PLoS ONE</i> , 2019, 14, e0210695.	2.5	10
10	Limitations in activities of daily living in old age in Germany and the EU - Results from the European Health Interview Survey (EHIS) 2.. , 2019, 4, 48-56.		3
11	Title is missing!. , 2019, 14, e0222218.		0
12	Title is missing!. , 2019, 14, e0222218.		0
13	Title is missing!. , 2019, 14, e0222218.		0
14	Title is missing!. , 2019, 14, e0222218.		0
15	Physical exercise and cognitive function across the life span: Results of a nationwide population-based study. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 489-494.	1.3	34
16	Cognitive functioning in the general population: Factor structure and association with mental disordersâ€”The neuropsychological test battery of the mental health module of the German Health Interview and Examination Survey for Adults (DEGS1â€”MH). <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	2.1	6
17	Decline in Regional Trends in Mortality of Stroke Subtypes in Germany From 1998 to 2015. <i>Stroke</i> , 2018, 49, 2577-2583.	2.0	16
18	Glycaemic status and depressive symptoms among adults in Germany: results from the German Health Interview and Examination Survey for Adults (<sc>DEGS</sc> 1). <i>Diabetic Medicine</i> , 2018, 35, 1552-1561.	2.3	8

#	ARTICLE	IF	CITATIONS
19	Normative data for the Digit Symbol Substitution Test in a population-based sample aged 65â€“79 years: Results from the German Health Interview and Examination Survey for Adults (DEGS1). <i>Clinical Neuropsychologist</i> , 2018, 32, 114-132.	2.3	12
20	Implications of standardization of serum 25-hydroxyvitamin D data for the evaluation of vitamin D status in Germany, including a temporal analysis. <i>BMC Public Health</i> , 2018, 18, 845.	2.9	44
21	Predicted 10-year risk of cardiovascular mortality in the 40 to 69 year old general population without cardiovascular diseases in Germany. <i>PLoS ONE</i> , 2018, 13, e0190441.	2.5	17
22	Respondentsâ€™ report of a clinician-diagnosed depression in health surveys: comparison with DSM-IV mental disorders in the general adult population in Germany. <i>BMC Psychiatry</i> , 2017, 17, 39.	2.6	23
23	Contribution of Established Stroke Risk Factors to the Burden of Stroke in Young Adults. <i>Stroke</i> , 2017, 48, 1744-1751.	2.0	149
24	Response by Aigner et al to Letter Regarding Article, â€œContribution of Established Stroke Risk Factors to the Burden of Stroke in Young Adultsâ€. <i>Stroke</i> , 2017, 48, e316.	2.0	1
25	Baseline Assessment of 25-Hydroxyvitamin D Assay Performance: A Vitamin D Standardization Program (VDSP) Interlaboratory Comparison Study. <i>Journal of AOAC INTERNATIONAL</i> , 2017, 100, 1244-1252.	1.5	45
26	Vitamin D and mortality: Individual participant data meta-analysis of standardized 25-hydroxyvitamin D in 26916 individuals from a European consortium. <i>PLoS ONE</i> , 2017, 12, e0170791.	2.5	219
27	Baseline Assessment of 25-Hydroxyvitamin D Reference Material and Proficiency Testing/External Quality Assurance Material Commutability: A Vitamin D Standardization Program Study. <i>Journal of AOAC INTERNATIONAL</i> , 2017, 100, 1288-1293.	1.5	22
28	In Reply. <i>Deutsches A&#x0308;rztblatt International</i> , 2017, 114, 211.	0.9	0
29	Outcome of heparinâ€treated patients with acute cerebral venous sinus thrombosis: influence of the temporal pattern of intracerebral haemorrhage. <i>European Journal of Neurology</i> , 2016, 23, 1387-1392.	3.3	10
30	Cardiovascular reactivity is independently associated with better mental health. <i>Blood Pressure Monitoring</i> , 2016, 21, 215-223.	0.8	6
31	Mental disorders in adults with congenital heart disease: Unmet needs and impact on quality of life. <i>Journal of Affective Disorders</i> , 2016, 204, 180-186.	4.1	93
32	Changes in physical functioning among men and women aged 50â€“79 years in Germany: an analysis of National Health Interview and Examination Surveys, 1997â€“1999 and 2008â€“2011. <i>BMC Geriatrics</i> , 2016, 16, 205.	2.7	12
33	Association between vitamin D and depressive symptoms varies by season: Results from the German Health Interview and Examination Survey for Adults (DEGS1). <i>Journal of Affective Disorders</i> , 2016, 204, 92-98.	4.1	10
34	Baseline participation in a health examination survey of the population 65Âyears and older: who is missed and why?. <i>BMC Geriatrics</i> , 2016, 16, 21.	2.7	36
35	Changes in mean serum lipids among adults in Germany: results from National Health Surveys 1997-99 and 2008-11. <i>BMC Public Health</i> , 2016, 16, 240.	2.9	21
36	Vitamin D deficiency in Europe: pandemic?. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 1033-1044.	4.7	963

#	ARTICLE	IF	CITATIONS
37	Prevalence and correlates of DSM-IV-TR major depressive disorder, self-reported diagnosed depression and current depressive symptoms among adults in Germany. <i>Journal of Affective Disorders</i> , 2016, 190, 167-177.	4.1	79
38	Regional Differences in the Prevalence of Cardiovascular Disease. <i>Deutsches A&#x0308;rzteblatt International</i> , 2016, 113, 704-711.	0.9	44
39	Time Trends in Cardiometabolic Risk Factors in Adults. <i>Deutsches A&#x0308;rzteblatt International</i> , 2016, 113, 712-719.	0.9	40
40	Twelveâ€months prevalence of mental disorders in the German Health Interview and Examination Survey for Adults â€“ Mental Health Module (DEGS1â€MH): a methodological addendum and correction. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 305-313.	2.1	110
41	Prevalence and correlates of frailty among older adults: findings from the German health interview and examination survey. <i>BMC Geriatrics</i> , 2015, 15, 22.	2.7	93
42	Association Between Hemoglobin A1c and All-Cause Mortality: Results of the Mortality Follow-up of the German National Health Interview and Examination Survey 1998. <i>Diabetes Care</i> , 2015, 38, 249-256.	8.6	46
43	Current major depressive syndrome measured with the Patient Health Questionnaire-9 (PHQ-9) and the Composite International Diagnostic Interview (CIDI): results from a cross-sectional population-based study of adults in Germany. <i>BMC Psychiatry</i> , 2015, 15, 77.	2.6	37
44	Vitamin D status among adults in Germany â€“ results from the German Health Interview and Examination Survey for Adults (DEGS1). <i>BMC Public Health</i> , 2015, 15, 641.	2.9	107
45	Modifiable cardiovascular risk factors in adults aged 40â€79 years in Germany with and without prior coronary heart disease or stroke. <i>BMC Public Health</i> , 2015, 15, 701.	2.9	30
46	Healthy behaviours and mental health: findings from the German Health Update (GEDA). <i>European Journal of Public Health</i> , 2015, 25, 219-225.	0.3	33
47	Functional Disability and Quality of Life Decrements in Mental Disorders: Results From the Mental Health Module of the German Health Interview and Examination Survey for Adults (Degs1-Mh). <i>European Psychiatry</i> , 2015, 30, 793-800.	0.2	35
48	Twelveâ€month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1â€MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 304-319.	2.1	393
49	Selfâ€reported utilization of mental health services in the adult German population â€“ evidence for unmet needs? Results of the DEGS1â€Mental Health Module (DEGS1â€MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 289-303.	2.1	207
50	Social characteristics of psychological distress in disadvantaged areas of Berlin. <i>International Journal of Social Psychiatry</i> , 2014, 60, 75-82.	3.1	13
51	Addressing health and ageing in the German national health monitoring system. <i>BMC Proceedings</i> , 2013, 7, S12.	1.6	0
52	Efficacy of Emergency Department-Initiated Tobacco Controlâ€Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Nicotine and Tobacco Research</i> , 2013, 15, 643-655.	2.6	23
53	The design and methods of the mental health module in the German Health Interview and Examination Survey for Adults (DEGS1â€MH). <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 83-99.	2.1	86
54	Random Sampling for a Mental Health Survey in a Deprived Multi-Ethnic Area of Berlin. <i>Community Mental Health Journal</i> , 2012, 48, 792-797.	2.0	9

#	ARTICLE	IF	CITATIONS
55	Hemorrhagic transformation of ischemic stroke in diabetics on sulfonylureas. <i>Annals of Neurology</i> , 2012, 72, 799-806.	5.3	79
56	German health interview and examination survey for adults (DEGS) - design, objectives and implementation of the first data collection wave. <i>BMC Public Health</i> , 2012, 12, 730.	2.9	327
57	Sense of Coherence as a Predictor of Quality of Life in Adolescents With Congenital Heart Defects: A Register-Based 1-Year Follow-Up Study. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2011, 32, 316-327.	1.1	39
58	Operationalizing multimorbidity and autonomy for health services research in aging populations - the OMAHA study. <i>BMC Health Services Research</i> , 2011, 11, 47.	2.2	18
59	Depression in middle-aged and older first generation migrants in Europe: Results from the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>European Psychiatry</i> , 2010, 25, 468-475.	0.2	93
60	What Are the Social Consequences of Stroke for Working-Aged Adults?. <i>Stroke</i> , 2009, 40, e431-40.	2.0	252
61	Low Ankle-Brachial Index Predicts Cardiovascular Risk After Acute Ischemic Stroke or Transient Ischemic Attack. <i>Stroke</i> , 2009, 40, 3700-3705.	2.0	68
62	Sociodemographic differences in return to work after stroke: the South London Stroke Register (SLSR). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 888-893.	1.9	81
63	Smoking history and the incidence of age-related macular degenerationâ€”Results from the Muenster Aging and Retina Study (MARS) cohort and systematic review and meta-analysis of observational longitudinal studies. <i>Addictive Behaviors</i> , 2009, 34, 938-947.	3.0	40
64	Functional, cognitive and emotional long-term outcome of patients with ischemic stroke requiring mechanical ventilation. <i>Journal of Neurology</i> , 2005, 252, 648-654.	3.6	34
65	Ambulatory Carotid Stenting in Patients With Asymptomatic Carotid Artery Stenosis. <i>Stroke</i> , 2002, 33, 1168-1169.	2.0	0