

# Helen Morrison

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9545130/publications.pdf>

Version: 2024-02-01

50  
papers

2,440  
citations

257450

24  
h-index

206112

48  
g-index

55  
all docs

55  
docs citations

55  
times ranked

3062  
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of exosomes in intercellular and interorgan communication of the peripheral nervous system. <i>FEBS Letters</i> , 2022, 596, 655-664.	2.8	21
2	Disruption of amphetamine sensitization by alteration of dendritic thin spines in the nucleus accumbens core. <i>Journal of Neurochemistry</i> , 2022, , .	3.9	0
3	Brigatinib causes tumor shrinkage in both NF2-deficient meningioma and schwannoma through inhibition of multiple tyrosine kinases but not ALK. <i>PLoS ONE</i> , 2021, 16, e0252048.	2.5	19
4	Merlin cooperates with neurofibromin and Spred1 to suppress the Ras–Erk pathway. <i>Human Molecular Genetics</i> , 2021, 29, 3793-3806.	2.9	7
5	Neurofibromatosis type 2 and multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 39, 101890.	2.0	0
6	The peripheral nervous system in hematopoietic stem cell aging. <i>Mechanisms of Ageing and Development</i> , 2020, 191, 111329.	4.6	1
7	Cluster of differentiation 44 promotes osteosarcoma progression in mice lacking the tumor suppressor Merlin. <i>International Journal of Cancer</i> , 2020, 147, 2564-2577.	5.1	3
8	Pathomechanisms in schwannoma development and progression. <i>Oncogene</i> , 2020, 39, 5421-5429.	5.9	53
9	The stress-responsive gene <i>GDPCP1/mcp-1</i> regulates neuronal glycogen metabolism and survival. <i>Journal of Cell Biology</i> , 2020, 219, .	5.2	11
10	C-Fiber Loss as a Possible Cause of Neuropathic Pain in Schwannomatosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3569.	4.1	5
11	The NF2 tumor suppressor merlin interacts with Ras and RasGAP, which may modulate Ras signaling. <i>Oncogene</i> , 2019, 38, 6370-6381.	5.9	36
12	Metabolic enzyme PDK3 forms a positive feedback loop with transcription factor HSF1 to drive chemoresistance. <i>Theranostics</i> , 2019, 9, 2999-3013.	10.0	35
13	Construction of cloning-friendly minigenes for mammalian expression of full-length human NF1 isoforms. <i>Human Mutation</i> , 2019, 40, 187-192.	2.5	8
14	Preclinical assessment of MEK1/2 inhibitors for neurofibromatosis type 2-associated schwannomas reveals differences in efficacy and drug resistance development. <i>Neuro-Oncology</i> , 2019, 21, 486-497.	1.2	27
15	Inflammaging impairs peripheral nerve maintenance and regeneration. <i>Aging Cell</i> , 2018, 17, e12833.	6.7	88
16	Traditional and systems biology based drug discovery for the rare tumor syndrome neurofibromatosis type 2. <i>PLoS ONE</i> , 2018, 13, e0197350.	2.5	17
17	Neurofibromatosis type 2 tumor suppressor protein is expressed in oligodendrocytes and regulates cell proliferation and process formation. <i>PLoS ONE</i> , 2018, 13, e0196726.	2.5	3
18	Heat Shock Factor 1 Epigenetically Stimulates Glutaminase-1-Dependent mTOR Activation to Promote Colorectal Carcinogenesis. <i>Molecular Therapy</i> , 2018, 26, 1828-1839.	8.2	61

#	ARTICLE	IF	CITATIONS
19	Neuropathies in the setting of Neurofibromatosis tumor syndromes: Complexities and opportunities. <i>Experimental Neurology</i> , 2018, 299, 334-344.	4.1	22
20	Merlin controls the repair capacity of Schwann cells after injury by regulating Hippo/YAP activity. <i>Journal of Cell Biology</i> , 2017, 216, 495-510.	5.2	88
21	Developmental stage-dependent regulation of spine formation by calcium-calmodulin-dependent protein kinase II $\beta$ and Rap1. <i>Scientific Reports</i> , 2017, 7, 13409.	3.3	10
22	Vitamin A regulates Akt signaling through the phospholipid fatty acid composition. <i>FASEB Journal</i> , 2017, 31, 4458-4471.	0.5	20
23	Neuron-Specific Deletion of the Nf2 Tumor Suppressor Impairs Functional Nerve Regeneration. <i>PLoS ONE</i> , 2016, 11, e0159718.	2.5	8
24	Multifocal nerve lesions and LZTR1 germline mutations in segmental schwannomatosis. <i>Annals of Neurology</i> , 2016, 80, 625-628.	5.3	25
25	The importance of nerve microenvironment for schwannoma development. <i>Acta Neuropathologica</i> , 2016, 132, 289-307.	7.7	62
26	CPI-17 drives oncogenic Ras signaling in human melanomas via Ezrin-Radixin-Moesin family proteins. <i>Oncotarget</i> , 2016, 7, 78242-78254.	1.8	27
27	Tumor Suppressor NF2 Blocks Cellular Migration by Inhibiting Ectodomain Cleavage of CD44. <i>Molecular Cancer Research</i> , 2015, 13, 879-890.	3.4	33
28	Inside-out Regulation of Ectodomain Cleavage of Cluster-of-Differentiation-44 (CD44) and of Neuregulin-1 Requires Substrate Dimerization. <i>Journal of Biological Chemistry</i> , 2015, 290, 17041-17054.	3.4	39
29	Merlin's wizardry guides cohesive migration. <i>Nature Cell Biology</i> , 2015, 17, 212-213.	10.3	1
30	Inhibition of RAS Activation Due to a Homozygous Ezrin Variant in Patients with Profound Intellectual Disability. <i>Human Mutation</i> , 2015, 36, 270-278.	2.5	18
31	Deficiency of the protein-tyrosine phosphatase DEP-1/PTPRJ promotes matrix metalloproteinase-9 expression in meningioma cells. <i>Journal of Neuro-Oncology</i> , 2015, 122, 451-459.	2.9	5
32	Merlin Isoforms 1 and 2 Both Act as Tumour Suppressors and Are Required for Optimal Sperm Maturation. <i>PLoS ONE</i> , 2015, 10, e0129151.	2.5	10
33	Neuronal merlin influences ERBB2 receptor expression on Schwann cells through neuregulin 1 type III signalling. <i>Brain</i> , 2014, 137, 420-432.	7.6	30
34	Update from the 2013 international neurofibromatosis conference. <i>American Journal of Medical Genetics, Part A</i> , 2014, 164, 2969-2978.	1.2	17
35	A neuronal function of the tumor suppressor protein merlin. <i>Acta Neuropathologica Communications</i> , 2014, 2, 82.	5.2	26
36	&lt;em>In Vivo&lt;/em> Electrophysiological Measurements on Mouse Sciatic Nerves. <i>Journal of Visualized Experiments</i> , 2014, , .	0.3	33

#	ARTICLE	IF	CITATIONS
37	Novel mechanism of JNK pathway activation by adenoviral E1A. <i>Oncotarget</i> , 2014, 5, 2176-2186.	1.8	5
38	Abstract 1577: Inside-out regulation of ectodomain protease accessibility in the release of cytokines. , 2014, , .		0
39	Merlin isoform 2 in neurofibromatosis type 2-associated polyneuropathy. <i>Nature Neuroscience</i> , 2013, 16, 426-433.	14.8	51
40	Regulation of Son of sevenless by the membrane-actin linker protein ezrin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 20587-20592.	7.1	20
41	A microRNA contribution to aberrant Ras activation in gastric cancer. <i>American Journal of Translational Research (discontinued)</i> , 2011, 3, 209-18.	0.0	50
42	Merlin Inhibits Neurite Outgrowth in the CNS. <i>Journal of Neuroscience</i> , 2010, 30, 10177-10186.	3.6	27
43	Properties of an Ezrin Mutant Defective in F-actin Binding. <i>Journal of Molecular Biology</i> , 2009, 385, 1015-1031.	4.2	29
44	Merlin/Neurofibromatosis Type 2 Suppresses Growth by Inhibiting the Activation of Ras and Rac. <i>Cancer Research</i> , 2007, 67, 520-527.	0.9	194
45	Hepatocyte Growth Factor-induced Ras Activation Requires ERM Proteins Linked to Both CD44v6 and F-Actin. <i>Molecular Biology of the Cell</i> , 2007, 18, 76-83.	2.1	172
46	Tumorigenic transformation by CPI-17 through inhibition of a merlin phosphatase. <i>Nature</i> , 2006, 442, 576-579.	27.8	176
47	<i>Listeria monocytogenes</i> exploits ERM protein functions to efficiently spread from cell to cell. <i>EMBO Journal</i> , 2005, 24, 1287-1300.	7.8	80
48	Neurofibromatosis 2 (NF2) tumor suppressor schwannomin and its interacting protein HRS regulate STAT signaling. <i>Human Molecular Genetics</i> , 2002, 11, 3179-3189.	2.9	57
49	The NF2 tumor suppressor gene product, merlin, mediates contact inhibition of growth through interactions with CD44. <i>Genes and Development</i> , 2001, 15, 968-980.	5.9	468
50	CD44 Acts Both as a Growth- and Invasiveness-Promoting Molecule and as a Tumor-Suppressing Cofactor. <i>Annals of the New York Academy of Sciences</i> , 2000, 910, 106-120.	3.8	141