
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9546221/publications.pdf Version: 2024-02-01



LOSEDH AVDLICH

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | RNA m6A reader IMP2/IGF2BP2 promotes pancreatic β-cell proliferation and insulin secretion by enhancing PDX1 expression. Molecular Metabolism, 2021, 48, 101209. | 3.0 | 28 |
| 2 | A MicroRNA Linking Human Positive Selection and Metabolic Disorders. Cell, 2020, 183, 684-701.e14. | 13.5 | 46 |
| 3 | IMP2 Increases Mouse Skeletal Muscle Mass and Voluntary Activity by Enhancing Autocrine Insulin-Like Growth Factor 2 Production and Optimizing Muscle Metabolism. Molecular and Cellular Biology, 2019, 39, . | 1.1 | 12 |
| 4 | Liver-specific deletion of IGF2 mRNA binding protein-2/IMP2 reduces hepatic fatty acid oxidation and increases hepatic triglyceride accumulation. Journal of Biological Chemistry, 2019, 294, 11944-11951. | 1.6 | 34 |
| 5 | Pancreatic islet chromatin accessibility and conformation reveals distal enhancer networks of type 2 diabetes risk. Nature Communications, 2019, 10, 2078. | 5.8 | 82 |
| 6 | Cryo-EM insight into the structure of MTOR complex 1 and its interactions with Rheb and substrates. F1000Research, 2019, 8, 14. | 0.8 | 17 |
| 7 | The Mst1 Kinase Is Required for Follicular B Cell Homing and B-1 B Cell Development. Frontiers in Immunology, 2018, 9, 2393. | 2.2 | 13 |
| 8 | IGF2 mRNA binding protein-2 is a tumor promoter that drives cancer proliferation through its client mRNAs IGF2 and HMGA1. ELife, 2017, 6, . | 2.8 | 77 |
| 9 | Evolution ofÂTOR and Translation Control. , 2016, , 327-411. | | 8 |
| 10 | MST1/MST2 Protein Kinases: Regulation and Physiologic Roles. Biochemistry, 2016, 55, 5507-5519. | 1.2 | 73 |
| 11 | A Genome-Wide siRNA Screen in Mammalian Cells for Regulators of S6 Phosphorylation. PLoS ONE, 2015, 10, e0116096. | 1.1 | 10 |
| 12 | YAP Inhibition Restores Hepatocyte Differentiation in Advanced HCC, Leading to Tumor Regression. Cell Reports, 2015, 10, 1692-1707. | 2.9 | 213 |
| 13 | IGF2BP2/IMP2-Deficient Mice Resist Obesity through Enhanced Translation of Ucp1 mRNA and Other mRNAs Encoding Mitochondrial Proteins. Cell Metabolism, 2015, 21, 609-621. | 7.2 | 148 |
| 14 | Kinases Mst1 and Mst2 positively regulate phagocytic induction of reactive oxygen species and bactericidal activity. Nature Immunology, 2015, 16, 1142-1152. | 7.0 | 218 |
| 15 | Amino Acids Activate Mammalian Target of Rapamycin (mTOR) Complex 1 without Changing Rag GTPase Guanyl Nucleotide Charging. Journal of Biological Chemistry, 2014, 289, 2658-2674. | 1.6 | 53 |
| 16 | G protein oupled receptors engage the mammalian Hippo pathway through Fâ€actin. BioEssays, 2013, 35, 430-435. | 1.2 | 23 |
| 17 | mTOR complex 2 phosphorylates IMP1 cotranslationally to promote IGF2 production and the proliferation of mouse embryonic fibroblasts. Genes and Development, 2013, 27, 301-312. | 2.7 | 80 |
| | | | |

18 MST1/2 and Other Upstream Signaling that Affect Hippo Pathway Function. , 2013, , 27-49.

JOSEPH AVRUCH

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | YAP oncogene overexpression supercharges colon cancer proliferation. Cell Cycle, 2012, 11, 1090-1096. | 1.3 | 106 |
| 20 | The Mst1 and Mst2 kinases control activation of rho family GTPases and thymic egress of mature thymocytes. Journal of Experimental Medicine, 2012, 209, 741-759. | 4.2 | 146 |
| 21 | Protein kinases of the Hippo pathway: Regulation and substrates. Seminars in Cell and Developmental Biology, 2012, 23, 770-784. | 2.3 | 207 |
| 22 | Mammalian MAPK Signal Transduction Pathways Activated by Stress and Inflammation: A 10-Year Update. Physiological Reviews, 2012, 92, 689-737. | 13.1 | 1,122 |
| 23 | Hippo pathway in intestinal homeostasis and tumorigenesis. Protein and Cell, 2012, 3, 305-310. | 4.8 | 30 |
| 24 | A Genome-wide RNAi Screen for Polypeptides that Alter rpS6 Phosphorylation. Methods in Molecular Biology, 2012, 821, 187-214. | 0.4 | 4 |
| 25 | Yap1 Acts Downstream of α-Catenin to Control Epidermal Proliferation. Cell, 2011, 144, 782-795. | 13.5 | 923 |
| 26 | Mst1/2 signalling to Yap: gatekeeper for liver size and tumour development. British Journal of Cancer, 2011, 104, 24-32. | 2.9 | 106 |
| 27 | mTOR phosphorylates IMP2 to promote IGF2 mRNA translation by internal ribosomal entry. Genes and Development, 2011, 25, 1159-1172. | 2.7 | 148 |
| 28 | Mst1 and Mst2 protein kinases restrain intestinal stem cell proliferation and colonic tumorigenesis by inhibition of Yes-associated protein (Yap) overabundance. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, E1312-20. | 3.3 | 392 |
| 29 | The Mechanism of Insulin-stimulated 4E-BP Protein Binding to Mammalian Target of Rapamycin (mTOR) Complex 1 and Its Contribution to mTOR Complex 1 Signaling. Journal of Biological Chemistry, 2011, 286, 38043-38053. | 1.6 | 33 |
| 30 | Nek9 is a Plk1-activated kinase that controls early centrosome separation through Nek6/7 and Eg5. EMBO Journal, 2011, 30, 2634-2647. | 3.5 | 139 |
| 31 | Tumor Suppressor Ras Association Domain Family 5 (RASSF5/NORE1) Mediates Death Receptor Ligand-induced Apoptosis. Journal of Biological Chemistry, 2010, 285, 35029-35038. | 1.6 | 70 |
| 32 | Regulation of TOR Complex 1 by Amino Acids Through Small GTPases. The Enzymes, 2010, 27, 57-73. | 0.7 | 0 |
| 33 | Rassf Family of Tumor Suppressor Polypeptides. Journal of Biological Chemistry, 2009, 284, 11001-11005. | 1.6 | 106 |
| 34 | The TSC-mTOR Pathway Mediates Translational Activation of TOP mRNAs by Insulin Largely in a Raptor- or Rictor-Independent Manner. Molecular and Cellular Biology, 2009, 29, 640-649. | 1.1 | 111 |
| 35 | Mst1 and Mst2 Maintain Hepatocyte Quiescence andÂSuppress Hepatocellular Carcinoma Development through Inactivation of the Yap1 Oncogene. Cancer Cell, 2009, 16, 425-438. | 7.7 | 809 |
| 36 | Amino acid regulation of TOR complex 1. American Journal of Physiology - Endocrinology and Metabolism, 2009, 296, E592-E602. | 1.8 | 332 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Activation of mTORC1 in two steps: Rheb-GTP activation of catalytic function and increased binding of substrates to raptor1. Biochemical Society Transactions, 2009, 37, 223-226. | 1.6 | 59 |
| 38 | Characterization of two Mst1â€deficient mouse models. Developmental Dynamics, 2008, 237, 3424-3434. | 0.8 | 7 |
| 39 | MOBKL1A/MOBKL1B Phosphorylation by MST1 and MST2 Inhibits Cell Proliferation. Current Biology, 2008, 18, 311-321. | 1.8 | 352 |
| 40 | A Rictor-Myo1c Complex Participates in Dynamic Cortical Actin Events in 3T3-L1 Adipocytes. Molecular and Cellular Biology, 2008, 28, 4215-4226. | 1.1 | 71 |
| 41 | The NIMA-family kinase Nek6 phosphorylates the kinesin Eg5 at a novel site necessary for mitotic spindle formation. Journal of Cell Science, 2008, 121, 3912-3921. | 1.2 | 125 |
| 42 | The Nore1B/Mst1 complex restrains antigen receptor-induced proliferation of naÃ ⁻ ve T cells. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 20321-20326. | 3.3 | 135 |
| 43 | The Proline-rich Akt Substrate of 40 kDa (PRAS40) Is a Physiological Substrate of Mammalian Target of Rapamycin Complex 1*. Journal of Biological Chemistry, 2007, 282, 20329-20339. | 1.6 | 275 |
| 44 | The Rheb Switch 2 Segment Is Critical for Signaling to Target of Rapamycin Complex 1. Journal of Biological Chemistry, 2007, 282, 18542-18551. | 1.6 | 40 |
| 45 | MAP kinase pathways: The first twenty years. Biochimica Et Biophysica Acta - Molecular Cell Research, 2007, 1773, 1150-1160. | 1.9 | 236 |
| 46 | Insulin and amino-acid regulation of mTOR signaling and kinase activity through the Rheb GTPase. Oncogene, 2006, 25, 6361-6372. | 2.6 | 280 |
| 47 | Nore1 and RASSF1 Regulation of Cell Proliferation and of the MST1/2 Kinases. Methods in Enzymology, 2006, 407, 290-310. | 0.4 | 81 |
| 48 | Recent advances in the regulation of the TOR pathway by insulin and nutrients. Current Opinion in Clinical Nutrition and Metabolic Care, 2005, 8, 67-72. | 1.3 | 84 |
| 49 | Rheb Binds and Regulates the mTOR Kinase. Current Biology, 2005, 15, 702-713. | 1.8 | 842 |
| 50 | Glutamatergic Regulation of the p70S6 Kinase in Primary Mouse Neurons*. Journal of Biological Chemistry, 2005, 280, 38121-38124. | 1.6 | 126 |
| 51 | Rheb Binding to Mammalian Target of Rapamycin (mTOR) Is Regulated by Amino Acid Sufficiency. Journal of Biological Chemistry, 2005, 280, 23433-23436. | 1.6 | 304 |
| 52 | The Scaffold Protein CNK1 Interacts with the Tumor Suppressor RASSF1A and Augments RASSF1A-induced Cell Death. Journal of Biological Chemistry, 2004, 279, 29247-29254. | 1.6 | 82 |
| 53 | Dissociation of raptor from mTOR is a mechanism of rapamycin-induced inhibition of mTOR function. Genes To Cells, 2004, 9, 359-366. | 0.5 | 274 |
| 54 | Nore1 inhibits tumor cell growth independent of Ras or the MST1/2 kinases. Oncogene, 2004, 23, 3426-3433. | 2.6 | 85 |

| # | Article | lF | CITATIONS |
|----|--|------|-----------|
| 55 | Regulation of the MST1 kinase by autophosphorylation, by the growth inhibitory proteins, RASSF1 and NORE1, and by Ras. Biochemical Journal, 2004, 381, 453-462. | 1.7 | 310 |
| 56 | The Mammalian Target of Rapamycin (mTOR) Partner, Raptor, Binds the mTOR Substrates p70 S6 Kinase and 4E-BP1 through Their TOR Signaling (TOS) Motif. Journal of Biological Chemistry, 2003, 278, 15461-15464. | 1.6 | 567 |
| 57 | A Mitotic Cascade of NIMA Family Kinases. Journal of Biological Chemistry, 2003, 278, 34897-34909. | 1.6 | 154 |
| 58 | Nercc1, a mammalian NIMA-family kinase, binds the Ran GTPase and regulates mitotic progression. Genes and Development, 2002, 16, 1640-1658. | 2.7 | 126 |
| 59 | 14-3-3 Proteins: Active Cofactors in Cellular Regulation by Serine/Threonine Phosphorylation. Journal of Biological Chemistry, 2002, 277, 3061-3064. | 1.6 | 451 |
| 60 | Death-associated Protein 4 Binds MST1 and Augments MST1-induced Apoptosis. Journal of Biological Chemistry, 2002, 277, 47991-48001. | 1.6 | 79 |
| 61 | Raptor, a Binding Partner of Target of Rapamycin (TOR), Mediates TOR Action. Cell, 2002, 110, 177-189. | 13.5 | 1,612 |
| 62 | Identification of a Novel Ras-Regulated Proapoptotic Pathway. Current Biology, 2002, 12, 253-265. | 1.8 | 343 |
| 63 | TOR Deficiency in C. elegans Causes Developmental Arrest and Intestinal Atrophy by Inhibition of mRNA Translation. Current Biology, 2002, 12, 1448-1461. | 1.8 | 252 |
| 64 | The putative tumor suppressor RASSF1A homodimerizes and heterodimerizes with the Ras-GTP binding protein Nore1. Oncogene, 2002, 21, 1381-1390. | 2.6 | 205 |
| 65 | RASSF3 and NORE1: identification and cloning of two human homologues of the putative tumor suppressor gene RASSF1. Oncogene, 2002, 21, 2713-2720. | 2.6 | 104 |
| 66 | Mammalian Mitogen-Activated Protein Kinase Signal Transduction Pathways Activated by Stress and Inflammation. Physiological Reviews, 2001, 81, 807-869. | 13.1 | 3,019 |
| 67 | Extracellular ATP stimulates an inhibitory pathway towards growth factor-induced cRaf-1 and MEKK activation in astrocyte cultures. Journal of Neurochemistry, 2001, 77, 1001-1009. | 2.1 | 31 |
| 68 | Role of mitogen-activated protein kinase cascades in P2Y receptor-mediated trophic activation of astroglial cells. Drug Development Research, 2001, 53, 158-165. | 1.4 | 8 |
| 69 | Identification of the NIMA family kinases NEK6/7 as regulators of the p70 ribosomal S6 kinase. Current Biology, 2001, 11, 1155-1167. | 1.8 | 72 |
| 70 | Amino Acid-Induced Translation of TOP mRNAs Is Fully Dependent on Phosphatidylinositol 3-Kinase-Mediated Signaling, Is Partially Inhibited by Rapamycin, and Is Independent of S6K1 and rpS6 Phosphorylation. Molecular and Cellular Biology, 2001, 21, 8671-8683. | 1.1 | 274 |
| 71 | P2Y purinoceptor subtypes recruit different Mek activators in astrocytes. British Journal of Pharmacology, 2000, 129, 927-936. | 2.7 | 91 |
| 72 | Serine phosphorylation and maximal activation of STAT3 during CNTF signaling is mediated by the rapamycin target mTOR. Current Biology, 2000, 10, 47-50. | 1.8 | 422 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Calyculin A-induced Vimentin Phosphorylation Sequesters 14-3-3 and Displaces Other 14-3-3 Partners in Vivo. Journal of Biological Chemistry, 2000, 275, 29772-29778. | 1.6 | 134 |
| 74 | Regulation of Translational Effectors by Amino Acid and Mammalian Target of Rapamycin Signaling Pathways. Journal of Biological Chemistry, 1999, 274, 1058-1065. | 1.6 | 188 |
| 75 | Immunopurified Mammalian Target of Rapamycin Phosphorylates and Activates p70 S6 Kinase α in Vitro. Journal of Biological Chemistry, 1999, 274, 34493-34498. | 1.6 | 296 |
| 76 | Intracellular signalling: PDK1 – a kinase at the hub of things. Current Biology, 1999, 9, R93-R96. | 1.8 | 203 |
| 77 | Insulin signal transduction through protein kinase cascades. , 1998, 182, 31-48. | | 317 |
| 78 | A signal for β-cell failure. Nature, 1998, 391, 846-847. | 13.7 | 7 |
| 79 | A dimeric 14-3-3 protein is an essential cofactor for Raf kinase activity. Nature, 1998, 394, 88-92. | 13.7 | 442 |
| 80 | 3-Phosphoinositide-dependent protein kinase 1 (PDK1) phosphorylates and activates the p70 S6 kinase in vivo and in vitro. Current Biology, 1998, 8, 69-81. | 1.8 | 551 |
| 81 | Amino Acid Sufficiency and mTOR Regulate p70 S6 Kinase and eIF-4E BP1 through a Common Effector Mechanism. Journal of Biological Chemistry, 1998, 273, 14484-14494. | 1.6 | 1,200 |
| 82 | Identification of Nore1 as a Potential Ras Effector. Journal of Biological Chemistry, 1998, 273, 5439-5442. | 1.6 | 166 |
| 83 | Identification of Regulatory Phosphorylation Sites in Mitogen-activated Protein Kinase (MAPK)-activated Protein Kinase-1a/p90 That Are Inducible by MAPK. Journal of Biological Chemistry, 1998, 273, 1496-1505. | 1.6 | 333 |
| 84 | Regulation of the p70 S6 Kinase by Phosphorylation in Vivo. Journal of Biological Chemistry, 1998, 273, 16621-16629. | 1.6 | 349 |
| 85 | Actin-biding Protein-280 Binds the Stress-activated Protein Kinase (SAPK) Activator SEK-1 and Is Required for Tumor Necrosis Factor-α Activation of SAPK in Melanoma Cells. Journal of Biological Chemistry, 1997, 272, 2620-2628. | 1.6 | 147 |
| 86 | MST/MLK2, a Member of the Mixed Lineage Kinase Family, Directly Phosphorylates and Activates SEK1, an Activator of c-Jun N-terminal Kinase/Stress-activated Protein Kinase. Journal of Biological Chemistry, 1997, 272, 15167-15173. | 1.6 | 169 |
| 87 | Regulation of eIF-4E BP1 Phosphorylation by mTOR. Journal of Biological Chemistry, 1997, 272, 26457-26463. | 1.6 | 435 |
| 88 | The Mixed Lineage Kinase SPRK Phosphorylates and Activates the Stress-activated Protein Kinase Activator, SEK-1. Journal of Biological Chemistry, 1996, 271, 19025-19028. | 1.6 | 209 |
| 89 | Protein kinase cascades activated by stress and inflammatory cytokines. BioEssays, 1996, 18, 567-577. | 1.2 | 705 |
| 90 | Oligomerization activates c-Raf-1 through a Ras-dependent mechanism. Nature, 1996, 383, 181-185. | 13.7 | 241 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Sounding the Alarm: Protein Kinase Cascades Activated by Stress and Inflammation. Journal of Biological Chemistry, 1996, 271, 24313-24316. | 1.6 | 1,013 |
| 92 | [33] Ras-Raf complexes in Vitro. Methods in Enzymology, 1995, 255, 323-331. | 0.4 | 7 |
| 93 | Activation of the SAPK pathway by the human STE20 homologue germinal centre kinase. Nature, 1995, 377, 750-754. | 13.7 | 218 |
| 94 | REGULATION OF NUCLEAR TRANSCRIPTION FACTORS BY STRESS SIGNALS. Clinical and Experimental Pharmacology and Physiology, 1995, 22, 281-283. | 0.9 | 34 |
| 95 | Ionizing Radiation Stimulates a Grb2-mediated Association of the Stress-activated Protein Kinase with Phosphatidylinositol 3-Kinase. Journal of Biological Chemistry, 1995, 270, 18871-18874. | 1.6 | 65 |
| 96 | Identification of the 14.3.3 ζ Domains Important for Self-association and Raf Binding. Journal of Biological Chemistry, 1995, 270, 23681-23687. | 1.6 | 91 |
| 97 | The Stress-activated Protein Kinases Annals of the New York Academy of Sciences, 1995, 766, 303-319. | 1.8 | 63 |
| 98 | Role of SAPK/ERK kinase-1 in the stress-activated pathway regulating transcription factor c-Jun. Nature, 1994, 372, 794-798. | 13.7 | 1,016 |
| 99 | Raf meets Ras: completing the framework of a signal transduction pathway. Trends in Biochemical Sciences, 1994, 19, 279-283. | 3.7 | 565 |
| 100 | The stress-activated protein kinase subfamily of c-Jun kinases. Nature, 1994, 369, 156-160. | 13.7 | 2,631 |
| 101 | Normal and oncogenic p21ras proteins bind to the amino-terminal regulatory domain of c-Raf-1. Nature, 1993, 364, 308-313. | 13.7 | 879 |
| 102 | Growth factor-activated kinases phosphorylate IRE-ABP. Biochemical Society Transactions, 1992, 20, 691-693. | 1.6 | 9 |
| 103 | Raf-1 activates MAP kinase-kinase. Nature, 1992, 358, 417-421. | 13.7 | 1,299 |
| 104 | Phosphorylation of c-jun mediated by MAP kinases. Nature, 1991, 353, 670-674. | 13.7 | 1,454 |
| 105 | Purification and characterisation of the insulin-stimulated protein kinase from rabbit skeletal muscle; close similarity to S6 kinase II. FEBS Journal, 1991, 199, 723-728. | 0.2 | 120 |
| 106 | Kinetic properties of the insulin receptor tyrosine protein kinase: Activation through an insulin-stimulated tyrosine-specific, intramolecular autophosphorylation. Archives of Biochemistry and Biophysics, 1986, 244, 102-113. | 1.4 | 60 |
| 107 | An insulin-stimulated (ribosomal S6) protein kinase from soluble extracts of H4 hepatoma cells. Archives of Biochemistry and Biophysics, 1986, 245, 196-203. | 1.4 | 63 |
| 108 | Insulin binds to and promotes the phosphorylation of a M r 210 000 component of its receptor in detergent extracts of rat liver microsomes. FEBS Letters, 1983, 158, 243-246. | 1.3 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | A rapid and convenient method for preparing salt-free [Î ³ -32P]ATP. Analytical Biochemistry, 1981, 116, 372-373. | 1.1 | 37 |
| 110 | Studies on the mechanism of insulin-stimulated protein phosphorylation in adipocytes. Biochemical and Biophysical Research Communications, 1980, 94, 1331-1336. | 1.0 | 11 |
| 111 | Phosphorylation and dephosphorylation of spectrin. Journal of Supramolecular Structure, 1978, 9, 97-112. | 2.3 | 60 |
| 112 | Phosphoprotein phosphatase of the human erythrocyte. Biochemical and Biophysical Research Communications, 1976, 72, 701-708. | 1.0 | 45 |
| 113 | Insulin regulation of glycogen synthase in the isolated rat hepatocyte. Biochemical and Biophysical Research Communications, 1976, 69, 997-1003. | 1.0 | 49 |
| 114 | Regulation of plasma membrane protein phosphorylation in two mammalian cell types. Journal of Cellular Physiology, 1976, 89, 815-826. | 2.0 | 39 |
| 115 | Four gel systems for electrophoretic fractionation of membrane proteins using ionic detergents. Journal of Supramolecular Structure, 1972, 1, 66-75. | 2.3 | 107 |
| 116 | The putative tumor suppressor RASSF1A homodimerizes and heterodimerizes with the Ras-GTP binding protein Nore1. , 0, . | | 3 |