MichaÅ, Bogusiewicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9555309/publications.pdf

Version: 2024-02-01

21 390 papers citations

11 20
h-index g-index

22 22 all docs citations

22 times ranked 479 citing authors

#	Article	IF	CITATIONS
1	High-resolution three-dimensional endovaginal ultrasonography in the assessment of pelvic floor anatomy: a preliminary study. International Urogynecology Journal, 2009, 20, 1213-1222.	1.4	88
2	Body mass index does not influence the outcome of anti-incontinence surgery among women whereas menopausal status and ageing do: a randomised trial. International Urogynecology Journal, 2010, 21, 801-806.	1.4	55
3	Activity of matrix metalloproteinase-2 and -9 and contents of their tissue inhibitors in uterine leiomyoma and corresponding myometrium. Gynecological Endocrinology, 2007, 23, 541-546.	1.7	43
4	Quantitative assessment of urethral vascularity in nulliparous females using high-frequency endovaginal ultrasonography. World Journal of Urology, 2011, 29, 625-632.	2.2	28
5	Both the middle and distal sections of the urethra may be regarded as optimal targets for †outside-in†transobturator tape placement. World Journal of Urology, 2014, 32, 1605-1611.	2.2	23
6	Tape Fixation: An Important Surgical Step to Improve Success Rate of Anti-Incontinence Surgery. Journal of Urology, 2011, 186, 180-184.	0.4	22
7	Most of the patients with suburethral sling failure have tapes located outside the highpressure zone of the urethra. Ginekologia Polska, 2013, 84, 334-8.	0.7	19
8	Mismatch Repair Genes and Microsatellite Instability as Molecular Markers for Gynecological Cancer Detection. Experimental Biology and Medicine, 2002, 227, 579-586.	2.4	18
9	Anatomical variation of bony pelvis from the viewpoint of transobturator sling placement for stress urinary incontinence. International Urogynecology Journal, 2011, 22, 1005-1009.	1.4	17
10	Collagen deposition around polypropylene tapes implanted in the rectus fascia of female rats. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 124, 106-109.	1.1	12
11	Use of uroflow parameters in diagnosing an overactive bladder—Back to the drawing board. Neurourology and Urodynamics, 2017, 36, 198-202.	1.5	12
12	Lack of correlation between leptin receptor expression and PI3-K/Akt signaling pathway proteins immunostaining in endometrioid-type endometrial carcinomas. Cancer Letters, 2006, 238, 61-68.	7.2	11
13	Relationship between estrogen receptor-α polymorphism and serum levels of vascular cell adhesion molecule-1, intercellular adhesion molecule-1, C-reactive protein and homocysteine in postmenopausal women. Gynecological Endocrinology, 2007, 23, 584-589.	1.7	8
14	Ultrasound imaging in urogynecology – state of the art 2016. Przeglad Menopauzalny, 2016, 3, 123-132.	1.3	7
15	Leiomyomatosis peritonealis disseminate with formation of endometrial cysts within tumors arising after supracervical laparoscopic hysterectomy. Ginekologia Polska, 2013, 84, 68-71.	0.7	7
16	Opportunistic salpingectomy for prevention of sporadic ovarian cancer — a jump from basic science to clinical practice?. Ginekologia Polska, 2016, 87, 467-472.	0.7	7
17	Four-arm polypropylene mesh for vaginal vault prolapse-surgical technique and outcomes. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 255, 203-210.	1.1	5
18	Local collagen turnover in human foetal membranes during full term vaginal delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 77, 141-143.	1.1	3

#	Article	IF	CITATIONS
19	Re: Midurethral Tissue Fixation System (TFS). Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 177-178.	1.0	3
20	Reply from authors to Letter to the Editor on "RE: Konrad Futyma, Åukasz Nowakowski, MichaÅ, Bogusiewicz, Alicja Ziętek, Andrzej P. Wieczorek and Tomasz Rechberger. Use of Uroflow Parameters in Diagnosing an Overactive Bladder—Back to the Drawing Board―manuscript number: Neurourol Urodyn DOI 10.1002/nau.22898. Neurourology and Urodynamics, 2017, 36, 1659-1660.	1.5	1
21	Urine Nerve Growth Factor May Not Be Useful as a Biomarker of Overactive Bladder in Patients with Pelvic Organ Prolapse. Journal of Clinical Medicine, 2022, 11, 971.	2.4	1