

# Michał, Bogusiewicz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9555309/publications.pdf>

Version: 2024-02-01

21  
papers

390  
citations

840776

11  
h-index

752698

20  
g-index

22  
all docs

22  
docs citations

22  
times ranked

479  
citing authors

#	ARTICLE	IF	CITATIONS
1	Urine Nerve Growth Factor May Not Be Useful as a Biomarker of Overactive Bladder in Patients with Pelvic Organ Prolapse. <i>Journal of Clinical Medicine</i> , 2022, 11, 971.	2.4	1
2	Four-arm polypropylene mesh for vaginal vault prolapse-surgical technique and outcomes. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 255, 203-210.	1.1	5
3	Use of uroflow parameters in diagnosing an overactive bladderâ€”Back to the drawing board. <i>Neurourology and Urodynamics</i> , 2017, 36, 198-202.	1.5	12
4	Reply from authors to Letter to the Editor on â€œRE: Konrad Futyma, Åukasz Nowakowski, MichaÅ Bogusiewicz, Alicja ZiÅmtek, Andrzej P. Wieczorek and Tomasz Rechberger. Use of Uroflow Parameters in Diagnosing an Overactive Bladderâ€”Back to the Drawing Boardâ€”manuscript number: Neurourol Urodyn DOI 10.1002/nau.22898. <i>Neurourology and Urodynamics</i> , 2017, 36, 1659-1660.	1.5	1
5	Ultrasound imaging in urogynecology â€” state of the art 2016. <i>PrzeglÅd Menopauzalny</i> , 2016, 3, 123-132.	1.3	7
6	Opportunistic salpingectomy for prevention of sporadic ovarian cancer â€” a jump from basic science to clinical practice?. <i>Ginekologia Polska</i> , 2016, 87, 467-472.	0.7	7
7	Both the middle and distal sections of the urethra may be regarded as optimal targets for â€”outside-inâ€” transobturator tape placement. <i>World Journal of Urology</i> , 2014, 32, 1605-1611.	2.2	23
8	Leiomyomatosis peritonealis disseminate with formation of endometrial cysts within tumors arising after supracervical laparoscopic hysterectomy. <i>Ginekologia Polska</i> , 2013, 84, 68-71.	0.7	7
9	Most of the patients with suburethral sling failure have tapes located outside the highpressure zone of the urethra. <i>Ginekologia Polska</i> , 2013, 84, 334-8.	0.7	19
10	Tape Fixation: An Important Surgical Step to Improve Success Rate of Anti-Incontinence Surgery. <i>Journal of Urology</i> , 2011, 186, 180-184.	0.4	22
11	Quantitative assessment of urethral vascularity in nulliparous females using high-frequency endovaginal ultrasonography. <i>World Journal of Urology</i> , 2011, 29, 625-632.	2.2	28
12	Anatomical variation of bony pelvis from the viewpoint of transobturator sling placement for stress urinary incontinence. <i>International Urogynecology Journal</i> , 2011, 22, 1005-1009.	1.4	17
13	Body mass index does not influence the outcome of anti-incontinence surgery among women whereas menopausal status and ageing do: a randomised trial. <i>International Urogynecology Journal</i> , 2010, 21, 801-806.	1.4	55
14	High-resolution three-dimensional endovaginal ultrasonography in the assessment of pelvic floor anatomy: a preliminary study. <i>International Urogynecology Journal</i> , 2009, 20, 1213-1222.	1.4	88
15	Relationship between estrogen receptor-Î± polymorphism and serum levels of vascular cell adhesion molecule-1, intercellular adhesion molecule-1, C-reactive protein and homocysteine in postmenopausal women. <i>Gynecological Endocrinology</i> , 2007, 23, 584-589.	1.7	8
16	Activity of matrix metalloproteinase-2 and -9 and contents of their tissue inhibitors in uterine leiomyoma and corresponding myometrium. <i>Gynecological Endocrinology</i> , 2007, 23, 541-546.	1.7	43
17	Lack of correlation between leptin receptor expression and PI3-K/Akt signaling pathway proteins immunostaining in endometrioid-type endometrial carcinomas. <i>Cancer Letters</i> , 2006, 238, 61-68.	7.2	11
18	Collagen deposition around polypropylene tapes implanted in the rectus fascia of female rats. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 124, 106-109.	1.1	12

#	ARTICLE	IF	CITATIONS
19	Re: Midurethral Tissue Fixation System (TFS). Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 177-178.	1.0	3
20	Mismatch Repair Genes and Microsatellite Instability as Molecular Markers for Gynecological Cancer Detection. Experimental Biology and Medicine, 2002, 227, 579-586.	2.4	18
21	Local collagen turnover in human foetal membranes during full term vaginal delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 77, 141-143.	1.1	3