

Hanwu Dong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9555320/publications.pdf>

Version: 2024-02-01

82
papers

4,441
citations

101543

36
h-index

106344

65
g-index

82
all docs

82
docs citations

82
times ranked

5202
citing authors

#	ARTICLE	IF	CITATIONS
1	From Lychee Seeds to Hierarchical Fe ₃ O ₄ /Carbon Composite Anodes for Lithium-Ion Batteries: A High Additional Value Conversion-Based Self-Assembly Strategy. <i>Energy & Fuels</i> , 2022, 36, 5027-5035.	5.1	2
2	Controllable Synthesis of Carbon Dots@CaCO ₃ Composites: Tunable Morphology, UV Absorption Properties, and Application as an Ultraviolet Absorber. <i>Crystal Growth and Design</i> , 2022, 22, 4357-4365.	3.0	8
3	Highly porous carbon material from polycyclodextrin for high-performance supercapacitor electrode. <i>Journal of Energy Storage</i> , 2022, 53, 105036.	8.1	32
4	Calcium-chloride-assisted approach towards green and sustainable synthesis of hierarchical porous carbon microspheres for high-performance supercapacitive energy storage. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 159-166.	9.4	22
5	Degradation of biomass components to prepare porous carbon for exceptional hydrogen storage capacity. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 5418-5426.	7.1	22
6	The changing structure by component: Biomass-based porous carbon for high-performance supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2021, 585, 778-786.	9.4	56
7	Sodium alginate assisted preparation of oxygen-doped microporous carbons with enhanced electrochemical energy storage and hydrogen uptake. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 896-905.	7.1	19
8	KCl-assisted activation: Moringa oleifera branch-derived porous carbon for high performance supercapacitor. <i>New Journal of Chemistry</i> , 2021, 45, 5712-5719.	2.8	10
9	A mild method to prepare nitrogen-rich interlaced porous carbon nanosheets for high-performance supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2021, 599, 381-389.	9.4	40
10	Enhancement of Fluorescence Emission for Tricolor Quantum Dots Assembled in Polysiloxane toward Solar Spectrum-Simulated White Light-Emitting Devices. <i>Small</i> , 2020, 16, e1905266.	10.0	16
11	Engineering of nanonetwork-structured carbon to enable high-performance potassium-ion storage. <i>Journal of Colloid and Interface Science</i> , 2020, 561, 195-202.	9.4	13
12	Active Nanointerface-Assisted Co-Assembly to Yield "Shell Au@Ordered Mesoporous Carbon Nanospheres. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901703.	3.7	3
13	Direct carbonization of black liquor powders into 3D honeycomb-like porous carbons with a tunable disordered degree for sodium-ion batteries. <i>New Journal of Chemistry</i> , 2020, 44, 10697-10702.	2.8	3
14	Facile synthesis of FeCO ₃ /nitrogen-doped carbon dot composites for lithium-ion battery anodes. <i>Journal of Alloys and Compounds</i> , 2020, 838, 155508.	5.5	20
15	Polyacrylonitrile-based highly porous carbon materials for exceptional hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 23210-23215.	7.1	20
16	Component Degradation-Enabled Preparation of Biomass-Based Highly Porous Carbon Materials for Energy Storage. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 15259-15266.	6.7	36
17	Bark-Based 3D Porous Carbon Nanosheet with Ultrahigh Surface Area for High Performance Supercapacitor Electrode Material. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 13827-13835.	6.7	63
18	Extraordinary Thickness-Independent Electrochemical Energy Storage Enabled by Cross-Linked Microporous Carbon Nanosheets. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 26946-26955.	8.0	51

#	ARTICLE	IF	CITATIONS
19	Achieving high-energy-density and ultra-stable zinc-ion hybrid supercapacitors by engineering hierarchical porous carbon architecture. <i>Electrochimica Acta</i> , 2019, 327, 134999.	5.2	116
20	Hierarchically Porous Carbon Derived from <i>Neolamarckia cadamba</i> for Electrochemical Capacitance and Hydrogen Storage. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 15385-15393.	6.7	44
21	Microstructure engineering towards porous carbon materials derived from one biowaste precursor for multiple energy storage applications. <i>Electrochimica Acta</i> , 2019, 326, 134974.	5.2	27
22	Mixed-Biomass Wastes Derived Hierarchically Porous Carbons for High-Performance Electrochemical Energy Storage. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 10393-10402.	6.7	78
23	KNO ₃ -mediated synthesis of high-surface-area polyacrylonitrile-based carbon material for exceptional supercapacitors. <i>Carbon</i> , 2019, 152, 120-127.	10.3	38
24	Synthesis of Porous Carbon Material with Suitable Graphitization Strength for High Electrochemical Capacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 6601-6610.	6.7	46
25	Facile construction of hollow carbon nanosphere-interconnected network for advanced sodium-ion battery anode. <i>Journal of Colloid and Interface Science</i> , 2019, 546, 53-59.	9.4	31
26	Natural Plant Template-Derived Cellular Framework Porous Carbon as a High-Rate and Long-Life Electrode Material for Energy Storage. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 5845-5855.	6.7	53
27	Rich N/O/S co-doped porous carbon with a high surface area from silkworm cocoons for superior supercapacitors. <i>New Journal of Chemistry</i> , 2019, 43, 19372-19378.	2.8	5
28	Advanced nanonetwork-structured carbon materials for high-performance formaldehyde capture. <i>Journal of Colloid and Interface Science</i> , 2019, 537, 562-568.	9.4	20
29	Small nitrogen-doped carbon dots as efficient nanoenhancer for boosting the electrochemical performance of three-dimensional graphene. <i>Journal of Colloid and Interface Science</i> , 2019, 536, 628-637.	9.4	34
30	Double carbon dot assembled mesoporous aluminas: solid-state dual-emission photoluminescence and multifunctional applications. <i>Journal of Materials Chemistry C</i> , 2018, 6, 2495-2501.	5.5	46
31	Super-hierarchical porous carbons derived from mixed biomass wastes by a stepwise removal strategy for high-performance supercapacitors. <i>Journal of Power Sources</i> , 2018, 377, 151-160.	7.8	152
32	From biomass wastes to vertically aligned graphene nanosheet arrays: A catalyst-free synthetic strategy towards high-quality graphene for electrochemical energy storage. <i>Chemical Engineering Journal</i> , 2018, 336, 550-561.	12.7	128
33	Rational Synthesis of Highly Porous Carbon from Waste Bagasse for Advanced Supercapacitor Application. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 15325-15332.	6.7	82
34	Bioinspired Highly Crumpled Porous Carbons with Multidirectional Porosity for High Rate Performance Electrochemical Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 12716-12726.	6.7	31
35	Revealing contribution of pore size to high hydrogen storage capacity. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 18077-18082.	7.1	36
36	Large-scale synthesis of porous carbon <i>via</i> one-step CuCl ₂ activation of rape pollen for high-performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 12046-12055.	10.3	126

#	ARTICLE	IF	CITATIONS
37	Hierarchical NiO mesocrystals with tuneable high-energy facets for pseudocapacitive charge storage. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6921-6927.	10.3	38
38	Hierarchically porous carbon nanosheets derived from <i>Moringa oleifera</i> stems as electrode material for high-performance electric double-layer capacitors. <i>Journal of Power Sources</i> , 2017, 353, 260-269.	7.8	119
39	Interconnected 3D Network of GrapheneOxide Nanosheets Decorated with Carbon Dots for High-Performance Supercapacitors. <i>ChemSusChem</i> , 2017, 10, 2626-2634.	6.8	75
40	Teflon: A Decisive Additive in Directly Fabricating Hierarchical Porous Carbon with Network Structure from Natural Leaf. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 9307-9312.	6.7	17
41	Hierarchical Porous Carbons Derived from Rice Husk for Supercapacitors with High Activity and High Capacitance Retention Capability. <i>ChemistrySelect</i> , 2017, 2, 6438-6445.	1.5	12
42	Hierarchical porous carbon with network morphology derived from natural leaf for superior aqueous symmetrical supercapacitors. <i>Electrochimica Acta</i> , 2017, 258, 504-511.	5.2	60
43	Ultrahigh-surface-area hierarchical porous carbon from chitosan: acetic acid mediated efficient synthesis and its application in superior supercapacitors. <i>Journal of Materials Chemistry A</i> , 2017, 5, 24775-24781.	10.3	149
44	Facile Synthesis of Highly Porous Carbon from Rice Husk. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 7111-7117.	6.7	56
45	Sulfur-doped nanoporous carbon spheres with ultrahigh specific surface area and high electrochemical activity for supercapacitor. <i>Journal of Power Sources</i> , 2017, 360, 373-382.	7.8	146
46	Facile one-step and high-yield synthesis of few-layered and hierarchically porous boron nitride nanosheets. <i>RSC Advances</i> , 2016, 6, 45402-45409.	3.6	7
47	Three-dimensional Nitrogen-doped graphene as binder-free electrode materials for supercapacitors with high volumetric capacitance and the synergistic effect between nitrogen configuration and supercapacitive performance. <i>Electrochimica Acta</i> , 2016, 218, 32-40.	5.2	54
48	Facile Synthesis of Three-Dimensional Heteroatom-Doped and Hierarchical Egg-Box-Like Carbons Derived from <i>Moringa oleifera</i> Branches for High-Performance Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 33060-33071.	8.0	137
49	Effect of H ₃ BO ₃ flux on the morphology and optical properties of Sr ₂ MgAl ₂₂ O ₃₆ :Mn ⁴⁺ red phosphors for agricultural light conversion films. <i>Ceramics International</i> , 2016, 42, 13011-13017.	4.8	39
50	A Self-Quenching-Resistant Carbon-Dot Powder with Tunable Solid-State Fluorescence and Construction of Dual-Fluorescence Morphologies for White Light Emission. <i>Advanced Materials</i> , 2016, 28, 312-318.	21.0	527
51	Luminescent carbon dots assembled SBA-15 and its oxygen sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2016, 230, 101-108.	7.8	24
52	Nitrogen-doped porous carbon with an ultrahigh specific surface area for superior performance supercapacitors. <i>Journal of Power Sources</i> , 2016, 310, 145-153.	7.8	161
53	Hierarchical structured carbon derived from bagasse wastes: A simple and efficient synthesis route and its improved electrochemical properties for high-performance supercapacitors. <i>Journal of Power Sources</i> , 2016, 302, 164-173.	7.8	358
54	Three-dimensional honeycomb-like hierarchically structured carbon for high-performance supercapacitors derived from high-ash-content sewage sludge. <i>Journal of Materials Chemistry A</i> , 2015, 3, 15225-15234.	10.3	125

#	ARTICLE	IF	CITATIONS
55	Enhanced photoluminescence and phosphorescence properties of red CaAlSiN ₃ :Eu ²⁺ phosphor via simultaneous UV-NIR stimulation. <i>Journal of Materials Chemistry C</i> , 2015, 3, 4445-4451.	5.5	59
56	Amorphous Ni-Co Binary Oxide with Hierarchical Porous Structure for Electrochemical Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 24419-24429.	8.0	82
57	Structure and stability of high pressure synthesized MgTM ₂ H ₆ (TM = Zr, Nb) hydrides. <i>Acta Materialia</i> , 2015, 96, 237-248.	7.9	10
58	Optical Energy Storage Properties of (Ca _{1-x} Sr _x) ₂ Si ₅ N ₈ :Eu ²⁺ , Tm ³⁺ Solid Solutions. <i>Journal of the American Ceramic Society</i> , 2015, 98, 1823-1828.	3.8	25
59	Preparation and properties of Sr ₂ Si ₅ N ₈ :Eu ²⁺ -cellulose hybrid films for sunlight conversion. <i>Cellulose</i> , 2015, 22, 3337-3345.	4.9	13
60	Insights into luminescence quenching and detecting trap distribution in Ba ₂ Si ₅ N ₈ :Eu ²⁺ phosphor with comprehensive considerations of temperature-dependent luminescence behaviors. <i>Journal of Materials Chemistry C</i> , 2015, 3, 9572-9579.	5.5	48
61	Ordered mesoporous carbons with fiber- and rod-like morphologies for supercapacitor electrode materials. <i>Materials Letters</i> , 2015, 138, 37-40.	2.6	13
62	Sol-Gel-Derived Highly Sensitive Optical Oxygen Sensing Materials Using Ru(II) Complex via Covalent Grafting Strategy. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 4615-4621.	0.9	4
63	Simple, green and high-yield production of single- or few-layer graphene by hydrothermal exfoliation of graphite. <i>Nanoscale</i> , 2014, 6, 4598-4603.	5.6	54
64	A top-down method to fabricate SrAl ₂ O ₄ :Eu ²⁺ , Dy ³⁺ nanosheets from commercial blocky phosphors. <i>Optical Materials</i> , 2014, 36, 1802-1807.	3.6	25
65	Porous carbon with ultrahigh specific surface area derived from biomass rice hull. <i>Materials Letters</i> , 2014, 116, 185-187.	2.6	32
66	Melaleuca bark based porous carbons for hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 11661-11667.	7.1	50
67	Mosaic-Structured SnO ₂ @C Porous Microspheres for High-Performance Supercapacitor Electrode Materials. <i>Electrochimica Acta</i> , 2014, 142, 157-166.	5.2	67
68	Preparation and afterglow properties of highly condensed nitridosilicate BaSi ₇ N ₁₀ :Eu ²⁺ phosphor. <i>Journal of Luminescence</i> , 2014, 152, 230-233.	3.1	15
69	High-capacity porous carbons prepared by KOH activation of activated carbon for supercapacitors. <i>Chinese Chemical Letters</i> , 2014, 25, 865-868.	9.0	58
70	Hydrogen storage performance of nano Ni decorated LiBH ₄ on activated carbon prepared through organic solvent. <i>Journal of Alloys and Compounds</i> , 2014, 612, 287-292.	5.5	17
71	Luminescence properties of silk cocoon derived carbonaceous fluorescent nanoparticles/PVA hybrid film. <i>Optical Materials</i> , 2014, 36, 1787-1791.	3.6	8
72	Red persistent and photo-stimulated luminescence properties of SrCaSi ₅ N ₈ : Eu ²⁺ , Tm ³⁺ solid solution. <i>Optical Materials</i> , 2014, 36, 1855-1858.	3.6	18

#	ARTICLE	IF	CITATIONS
73	Large-scale synthesis and enhanced hydrogen storage of monodispersed sulfur-doped carbon microspheres by hydro-sulfur-thermal carbonization of starch. <i>Materials Letters</i> , 2013, 109, 279-282.	2.6	21
74	Microtube Bundle Carbon Derived from Paulownia Sawdust for Hybrid Supercapacitor Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 4667-4677.	8.0	68
75	Simple Additive-Free Method to Manganese Monoxide Mesocrystals and Their Template Application for the Synthesis of Carbon and Graphitic Hollow Octahedrons. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 12561-12570.	8.0	10
76	Preparation and Long-Lasting Phosphorescence Properties of BaAlSi ₅ N ₇ O ₂ :Eu ²⁺ . <i>ECS Solid State Letters</i> , 2013, 2, R16-R18.	1.4	12
77	Synthesis and Luminescence Properties of Flower-Like Sr ₂ MgSi ₂ O ₇ :Eu ²⁺ , Dy ³⁺ Phosphor via Hydrothermal-Homogeneous Coprecipitation Route. <i>ECS Solid State Letters</i> , 2013, 2, R19-R22.	1.4	14
78	Luminescence Properties of Red Long-Lasting Phosphorescence Phosphor AlN:Mn ²⁺ . <i>ECS Journal of Solid State Science and Technology</i> , 2013, 2, R117-R120.	1.8	22
79	Preparation of SrSi ₂ O ₂ N ₂ :Eu ²⁺ Phosphor by SrSi Alloy Precursor and Its Long-Lasting Phosphorescence Properties. <i>Journal of the American Ceramic Society</i> , 2013, 96, 1810-1814.	3.8	20
80	SYNTHESIS AND FORMATION MECHANISM OF STRAIGHT CARBON MICROTUBES BY A SIMPLE IN SITU TEMPLATE APPROACH. <i>Functional Materials Letters</i> , 2012, 05, 1250050.	1.2	0
81	An air-metal hydride battery using MmNi _{3.6} Mn _{0.4} Al _{0.3} Co _{0.7} in the anode and a perovskite in the cathode. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 4336-4341.	7.1	16
82	Effect of ball milling on hydrogen storage of Mg ₃ La alloy. <i>Journal of Rare Earths</i> , 2008, 26, 303-306.	4.8	27