

Phillip McGinnity

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/95564/publications.pdf>

Version: 2024-02-01

72
papers

4,649
citations

218677

26
h-index

106344

65
g-index

73
all docs

73
docs citations

73
times ranked

5435
citing authors

#	ARTICLE	IF	CITATIONS
1	Escalating the conflict? Intersex genetic correlations influence adaptation to environmental change in facultatively migratory populations. <i>Evolutionary Applications</i> , 2022, 15, 773-789.	3.1	6
2	Evolution and Expression of the Immune System of a Facultatively Anadromous Salmonid. <i>Frontiers in Immunology</i> , 2021, 12, 568729.	4.8	7
3	Alternative migratory tactics in brown trout (<i>Salmo trutta</i>) are underpinned by divergent regulation of metabolic but not neurological genes. <i>Ecology and Evolution</i> , 2021, 11, 8347-8362.	1.9	3
4	The early marine distribution of Atlantic salmon in the North-East Atlantic: A genetically informed stock-specific synthesis. <i>Fish and Fisheries</i> , 2021, 22, 1274-1306.	5.3	26
5	SalmoSim: the development of a three-compartment in vitro simulator of the Atlantic salmon GI tract and associated microbial communities. <i>Microbiome</i> , 2021, 9, 179.	11.1	5
6	Associations between metabolic traits and growth rate in brown trout (<i>Salmo trutta</i>) depend on thermal regime. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20211509.	2.6	6
7	Domestication-induced reduction in eye size revealed in multiple common garden experiments: The case of Atlantic salmon (<i>Salmo salar</i> L.). <i>Evolutionary Applications</i> , 2021, 14, 2319-2332.	3.1	4
8	Using Food Webs and Metabolic Theory to Monitor, Model, and Manage Atlantic Salmon—A Keystone Species Under Threat. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	2.2	6
9	Captive-bred Atlantic salmon released into the wild have fewer offspring than wild-bred fish and decrease population productivity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20201671.	2.6	30
10	Spawning-related movements in a salmonid appear timed to reduce exposure to visually oriented predators. <i>Animal Behaviour</i> , 2020, 170, 65-79.	1.9	10
11	More than one million barriers fragment Europe's rivers. <i>Nature</i> , 2020, 588, 436-441.	27.8	314
12	Telemetry and genetics reveal asymmetric dispersal of a lake-feeding salmonid between inflow and outflow spawning streams at a microgeographic scale. <i>Ecology and Evolution</i> , 2020, 10, 1762-1783.	1.9	11
13	A call for global action to conserve native trout in the 21st century and beyond. <i>Ecology of Freshwater Fish</i> , 2020, 29, 429-432.	1.4	6
14	Food and temperature stressors have opposing effects in determining flexible migration decisions in brown trout (<i>Salmo trutta</i>). <i>Global Change Biology</i> , 2020, 26, 2878-2896.	9.5	18
15	Heritability estimation via molecular pedigree reconstruction in a wild fish population reveals substantial evolutionary potential for sea age at maturity, but not size within age classes. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2019, 76, 790-805.	1.4	10
16	The Interplay Between Extrinsic and Intrinsic Factors in Determining Migration Decisions in Brown Trout (<i>Salmo trutta</i>): An Experimental Study. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .	2.2	24
17	The application of CRISPR-Cas for single species identification from environmental DNA. <i>Molecular Ecology Resources</i> , 2019, 19, 1106-1114.	4.8	65
18	Evolutionary stasis of a heritable morphological trait in a wild fish population despite apparent directional selection. <i>Ecology and Evolution</i> , 2019, 9, 7096-7111.	1.9	14

#	ARTICLE	IF	CITATIONS
19	Anadromy, potamodromy and residency in brown trout (<i>Salmo trutta</i>): the role of genes and the environment. <i>Journal of Fish Biology</i> , 2019, 95, 692-718.	1.6	122
20	A microsatellite baseline for genetic stock identification of European Atlantic salmon (<i>Salmo salar</i>) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	2.5	14
21	Functional Annotation of All Salmonid Genomes (FAASC): an international initiative supporting future salmonid research, conservation and aquaculture. <i>BMC Genomics</i> , 2017, 18, 484.	2.8	99
22	Seascape and its effect on migratory lifeâ€œhistory strategy influences gene flow among coastal brown trout (<i>Salmo trutta</i>) populations in the English Channel. <i>Journal of Biogeography</i> , 2016, 43, 498-509.	3.0	18
23	The response of North Atlantic diadromous fish to multiple stressors, including land use change: a multidecadal study. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 1759-1769.	1.4	24
24	A novel method of microsatellite genotyping-by-sequencing using individual combinatorial barcoding. <i>Royal Society Open Science</i> , 2016, 3, 150565.	2.4	57
25	The paradox of â€œpremature migrationâ€œ by adult anadromous salmonid fishes: patterns and hypotheses. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 1015-1030.	1.4	113
26	The biogeography of the atlantic salmon (<i>Salmo salar</i>) gut microbiome. <i>ISME Journal</i> , 2016, 10, 1280-1284.	9.8	301
27	Where the Lake Meets the Sea: Strong Reproductive Isolation Is Associated with Adaptive Divergence between Lake Resident and Anadromous Three-Spined Sticklebacks. <i>PLoS ONE</i> , 2015, 10, e0122825.	2.5	12
28	The signature of fine scale local adaptation in Atlantic salmon revealed from common garden experiments inÂnature. <i>Evolutionary Applications</i> , 2015, 8, 881-900.	3.1	13
29	The fecundity of wild Irish Atlantic salmon <i>Salmo salar</i> L. and its application for stock assessment purposes. <i>Fisheries Research</i> , 2015, 164, 159-169.	1.7	17
30	Quantifying heritable variation in fitness-related traits of wild, farmed and hybrid Atlantic salmon families in a wild river environment. <i>Heredity</i> , 2015, 115, 173-184.	2.6	31
31	Population genomic analyses of earlyâ€œphase <i>Salmo salar</i> domestication/captive breeding. <i>Evolutionary Applications</i> , 2015, 8, 93-107.	3.1	59
32	Anthropocene environmental change in an internationally important oligotrophic catchment on the Atlantic seaboard of western Europe. <i>Anthropocene</i> , 2014, 5, 9-21.	3.3	14
33	Circadian clock gene (<i>Clock1b</i>) variation and time of ocean return in Atlantic salmon <i>Salmo salar</i> . <i>Fisheries Management and Ecology</i> , 2014, 21, 82-87.	2.0	7
34	Multiplexing with three-primer PCR for rapid and economical microsatellite validation. <i>Hereditas</i> , 2014, 151, 43-54.	1.4	22
35	Objectively Assigning Species and Ages to Salmonid Length Data from Dual-Frequency Identification Sonar. <i>Transactions of the American Fisheries Society</i> , 2014, 143, 573-585.	1.4	6
36	Molecular pedigree reconstruction and estimation of evolutionary parameters in a wild Atlantic salmon river system with incomplete sampling: a power analysis. <i>BMC Evolutionary Biology</i> , 2014, 14, 68.	3.2	19

#	ARTICLE	IF	CITATIONS
37	Differential response of continental stock complexes of Atlantic salmon (<i>Salmo salar</i>) to the Atlantic Multidecadal Oscillation. <i>Journal of Marine Systems</i> , 2014, 133, 77-87.	2.1	68
38	Rapid, economical single-nucleotide polymorphism and microsatellite discovery based on <i>de novo</i> assembly of a reduced representation genome in a non-model organism: a case study of Atlantic cod <i>Gadus morhua</i> . <i>Journal of Fish Biology</i> , 2013, 82, 944-958.	1.6	13
39	Improving abundance estimates from electrofishing removal sampling. <i>Fisheries Research</i> , 2013, 137, 104-115.	1.7	24
40	SNP-array reveals genome-wide patterns of geographical and potential adaptive divergence across the natural range of Atlantic salmon (<i>Salmo salar</i>). <i>Molecular Ecology</i> , 2013, 22, 532-551.	3.9	212
41	Beaufort trout MicroPlex: a high-throughput multiplex platform comprising 38 informative microsatellite loci for use in resident and anadromous (sea trout) brown trout <i>Salmo trutta</i> genetic studies. <i>Journal of Fish Biology</i> , 2013, 82, 1789-1804.	1.6	14
42	An analysis of genetic stock identification on a small geographical scale using microsatellite markers, and its application in the management of a mixed-stock fishery for Atlantic salmon <i>Salmo salar</i> in Ireland. <i>Journal of Fish Biology</i> , 2013, 82, 2080-2094.	1.6	26
43	diveRsity: An R package for the estimation and exploration of population genetics parameters and their associated errors. <i>Methods in Ecology and Evolution</i> , 2013, 4, 782-788.	5.2	1,051
44	Selection and Phylogenetics of Salmonid MHC Class I: Wild Brown Trout (<i>Salmo trutta</i>) Differ from a Non-Native Introduced Strain. <i>PLoS ONE</i> , 2013, 8, e63035.	2.5	3
45	Screen for Footprints of Selection during Domestication/Captive Breeding of Atlantic Salmon. <i>Comparative and Functional Genomics</i> , 2012, 2012, 1-14.	2.0	50
46	Modelling the migration of post-smolt Atlantic salmon (<i>Salmo salar</i>) in the Northeast Atlantic. <i>ICES Journal of Marine Science</i> , 2012, 69, 1616-1624.	2.5	43
47	Balancing selection on MHC class I in wild brown trout <i>Salmo trutta</i> . <i>Journal of Fish Biology</i> , 2012, 81, 1357-1374.	1.6	7
48	MHC-mediated spatial distribution in brown trout (<i>Salmo trutta</i>) fry. <i>Heredity</i> , 2012, 108, 403-409.	2.6	9
49	Morphological variability of Atlantic salmon <i>Salmo salar</i> and brown trout <i>Salmo trutta</i> in different river environments. <i>Ecology of Freshwater Fish</i> , 2012, 21, 420-432.	1.4	24
50	A predictive model for estimating river habitat area using GIS-derived catchment and river variables. <i>Fisheries Management and Ecology</i> , 2012, 19, 69-77.	2.0	8
51	Sea-Age Variation in Maiden Atlantic Salmon Spawners: Phenotypic Plasticity or Genetic Polymorphism?. <i>Bulletin of Mathematical Biology</i> , 2012, 74, 615-640.	1.9	9
52	Contrasting responses to selection in class I and class III major histocompatibility-linked markers in salmon. <i>Heredity</i> , 2011, 107, 143-154.	2.6	11
53	Varying disease-mediated selection at different life-history stages of Atlantic salmon in fresh water. <i>Evolutionary Applications</i> , 2011, 4, 749-762.	3.1	15
54	Complex pattern of genetic structuring in the Atlantic salmon (<i>Salmo salar</i> L.) of the River Foyle system in northwest Ireland: disentangling the evolutionary signal from population stochasticity. <i>Ecology and Evolution</i> , 2011, 1, 359-372.	1.9	14

#	ARTICLE	IF	CITATIONS
55	Microsatellite standardization and evaluation of genotyping error in a large multi-partner research programme for conservation of Atlantic salmon (<i>Salmo salar</i> L.). <i>Genetica</i> , 2011, 139, 353-367.	1.1	68
56	Genetic stock identification of Atlantic salmon (<i>Salmo salar</i>) populations in the southern part of the European range. <i>BMC Genetics</i> , 2010, 11, 31.	2.7	65
57	Form and uncertainty in stock-recruitment relations: observations and implications for Atlantic salmon (<i>Salmo salar</i>) management. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2010, 67, 1040-1055.	1.4	12
58	Impact of naturally spawning captive-bred Atlantic salmon on wild populations: depressed recruitment and increased risk of climate-mediated extinction. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 3601-3610.	2.6	98
59	Demographics and landscape features determine intrariver population structure in Atlantic salmon (<i>Salmo salar</i>): the case of the River Moy in Ireland. <i>Molecular Ecology</i> , 2008, 17, 4786-4800.	3.9	38
60	Natural selection acts on Atlantic salmon major histocompatibility (MH) variability in the wild. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 861-869.	2.6	42
61	Population specific smolt development, migration and maturity schedules in Atlantic salmon in a natural river environment. <i>Aquaculture</i> , 2007, 273, 257-268.	3.5	27
62	Spatial and temporal patterns in microsatellite DNA variation of wild Atlantic salmon, <i>Salmo salar</i> , in Irish rivers. <i>Fisheries Management and Ecology</i> , 2007, 14, 209-219.	2.0	21
63	Long-term declines in body size and shifts in run timing of Atlantic salmon in Ireland. <i>Journal of Fish Biology</i> , 2006, 68, 1713-1730.	1.6	69
64	Genetic and ecological effects of salmon farming on wild salmon: modelling from experimental results. <i>ICES Journal of Marine Science</i> , 2006, 63, 1234-1247.	2.5	144
65	Temporal variation in an immune response gene (MHC I) in anadromous <i>Salmo trutta</i> in an Irish river before and during aquaculture activities. <i>ICES Journal of Marine Science</i> , 2006, 63, 1248-1255.	2.5	24
66	Application of pre-fishery abundance modelling and Bayesian hierarchical stock and recruitment analysis to the provision of precautionary catch advice for Irish salmon (<i>Salmo salar</i> L.) fisheries. <i>ICES Journal of Marine Science</i> , 2004, 61, 1370-1378.	2.5	23
67	Fitness reduction and potential extinction of wild populations of Atlantic salmon, <i>Salmo salar</i> , as a result of interactions with escaped farm salmon. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003, 270, 2443-2450.	2.6	615
68	The importance of smolt development to salmon conservation, culture, and management: perspectives from the 6th International Workshop on Salmonid Smoltification. <i>Aquaculture</i> , 2003, 222, 1-14.	3.5	18
69	Management of salmonid fisheries in the British Isles: towards a practical approach based on population genetics. <i>Fisheries Research</i> , 2003, 62, 193-209.	1.7	69
70	Restocking of salmonids—opportunities and limitations. <i>Fisheries Research</i> , 2003, 62, 211-227.	1.7	147
71	Setting biological reference points for Atlantic salmon stocks: transfer of information from data-rich to sparse-data situations by Bayesian hierarchical modelling. <i>ICES Journal of Marine Science</i> , 2003, 60, 1177-1193.	2.5	47
72	Population genetics reveal patterns of natural colonisation of an ecologically and commercially important invasive fish. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 0, , 1-15.	1.4	1