

Aldo Laganã

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9557341/publications.pdf>

Version: 2024-02-01

286
papers

11,242
citations

28190

55
h-index

49773

87
g-index

291
all docs

291
docs citations

291
times ranked

12576
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of polyethyleneglycol (PEG) chain length on the bio-nano-interactions between PEGylated lipid nanoparticles and biological fluids: from nanostructure to uptake in cancer cells. <i>Nanoscale</i> , 2014, 6, 2782.	2.8	433
2	Analytical methodologies for determining the occurrence of endocrine disrupting chemicals in sewage treatment plants and natural waters. <i>Analytica Chimica Acta</i> , 2004, 501, 79-88.	2.6	307
3	Time Evolution of Nanoparticle-Protein Corona in Human Plasma: Relevance for Targeted Drug Delivery. <i>Langmuir</i> , 2013, 29, 6485-6494.	1.6	248
4	Recent developments in matrix solid-phase dispersion extraction. <i>Journal of Chromatography A</i> , 2010, 1217, 2521-2532.	1.8	241
5	Flavonoids: chemical properties and analytical methodologies of identification and quantitation in foods and plants. <i>Natural Product Research</i> , 2011, 25, 469-495.	1.0	179
6	The protein corona of circulating PEGylated liposomes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016, 1858, 189-196.	1.4	178
7	Interplay of protein corona and immune cells controls blood residency of liposomes. <i>Nature Communications</i> , 2019, 10, 3686.	5.8	160
8	Selective Targeting Capability Acquired with a Protein Corona Adsorbed on the Surface of 1,2-Dioleoyl-3-trimethylammonium Propane/DNA Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 13171-13179.	4.0	150
9	Identification of changes in <i>Triticum durum</i> L. leaf proteome in response to salt stress by two-dimensional electrophoresis and MALDI-TOF mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 381-390.	1.9	148
10	Occurrence and determination of herbicides and their major transformation products in environmental waters. <i>Analytica Chimica Acta</i> , 2002, 462, 187-198.	2.6	134
11	Identification of potential bioactive peptides generated by simulated gastrointestinal digestion of soybean seeds and soy milk proteins. <i>Journal of Food Composition and Analysis</i> , 2015, 44, 205-213.	1.9	131
12	Liquid chromatography/tandem mass spectrometric confirmatory method for determining aflatoxin M1 in cow milk. <i>Journal of Chromatography A</i> , 2006, 1101, 69-78.	1.8	130
13	Determination of aflatoxins in olive oil by liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2007, 596, 141-148.	2.6	127
14	Liquid chromatography/tandem mass spectrometry determination of organophosphorus flame retardants and plasticizers in drinking and surface waters. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 1123-1130.	0.7	127
15	The biomolecular corona of nanoparticles in circulating biological media. <i>Nanoscale</i> , 2015, 7, 13958-13966.	2.8	127
16	Analysis of drought responsive proteins in wheat (<i>Triticum durum</i>) by 2D-PAGE and MALDI-TOF mass spectrometry. <i>Plant Science</i> , 2009, 177, 570-576.	1.7	125
17	Surface adsorption of protein corona controls the cell internalization mechanism of DC-Chol-DOPE/DNA lipoplexes in serum. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2010, 1798, 536-543.	1.4	124
18	Multiclass mycotoxin analysis in food, environmental and biological matrices with chromatography/mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2012, 31, 466-503.	2.8	119

#	ARTICLE	IF	CITATIONS
19	Recent trends in the analysis of bioactive peptides in milk and dairy products. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 2677-2685.	1.9	119
20	Occurrence of Organophosphorus Flame Retardant and Plasticizers in Three Volcanic Lakes of Central Italy. <i>Environmental Science & Technology</i> , 2008, 42, 1898-1903.	4.6	116
21	Development of a multiresidue method for analysis of major <i>Fusarium</i> mycotoxins in corn meal using liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 2085-2093.	0.7	112
22	Recent trends and analytical challenges in plant bioactive peptide separation, identification and validation. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 3425-3444.	1.9	110
23	Stealth Effect of Biomolecular Corona on Nanoparticle Uptake by Immune Cells. <i>Langmuir</i> , 2015, 31, 10764-10773.	1.6	102
24	Trace analysis of estrogenic chemicals in sewage effluent using liquid chromatography combined with tandem mass spectrometry. , 2000, 14, 401-407.		101
25	Evolution of the Protein Corona of Lipid Gene Vectors as a Function of Plasma Concentration. <i>Langmuir</i> , 2011, 27, 15048-15053.	1.6	101
26	Simple confirmatory assay for analyzing residues of aminoglycoside antibiotics in bovine milk: hot water extraction followed by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2005, 1067, 93-100.	1.8	100
27	Identification and mass spectrometric characterization of glycosylated flavonoids in <i>Triticum durum</i> plants by high-performance liquid chromatography with tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 3143-3158.	0.7	97
28	Recent advances and developments in matrix solid-phase dispersion. <i>TrAC - Trends in Analytical Chemistry</i> , 2015, 71, 186-193.	5.8	97
29	Recent Applications of Magnetic Solid-phase Extraction for Sample Preparation. <i>Chromatographia</i> , 2019, 82, 1251-1274.	0.7	97
30	Rapid-resolution liquid chromatography/mass spectrometry for determination and quantitation of polyphenols in grape berries. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 3089-3099.	0.7	90
31	Recent trends in matrix solid-phase dispersion. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 43, 53-66.	5.8	90
32	Influence of dynamic flow environment on nanoparticle-protein corona: From protein patterns to uptake in cancer cells. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 153, 263-271.	2.5	86
33	The liposome-protein corona in mice and humans and its implications for in vivo delivery. <i>Journal of Materials Chemistry B</i> , 2014, 2, 7419-7428.	2.9	85
34	Monitoring Algal Toxins in Lake Water by Liquid Chromatography Tandem Mass Spectrometry. <i>Environmental Science & Technology</i> , 2006, 40, 2917-2923.	4.6	82
35	Determination of aflatoxins in hazelnuts by various sample preparation methods and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1179, 182-189.	1.8	79
36	Determination of type B trichothecenes and macrocyclic lactone mycotoxins in field contaminated maize. <i>Food Chemistry</i> , 2005, 92, 559-568.	4.2	78

#	ARTICLE	IF	CITATIONS
37	Simple and rapid assay for analyzing residues of carbamate insecticides in bovine milk: hot water extraction followed by liquid chromatography–mass spectrometry. <i>Journal of Chromatography A</i> , 2004, 1054, 351-357.	1.8	77
38	Lipid composition: a key factor for the rational manipulation of the liposome–protein corona by liposome design. <i>RSC Advances</i> , 2015, 5, 5967-5975.	1.7	77
39	Intact protein separation by chromatographic and/or electrophoretic techniques for top-down proteomics. <i>Journal of Chromatography A</i> , 2011, 1218, 8760-8776.	1.8	76
40	Peptidomic strategy for purification and identification of potential ACE-inhibitory and antioxidant peptides in <i>Tetrademus obliquus</i> microalgae. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 3573-3586.	1.9	76
41	Surface chemistry and serum type both determine the nanoparticle–protein corona. <i>Journal of Proteomics</i> , 2015, 119, 209-217.	1.2	75
42	Purification and identification of endogenous antioxidant and ACE-inhibitory peptides from donkey milk by multidimensional liquid chromatography and nanoHPLC-high resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 5657-5666.	1.9	75
43	Multiclass screening method based on solvent extraction and liquid chromatography–tandem mass spectrometry for the determination of antimicrobials and mycotoxins in egg. <i>Journal of Chromatography A</i> , 2012, 1268, 84-90.	1.8	74
44	Comparison of extraction methods for the identification and quantification of polyphenols in virgin olive oil by ultra-HPLC-QToF mass spectrometry. <i>Food Chemistry</i> , 2014, 158, 392-400.	4.2	69
45	Automated On-line Solid-Phase Extraction–Liquid Chromatography–Electrospray Tandem Mass Spectrometry Method for the Determination of Ochratoxin A in Wine and Beer. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 5518-5525.	2.4	68
46	Peptidome characterization and bioactivity analysis of donkey milk. <i>Journal of Proteomics</i> , 2015, 119, 21-29.	1.2	68
47	Disease-specific protein corona sensor arrays may have disease detection capacity. <i>Nanoscale Horizons</i> , 2019, 4, 1063-1076.	4.1	68
48	Do plasma proteins distinguish between liposomes of varying charge density?. <i>Journal of Proteomics</i> , 2012, 75, 1924-1932.	1.2	65
49	A simple and rapid assay based on hot water extraction and liquid chromatography–tandem mass spectrometry for monitoring quinolone residues in bovine milk. <i>Food Chemistry</i> , 2008, 108, 354-360.	4.2	64
50	Comparative analysis of metabolic proteome variation in ascorbate-primed and unprimed wheat seeds during germination under salt stress. <i>Journal of Proteomics</i> , 2014, 108, 238-257.	1.2	63
51	Biomarkers in Prostate Cancer Diagnosis: From Current Knowledge to the Role of Metabolomics and Exosomes. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4367.	1.8	62
52	NMR-based metabolomic study of transgenic maize. <i>Phytochemistry</i> , 2004, 65, 3187-3198.	1.4	59
53	In vivo protein corona patterns of lipid nanoparticles. <i>RSC Advances</i> , 2017, 7, 1137-1145.	1.7	59
54	Determination of isoflavones and coumestrol in river water and domestic wastewater sewage treatment plants. <i>Analytica Chimica Acta</i> , 2005, 531, 229-237.	2.6	58

#	ARTICLE	IF	CITATIONS
55	Gel-free proteomics reveal potential biomarkers of priming-induced salt tolerance in durum wheat. <i>Journal of Proteomics</i> , 2013, 91, 486-499.	1.2	58
56	Analytical Methods for Characterizing the Nanoparticle-Protein Corona. <i>Chromatographia</i> , 2014, 77, 755-769.	0.7	58
57	A Rapid Confirmatory Method for Analyzing Tetracycline Antibiotics in Bovine, Swine, and Poultry Muscle Tissues: A Matrix Solid-Phase Dispersion with Heated Water as Extractant followed by Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 1564-1570.	2.4	57
58	Analysis of impurities of cannabidiol from hemp. Isolation, characterization and synthesis of cannabidibutol, the novel cannabidiol butyl analog. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 175, 112752.	1.4	57
59	Liquid chromatography/tandem mass spectrometry for the identification and determination of trichothecenes in maize. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 1037-1043.	0.7	56
60	Development and validation of a liquid chromatography/atmospheric pressure photoionization-tandem mass spectrometric method for the analysis of mycotoxins subjected to commission regulation (EC) No. 1881/2006 In cereals. <i>Journal of Chromatography A</i> , 2010, 1217, 6044-6051.	1.8	56
61	Multiclass analysis of mycotoxins in biscuits by high performance liquid chromatography-tandem mass spectrometry. Comparison of different extraction procedures. <i>Journal of Chromatography A</i> , 2014, 1343, 69-78.	1.8	53
62	Simple Assay for Analyzing Five Microcystins and Nodularin in Fish Muscle Tissue: A Hot Water Extraction Followed by Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 6586-6592.	2.4	52
63	Evaluation of a Method Based on Liquid Chromatography/Electrospray/Mass Spectrometry for Analyzing Carbamate Insecticides in Fruits and Vegetables. <i>Journal of Agricultural and Food Chemistry</i> , 1996, 44, 1930-1938.	2.4	51
64	A simple and rapid confirmatory assay for analyzing antibiotic residues of the macrolide class and lincomycin in bovine milk and yoghurt: hot water extraction followed by liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 237-246.	0.7	51
65	Factors Determining the Superior Performance of Lipid/DNA/Protamine Nanoparticles over Lipoplexes. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 4160-4171.	2.9	51
66	Human Biomolecular Corona of Liposomal Doxorubicin: The Overlooked Factor in Anticancer Drug Delivery. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 22951-22962.	4.0	51
67	Liquid chromatography-high resolution mass spectrometry for the analysis of phytochemicals in vegetal-derived food and beverages. <i>Food Research International</i> , 2017, 100, 28-52.	2.9	50
68	Analytical strategies based on chromatography-mass spectrometry for the determination of estrogen-mimicking compounds in food. <i>Journal of Chromatography A</i> , 2013, 1313, 62-77.	1.8	49
69	Labeling and label free shotgun proteomics approaches to characterize muscle tissue from farmed and wild gilthead sea bream (<i>Sparus aurata</i>). <i>Journal of Chromatography A</i> , 2016, 1428, 193-201.	1.8	49
70	Mycotoxins produced by <i>Fusarium</i> genus in maize: determination by screening and confirmatory methods based on liquid chromatography tandem mass spectrometry. <i>Food Chemistry</i> , 2007, 105, 700-710.	4.2	48
71	Liquid chromatography-negative ion atmospheric pressure photoionization tandem mass spectrometry for the determination of brominated flame retardants in environmental water and industrial effluents. <i>Journal of Chromatography A</i> , 2009, 1216, 6400-6409.	1.8	48
72	Proteomic study of a tolerant genotype of durum wheat under salt-stress conditions. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 1423-1435.	1.9	48

#	ARTICLE	IF	CITATIONS
73	New Magnetic Graphitized Carbon Black TiO ₂ Composite for Phosphopeptide Selective Enrichment in Shotgun Phosphoproteomics. <i>Analytical Chemistry</i> , 2016, 88, 12043-12050.	3.2	48
74	Aflatoxin M1 determination in cheese by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1135, 135-141.	1.8	47
75	Simple and rapid determination of anatoxin-a in lake water and fish muscle tissue by liquid-chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1122, 180-185.	1.8	46
76	Apoptosis-inducing factor and caspase-dependent apoptotic pathways triggered by different grape seed extracts on human colon cancer cell line Caco-2. <i>British Journal of Nutrition</i> , 2010, 104, 824-832.	1.2	46
77	Development of a Rapid LC-MS/MS Method for the Determination of Emerging Fusarium mycotoxins Enniatins and Beauvericin in Human Biological Fluids. <i>Toxins</i> , 2015, 7, 3554-3571.	1.5	46
78	A new software-assisted analytical workflow based on high-resolution mass spectrometry for the systematic study of phenolic compounds in complex matrices. <i>Talanta</i> , 2020, 209, 120573.	2.9	45
79	Personalized Graphene Oxide-Protein Corona in the Human Plasma of Pancreatic Cancer Patients. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 491.	2.0	45
80	Determination of diphenyl-ether herbicides and metabolites in natural waters using high-performance liquid chromatography with diode array tandem mass spectrometric detection. <i>Analytica Chimica Acta</i> , 2000, 414, 79-94.	2.6	43
81	Development of a multiresidue method for analyzing herbicide and fungicide residues in bovine milk based on solid-phase extraction and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1102, 1-10.	1.8	42
82	Simple assay for monitoring seven quinolone antibacterials in eggs: Extraction with hot water and liquid chromatography coupled to tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 794-800.	1.8	42
83	New Ti-IMAC magnetic polymeric nanoparticles for phosphopeptide enrichment from complex real samples. <i>Talanta</i> , 2018, 178, 274-281.	2.9	42
84	Converting the personalized biomolecular corona of graphene oxide nanoflakes into a high-throughput diagnostic test for early cancer detection. <i>Nanoscale</i> , 2019, 11, 15339-15346.	2.8	42
85	Liquid chromatography mass spectrometry tandem for multiresidue determination of selected post-emergence herbicides after soil column extraction. <i>Analytica Chimica Acta</i> , 2000, 415, 41-56.	2.6	41
86	Existence of hybrid structures in cationic liposome/DNA complexes revealed by their interaction with plasma proteins. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011, 82, 141-146.	2.5	41
87	Comparison of three different enrichment strategies for serum low molecular weight protein identification using shotgun proteomics approach. <i>Analytica Chimica Acta</i> , 2012, 740, 58-65.	2.6	41
88	Proteomic characterization of human platelet-derived microparticles. <i>Analytica Chimica Acta</i> , 2013, 776, 57-63.	2.6	41
89	Simultaneous Determination of Imidazolinone Herbicides from Soil and Natural Waters Using Soil Column Extraction and Off-Line Solid-Phase Extraction Followed by Liquid Chromatography with UV Detection or Liquid Chromatography/Electrospray Mass Spectroscopy. <i>Analytical Chemistry</i> , 1998, 70, 121-130.	3.2	40
90	Flavonoid profile in soybeans by high-performance liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 2177-2187.	0.7	40

#	ARTICLE	IF	CITATIONS
91	Development of an analytical strategy for the identification of potential bioactive peptides generated by in vitro tryptic digestion of fish muscle proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 845-854.	1.9	40
92	Graphitized Carbon Black Enrichment and UHPLC-MS/MS Allow to Meet the Challenge of Small Chain Peptidomics in Urine. <i>Analytical Chemistry</i> , 2019, 91, 11474-11481.	3.2	40
93	The biomolecular corona of gold nanoparticles in a controlled microfluidic environment. <i>Lab on A Chip</i> , 2019, 19, 2557-2567.	3.1	40
94	Chiral Recognition of O-Phosphoserine by Mass Spectrometry This work was supported by the Ministero della Università e della Ricerca Scientifica e Tecnologica (MURST) and the Consiglio Nazionale delle Ricerche (CNR). The authors express their gratitude to F. Angelelli for technical assistance. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 4051.	7.2	39
95	Protein Profile of Mature Soybean Seeds and Prepared Soybean Milk. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 9893-9899.	2.4	39
96	Analysis of plasma protein adsorption onto DC-Chol-DOPE cationic liposomes by HPLC-CHIP coupled to a Q-TOF mass spectrometer. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 2895-2903.	1.9	38
97	Differential analysis of protein corona profile adsorbed onto different nonviral gene delivery systems. <i>Analytical Biochemistry</i> , 2011, 419, 180-189.	1.1	38
98	Phosphopeptide enrichment: Development of magnetic solid phase extraction method based on polydopamine coating and Ti4+-IMAC. <i>Analytica Chimica Acta</i> , 2016, 909, 67-74.	2.6	38
99	Characterization of antioxidant and angiotensin-converting enzyme inhibitory peptides derived from cauliflower by-products by multidimensional liquid chromatography and bioinformatics. <i>Journal of Functional Foods</i> , 2018, 44, 40-47.	1.6	38
100	Determination of type B fumonisin mycotoxins in maize and maize-based products by liquid chromatography/tandem mass spectrometry using a QqQ linear ion trap mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 275-282.	0.7	37
101	Enantiodiscrimination of chiral \pm -aminophosphonic acids by mass spectrometry. <i>Chirality</i> , 2001, 13, 707-711.	1.3	36
102	Effect of DOPE and cholesterol on the protein adsorption onto lipid nanoparticles. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	0.8	36
103	Development of an analytical system for the simultaneous determination of anabolic macrocyclic lactones in aquatic environmental samples. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 304-310.	0.7	35
104	Fluorous Affinity Chromatography for Enrichment and Determination of Perfluoroalkyl Substances. <i>Analytical Chemistry</i> , 2012, 84, 7138-7145.	3.2	35
105	Comprehensive polyphenol profiling of a strawberry extract (<i>Fragaria</i> – <i>ananassa</i>) by ultra-high-performance liquid chromatography coupled with high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 2127-2142.	1.9	35
106	LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY APPLIED TO THE ANALYSIS OF NATURAL AND SYNTHETIC STEROIDS IN ENVIRONMENTAL WATERS. <i>Analytical Letters</i> , 2001, 34, 913-926.	1.0	34
107	Development and validation of a rapid assay based on liquid chromatography-tandem mass spectrometry for determining macrolide antibiotic residues in eggs. <i>Journal of Chromatography A</i> , 2009, 1216, 6810-6815.	1.8	33
108	A new carbon-based magnetic material for the dispersive solid-phase extraction of UV filters from water samples before liquid chromatography-tandem mass spectrometry analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 4181-4194.	1.9	33

#	ARTICLE	IF	CITATIONS
109	Chromatographic column evaluation for the untargeted profiling of glucosinolates in cauliflower by means of ultra-high performance liquid chromatography coupled to high resolution mass spectrometry. <i>Talanta</i> , 2018, 179, 792-802.	2.9	33
110	Identification of bioactive short peptides in cow milk by high-performance liquid chromatography on C18 and porous graphitic carbon coupled to high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 3395-3404.	1.9	33
111	General and selective isolation procedure for high-performance liquid chromatographic determination of anabolic steroids in tissues. <i>Journal of Chromatography A</i> , 1991, 588, 89-98.	1.8	32
112	Determination of aryloxyphenoxypropionic acid herbicides in water using different solid-phase extraction procedures and liquid chromatography–diode array detection. <i>Journal of Chromatography A</i> , 1998, 796, 309-318.	1.8	32
113	Food analyses: a new calorimetric method for ascorbic acid (vitamin C) determination. <i>Talanta</i> , 2002, 58, 961-967.	2.9	32
114	Polydopamine-coated magnetic nanoparticles for isolation and enrichment of estrogenic compounds from surface water samples followed by liquid chromatography-tandem mass spectrometry determination. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 4011-4020.	1.9	32
115	Identification of three novel angiotensin-converting enzyme inhibitory peptides derived from cauliflower by-products by multidimensional liquid chromatography and bioinformatics. <i>Journal of Functional Foods</i> , 2016, 27, 262-273.	1.6	32
116	Heterosis profile of sunflower leaves: A label free proteomics approach. <i>Journal of Proteomics</i> , 2014, 99, 101-110.	1.2	31
117	Simultaneous Determination of Naturally Occurring Estrogens and Mycoestrogens in Milk by Ultrahigh-Performance Liquid Chromatography–Tandem Mass Spectrometry Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 8940-8946.	2.4	31
118	Multiresidue analysis of endocrine-disrupting compounds and perfluorinated sulfates and carboxylic acids in sediments by ultra-high-performance liquid chromatography–tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1438, 133-142.	1.8	31
119	Sensitive untargeted identification of short hydrophilic peptides by high performance liquid chromatography on porous graphitic carbon coupled to high resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2019, 1590, 73-79.	1.8	31
120	DNA affects the composition of lipoplex protein corona: A proteomics approach. <i>Proteomics</i> , 2011, 11, 3349-3358.	1.3	30
121	A Rapid Magnetic Solid Phase Extraction Method Followed by Liquid Chromatography-Tandem Mass Spectrometry Analysis for the Determination of Mycotoxins in Cereals. <i>Toxins</i> , 2017, 9, 147.	1.5	30
122	Liposome protein corona characterization as a new approach in nanomedicine. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 4313-4326.	1.9	30
123	Uniformly sized molecularly imprinted polymers (MIPs) for 17β -estradiol. <i>Macromolecular Chemistry and Physics</i> , 2002, 203, 1532-1538.	1.1	29
124	Shotgun proteomic analytical approach for studying proteins adsorbed onto liposome surface. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 1195-1202.	1.9	29
125	A new opening for the tricky untargeted investigation of natural and modified short peptides. <i>Talanta</i> , 2020, 219, 121262.	2.9	29
126	Determination of multi-class emerging contaminants in sludge and recovery materials from waste water treatment plants: Development of a modified QuEChERS method coupled to LC–MS/MS. <i>Microchemical Journal</i> , 2020, 155, 104732.	2.3	29

#	ARTICLE	IF	CITATIONS
127	Phytocannabinomics: Untargeted metabolomics as a tool for cannabis chemovar differentiation. <i>Talanta</i> , 2021, 230, 122313.	2.9	29
128	Recent applications of mass spectrometry for the characterization of cannabis and hemp phytocannabinoids: From targeted to untargeted analysis. <i>Journal of Chromatography A</i> , 2021, 1655, 462492.	1.8	29
129	Determination of organophosphorus pesticides and metabolites in crops by solid-phase extraction followed by liquid chromatography/Diode array detection. <i>Chromatographia</i> , 1997, 46, 256-264.	0.7	28
130	Opioid-Deficient Nucleoprotein Corona Endows UnPEGylated Liposomes with Stealth Properties <i>in Vivo</i> . <i>ACS Nano</i> , 2022, 16, 2088-2100.	7.3	28
131	A sensitive confirmatory method for aflatoxins in maize based on liquid chromatography/electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 550-556.	0.7	27
132	Evaluation of a Method for Assaying Sulfonamide Antimicrobial Residues in Cheese: A Hot-Water Extraction and Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 4537-4543.	2.4	26
133	Label-free quantitative analysis for studying the interactions between nanoparticles and plasma proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 635-645.	1.9	26
134	High performance liquid chromatography tandem mass spectrometry determination of perfluorinated acids in cow milk. <i>Journal of Chromatography A</i> , 2013, 1319, 72-79.	1.8	26
135	Understanding Mixed-Mode Retention Mechanisms in Liquid Chromatography with Hydrophobic Stationary Phases. <i>Analytical Chemistry</i> , 2014, 86, 4919-4926.	3.2	26
136	Characterization of quinoa seed proteome combining different protein precipitation techniques: Improvement of knowledge of nonmodel plant proteomics. <i>Journal of Separation Science</i> , 2015, 38, 1017-1025.	1.3	26
137	Preliminary isolation of urinary placental estriol before gas or liquid chromatography. <i>Clinical Chemistry</i> , 1983, 29, 2076-2078.	1.5	25
138	Stilbene production in cell cultures of <i>Vitis vinifera</i> L. cvs Red Globe and Michele Palieri elicited by methyl jasmonate. <i>Natural Product Research</i> , 2010, 24, 1488-1498.	1.0	25
139	Peroxiredoxin 2 nuclear levels are regulated by circadian clock synchronization in human keratinocytes. <i>International Journal of Biochemistry and Cell Biology</i> , 2014, 53, 24-34.	1.2	25
140	Chromatographic Methods Coupled to Mass Spectrometry Detection for the Determination of Phenolic Acids in Plants and Fruits. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015, 38, 353-370.	0.5	25
141	Sample Preparation for Determination of Macrocyclic Lactone Mycotoxins in Fish Tissue, Based on On-Line Matrix Solid-Phase Dispersion and Solid-Phase Extraction Cleanup Followed by Liquid Chromatography/Tandem Mass Spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2003, 86, 729-736.	0.7	24
142	Effect of membrane charge density on the protein corona of cationic liposomes: Interplay between cationic charge and surface area. <i>Applied Physics Letters</i> , 2011, 99, 033702.	1.5	24
143	Determination of Enantioselectivity and Enantiomeric Excess by Mass Spectrometry in the Absence of Chiral Chromatographic Separation: An Overview. <i>Chemistry - A European Journal</i> , 2013, 19, 11478-11494.	1.7	24
144	Ultra-high-performance liquid chromatography-tandem mass spectrometry for the analysis of free and conjugated natural estrogens in cow milk without deconjugation. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 1705-1719.	1.9	24

#	ARTICLE	IF	CITATIONS
145	Improved identification of phytocannabinoids using a dedicated structure-based workflow. <i>Talanta</i> , 2020, 219, 121310.	2.9	24
146	Untargeted metabolomics of prostate cancer zwitterionic and positively charged compounds in urine. <i>Analytica Chimica Acta</i> , 2021, 1158, 338381.	2.6	24
147	Instrumental multiparametric study of the maturing of therapeutic muds of some italian spas. <i>Thermochimica Acta</i> , 1990, 157, 377-393.	1.2	23
148	A Rapid Method Based on Hot Water Extraction and Liquid Chromatography-Tandem Mass Spectrometry for Analyzing Tetracycline Antibiotic Residues in Cheese. <i>Journal of AOAC INTERNATIONAL</i> , 2007, 90, 864-871.	0.7	23
149	HPLC-CHIP coupled to a triple quadrupole mass spectrometer for carbonic anhydrase II quantification in human serum. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 811-820.	1.9	23
150	Comprehensive identification of native medium-sized and short bioactive peptides in sea bass muscle. <i>Food Chemistry</i> , 2021, 343, 128443.	4.2	23
151	A Hydrolysis Method Using Microwaves: Determination of N-Acetyl- and N-Glycolylneuraminic Acids in Biological Systems by Fluorometric High-Performance Liquid Chromatography. <i>Analytical Biochemistry</i> , 1993, 215, 266-272.	1.1	22
152	Multiresidue determination of UV filters in water samples by solid-phase extraction and liquid chromatography with tandem mass spectrometry analysis. <i>Journal of Separation Science</i> , 2014, 37, 2882-2891.	1.3	22
153	Development of an enrichment method for endogenous phosphopeptide characterization in human serum. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 1177-1185.	1.9	22
154	Peptidomic Approach for the Identification of Peptides with Potential Antioxidant and Anti-Hypertensive Effects Derived From Asparagus By-Products. <i>Molecules</i> , 2019, 24, 3627.	1.7	22
155	Identification and Antimicrobial Activity of Medium-Sized and Short Peptides from Yellowfin Tuna (<i>Thunnus albacares</i>) Simulated Gastrointestinal Digestion. <i>Foods</i> , 2020, 9, 1185.	1.9	22
156	Improved assay of unconjugated estriol in maternal serum or plasma by adsorption and liquid chromatography with fluorimetric detection. <i>Clinical Chemistry</i> , 1984, 30, 742-744.	1.5	21
157	Simultaneous quantitation of free and conjugated phytoestrogens in Leguminosae by liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2005, 66, 1025-1033.	2.9	21
158	The interactive effects of irrigation, nitrogen fertilisation rate, delayed harvest and storage on the polyphenol content in red grape (<i>Vitis vinifera</i>) berries: A factorial experimental design. <i>Food Chemistry</i> , 2010, 122, 1176-1184.	4.2	21
159	Shotgun proteomic analysis of soybean embryonic axes during germination under salt stress. <i>Proteomics</i> , 2016, 16, 1537-1546.	1.3	21
160	Microfluidic-generated lipid-graphene oxide nanoparticles for gene delivery. <i>Applied Physics Letters</i> , 2019, 114, 233701.	1.5	21
161	A Triple Quadrupole and a Hybrid Quadrupole Orbitrap Mass Spectrometer in Comparison for Polyphenol Quantitation. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 4885-4896.	2.4	21
162	Some applications of ligand-exchange-I. Recovery of phenolic compounds from water. <i>Talanta</i> , 1981, 28, 215-220.	2.9	20

#	ARTICLE	IF	CITATIONS
163	Monitoring quinolone antibacterial residues in bovine tissues: extraction with hot water and liquid chromatography coupled to a single- or triple- quadrupole mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 2833-2842.	0.7	20
164	Phenilpropanoate identification in young wheat plants by liquid chromatography/tandem mass spectrometry: monomeric and dimeric compounds. <i>Journal of Mass Spectrometry</i> , 2010, 45, 1026-1040.	0.7	20
165	Separation of intact proteins on γ -irradiation-induced polymethacrylate monolithic columns: A highly permeable stationary phase with high peak capacity for capillary high-performance liquid chromatography with high-resolution mass spectrometry. <i>Journal of Separation Science</i> , 2016, 39, 264-271.	1.3	20
166	Saliva as a source of new phosphopeptide biomarkers: Development of a comprehensive analytical method based on shotgun peptidomics. <i>Talanta</i> , 2018, 183, 245-249.	2.9	20
167	A comprehensive analysis of liposomal biomolecular corona upon human plasma incubation: The evolution towards the lipid corona. <i>Talanta</i> , 2020, 209, 120487.	2.9	20
168	Elemental concentration and migratability in bioplastics derived from organic waste. <i>Chemosphere</i> , 2020, 259, 127472.	4.2	20
169	Determination of serum total lipid and free N-acetylneuraminic acid in genitourinary malignancies by fluorimetric high performance liquid chromatography. Relevance of free N-acetylneuraminic acid as tumour marker. <i>Clinica Chimica Acta</i> , 1995, 243, 165-179.	0.5	19
170	Andean Blueberry of the Genus <i>Disterigma</i> : A High-Resolution Mass Spectrometric Approach for the Comprehensive Characterization of Phenolic Compounds. <i>Separations</i> , 2021, 8, 58.	1.1	19
171	HPLC determination of benzydamine and its metabolite N-oxide in plasma following oral administration or topical application in man, using fluorimetric detection. <i>Pharmacological Research Communications</i> , 1986, 18, 385-403.	0.2	18
172	Application of an innovative matrix solid-phase dispersion-“solid-phase extraction”-liquid chromatography-“tandem mass spectrometry analytical methodology to the study of the metabolism of the estrogenic mycotoxin zearalenone in rainbow trout liver and muscular tissue. <i>International Journal of Environmental Analytical Chemistry</i> , 2004, 84, 1009-1016.	1.8	18
173	A label-free method based on MALDI-TOF mass spectrometry for the absolute quantitation of troponin T in mouse cardiac tissue. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1969-1976.	1.9	18
174	Immunoprecipitation on magnetic beads and liquid chromatography-“tandem mass spectrometry for carbonic anhydrase II quantification in human serum. <i>Analytical Biochemistry</i> , 2010, 400, 195-202.	1.1	18
175	Natural estrogens in dairy products: Determination of free and conjugated forms by ultra high performance liquid chromatography with tandem mass spectrometry. <i>Journal of Separation Science</i> , 2015, 38, 3599-3606.	1.3	18
176	Liquid Chromatographic Strategies for Separation of Bioactive Compounds in Food Matrices. <i>Molecules</i> , 2018, 23, 3091.	1.7	18
177	Phospholipidome of extra virgin olive oil: Development of a solid phase extraction protocol followed by liquid chromatography-“high resolution mass spectrometry for its software-assisted identification. <i>Food Chemistry</i> , 2020, 310, 125860.	4.2	18
178	Untargeted Characterization of Chestnut (<i>Castanea sativa</i> Mill.) Shell Polyphenol Extract: A Valued Bioresource for Prostate Cancer Cell Growth Inhibition. <i>Molecules</i> , 2020, 25, 2730.	1.7	18
179	Rapid method for determination of phenylurea herbicides in milk. <i>Chromatographia</i> , 1994, 38, 88-92.	0.7	17
180	Evaluation of double solid-phase extraction system for determining triazine herbicides in milk. <i>Chromatographia</i> , 1995, 41, 178-182.	0.7	17

#	ARTICLE	IF	CITATIONS
181	Proteome investigation of the non-model plant pomegranate (<i>Punica granatum</i> L.). <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 9301-9309.	1.9	17
182	A proteomics-based methodology to investigate the protein corona effect for targeted drug delivery. <i>Molecular BioSystems</i> , 2014, 10, 2815-2819.	2.9	17
183	Delving into the Polar Lipidome by Optimized Chromatographic Separation, High-Resolution Mass Spectrometry, and Comprehensive Identification with Lipostar: Microalgae as Case Study. <i>Analytical Chemistry</i> , 2018, 90, 12230-12238.	3.2	17
184	Peptides from Cauliflower By-Products, Obtained by an Efficient, Ecosustainable, and Semi-Industrial Method, Exert Protective Effects on Endothelial Function. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-13.	1.9	17
185	New insights in hemp chemical composition: a comprehensive polar lipidome characterization by combining solid phase enrichment, high-resolution mass spectrometry, and cheminformatics. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 413-423.	1.9	17
186	A protein corona sensor array detects breast and prostate cancers. <i>Nanoscale</i> , 2020, 12, 16697-16704.	2.8	17
187	Developments and pitfalls in the characterization of phenolic compounds in food: From targeted analysis to metabolomics-based approaches. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 133, 116083.	5.8	17
188	Potency testing of cannabinoids by liquid and supercritical fluid chromatography: Where we are, what we need. <i>Journal of Chromatography A</i> , 2021, 1651, 462304.	1.8	17
189	Determination of urinary tryptophan and its metabolites along the nicotinic acid pathway by high performance liquid chromatography with ultraviolet detection. <i>Biomedical Chromatography</i> , 1990, 4, 24-27.	0.8	16
190	Gas-phase basicity and enantiodiscrimination of some phosphorous-containing α -amino acid mimics. <i>International Journal of Mass Spectrometry</i> , 2003, 228, 349-358.	0.7	16
191	Nanostructured functional co-polymers bioconjugate integrin inhibitors. <i>Journal of Colloid and Interface Science</i> , 2011, 361, 465-471.	5.0	16
192	Evaluation of column length and particle size effect on the untargeted profiling of a phytochemical mixture by using UHPLC coupled to high-resolution mass spectrometry. <i>Journal of Separation Science</i> , 2017, 40, 2541-2557.	1.3	16
193	Biophysics and protein corona analysis of Janus cyclodextrin-DNA nanocomplexes. Efficient cellular transfection on cancer cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 1737-1749.	1.1	16
194	Production and Characterization of Medium-Sized and Short Antioxidant Peptides from Soy Flour-Simulated Gastrointestinal Hydrolysate. <i>Antioxidants</i> , 2021, 10, 734.	2.2	16
195	High-performance liquid chromatographic analysis of norfloxacin in human tissues and plasma with fluorescence detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1988, 6, 221-228.	1.4	15
196	Solid phase extraction and high performance liquid chromatographic determination of doxophylline in plasma. <i>Biomedical Chromatography</i> , 1990, 4, 205-207.	0.8	15
197	Gas-phase complexes: noncovalent interactions and stereospecificity. <i>International Journal of Mass Spectrometry</i> , 2003, 223-224, 159-168.	0.7	15
198	A New Method to Investigate the Intrusion of Water into Porous Hydrophobic Structures under Dynamic Conditions. <i>Analytical Chemistry</i> , 2013, 85, 19-22.	3.2	15

#	ARTICLE	IF	CITATIONS
199	Label-Free Shotgun Proteomics Approach to Characterize Muscle Tissue from Farmed and Wild European Sea Bass (<i>Dicentrarchus labrax</i>). <i>Food Analytical Methods</i> , 2018, 11, 292-301.	1.3	15
200	Extraction of polycyclic aromatic hydrocarbons from polyhydroxyalkanoates before gas chromatography/mass spectrometry analysis. <i>Talanta</i> , 2018, 188, 671-675.	2.9	15
201	Carbon nanostructure morphology templates nanocomposites for phosphoproteomics. <i>Nano Research</i> , 2020, 13, 380-388.	5.8	15
202	A <i>Lupinus angustifolius</i> protein hydrolysate exerts hypocholesterolemic effects in Western diet-fed ApoE ^{-/-} mice through the modulation of LDLR and PCSK9 pathways. <i>Food and Function</i> , 2022, 13, 4158-4170.	2.1	15
203	High-performance liquid chromatographic determination of norfloxacin in human tissues and plasma with fluorescence detection. <i>Biomedical Applications</i> , 1987, 417, 135-142.	1.7	14
204	Insight into the structure–function relationship of the nonheme iron halogenases involved in the biosynthesis of 4-chlorothreonine-AT from <i>S. treptomyces</i> sp. <i>OH</i> 5093 and <i>S. yr</i> 2 from <i>Pseudomonas syringae</i> pv. <i>syringae</i> B301DR. <i>FEBS Journal</i> , 2012, 279, 4269-4282.	2.2	14
205	Proteomic platform for the identification of proteins in olive (<i>Olea europaea</i>) pulp. <i>Analytica Chimica Acta</i> , 2013, 800, 36-42.	2.6	14
206	Mycoestrogen determination in cow milk: Magnetic solid-phase extraction followed by liquid chromatography and tandem mass spectrometry analysis. <i>Journal of Separation Science</i> , 2016, 39, 4794-4804.	1.3	14
207	A multidimensional liquid chromatography–tandem mass spectrometry platform to improve protein identification in high-throughput shotgun proteomics. <i>Journal of Chromatography A</i> , 2017, 1498, 176-182.	1.8	14
208	A Novel Magnetic Molecular Imprinted Polymer for Selective Extraction of Zearalenone from Cereal Flours before Liquid Chromatography-Tandem Mass Spectrometry Determination. <i>Toxins</i> , 2019, 11, 493.	1.5	14
209	Soil column extraction followed by liquid chromatography and electrospray ionization mass spectrometry for the efficient determination of aryloxyphenoxypropionic herbicides in soil samples at ngg ⁻¹ levels. <i>Analytica Chimica Acta</i> , 1998, 375, 107-116.	2.6	13
210	Evaluation of different two-dimensional chromatographic techniques for proteomic analysis of mouse cardiac tissue. <i>Biomedical Chromatography</i> , 2011, 25, 594-599.	0.8	13
211	A clean-up strategy for identification of circulating endogenous short peptides in human plasma by zwitterionic hydrophilic liquid chromatography and untargeted peptidomics identification. <i>Journal of Chromatography A</i> , 2020, 1613, 460699.	1.8	13
212	Absolute quantification of cardiac troponin T by means of liquid chromatography/triple quadrupole tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 1159-1167.	0.7	12
213	Construction, assembling and application of a trehalase–GOD enzyme electrode system. <i>Biosensors and Bioelectronics</i> , 2009, 24, 1382-1388.	5.3	12
214	Revealing the Fine Details of Functionalized Silica Surfaces by Solid-State NMR and Adsorption Isotherm Measurements: The Case of Fluorinated Stationary Phases for Liquid Chromatography. <i>Chemistry - A European Journal</i> , 2014, 20, 8138-8148.	1.7	12
215	Enrichment procedure based on graphitized carbon black and liquid chromatography-high resolution mass spectrometry for elucidating sulfolipids composition of microalgae. <i>Talanta</i> , 2019, 205, 120162.	2.9	12
216	Development of a Sample-Preparation Workflow for Sulfopeptide Enrichment: From Target Analysis to Challenges in Shotgun Sulfopeptidomics. <i>Analytical Chemistry</i> , 2020, 92, 7964-7971.	3.2	12

#	ARTICLE	IF	CITATIONS
217	Does the protein corona take over the selectivity of molecularly imprinted nanoparticles? The biological challenges to recognition. <i>Journal of Proteomics</i> , 2020, 219, 103736.	1.2	12
218	Optimal centrifugal isolating of liposome-protein complexes from human plasma. <i>Nanoscale Advances</i> , 2021, 3, 3824-3834.	2.2	12
219	Concentration and isolation of organic acids on graphitized carbon black. <i>Journal of Chromatography A</i> , 1981, 219, 263-271.	1.8	11
220	Effect of Glucose on Liposome-Plasma Protein Interactions: Relevance for the Physiological Response of Clinically Approved Liposomal Formulations. <i>Advanced Biology</i> , 2019, 3, e1800221.	3.0	11
221	High-performance liquid chromatographic procedure for the analysis of urinary 3-methoxy-4-hydroxymandelic acid. <i>Biomedical Applications</i> , 1983, 275, 168-173.	1.7	10
222	Determination of indican and tryptophan in normal and uraemic patients by high-performance liquid chromatography with a new electrochemical detector. <i>Biomedical Applications</i> , 1986, 378, 85-93.	1.7	10
223	Development of solid extraction unit for determining multiple herbicides in maize. <i>Chromatographia</i> , 2000, 52, 552-558.	0.7	10
224	Degradation of the polar lipid and fatty acid molecular species in extra virgin olive oil during storage based on shotgun lipidomics. <i>Journal of Chromatography A</i> , 2021, 1639, 461881.	1.8	10
225	Improved assay of unconjugated estriol in maternal serum or plasma by adsorption and liquid chromatography with fluorimetric detection. <i>Clinical Chemistry</i> , 1984, 30, 742-4.	1.5	10
226	Correlation of serum sialic acid fractions as markers for carcinoma of the uterine cervix. <i>Anticancer Research</i> , 1995, 15, 2341-6.	0.5	10
227	Rapid liquid chromatographic analysis of carboxylic acid-5-hydroxytryptamides in coffee. <i>Chromatographia</i> , 1989, 28, 593-596.	0.7	9
228	Determination of free N-acetyl neuraminic acid by ultrafiltration and liquid chromatography in the serum of normal and cancer patients. <i>Analytica Chimica Acta</i> , 1995, 306, 65-71.	2.6	9
229	Sensitive assay for melatonin in human serum by liquid chromatography. <i>Analytica Chimica Acta</i> , 1995, 316, 377-385.	2.6	9
230	Food Proteins and Peptides. <i>Comprehensive Analytical Chemistry</i> , 2015, 68, 309-357.	0.7	9
231	Preliminary isolation of urinary placental estriol before gas or liquid chromatography. <i>Clinical Chemistry</i> , 1983, 29, 2076-8.	1.5	9
232	Evaluation of ticlopidine in human serum and plaque by liquid chromatography/atmospheric pressure chemical ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 1997, 354, 87-95.	2.6	8
233	Evaluation of the atmospheric pressure photoionization source for the determination of benzidines and chloroanilines in water and industrial effluents by high performance liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2007, 72, 419-426.	2.9	8
234	Geometric characterization of straight-chain perfluorohexylpropyl adsorbents for high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2013, 1286, 47-54.	1.8	8

#	ARTICLE	IF	CITATIONS
235	Introduction to the Toxins Special Issue on LC-MS/MS Methods for Mycotoxin Analysis. <i>Toxins</i> , 2017, 9, 325.	1.5	8
236	Characterization of the Trans-Epithelial Transport of Green Tea (<i>C. sinensis</i>) Catechin Extracts with In Vitro Inhibitory Effect against the SARS-CoV-2 Papain-like Protease Activity. <i>Molecules</i> , 2021, 26, 6744.	1.7	8
237	Investigating the Short Peptidome Profile of Italian Dry-Cured Ham at Different Processing Times by High-Resolution Mass Spectrometry and Chemometrics. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3193.	1.8	8
238	Graphitized capillary columns for the determination of chlorinated compounds. <i>Journal of Chromatography A</i> , 1979, 175, 169-173.	1.8	7
239	Liquid-chromatographic determination of progesterone in serum, with spectrophotometric detection.. <i>Clinical Chemistry</i> , 1986, 32, 508-510.	1.5	7
240	An efficient procedure for extraction and determination of steroids in the tissue of laboratory animals. <i>Chromatographia</i> , 1987, 23, 796-802.	0.7	7
241	Modulation of the free sphingosin levels in Epstein Barr virus transformed human B lymphocytes by phorbol dibutyrate. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991, 1095, 90-92.	1.9	7
242	Determination of maize and grain herbicides and their transformation products in soil by use of soil column extraction then liquid chromatography with tandem mass spectrometry. <i>Chromatographia</i> , 2002, 56, 337-343.	0.7	7
243	High-resolution mass spectrometry in food and environmental analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 6235-6236.	1.9	7
244	Simultaneous Preconcentration, Identification, and Quantitation of Selenoamino Acids in Oils by Enantioselective High Performance Liquid Chromatography and Mass Spectrometry. <i>Analytical Chemistry</i> , 2018, 90, 8326-8330.	3.2	7
245	Effect of shell structure of Ti-immobilized metal ion affinity chromatography core-shell magnetic particles for phosphopeptide enrichment. <i>Scientific Reports</i> , 2019, 9, 15782.	1.6	7
246	In-depth cannabis fatty acid profiling by ultra-high performance liquid chromatography coupled to high resolution mass spectrometry. <i>Talanta</i> , 2021, 228, 122249.	2.9	7
247	HPLC-UV-HRMS analysis of cannabigerovarin and cannabigerobutol, the two impurities of cannabigerol extracted from hemp. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 203, 114215.	1.4	7
248	The novel heptyl phorolic acid cannabinoids content in different <i>Cannabis sativa</i> L. accessions. <i>Talanta</i> , 2021, 235, 122704.	2.9	7
249	Determination of organophosphorus pesticides by thin-layer chromatography. <i>Talanta</i> , 1980, 27, 45-48.	2.9	6
250	An improved method for the determination of free sphingosine in serum. <i>Chromatographia</i> , 1994, 39, 85-90.	0.7	6
251	Diastereoselective fragmentation of chiral $\hat{\pm}$ -aminophosphonic acids/metal ion aggregates. <i>Journal of Mass Spectrometry</i> , 2006, 41, 98-102.	0.7	6
252	Development of an Analytical Method for the Metaproteomic Investigation of Bioaerosol from Work Environments. <i>Proteomics</i> , 2019, 19, e1900152.	1.3	6

#	ARTICLE	IF	CITATIONS
253	Investigation of free seleno-amino acids in extra-virgin olive oil by mixed mode solid phase extraction cleanup and enantioselective hydrophilic interaction liquid chromatography-tandem mass spectrometry. <i>Food Chemistry</i> , 2019, 278, 17-25.	4.2	6
254	Profiling and quantitative analysis of underivatized fatty acids in <i>Chlorella vulgaris</i> microalgae by liquid chromatography-high resolution mass spectrometry. <i>Journal of Separation Science</i> , 2021, 44, 3041-3051.	1.3	6
255	Untargeted analysis of contaminants in river water samples: Comparison between two different sorbents for solid-phase extraction followed by liquid chromatography-high-resolution mass spectrometry determination. <i>Microchemical Journal</i> , 2022, 172, 106979.	2.3	6
256	Multielement Characterization and Antioxidant Activity of Italian Extra-Virgin Olive Oils. <i>Frontiers in Chemistry</i> , 2021, 9, 769620.	1.8	6
257	Detailed investigation of the composition and transformations of phenolic compounds in fresh and fermented <i>Vaccinium floribundum</i> berry extracts by high-resolution mass spectrometry and bioinformatics. <i>Phytochemical Analysis</i> , 2022, , .	1.2	6
258	Identification and Quantification of Polycyclic Aromatic Hydrocarbons in Polyhydroxyalkanoates Produced from Mixed Microbial Cultures and Municipal Organic Wastes at Pilot Scale. <i>Molecules</i> , 2021, 26, 539.	1.7	5
259	High-Resolution Mass Spectrometry and Chemometrics for the Detailed Characterization of Short Endogenous Peptides in Milk By-Products. <i>Molecules</i> , 2021, 26, 6472.	1.7	5
260	Kynurenine and kynurenic acid: Two human neuromodulators found in <i>Cannabis sativa</i> L.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 211, 114636.	1.4	5
261	Sample preparation for determination of macrocyclic lactone mycotoxins in fish tissue, based on on-line matrix solid-phase dispersion and solid-phase extraction cleanup followed by liquid chromatography/tandem mass spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2003, 86, 729-36.	0.7	5
262	Applications of ligand-exchange- ^{III} Preparation and properties of phenol-formaldehyde-based resin in the iron(III) form. <i>Talanta</i> , 1984, 31, 357-360.	2.9	4
263	Fully Automatized Detection of Phosphocholine-Containing Lipids through an Isotopically Labeled Buffer Modification Workflow. <i>Analytical Chemistry</i> , 2021, 93, 15042-15048.	3.2	4
264	Chromatographic purification and HPLC assay with electrochemical detection of diethylstilboestrol residues in meat. <i>Fresenius' Journal of Analytical Chemistry</i> , 1994, 348, 320-323.	1.5	3
265	Determination of Aflatoxins and Ochratoxin A in Olive Oil. , 2010, , 645-652.		3
266	A proteomic study of microgravity cardiac effects: feature maps of label-free LC-MALDI data for differential expression analysis. <i>Molecular BioSystems</i> , 2010, 6, 2218.	2.9	3
267	Rapid Resolution Liquid chromatography/High Resolution Tandem Mass Spectrometry to Characterize Metabolic Changes in Subjects Involved in MARS500 Project. <i>Chromatographia</i> , 2011, 73, 45-53.	0.7	3
268	Investigation of free and conjugated seleno-amino acids in wheat bran by hydrophilic interaction liquid chromatography with tandem mass spectrometry. <i>Journal of Separation Science</i> , 2019, 42, 1938-1947.	1.3	3
269	The Key Role of Metal Adducts in the Differentiation of Phosphopeptide from Sulfopeptide Sequences by High-Resolution Mass Spectrometry. <i>Analytical Chemistry</i> , 2022, 94, 9234-9241.	3.2	3
270	Chromatographic evaluation of perfusion on charcoal in uraemia. <i>Biomedical Applications</i> , 1985, 345, 251-258.	1.7	2

#	ARTICLE	IF	CITATIONS
271	Sample-pretreatment procedure for routine liquid chromatographic assay of serum cortisol. <i>Talanta</i> , 1986, 33, 325-328.	2.9	2
272	Head-space chromatography in determination of enzymatic activity. <i>Talanta</i> , 1989, 36, 1087-1090.	2.9	2
273	Evaluation of double solid-phase extraction system for determining triazine herbicides in milk. <i>Chromatographia</i> , 1995, 41, 178-182.	0.7	2
274	Surface adsorption of protein corona controls the cell uptake mechanism in efficient cationic liposome/DNA complexes in serum. <i>Journal of Controlled Release</i> , 2010, 148, e94-e95.	4.8	2
275	Polyphenol content in white table grape (<i>Vitis Vinifera</i>) berries of cultivar Italia: interactive effect of irrigation, delayed harvest and storage. <i>Natural Product Research</i> , 2012, 26, 1787-1795.	1.0	2
276	Discovery of bioactive compounds. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 3405-3406.	1.9	2
277	Targeted and untargeted characterization of underivatized policosanols in hemp inflorescence by liquid chromatography-high resolution mass spectrometry. <i>Talanta</i> , 2021, 235, 122778.	2.9	2
278	Differential scanning calorimetry as an analytical tool in the study of the dupuytren disease. <i>Thermochimica Acta</i> , 1985, 86, 133-140.	1.2	1
279	Bioequivalence study of two liquid formulations of benzydamine. <i>Biopharmaceutics and Drug Disposition</i> , 1988, 9, 113-118.	1.1	1
280	Ocular absorption of benzydamine by the rabbit. <i>Biopharmaceutics and Drug Disposition</i> , 1989, 10, 225-228.	1.1	1
281	Trace analysis of estrogenic chemicals in sewage effluent using liquid chromatography combined with tandem mass spectrometry. , 2000, 14, 401.		1
282	Liquid chromatography/tandem mass spectrometry for the identification and determination of trichothecenes in maize. , 2003, 17, 1037.		1
283	Comprehensive biomarker profiles and chemometric filtering of urinary metabolomics for effective discrimination of prostate carcinoma from benign hyperplasia. <i>Scientific Reports</i> , 2022, 12, 4361.	1.6	1
284	Multishell hybrid magnetic nanoparticles for phosphopeptide enrichment. <i>AIP Conference Proceedings</i> , 2018, , .	0.3	0
285	A rapid and innovative extraction and enrichment method for the metaproteomic characterization of dissolved organic matter in groundwater samples. <i>Journal of Separation Science</i> , 2021, 44, 1612-1620.	1.3	0
286	Methodologies for extraction and separation of short-chain bioactive peptides. , 2021, , 75-86.		0