

Paul W Stratford

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9561151/publications.pdf>

Version: 2024-02-01

231
papers

22,019
citations

25423

59
h-index

10399

144
g-index

236
all docs

236
docs citations

236
times ranked

20467
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing the inter-rater and intra-rater reliability of the Physical Therapy Competence Assessment for Airway Suctioning (PT-CAAS). <i>Physiotherapy Research International</i> , 2022, 27, e1944.	0.7	0
2	Description and Functional Benefits of Meeting Frequency, Intensity, and Time of Resistance and Cardiovascular Exercises: A Study of Older Adults in a Community-Based, Slow-Stream Rehabilitation, Hospital-to-Home Transition Program. <i>Gerontology and Geriatric Medicine</i> , 2022, 8, 233372142210963.	0.8	0
3	Sex Differences in Functional Capacity in Older Adults With Stroke: An Analysis of Data From the National Health and Aging Trends Study. <i>Physical Therapy</i> , 2022, 102, .	1.1	2
4	Development and assessment of a verbal response scale for the Patient-Specific Functional Scale (PSFS) in a low-literacy, non-western population. <i>Quality of Life Research</i> , 2021, 30, 613-628.	1.5	6
5	Physiotherapy Students' Performance in Clinical Education: An Analysis of 1 Year of Canadian Cross-Sectional Data. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2021, 73, e20200018.	0.3	2
6	Muscle strength gains after strengthening exercise explained by reductions in serum inflammation in women with knee osteoarthritis. <i>Clinical Biomechanics</i> , 2021, 86, 105381.	0.5	4
7	Patient gender does not influence referral to an orthopaedic surgeon by advanced practice orthopaedic providers: a prospective observational study in Canada. <i>BMC Health Services Research</i> , 2021, 21, 952.	0.9	1
8	Long-Term Enrollment in Cardiac Rehabilitation Benefits of Cardiorespiratory Fitness and Skeletal Muscle Strength in Females with Cardiovascular Disease. <i>Women S Health Reports</i> , 2021, 2, 543-549.	0.4	1
9	Feasibility, Reliability, Responsiveness, and Validity of the Patient-Reported Functional Scale for the Intensive Care Unit: A Pilot Study. <i>Journal of Intensive Care Medicine</i> , 2020, 35, 1396-1404.	1.3	7
10	Characterizing the recovery trajectories of knee range of motion for one year after total knee replacement. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 176-185.	0.6	6
11	How to Optimize Measurement Protocols: An Example of Assessing Measurement Reliability Using Generalizability Theory. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2020, 72, 112-121.	0.3	1
12	Assessing Arm Volume in People During and After Treatment for Breast Cancer: Reliability and Convergent Validity of the LymphaTech System. <i>Physical Therapy</i> , 2020, 100, 457-467.	1.1	12
13	Predictors of treatment adherence in patients with chronic disease using the Multidimensional Adherence Model: unique considerations for patients with haemophilia. <i>The Journal of Haemophilia Practice</i> , 2020, 7, 92-101.	0.2	5
14	Cross-cultural adaptation and psychometric evaluation of the Singapore version of the Chedoke Arm and Hand Activity. <i>Disability and Rehabilitation</i> , 2019, 41, 2570-2577.	0.9	0
15	Clinical Interpretation of the Neck Functional Status Computerized Adaptive Test. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 875-886.	1.7	9
16	Effects of Covertly Measured Home Exercise Adherence on Patient Outcomes Among Older Adults With Chronic Knee Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 548-556.	1.7	15
17	Long-term Enrollment in Cardiac Rehabilitation Benefits Cardiorespiratory Fitness and Skeletal Muscle Strength in Men With Cardiovascular Disease. <i>Canadian Journal of Cardiology</i> , 2019, 35, 1359-1365.	0.8	11
18	Labelling a Patient's Change Status: It's a Confidence Game. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2019, 71, 121-129.	0.3	1

#	ARTICLE	IF	CITATIONS
19	Slow Stream Rehabilitation for Older Adults: A Scoping Review. <i>Canadian Journal on Aging</i> , 2019, 38, 328-349.	0.6	9
20	Estimating the Threshold Value for Change for the Six Dimensions of the Impairment Inventory of the Chedoke-McMaster Stroke Assessment. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2019, 71, 103-110.	0.3	1
21	Estimating the Reliability and Validity of the Upper Extremity Functional Index in Women After Breast Cancer Surgery. <i>Clinical Breast Cancer</i> , 2018, 18, e1261-e1267.	1.1	16
22	Submaximal normalizing methods to evaluate load sharing changes in the shoulder during repetitive work. <i>Journal of Electromyography and Kinesiology</i> , 2018, 39, 58-69.	0.7	4
23	Comparison of the sensitivity to change of the Functional Independence Measure with the Assessment of Motor and Process Skills within different rehabilitation populations. <i>Disability and Rehabilitation</i> , 2018, 40, 3177-3184.	0.9	13
24	Relative and absolute test-retest reliabilities of biomechanical risk factors for knee osteoarthritis progression: benchmarks for meaningful change. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 220-226.	0.6	12
25	Self-efficacy, pain, and quadriceps capacity at baseline predict changes in mobility performance over 2 years in women with knee osteoarthritis. <i>Clinical Rheumatology</i> , 2018, 37, 495-504.	1.0	13
26	Reliability and validity of the shortened Singapore versions of the Chedoke Arm and Hand Activity Inventory. <i>International Journal of Rehabilitation Research</i> , 2018, 41, 297-303.	0.7	0
27	Confounding pain and function: the WOMAC's failure to accurately predict lower extremity function. <i>Arthroplasty Today</i> , 2018, 4, 488-492.	0.8	9
28	Interrater Reliability of Three Versions of the Chedoke Arm and Hand Activity Inventory. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018, 70, 133-140.	0.3	3
29	Impact of Risk Adjustment on Provider Ranking for Patients With Low Back Pain Receiving Physical Therapy. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 637-648.	1.7	21
30	Self-reported Home Exercise Adherence: A Validity and Reliability Study Using Concealed Accelerometers. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 943-950.	1.7	54
31	Measuring Participation of Children and Environmental Factors at Home, School, and in Community: Construct Validation of the Korean PEM-CY. <i>Physical and Occupational Therapy in Pediatrics</i> , 2017, 37, 541-554.	0.8	19
32	Acute changes in knee cartilage transverse relaxation time after running and bicycling. <i>Journal of Biomechanics</i> , 2017, 53, 171-177.	0.9	25
33	Inter-rater reliability of the Chedoke Arm and Hand Activity Inventory. <i>NeuroRehabilitation</i> , 2017, 40, 201-209.	0.5	5
34	Baseline knee adduction moment interacts with body mass index to predict loss of medial tibial cartilage volume over 2.5 years in knee Osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2017, 35, 2476-2483.	1.2	37
35	Responsiveness of four patient-reported outcome measures to assess physical function in patients with knee osteoarthritis: comments on the article by Mahler et al. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 168-169.	0.6	0
36	Reliability and measurement error of the Osteoarthritis Research Society International (OARSI) recommended performance-based tests of physical function in people with hip and knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1792-1796.	0.6	95

#	ARTICLE	IF	CITATIONS
37	Evaluation of an advanced-practice physiotherapist in triaging patients with lumbar spine pain: surgeon's physiotherapist level of agreement and patient satisfaction. <i>Canadian Journal of Surgery</i> , 2017, 60, 266-272.	0.5	23
38	Efficiency Analysis of Two Written Short-Answer Student Evaluation Formats. <i>Physical Therapy</i> , 2016, , .	1.1	1
39	Development of a Telephone Interview Version of the Chedoke-McMaster Stroke Assessment Activity Inventory. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2016, 68, 216-222.	0.3	5
40	Developing a classification system of social communication functioning of preschool children with autism spectrum disorder. <i>Developmental Medicine and Child Neurology</i> , 2016, 58, 942-948.	1.1	22
41	The role of occupational therapists in the contexts of a natural disaster: a scoping review. <i>Disability and Rehabilitation</i> , 2016, 38, 1620-1631.	0.9	12
42	Cross-cultural validation and psychometric evaluation of the Participation and Environment Measure for Children and Youth in Korea. <i>Disability and Rehabilitation</i> , 2016, 38, 2217-2228.	0.9	17
43	On "Responsiveness of the Balance Evaluation Systems Test (BESTest) in people with subacute stroke." Chinsongkram B, Chaikereee N, Saengsirisuwan V, et al. <i>Phys Ther</i> . doi: 10.2522/ptj.20150621.. <i>Physical Therapy</i> , 2016, 96, 1300-1301.	1.1	0
44	The incident tibiofemoral osteoarthritis with rapid progression phenotype: development and validation of a prognostic prediction rule. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 2100-2107.	0.6	34
45	Knowledge Translation from Research to Clinical Practice: Measuring Participation of Children with Disabilities. <i>Occupational Therapy in Health Care</i> , 2016, 30, 323-343.	0.2	5
46	A Roland Morris Disability Questionnaire Target Value to Distinguish between Functional and Dysfunctional States in People with Low Back Pain. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2016, 68, 29-35.	0.3	36
47	Implementing the Prospective Surveillance Model (PSM) of Rehabilitation for Breast Cancer Patients with 1-Year Postoperative Follow-up, a Prospective, Observational Study. <i>Annals of Surgical Oncology</i> , 2016, 23, 3379-3384.	0.7	17
48	GT3X+ accelerometer placement affects the reliability of step-counts measured during running and pedal-revolution counts measured during bicycling. <i>Journal of Sports Sciences</i> , 2016, 34, 1168-1175.	1.0	18
49	Do Knee Moments Normalized to Measures of Knee Cartilage Area Better Classify the Severity of Knee Osteoarthritis?. <i>Journal of Applied Biomechanics</i> , 2015, 31, 415-422.	0.3	1
50	The Group Experience: Remodelling Outpatient Physiotherapy after Knee Replacement Surgery. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2015, 67, 350-356.	0.3	4
51	Exploring Client-Centered Care Experiences in In-Patient Rehabilitation Settings. <i>Global Qualitative Nursing Research</i> , 2015, 2, 233339361558203.	0.7	14
52	Performance of the measures of processes of care for adults and service providers in rehabilitation settings. <i>Patient Related Outcome Measures</i> , 2015, 6, 157.	0.7	5
53	Acute Postoperative Pain Is a Predictor of Chronic Functional Impairment 2 Years After Radial Head Arthroplasty. <i>Critical Reviews in Physical and Rehabilitation Medicine</i> , 2015, 27, 159-170.	0.1	0
54	Knee Extensor Power Relates to Mobility Performance in People With Knee Osteoarthritis: Cross-Sectional Analysis. <i>Physical Therapy</i> , 2015, 95, 989-995.	1.1	33

#	ARTICLE	IF	CITATIONS
55	Knee adduction moment relates to medial femoral and tibial cartilage morphology in clinical knee osteoarthritis. <i>Journal of Biomechanics</i> , 2015, 48, 3495-3501.	0.9	34
56	Which dimensions of disability does the HIV Disability Questionnaire (HDQ) measure? A factor analysis. <i>Disability and Rehabilitation</i> , 2015, 37, 1193-1201.	0.9	14
57	Letters. <i>Spine</i> , 2015, 40, 666.	1.0	0
58	Fat Infiltration in the Leg is Associated with Bone Geometry and Physical Function in Healthy Older Women. <i>Calcified Tissue International</i> , 2015, 97, 353-363.	1.5	19
59	Reliability and validity of a new HIV-specific questionnaire with adults living with HIV in Canada and Ireland: the HIV Disability Questionnaire (HDQ). <i>Health and Quality of Life Outcomes</i> , 2015, 13, 124.	1.0	32
60	Outcome Measures in Clinical Practice: Five Questions to Consider When Assessing Patient Outcome. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2015, 3, 248-254.	0.3	4
61	In Tribute: David L. Sackett. <i>Physical Therapy</i> , 2015, 95, 1084-1086.	1.1	1
62	Pregabalin reduces postoperative opioid consumption and pain for 1 week after hospital discharge, but does not affect function at 6 weeks or 3 months after total hip arthroplasty. <i>British Journal of Anaesthesia</i> , 2015, 115, 903-911.	1.5	54
63	Pattern of recovery following total shoulder arthroplasty and humeral head replacement. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 306.	0.8	19
64	Knee Pain During Daily Tasks, Knee Osteoarthritis Severity, and Widespread Pain. <i>Physical Therapy</i> , 2014, 94, 490-498.	1.1	31
65	Assessing the Patient-Specific Functional Scale's Ability to Detect Early Recovery Following Total Knee Arthroplasty. <i>Physical Therapy</i> , 2014, 94, 838-844.	1.1	10
66	A Comparison Study of KOOS-PS and KOOS Function and Sport Scores. <i>Physical Therapy</i> , 2014, 94, 1614-1621.	1.1	6
67	On "Quality of life and self-reported lower extremity function" Galantino ML, Kietrys DM, Parrott JS, et al. <i>Phys Ther.</i> doi: 10.2522/ptj.20130337. <i>Physical Therapy</i> , 2014, 94, 1355-1356.	1.1	2
68	Functional outcomes post-radial head arthroplasty: a systematic review of literature. <i>Shoulder and Elbow</i> , 2014, 6, 108-118.	0.7	11
69	On "Effectiveness of trigger point dry needling" Cotchett MP, Munteanu SE, Landorf KB. <i>Phys Ther.</i> 2014;94:1083-1094. <i>Physical Therapy</i> , 2014, 94, 1354-1354.	1.1	0
70	Perioperative gabapentin reduces 24 h opioid consumption and improves in-hospital rehabilitation but not post-discharge outcomes after total knee arthroplasty with peripheral nerve block. <i>British Journal of Anaesthesia</i> , 2014, 113, 855-864.	1.5	74
71	Tracking Patient Outcomes after Anterior Cruciate Ligament Reconstruction. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2014, 66, 199-205.	0.3	13
72	McKenzie Lumbar Classification. <i>Spine</i> , 2014, 39, E182-E190.	1.0	26

#	ARTICLE	IF	CITATIONS
73	OARSI recommended performance-based tests to assess physical function in osteoarthritis of the hip or knee: authors' reply. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1625-1626.	0.6	17
74	Body weight changes and corresponding changes in pain and function in persons with symptomatic knee osteoarthritis: A cohort study. <i>Arthritis Care and Research</i> , 2013, 65, 15-22.	1.5	102
75	Cumulative knee adductor load distinguishes between healthy and osteoarthritic kneesâ€“A proof of principle study. <i>Gait and Posture</i> , 2013, 37, 397-401.	0.6	48
76	Progressing Toward, and Recovering From, Knee Replacement Surgery: A Fiveâ€“Year Cohort Study. <i>Arthritis and Rheumatism</i> , 2013, 65, 3304-3313.	6.7	34
77	Author Response. <i>Physical Therapy</i> , 2013, 93, 707-708.	1.1	0
78	Unilateral vs bilateral symptomatic knee osteoarthritis: associations between pain intensity and function. <i>Rheumatology</i> , 2013, 52, 2229-2237.	0.9	47
79	Psychometric Properties of the Outpatient Physical Therapy Improvement in Movement Assessment Log (OPTIMAL) in Patients With Musculoskeletal Disorders: A Replication Study With Additional Findings. <i>Physical Therapy</i> , 2013, 93, 672-680.	1.1	7
80	A Systematic Review of Head-to-Head Comparison Studies of the Roland-Morris and Oswestry Measures' Abilities to Assess Change. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013, 65, 160-166.	0.3	10
81	Assessing the Amount of Change in an Outcome Measure Is Not the Same as Assessing the Importance of Change. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013, 65, 244-247.	0.3	11
82	An Example of End-Digit Preference in Physiotherapy Practice. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013, 65, 276-278.	0.3	4
83	On â€œLower Limb Functional Indexâ€“Gabel CP, Melloh M, Burkett B, Michener LA. <i>Phys Ther.</i> 2012;92:98â€“110. <i>Physical Therapy</i> , 2012, 92, 181-183.	1.1	2
84	When Minimal Detectable Change Exceeds a Diagnostic Testâ€“Based Threshold Change Value for an Outcome Measure: Resolving the Conflict. <i>Physical Therapy</i> , 2012, 92, 1338-1347.	1.1	56
85	Longitudinal Changes in the Lower Extremity Functional Scale After Anterior Cruciate Ligament Reconstructive Surgery. <i>Clinical Journal of Sport Medicine</i> , 2012, 22, 234-239.	0.9	16
86	The FIT-HaNSA Demonstrates Reliability and Convergent Validity of Functional Performance in Patients With Shoulder Disorders. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 455-464.	1.7	27
87	Lumbar Computerized Adaptive Test and Modified Oswestry Low Back Pain Disability Questionnaire: Relative Validity and Important Change. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 541-551.	1.7	26
88	A Shortened Version of the Western Ontario Rotator Cuff Disability Index: Development and Measurement Properties. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2012, 64, 135-144.	0.3	25
89	Intrarater Reliability of Dual-Energy X-Ray Absorptiometryâ€“Based Measures of Vertebral Height in Postmenopausal Women. <i>Journal of Clinical Densitometry</i> , 2012, 15, 405-412.	0.5	19
90	Strategies Aimed at Preventing Chronic Post-surgical Pain: Comprehensive Perioperative Pain Management after Total Joint Replacement Surgery. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2011, 63, 289-304.	0.3	29

#	ARTICLE	IF	CITATIONS
91	Estimating the Accuracy of the Chedokeâ€“McMaster Stroke Assessment Predictive Equations for Stroke Rehabilitation. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2011, 63, 334-341.	0.3	12
92	Change in Psychosocial Distress Associated With Pain and Functional Status Outcomes in Patients With Lumbar Impairments Referred to Physical Therapy Services. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 969-980.	1.7	23
93	Construct Validation of a Knee-Specific Functional Status Measure: A Comparative Study Between the United States and Israel. <i>Physical Therapy</i> , 2011, 91, 1072-1084.	1.1	18
94	Using Outcome Measure Results to Facilitate Clinical Decisions the First Year After Total Hip Arthroplasty. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 232-240.	1.7	45
95	Effect of Fear-Avoidance Beliefs of Physical Activities on a Model That Predicts Risk-Adjusted Functional Status Outcomes in Patients Treated for a Lumbar Spine Dysfunction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 336-345.	1.7	23
96	Using Intake and Change in Multiple Psychosocial Measures to Predict Functional Status Outcomes in People With Lumbar Spine Syndromes: A Preliminary Analysis. <i>Physical Therapy</i> , 2011, 91, 1812-1825.	1.1	17
97	Impact of Pain Reported During Isometric Quadriceps Muscle Strength Testing in People With Knee Pain: Data From the Osteoarthritis Initiative. <i>Physical Therapy</i> , 2011, 91, 1478-1489.	1.1	32
98	Baseline Dependency of Minimal Clinically Important Improvement. <i>Physical Therapy</i> , 2011, 91, 675-688.	1.1	102
99	Clinicianâ€™s ability to identify neck and low back interventions: an inter-rater chance-corrected agreement pilot study. <i>Journal of Manual and Manipulative Therapy</i> , 2011, 19, 172-181.	0.7	10
100	Modelling Knee Range of Motion Post Arthroplasty: Clinical Applications. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2010, 62, 378-387.	0.3	48
101	Computerized Adaptive Test for Patients With Lumbar Spine Impairments Produced Valid and Responsive Measures of Function. <i>Spine</i> , 2010, 35, 2157-2164.	1.0	49
102	The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. <i>Quality of Life Research</i> , 2010, 19, 539-549.	1.5	2,751
103	The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: A clarification of its content. <i>BMC Medical Research Methodology</i> , 2010, 10, 22.	1.4	1,178
104	Inter-rater agreement and reliability of the COSMIN (COnsensus-based Standards for the selection of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.4	218
105	Minimizing the source of nociception and its concurrent effect on sensory hypersensitivity: An exploratory study in chronic whiplash patients. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 29.	0.8	34
106	Using Hierarchical Linear Modeling to Explore Predictors of Pain After Total Hip and Knee Arthroplasty as a Consequence of Osteoarthritis. <i>Journal of Arthroplasty</i> , 2010, 25, 254-262.	1.5	49
107	Clinical Interpretation of Outcome Measures Generated From a Lumbar Computerized Adaptive Test. <i>Physical Therapy</i> , 2010, 90, 1323-1335.	1.1	46
108	The Added Value of Confidence Intervals. <i>Physical Therapy</i> , 2010, 90, 333-335.	1.1	19

#	ARTICLE	IF	CITATIONS
109	Rehabilitation in a primary care setting for persons with chronic illness â€” a randomized controlled trial. <i>Primary Health Care Research and Development</i> , 2010, 11, 382-395.	0.5	40
110	Quantifying Self-Report Measures' Overestimation of Mobility Scores Postarthroplasty. <i>Physical Therapy</i> , 2010, 90, 1288-1296.	1.1	67
111	Construct validity of the late life function and disability instrument for adults with chronic conditions. <i>Disability and Rehabilitation</i> , 2010, 32, 50-56.	0.9	37
112	Validation of the measure of processes of care for adults: a measure of client-centred care. <i>International Journal for Quality in Health Care</i> , 2010, 22, 302-309.	0.9	15
113	The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 737-745.	2.4	2,945
114	Clinical Interpretation of a Lower-Extremity Functional Scaleâ€”Derived Computerized Adaptive Test. <i>Physical Therapy</i> , 2009, 89, 957-968.	1.1	53
115	Clinical Interpretation of Computerized Adaptive Test Outcome Measures in Patients With Foot/Ankle Impairments. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2009, 39, 753-764.	1.7	29
116	Increasing Reliability of APACHE II Scores in a Medical-Surgical Intensive Care Unit: A Quality Improvement Study. <i>American Journal of Critical Care</i> , 2009, 18, 58-64.	0.8	8
117	Reliability, Validity, and Responsiveness of the Lower Extremity Functional Scale for Inpatients of an Orthopaedic Rehabilitation Ward. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2009, 39, 468-477.	1.7	95
118	Variation in Outcome Measures in Hip and Knee Arthroplasty Clinical Trials: A Proposed Approach to Achieving Consensus. <i>Journal of Rheumatology</i> , 2009, 36, 2050-2056.	1.0	31
119	Evaluation of the methodological quality of systematic reviews of health status measurement instruments. <i>Quality of Life Research</i> , 2009, 18, 313-333.	1.5	146
120	New study design evaluated the validity of measures to assess change after hip or knee arthroplasty. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 347-352.	2.4	57
121	Clinical Outcomes for Patients Classified by Fear-Avoidance Beliefs and Centralization Phenomenon. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 768-777.	0.5	61
122	Clinical Interpretation of Computerized Adaptive Testâ€”Generated Outcome Measures in Patients With Knee Impairments. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1340-1348.	0.5	31
123	Pilot Studies and Their Suitability for Publication in <i>Physiotherapy Canada</i>. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2009, 61, 66-66.	0.3	10
124	Les Ã©tudes pilotesâ€”: dÃ©terminer si elles peuvent Ãªtre publiÃ©es dans <i>Physiotherapy Canada</i>. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2009, 61, 67-67.	0.3	3
125	Validating Self-Report Measures of Pain and Function in Patients Undergoing Hip or Knee Arthroplasty. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2009, 61, 189-194.	0.3	18
126	Computerized adaptive test for patients with foot or ankle impairments produced valid and responsive measures of function. <i>Quality of Life Research</i> , 2008, 17, 1081-1091.	1.5	58

#	ARTICLE	IF	CITATIONS
127	Findings of extensive variation in the types of outcome measures used in hip and knee replacement clinical trials: A systematic review. <i>Arthritis and Rheumatism</i> , 2008, 59, 876-883.	6.7	82
128	Computerized adaptive test for patients with knee impairments produced valid and responsive measures of function. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1113-1124.	2.4	59
129	A Computerized Adaptive Test for Patients With Hip Impairments Produced Valid and Responsive Measures of Function. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 2129-2139.	0.5	44
130	The Timed Up and Go Test for Use on an Inpatient Orthopaedic Rehabilitation Ward. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2008, 38, 410-417.	1.7	95
131	On "Test-retest reliability and minimal detectable change on balance" - Steffen T, Seney M. <i>Phys Ther.</i> 2008;88:733-746. <i>Physical Therapy</i> , 2008, 88, 888-890.	1.1	6
132	Assessing Recovery and Establishing Prognosis Following Total Knee Arthroplasty. <i>Physical Therapy</i> , 2008, 88, 22-32.	1.1	187
133	Centralization: Prevalence and Effect on Treatment Outcomes Using a Standardized Operational Definition and Measurement Method. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2008, 38, 116-125.	1.7	61
134	Measurement Properties of Performance-Specific Pain Ratings of Patients Awaiting Total Joint Arthroplasty as a Consequence of Osteoarthritis. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2008, 60, 255-263.	0.3	8
135	Interpreting Change Scores for Pain and Functional Status in Low Back Pain. <i>Spine</i> , 2008, 33, 90-94.	1.0	1,540
136	Patients Can Provide a Valid Assessment of Quality of Life, Functional Status, and General Health on the Day They Undergo Knee Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 264-270.	1.4	3
137	Hop Testing Provides a Reliable and Valid Outcome Measure During Rehabilitation After Anterior Cruciate Ligament Reconstruction. <i>Physical Therapy</i> , 2007, 87, 337-349.	1.1	504
138	Measurement properties of the WOMAC LK 3.1 pain scale. <i>Osteoarthritis and Cartilage</i> , 2007, 15, 266-272.	0.6	59
139	Association of Low Back Pain, Impairment, Disability & Work Limitations in Nurses. <i>Journal of Occupational Rehabilitation</i> , 2007, 17, 213-226.	1.2	24
140	Recovery After Hip Fracture: What Can We Learn From the Canadian Occupational Performance Measure?. <i>American Journal of Occupational Therapy</i> , 2007, 61, 335-344.	0.1	22
141	Interrater reliability of APACHE II scores for medical-surgical intensive care patients: a prospective blinded study. <i>American Journal of Critical Care</i> , 2007, 16, 378-83.	0.8	15
142	Preoperative Function and Gender Predict Pattern of Functional Recovery After Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 559-566.	1.5	189
143	Performance measures were necessary to obtain a complete picture of osteoarthritic patients. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 160-167.	2.4	245
144	Simulated computerized adaptive test for patients with lumbar spine impairments was efficient and produced valid measures of function. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 947-956.	2.4	83

#	ARTICLE	IF	CITATIONS
145	Patients undergoing knee surgery provided accurate ratings of preoperative quality of life and function 2 weeks after surgery. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 984-993.	2.4	47
146	Comparing 2 Versions of the Chedoke Arm and Hand Activity Inventory With the Action Research Arm Test. <i>Physical Therapy</i> , 2006, 86, 245-253.	1.1	31
147	Validation of Three Shortened Versions of the Chedoke Arm and Hand Activity Inventory. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2006, 58, 148-156.	0.3	34
148	Defining the effect and mediators of two knowledge translation strategies designed to alter knowledge, intent and clinical utilization of rehabilitation outcome measures: a study protocol [NCT00298727]. <i>Implementation Science</i> , 2006, 1, 14.	2.5	17
149	Modeling early recovery of physical function following hip and knee arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 100.	0.8	123
150	Performance Measures Provide Assessments of Pain and Function in People With Advanced Osteoarthritis of the Hip or Knee. <i>Physical Therapy</i> , 2006, 86, 1489-1496.	1.1	141
151	Comparing 2 versions of the Chedoke Arm and Hand Activity Inventory with the Action Research Arm Test. <i>Physical Therapy</i> , 2006, 86, 245-53.	1.1	15
152	Assessing Improvement in Patients Who Report Small Limitations in Functional Status on Condition-Specific Measures. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2005, 57, 234-239.	0.3	5
153	Letters. <i>Spine</i> , 2005, 30, 1341-1342.	1.0	11
154	Intra- and inter-rater reliability of the anterior atlantodental interval measurement from conventional lateral view flexion/extension radiographs. <i>Manual Therapy</i> , 2005, 10, 219-223.	1.6	5
155	Assessing stability and change of four performance measures: a longitudinal study evaluating outcome following total hip and knee arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 3.	0.8	412
156	Simulated computerized adaptive tests for measuring functional status were efficient with good discriminant validity in patients with hip, knee, or foot/ankle impairments. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 629-638.	2.4	104
157	Test-Retest Reliability, Validity, and Sensitivity of the Chedoke Arm and Hand Activity Inventory: A New Measure of Upper-Limb Function for Survivors of Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1616-1622.	0.5	142
158	Assessing sensitivity to change: choosing the appropriate change coefficient. <i>Health and Quality of Life Outcomes</i> , 2005, 3, 23.	1.0	123
159	Interpreting Lower Extremity Functional Status Scores. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2005, 57, 154.	0.3	34
160	The Evaluation of Change in Pain Intensity: A Comparison of the P4 and Single-Item Numeric Pain Rating Scales. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2004, 34, 187-193.	1.7	90
161	Development of the Chedoke Arm and Hand Activity Inventory: Theoretical Constructs, Item Generation, and Selection. <i>Topics in Stroke Rehabilitation</i> , 2004, 11, 31-42.	1.0	132
162	Does parallel item content on WOMAC's Pain and Function Subscales limit its ability to detect change in functional status?. <i>BMC Musculoskeletal Disorders</i> , 2004, 5, 17.	0.8	90

#	ARTICLE	IF	CITATIONS
163	Comment on the comparison of test-retest reliabilities for 2-day and 2-week intervals. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 993-994.	2.4	6
164	Condition-specific Western Ontario McMaster Osteoarthritis Index was not superior to region-specific Lower Extremity Functional Scale at detecting change. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 1025-1032.	2.4	85
165	Applying evidence on outcome measures to hand therapy practice. <i>Journal of Hand Therapy</i> , 2004, 17, 165-173.	0.7	40
166	Getting More from the Literature: Estimating the Standard Error of Measurement from Reliability Studies. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2004, 56, 027.	0.3	244
167	False-negative extension/rotation pre-manipulative screening test on a patient with an atretic and hypoplastic vertebral artery. <i>Manual Therapy</i> , 2003, 8, 120-127.	1.6	24
168	The relationship between self-report and performance-related measures: Questioning the content validity of timed tests. <i>Arthritis and Rheumatism</i> , 2003, 49, 535-540.	6.7	115
169	Hierarchical Linear Modelling: An Effective Analytic Technique for Examining Change in Clinical Longitudinal Data. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003, 55, 145.	0.3	3
170	Exploring the Factorial Validity and Clinical Interpretability of the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC). <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003, 55, 160.	0.3	39
171	Development and Cross-validation of the P4: A Self-Report Pain Intensity Measure. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003, 55, 032.	0.3	23
172	Sample Size Estimation for the Comparison of Competing Measures' Reliability Coefficients. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003, 55, 225.	0.3	27
173	Evidence-Based Approach to the Selection and Interpretation of Diagnostic Tests: Application to a Client with a Suspected Labral Tear. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003, 55, 106.	0.3	0
174	Roland-Morris Scale Reliability. <i>Physical Therapy</i> , 2002, 82, 512-517.	1.1	21
175	Comparison of gender and group differences in self-report and physical performance measures in total hip and knee arthroplasty candidates. <i>Journal of Arthroplasty</i> , 2002, 17, 70-77.	1.5	157
176	Biases in the Retrospective Calculation of Reliability and Responsiveness from Longitudinal Studies. , 2002, , 21-31.		1
177	Roland-Morris scale reliability. <i>Physical Therapy</i> , 2002, 82, 512-5; author reply 515-7.	1.1	12
178	Use of SF-36 and SF-12 Health Status Measures: A Quantitative Comparison for Groups Versus Individual Patients. <i>Medical Care</i> , 2001, 39, 867-878.	1.1	69
179	Applying the results from diagnostic accuracy studies to enhance clinical decision-making. <i>Physiotherapy Theory and Practice</i> , 2001, 17, 153-160.	0.6	7
180	Development and Initial Validation of the Back Pain Functional Scale. <i>Spine</i> , 2000, 25, 2095-2102.	1.0	118

#	ARTICLE	IF	CITATIONS
181	Associations Between Patient Report of Symptoms and Anatomic Impairment Visible on Lumbar Magnetic Resonance Imaging. <i>Spine</i> , 2000, 25, 819-828.	1.0	194
182	Applying the Results of Self-Report Measures to Individual Patients: An Example Using the Roland-Morris Questionnaire. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1999, 29, 232-239.	1.7	47
183	Error Estimates in Novice and Expert Raters for the KT-1000 Arthrometer. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1999, 29, 49-55.	1.7	57
184	The Prevalence of Low Back Pain in Adults: A Methodological Review of the Literature. <i>Physical Therapy</i> , 1999, 79, 384-396.	1.1	235
185	Interpreting Validity Indexes for Diagnostic Tests: An Illustration Using the Berg Balance Test. <i>Physical Therapy</i> , 1999, 79, 939-948.	1.1	174
186	Assessment of reliability of the hand-held dynamometer for measuring strength in healthy older adults. <i>Physiotherapy Theory and Practice</i> , 1998, 14, 49-54.	0.6	14
187	The Patient-Specific Functional Scale: Validation of Its Use in Persons With Neck Dysfunction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1998, 27, 331-338.	1.7	380
188	Sensitivity to Change of the Roland-Morris Back Pain Questionnaire: Part 1. <i>Physical Therapy</i> , 1998, 78, 1186-1196.	1.1	364
189	Sensitivity to Change of the Roland-Morris Back Pain Questionnaire: Part 2. <i>Physical Therapy</i> , 1998, 78, 1197-1207.	1.1	167
190	Comparison of Two Outcome Measures for Infants With Cerebral Palsy and Infants With Motor Delays. <i>Physical Therapy</i> , 1998, 78, 1062-1072.	1.1	36
191	Use of Generic Versus Region-Specific Functional Status Measures on Patients With Cervical Spine Disorders. <i>Physical Therapy</i> , 1998, 78, 951-963.	1.1	150
192	Interrater Reliability of Six Tests of Trunk Muscle Function and Endurance. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1997, 26, 200-208.	1.7	125
193	The Patient-Specific Functional Scale: Measurement Properties in Patients With Knee Dysfunction. <i>Physical Therapy</i> , 1997, 77, 820-829.	1.1	264
194	Use of the Standard Error as a Reliability Index of Interest: An Applied Example Using Elbow Flexor Strength Data. <i>Physical Therapy</i> , 1997, 77, 745-750.	1.1	351
195	Applying Functional Status Measures to Individual Patients. <i>Clinical Journal of Sport Medicine</i> , 1997, 7, 226.	0.9	0
196	Measurement Properties of the RM-18. <i>Spine</i> , 1997, 22, 2416-2421.	1.0	105
197	Methodological problems in the retrospective computation of responsiveness to change: The lesson of Cronbach. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 869-879.	2.4	462
198	A Descriptive Study of Learning Processes and Outcomes in Two Problem-Based Curriculum Designs. <i>Journal, Physical Therapy Education</i> , 1996, 10, 72-76.	0.3	18

#	ARTICLE	IF	CITATIONS
199	Health Status Measures: Strategies and Analytic Methods for Assessing Change Scores. Physical Therapy, 1996, 76, 1109-1123.	1.1	372
200	Defining the Minimum Level of Detectable Change for the Roland-Morris Questionnaire. Physical Therapy, 1996, 76, 359-365.	1.1	394
201	Progressive Fitness Program for Chronic Low Back Pain. Clinical Journal of Sport Medicine, 1995, 5, 208.	0.9	0
202	Back Schools for Low-Back Pain. Clinical Journal of Sport Medicine, 1995, 5, 143.	0.9	0
203	Interrater Reliability of Lumbar Accessory Motion Mobility Testing. Physical Therapy, 1995, 75, 786-792.	1.1	124
204	A Review of the McMurray Test: Definition, Interpretation, and Clinical Usefulness. Journal of Orthopaedic and Sports Physical Therapy, 1995, 22, 116-120.	1.7	23
205	Spurious Identification of Patient Problems. Physical Therapy, 1994, 74, 509-511.	1.1	0
206	Reliability of Absolute and Ratio Data In Assessment of Knee Extensor and Flexor Strength. Isokinetics and Exercise Science, 1994, 4, 51-57.	0.2	14
207	A Comparison of Make and Break Tests Using a Hand-Held Dynamometer and the Kin-Com. Journal of Orthopaedic and Sports Physical Therapy, 1994, 19, 28-32.	1.7	201
208	Dear Editor. American Journal of Sports Medicine, 1994, 22, 567-568.	1.9	8
209	Low Back Pain: Program Description and Outcome in a Case Series. Journal of Orthopaedic and Sports Physical Therapy, 1994, 20, 11-16.	1.7	3
210	Assessing Change Over Time in Patients With Low Back Pain. Physical Therapy, 1994, 74, 528-533.	1.1	247
211	A Randomized Controlled Trial of Transcutaneous Electrical Nerve Stimulation (CODETRON) to Determine Its Benefits in a Rehabilitation Program for Acute Occupational Low Back Pain. Spine, 1994, 19, 561-568.	1.0	78
212	Wrist Goniometric Measurements. Physical Therapy, 1994, 74, 684-685.	1.1	0
213	Assessing Valid Change over Time in Patients with Lateral Epicondylitis at the Elbow. Clinical Journal of Sport Medicine, 1994, 4, 88-91.	0.9	61
214	Early Mobilization Versus Immobilization for Ankle Sprains. Clinical Journal of Sport Medicine, 1994, 4, 201.	0.9	0
215	Measuring physical impairment and disability with the Chedoke-McMaster Stroke Assessment.. Stroke, 1993, 24, 58-63.	1.0	747
216	Reliability of the Fugl-Meyer Assessment for Testing Motor Performance in Patients Following Stroke. Physical Therapy, 1993, 73, 447-454.	1.1	563

#	ARTICLE	IF	CITATIONS
217	Sensitivity of Sickness Impact Profile Items to Measure Change Over Time in a Low-back Pain Patient Group. <i>Spine</i> , 1993, 18, 1723-1727.	1.0	32
218	Clinical evaluation: physiotherapists' ranking of competencies. <i>Medical Teacher</i> , 1993, 15, 369-377.	1.0	9
219	Promoting Critical Appraisal of Research Literature in Undergraduate Students. <i>Journal, Physical Therapy Education</i> , 1992, 6, 19-21.	0.3	2
220	Grading Written Essays: A Reliability Study. <i>Physical Therapy</i> , 1991, 71, 679-686.	1.1	9
221	The Effect of Inter-Trial Rest Interval on the Assessment of Isokinetic Thigh Muscle Torque. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1990, 11, 362-366.	1.7	27
222	Interpreting Results of Diagnostic Tests. <i>Physical Therapy</i> , 1990, 70, 456-458.	1.1	1
223	Effect of Station Examination Item Sampling on Generalizability of Student Performance. <i>Physical Therapy</i> , 1990, 70, 31-36.	1.1	10
224	Not Really Reliability?. <i>Physical Therapy</i> , 1989, 69, 700-702.	1.1	0
225	Reliability: Consistency or Differentiating Among Subjects?. <i>Physical Therapy</i> , 1989, 69, 299-300.	1.1	79
226	Generalizability of Grip Strength Measurements in Patients with Tennis Elbow. <i>Physical Therapy</i> , 1989, 69, 276-281.	1.1	68
227	Confidence Limits for Your ICC. <i>Physical Therapy</i> , 1989, 69, 237-238.	1.1	16
228	Reliability of a Reciprocal Test Protocol Performed on the Kinetic Communicator: An Isokinetic Test of Knee Extensor and Flexor Strength. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1988, 10, 218-223.	1.7	57
229	Diagnostic Value of Knee Extension Torque Tracings in Suspected Anterior Cruciate Ligament Tears. <i>Physical Therapy</i> , 1987, 67, 1533-1536.	1.1	7
230	Modified Essay Question. <i>Physical Therapy</i> , 1985, 65, 1075-1079.	1.1	11
231	Electromyography of the Quadriceps Femoris Muscles in Subjects with Normal Knees and Acutely Effused Knees. <i>Physical Therapy</i> , 1982, 62, 279-283.	1.1	66