

# Hanwen Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9561994/publications.pdf>

Version: 2024-02-01

29  
papers

2,422  
citations

331670

21  
h-index

454955

30  
g-index

31  
all docs

31  
docs citations

31  
times ranked

2534  
citing authors

#	ARTICLE	IF	CITATIONS
1	LINC01977 Promotes Breast Cancer Progression and Chemoresistance to Doxorubicin by Targeting miR-212-3p/GOLM1 Axis. <i>Frontiers in Oncology</i> , 2021, 11, 657094.	2.8	14
2	CircHIF1A regulated by FUS accelerates triple-negative breast cancer progression by modulating NFIB expression and translocation. <i>Oncogene</i> , 2021, 40, 2756-2771.	5.9	50
3	The appropriate number of preoperative core needle biopsy specimens for analysis in breast cancer. <i>Medicine (United States)</i> , 2021, 100, e25400.	1.0	4
4	MTDH Promotes Intestinal Inflammation by Positively Regulating TLR Signalling. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 2103-2117.	1.3	15
5	Identification and Validation of a Five-Gene Signature Associated With Overall Survival in Breast Cancer Patients. <i>Frontiers in Oncology</i> , 2021, 11, 660242.	2.8	7
6	USP1-WDR48 deubiquitinase complex enhances TGF- $\beta$ 2 induced epithelial-mesenchymal transition of TNBC cells via stabilizing TAK1. <i>Cell Cycle</i> , 2021, 20, 320-331.	2.6	13
7	Metastatic heterogeneity of breast cancer: Molecular mechanism and potential therapeutic targets. <i>Seminars in Cancer Biology</i> , 2020, 60, 14-27.	9.6	460
8	Impact of histotypes on preferential organ-specific metastasis in triple-negative breast cancer. <i>Cancer Medicine</i> , 2020, 9, 872-881.	2.8	13
9	Special subtypes with favorable prognosis in breast cancer: A registry-based cohort study and network meta-analysis. <i>Cancer Treatment Reviews</i> , 2020, 91, 102108.	7.7	11
10	circHMCU Promotes Proliferation and Metastasis of Breast Cancer by Sponging the let-7 Family. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 20, 518-533.	5.1	40
11	Evaluation of efficacy of chemotherapy for mucinous carcinoma: a surveillance, epidemiology, and end results cohort study. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592097560.	3.2	3
12	SREBP1, targeted by miR-18a-5p, modulates epithelial-mesenchymal transition in breast cancer via forming a co-repressor complex with Snail and HDAC1/2. <i>Cell Death and Differentiation</i> , 2019, 26, 843-859.	11.2	130
13	circKDM4C suppresses tumor progression and attenuates doxorubicin resistance by regulating miR-548p/PBLD axis in breast cancer. <i>Oncogene</i> , 2019, 38, 6850-6866.	5.9	106
14	Targeting the circBMP2/miR-553/USP4 Axis as a Potent Therapeutic Approach for Breast Cancer. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 17, 347-361.	5.1	62
15	circRNA_0025202 Regulates Tamoxifen Sensitivity and Tumor Progression via Regulating the miR-182-5p/FOXO3a Axis in Breast Cancer. <i>Molecular Therapy</i> , 2019, 27, 1638-1652.	8.2	298
16	Comparative prognostic analysis for triple-negative breast cancer with metaplastic and invasive ductal carcinoma. <i>Journal of Clinical Pathology</i> , 2019, 72, 418-424.	2.0	37
17	Epigenetic Regulation of <i>NAMPT</i> by <i>NAMPT-AS</i> Drives Metastatic Progression in Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2019, 79, 3347-3359.	0.9	103
18	Huaier Suppresses Breast Cancer Progression via linc00339/miR-4656/CSNK2B Signaling Pathway. <i>Frontiers in Oncology</i> , 2019, 9, 1195.	2.8	27

#	ARTICLE	IF	CITATIONS
19	Individualized Prediction of Survival Benefit from Postmastectomy Radiotherapy for Patients with Breast Cancer with One to Three Positive Axillary Lymph Nodes. <i>Oncologist</i> , 2019, 24, e1286-e1293.	3.7	7
20	Long noncoding RNA Linc00339 promotes triple-negative breast cancer progression through miR-377p/HOXC6 signaling pathway. <i>Journal of Cellular Physiology</i> , 2019, 234, 13303-13317.	4.1	51
21	LncRNA "CDC6 promotes breast cancer progression and function as ceRNA to target CDC6 by sponging microRNA-215. <i>Journal of Cellular Physiology</i> , 2019, 234, 9105-9117.	4.1	189
22	MiR-770 suppresses the chemo-resistance and metastasis of triple negative breast cancer via direct targeting of STMN1. <i>Cell Death and Disease</i> , 2018, 9, 14.	6.3	124
23	Long noncoding RNA LINP1 acts as an oncogene and promotes chemoresistance in breast cancer. <i>Cancer Biology and Therapy</i> , 2018, 19, 120-131.	3.4	62
24	A novel long non-coding RNA-PRLB acts as a tumor promoter through regulating miR-4766-5p/SIRT1 axis in breast cancer. <i>Cell Death and Disease</i> , 2018, 9, 563.	6.3	59
25	Dose invasive apocrine adenocarcinoma has worse prognosis than invasive ductal carcinoma of breast: evidence from SEER database. <i>Oncotarget</i> , 2017, 8, 24579-24592.	1.8	28
26	Huaier extract suppresses breast cancer via regulating tumor-associated macrophages. <i>Scientific Reports</i> , 2016, 6, 20049.	3.3	39
27	Hedgehog pathway is involved in nitidine chloride induced inhibition of epithelial-mesenchymal transition and cancer stem cells-like properties in breast cancer cells. <i>Cell and Bioscience</i> , 2016, 6, 44.	4.8	57
28	The anticancer effect of Huaier (Review). <i>Oncology Reports</i> , 2015, 34, 12-21.	2.6	63
29	Predictive factors of nipple involvement in breast cancer: a systematic review and meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2015, 151, 239-249.	2.5	48