
## Sumaiyah Mat

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9562323/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Physical therapies for improving balance and reducing falls risk in osteoarthritis of the knee: a systematic review. Age and Ageing, 2015, 44, 16-24.	1.6	46
2	Effect of Modified Otago Exercises on Postural Balance, Fear of Falling, and Fall Risk in Older Fallers With Knee Osteoarthritis and Impaired Gait and Balance: A Secondary Analysis. PM and R, 2018, 10, 254-262.	1.6	38
3	Association between mental illness and blood pressure variability: a systematic review. BioMedical Engineering OnLine, 2022, 21, 19.	2.7	23
4	Individually-tailored multifactorial intervention to reduce falls in the Malaysian Falls Assessment and Intervention Trial (MyFAIT): A randomized controlled trial. PLoS ONE, 2018, 13, e0199219.	2.5	21
5	Reliability and Validity of the Short Falls Efficacy Scale International in English, Mandarin, and Bahasa Malaysia in Malaysia. International Journal of Aging and Human Development, 2018, 87, 415-428.	1.6	18
6	The Modified Otago Exercises Prevent Grip Strength Deterioration Among Older Fallers in the Malaysian Falls Assessment and Intervention Trial (MyFAIT). Journal of Geriatric Physical Therapy, 2019, 42, 123-129.	1.1	15
7	Influence of hip and knee osteoarthritis on dynamic postural control parameters among older fallers. Journal of Rehabilitation Medicine, 2017, 49, 258-263.	1.1	14
8	Mild Joint Symptoms Are Associated with Lower Risk of Falls than Asymptomatic Individuals with Radiological Evidence of Osteoarthritis. PLoS ONE, 2015, 10, e0141368.	2.5	13
9	Ethnic differences in the prevalence, socioeconomic and health related risk factors of knee pain and osteoarthritis symptoms in older Malaysians. PLoS ONE, 2019, 14, e0225075.	2.5	12
10	Validation of the CASP-19 Quality of Life Measure in Three Languages in Malaysia. Journal of Tropical Psychology, 2017, 7, .	0.3	11
11	Use of Medications with Anticholinergic Properties and the Long-Term Risk of Hospitalization for Falls and Fractures in the EPIC-Norfolk Longitudinal Cohort Study. Drugs and Aging, 2020, 37, 105-114.	2.7	11
12	The mediating role of psychological symptoms on falls risk among older adults with osteoarthritis. Clinical Interventions in Aging, 2017, Volume 12, 2025-2032.	2.9	9
13	Vitamin D deficiency is associated with ethnicity and knee pain in a multiâ€ethnic Southâ€East Asian nation: Results from Malaysian Elders Longitudinal Research ( <scp>MEL</scp> oR). International Journal of Rheumatic Diseases, 2018, 21, 930-936.	1.9	7
14	Impact of Knee Pain on Fear of Falling, Changes in Instrumental Activities of Daily Living, and Falls Among Malaysians Age 55 Years and Above. Frontiers in Public Health, 2020, 8, 571196.	2.7	7
15	Falls, frailty, and metabolic syndrome in urban dwellers aged 55 years and over in the Malaysian elders longitudinal research (MELoR) study - a cross-sectional Study. Postgraduate Medicine, 2021, 133, 351-356.	2.0	7
16	Factors Determining the Increased Risk of Falls in Individuals With Knee Pain in the Malaysian Elders Longitudinal Research (MELoR) Study. Frontiers in Medicine, 2019, 6, 277.	2.6	6
17	Phase angle and diabetes in community-dwelling older adults: cross-sectional analysis from the Malaysian elders longitudinal research (MELoR) study. European Journal of Clinical Nutrition, 2022, 76, 680-684.	2.9	5
18	Development of Virtual Surveys for the COVID-19 Wave of the AGELESS Longitudinal Study in Malaysia. Gerontology, 2022, 68, 551-555.	2.8	3

**SUMAIYAH MAT** 

#	Article	IF	CITATIONS
19	Does Lower Lean Body Mass Mediate the Relationship Between Falls and Higher Body Mass Index in Asian Older Persons?. Journal of Aging and Physical Activity, 2020, 28, 426-433.	1.0	3
20	Psychological status and physical performance are independently associated with autonomic function. BioMedical Engineering OnLine, 2022, 21, 29.	2.7	3
21	Body shape, fear of falling, physical performance, and falls among individuals aged 55Âyears and above. European Geriatric Medicine, 2019, 10, 801-808.	2.8	2
22	Perceptions of Family Physicians About Fall Risk Screening, Fall Risk Assessment, and Referral Practices for Fall Prevention in Malaysia. Topics in Geriatric Rehabilitation, 2020, 36, 38-43.	0.4	2
23	A five-year prospective evaluation of anticholinergic cognitive burden and falls in the Malaysian elders longitudinal research (MELoR) study. Archives of Gerontology and Geriatrics, 2022, 98, 104535.	3.0	2
24	Incidence and Predictors of Physical Inactivity Among Malaysian Community-Dwelling Older Persons. Journal of Aging and Physical Activity, 2022, , 1-12.	1.0	2
25	Gender Differences in Association Between Measures of Central Obesity and Falls in Community-Dwelling Middle-Aged and Older Adults in Malaysia. Aging Medicine and Healthcare, 2021, 12, 95-104.	0.4	1
26	Impact of diabetes mellitus on pain, physical performance, psychological status and quality of life in osteoarthritic older people living in low and middle-income nation results from malaysian elders longitudinal study. Osteoarthritis and Cartilage, 2021, 29, S21.	1.3	1
27	Effect of the Otago exercises on postural balance and fear of falling among older fallers with knee osteoarthritis. Osteoarthritis and Cartilage, 2016, 24, S66.	1.3	0
28	29VITAMIN D DEFICIENCY IS ASSOCIATED WITH ETHNICITY AND KNEE PAIN SEVERITY IN A MULTI-ETHNIC SOUTH EAST ASIAN NATION. Age and Ageing, 2017, 46, ii8-ii8.	1.6	0
29	120POTENTIAL RISK FACTORS AMONG INDIVIDUALS WITH RECURRENT AND INJURIOUS FALLS RECRUITED TO THE MALAYSIAN FALLS ASSESSMENT AND INTERVENTION TRIAL (MYFAIT). Age and Ageing, 2017, 46, i32-i34.	1.6	0
30	PSYCHOLOGICAL STATUS MEDIATES THE BIPHASIC RELATIONSHIP BETWEEN OSTEOARTHRITIS AND FALLS. Innovation in Aging, 2017, 1, 452-453.	0.1	0
31	29 Association between Risk of Falling and History of a Previous Falls over Four Years' Annual Follow-up. Age and Ageing, 2019, 48, iv6-iv8.	1.6	0
32	110 Lower Hand Grip Strength Influences Falls Risk in Malaysians Aged 55 and above with Diabetes. Age and Ageing, 2019, 48, iv18-iv27.	1.6	0
33	55 Association between Inflammatory Biomarkers and Severity of Osteoarthritis. Age and Ageing, 2019, 48, iv13-iv17.	1.6	0
34	88 Prospective Association of Obesity and Falls among Malaysian Community-Dwelling Older Adults. Age and Ageing, 2019, 48, iv18-iv27.	1.6	0
35	23 Arterial Stiffness and Falls in Older People: Cross-Sectional Data from the Malaysian Elders Longitudinal Research Study (MELoR). Age and Ageing, 2019, 48, iv6-iv8.	1.6	0
36	91 Individuals Aged 65-69 Years Have Poorer Postural Control Related to Fear of Falling than Individuals Aged 70-74 Years. Age and Ageing, 2019, 48, iv18-iv27.	1.6	0

**SUMAIYAH MAT** 

#	Article	IF	CITATIONS
37	150 Falls in Malaysia: Magnitude, Risk, Disparities, and Solutions. Age and Ageing, 2019, 48, iv34-iv39.	1.6	Ο
38	The Influence of Body Mass Index on Characteristics of Falls in the Malaysian Elders Longitudinal Research Study. Topics in Geriatric Rehabilitation, 2020, 36, 71-78.	0.4	0
39	455 PROSPECTIVE EVALUATION OF FRAILTY IN INDIVIDUALS WITH KNEE PAIN IN MALAYSIAN ELDERS LONGITUDINAL RESEARCH (MELOR) STUDY. Age and Ageing, 2021, 50, ii14-ii18.	1.6	0
40	Could Obesity be Linked to Falls in Older Adults?. Biomedical Journal of Scientific & Technical Research, 2019, 13, .	0.1	0
41	Factors Influencing Quality of Life Among Older Persons Living With Osteoarthritis Using 3 Different Definitions. Topics in Geriatric Rehabilitation, 2022, 38, 26-34.	0.4	0
42	Title is missing!. , 2019, 14, e0225075.		0
43	Title is missing!. , 2019, 14, e0225075.		Ο
44	Title is missing!. , 2019, 14, e0225075.		0
45	Title is missing!. , 2019, 14, e0225075.		0
46	Cognitive frailty and 5-year adverse health-related outcomes for the Malaysian elders longitudinal research (MELoR) study. European Geriatric Medicine, 0, , .	2.8	0