

Hance A Clarke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9563092/publications.pdf>

Version: 2024-02-01

125
papers

5,047
citations

126907

33
h-index

98798

67
g-index

146
all docs

146
docs citations

146
times ranked

5324
citing authors

#	ARTICLE	IF	CITATIONS
1	Rates and risk factors for prolonged opioid use after major surgery: population based cohort study. <i>BMJ, The</i> , 2014, 348, g1251-g1251.	6.0	739
2	The Prevention of Chronic Postsurgical Pain Using Gabapentin and Pregabalin. <i>Anesthesia and Analgesia</i> , 2012, 115, 428-442.	2.2	433
3	Pharmacological Management of Chronic Neuropathic Pain: Revised Consensus Statement from the Canadian Pain Society. <i>Pain Research and Management</i> , 2014, 19, 328-335.	1.8	397
4	Preventive Analgesia. <i>Anesthesia and Analgesia</i> , 2011, 113, 1242-1253.	2.2	219
5	The Toronto General Hospital Transitional Pain Service: development and implementation of a multidisciplinary program to prevent chronic postsurgical pain. <i>Journal of Pain Research</i> , 2015, 8, 695.	2.0	214
6	Pain catastrophizing as a risk factor for chronic pain after total knee arthroplasty: a systematic review. <i>Journal of Pain Research</i> , 2015, 8, 21.	2.0	159
7	Risks of Developing Persistent Opioid Use After Major Surgery. <i>JAMA Surgery</i> , 2016, 151, 1083.	4.3	101
8	Gabapentin Decreases Morphine Consumption and Improves Functional Recovery following Total Knee Arthroplasty. <i>Pain Research and Management</i> , 2009, 14, 217-222.	1.8	98
9	The psychology of chronic post-surgical pain: new frontiers in risk factor identification, prevention and management. <i>British Journal of Pain</i> , 2017, 11, 169-177.	1.5	96
10	Chronic postsurgical pain and persistent opioid use following surgery: the need for a transitional pain service. <i>Pain Management</i> , 2016, 6, 435-443.	1.5	83
11	Prehabilitation for radical prostatectomy: A multicentre randomized controlled trial. <i>Surgical Oncology</i> , 2018, 27, 289-298.	1.6	83
12	Chemical Profiling of Medical Cannabis Extracts. <i>ACS Omega</i> , 2017, 2, 6091-6103.	3.5	76
13	Distinguishing problematic from nonproblematic postsurgical pain. <i>Pain</i> , 2015, 156, 460-468.	4.2	73
14	Preoperative pregabalin or gabapentin for acute and chronic postoperative pain among patients undergoing breast cancer surgery: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2017, 70, 1317-1328.	1.0	73
15	Preventive Analgesia and Novel Strategies for the Prevention of Chronic Post-Surgical Pain. <i>Drugs</i> , 2015, 75, 339-351.	10.9	71
16	Cannabis Use Disorder and Perioperative Outcomes in Major Elective Surgeries. <i>Anesthesiology</i> , 2020, 132, 625-635.	2.5	69
17	Consensus recommendations on dosing and administration of medical cannabis to treat chronic pain: results of a modified Delphi process. <i>Journal of Cannabis Research</i> , 2021, 3, 22.	3.2	68
18	Sensitivity to Pain Traumatization: A Higher-Order Factor Underlying Pain-Related Anxiety, Pain Catastrophizing and Anxiety Sensitivity among Patients Scheduled for Major Surgery. <i>Pain Research and Management</i> , 2011, 16, 169-177.	1.8	65

#	ARTICLE	IF	CITATIONS
19	Pharmacologic management of chronic neuropathic pain: Review of the Canadian Pain Society consensus statement. <i>Canadian Family Physician</i> , 2017, 63, 844-852.	0.4	65
20	Genetics of chronic post-surgical pain: a crucial step toward personal pain medicine. <i>Canadian Journal of Anaesthesia</i> , 2015, 62, 294-303.	1.6	59
21	Acceptance and Commitment Therapy to manage pain and opioid use after major surgery: Preliminary outcomes from the Toronto General Hospital Transitional Pain Service. <i>Canadian Journal of Pain</i> , 2017, 1, 37-49.	1.7	59
22	Transversus Abdominis Plane Block Reduces Morphine Consumption in the Early Postoperative Period following Microsurgical Abdominal Tissue Breast Reconstruction. <i>Plastic and Reconstructive Surgery</i> , 2014, 134, 870-878.	1.4	51
23	A Systematic Review of the Relative Frequency and Risk Factors for Prolonged Opioid Prescription Following Surgery and Trauma Among Adults. <i>Annals of Surgery</i> , 2020, 271, 845-854.	4.2	47
24	Patterns of User Engagement With the Mobile App, Manage My Pain: Results of a Data Mining Investigation. <i>JMIR MHealth and UHealth</i> , 2017, 5, e96.	3.7	47
25	Gabapentin reduces preoperative anxiety and pain catastrophizing in highly anxious patients prior to major surgery: a blinded randomized placebo-controlled trial. <i>Canadian Journal of Anaesthesia</i> , 2013, 60, 432-443.	1.6	46
26	Psychological treatments for the management of postsurgical pain: a systematic review of randomized controlled trials. <i>Patient Related Outcome Measures</i> , 2018, Volume 9, 49-64.	1.2	46
27	Transversus abdominis plane (TAP) catheters inserted under direct vision in the donor site following free DIEP and MS-TRAM breast reconstruction: A prospective cohort study of 45 patients. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 329-336.	1.0	45
28	Acute and chronic postsurgical pain after living liver donation: Incidence and predictors. <i>Liver Transplantation</i> , 2014, 20, 1336-1346.	2.4	45
29	Opioid weaning and pain management in postsurgical patients at the Toronto General Hospital Transitional Pain Service. <i>Canadian Journal of Pain</i> , 2018, 2, 236-247.	1.7	45
30	Epidural analgesia provides better pain management after live liver donation: A retrospective study. <i>Liver Transplantation</i> , 2011, 17, 315-323.	2.4	42
31	The perioperative patient on buprenorphine: a systematic review of perioperative management strategies and patient outcomes. <i>Canadian Journal of Anaesthesia</i> , 2019, 66, 201-217.	1.6	42
32	Chronic postsurgical pain: From risk factor identification to multidisciplinary management at the Toronto General Hospital Transitional Pain Service. <i>Canadian Journal of Pain</i> , 2019, 3, 49-58.	1.7	41
33	Acute pain trajectories and the persistence of post-surgical pain: a longitudinal study after total hip arthroplasty. <i>Journal of Anesthesia</i> , 2016, 30, 568-577.	1.7	39
34	Perioperative Pain and Addiction Interdisciplinary Network (PAIN) clinical practice advisory for perioperative management of buprenorphine: results of a modified Delphi process. <i>British Journal of Anaesthesia</i> , 2019, 123, e333-e342.	3.4	39
35	Hyperbaric Oxygen Therapy: A New Treatment for Chronic Pain?. <i>Pain Practice</i> , 2016, 16, 620-628.	1.9	37
36	User Engagement and Clinical Impact of the Manage My Pain App in Patients With Chronic Pain: A Real-World, Multi-site Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e26528.	3.7	35

#	ARTICLE	IF	CITATIONS
37	An Intensive Perioperative Regimen of Pregabalin and Celecoxib Reduces Pain and Improves Physical Function Scores Six Weeks after Total Hip Arthroplasty: A Prospective Randomized Controlled Trial. <i>Pain Research and Management</i> , 2013, 18, 127-132.	1.8	34
38	Ensuring safe prescribing of controlled substances for pain following surgery by developing a transitional pain service. <i>Pain Management</i> , 2015, 5, 97-105.	1.5	34
39	<i>Cannabis sativa</i> (Hemp) Seeds, δ^9 -Tetrahydrocannabinol, and Potential Overdose. <i>Cannabis and Cannabinoid Research</i> , 2017, 2, 274-281.	2.9	32
40	Perioperative Pain and Addiction Interdisciplinary Network (PAIN): consensus recommendations for perioperative management of cannabis and cannabinoid-based medicine users by a modified Delphi process. <i>British Journal of Anaesthesia</i> , 2021, 126, 304-318.	3.4	31
41	Strategies Aimed at Preventing Chronic Post-surgical Pain: Comprehensive Perioperative Pain Management after Total Joint Replacement Surgery. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2011, 63, 289-304.	0.6	29
42	The prescription of medical cannabis by a transitional pain service to wean a patient with complex pain from opioid use following liver transplantation: a case report. <i>Canadian Journal of Anaesthesia</i> , 2016, 63, 307-310.	1.6	28
43	Perioperative Pregabalin and Intraoperative Lidocaine Infusion to Reduce Persistent Neuropathic Pain After Breast Cancer Surgery: A Multicenter, Factorial, Randomized, Controlled Pilot Trial. <i>Journal of Pain</i> , 2019, 20, 980-993.	1.4	28
44	Transitional Pain Medicine: novel pharmacological treatments for the management of moderate to severe postsurgical pain. <i>Expert Review of Clinical Pharmacology</i> , 2016, 9, 345-349.	3.1	27
45	Defining and Predicting Pain Volatility in Users of the Manage My Pain App: Analysis Using Data Mining and Machine Learning Methods. <i>Journal of Medical Internet Research</i> , 2018, 20, e12001.	4.3	27
46	Perioperative management of a patient undergoing Clagett window closure stabilized on Suboxone [®] for chronic pain: a case report. <i>Canadian Journal of Anaesthesia</i> , 2014, 61, 826-831.	1.6	26
47	A Systematic Review of Behavioral Interventions to Decrease Opioid Prescribing After Surgery. <i>Annals of Surgery</i> , 2020, 271, 266-278.	4.2	26
48	Consensus-based recommendations for titrating cannabinoids and tapering opioids for chronic pain control. <i>International Journal of Clinical Practice</i> , 2020, 75, e13871.	1.7	26
49	Cannabis and cannabinoids in cancer pain management. <i>Current Opinion in Supportive and Palliative Care</i> , 2020, 14, 87-93.	1.3	26
50	Acute pain after total hip arthroplasty does not predict the development of chronic postsurgical pain 6 months later. <i>Journal of Anesthesia</i> , 2010, 24, 537-543.	1.7	25
51	Patient-reported outcomes in those consuming medical cannabis: a prospective longitudinal observational study in chronic pain patients. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 633-644.	1.6	25
52	Sensitivity to Pain Traumatization Scale: development, validation, and preliminary findings. <i>Journal of Pain Research</i> , 2017, Volume 10, 1297-1316.	2.0	24
53	Treating Persistent Pain After Breast Cancer Surgery. <i>Drugs</i> , 2020, 80, 23-31.	10.9	24
54	Consensus Statement for the Prescription of Pain Medication at Discharge after Elective Adult Surgery. <i>Canadian Journal of Pain</i> , 2020, 4, 67-85.	1.7	24

#	ARTICLE	IF	CITATIONS
55	A case report on the treatment of complex chronic pain and opioid dependence by a multidisciplinary transitional pain service using the ACT Matrix and buprenorphine/naloxone. <i>Journal of Pain Research</i> , 2017, Volume 10, 747-755.	2.0	23
56	Overlaps in pharmacology for the treatment of chronic pain and mental health disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 87, 290-297.	4.8	23
57	The impact of comorbid pain and depression in the United States: results from a nationally representative survey. <i>Scandinavian Journal of Pain</i> , 2019, 19, 319-325.	1.3	23
58	Predictive factors for sleep apnoea in patients on opioids for chronic pain. <i>BMJ Open Respiratory Research</i> , 2019, 6, e000523.	3.0	23
59	Recent cannabis use and myocardial infarction in young adults: a cross-sectional study. <i>Cmaj</i> , 2021, 193, E1377-E1384.	2.0	23
60	The Transplant Palliative Care Clinic: An early palliative care model for patients in a transplant program. <i>Clinical Transplantation</i> , 2016, 30, 1591-1596.	1.6	22
61	A review of respiratory manifestations and their management in Ehlers-Danlos syndromes and hypermobility spectrum disorders. <i>Chronic Respiratory Disease</i> , 2021, 18, 147997312110253.	2.4	22
62	Understanding the Medical Chemistry of the Cannabis Plant is Critical to Guiding Real World Clinical Evidence. <i>Molecules</i> , 2020, 25, 4042.	3.8	20
63	Medial Open Transversus Abdominis Plane (MOTAP) Catheters Reduce Opioid Requirements and Improve Pain Control Following Open Liver Resection. <i>Annals of Surgery</i> , 2018, 268, 233-240.	4.2	19
64	Smoking, Pain Intensity, and Opioid Consumption 1-3 Months After Major Surgery: A Retrospective Study in a Hospital-Based Transitional Pain Service. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1144-1151.	2.6	19
65	Utilization of the 2017 diagnostic criteria for hEDS by the Toronto GoodHope Ehlers-Danlos syndrome clinic: A retrospective review. <i>American Journal of Medical Genetics, Part A</i> , 2020, 182, 484-492.	1.2	19
66	Review of the Transitional Pain Service as a method of postoperative opioid weaning and a service aimed at minimizing the risk of chronic post-surgical pain. <i>Anaesthesiology Intensive Therapy</i> , 2020, 52, 148-153.	1.0	19
67	The Association between Recent Cannabis Use and Suicidal Ideation in Adults: A Population-based Analysis of the NHANES from 2005 to 2018. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 260-268.	1.9	17
68	Predictors of one year chronic post-surgical pain trajectories following thoracic surgery. <i>Journal of Anesthesia</i> , 2021, 35, 505-514.	1.7	17
69	The Impact of Perioperative Cannabis Use: A Narrative Scoping Review. <i>Cannabis and Cannabinoid Research</i> , 2019, 4, 219-230.	2.9	16
70	Association of postoperative complications with persistent post-surgical pain: a multicentre prospective cohort study. <i>British Journal of Anaesthesia</i> , 2022, 128, 311-320.	3.4	16
71	Gabapentin Does Not Reduce Preoperative Anxiety When Given Prior to Total Hip Arthroplasty. <i>Pain Medicine</i> , 2010, 11, 966-971.	1.9	13
72	Successful Treatment of Lower Limb Complex Regional Pain Syndrome following Three Weeks of Hyperbaric Oxygen Therapy. <i>Pain Research and Management</i> , 2016, 2016, 1-4.	1.8	13

#	ARTICLE	IF	CITATIONS
73	Determinants of increased acute postoperative pain after autologous breast reconstruction within an enhanced recovery after surgery protocol: A prospective cohort study. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2016, 69, 1157-1160.	1.0	12
74	Chronic Postsurgical Pain Outcomes in Breast Reconstruction Patients Receiving Perioperative Transversus Abdominis Plane Catheters at the Donor Site: A Prospective Cohort Follow-up Study. <i>Pain Practice</i> , 2017, 17, 999-1007.	1.9	12
75	Relative frequency and risk factors for long-term opioid therapy following surgery and trauma among adults: a systematic review protocol. <i>Systematic Reviews</i> , 2018, 7, 97.	5.3	12
76	The GoodHope Ehlers Danlos Syndrome Clinic: development and implementation of the first interdisciplinary program for multi-system issues in connective tissue disorders at the Toronto General Hospital. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 357.	2.7	12
77	Interpretability and Class Imbalance in Prediction Models for Pain Volatility in Manage My Pain App Users: Analysis Using Feature Selection and Majority Voting Methods. <i>JMIR Medical Informatics</i> , 2019, 7, e15601.	2.6	12
78	Recent cannabis use and nightly sleep duration in adults: a population analysis of the NHANES from 2005 to 2018. <i>Regional Anesthesia and Pain Medicine</i> , 2022, 47, 100-104.	2.3	12
79	In-hospital opioid consumption, but not pain intensity scores, predicts 6-month levels of pain catastrophizing following hepatic resection: A trajectory analysis. <i>European Journal of Pain</i> , 2019, 23, 503-514.	2.8	11
80	Effect of intravenous dexamethasone on the anaesthetic characteristics of peripheral nerve block: a double-blind, randomised controlled, dose-response volunteer study. <i>British Journal of Anaesthesia</i> , 2020, 124, 92-100.	3.4	11
81	Engagement with Manage My Pain mobile health application among patients at the Transitional Pain Service. <i>Digital Health</i> , 2020, 6, 205520762096229.	1.8	10
82	A Pragmatic Non-Randomized Trial of Prehabilitation Prior to Cancer Surgery: Study Protocol and COVID-19-Related Adaptations. <i>Frontiers in Oncology</i> , 2021, 11, 629207.	2.8	10
83	Confounding pain and function: the WOMAC's failure to accurately predict lower extremity function. <i>Arthroplasty Today</i> , 2018, 4, 488-492.	1.6	9
84	Canada's hidden opioid crisis: the health care system's inability to manage high-dose opioid patients: Fallout from the 2017 Canadian opioid guidelines. <i>Canadian Family Physician</i> , 2019, 65, 612-614.	0.4	9
85	A Review of Adjunctive CNS Medications Used for the Treatment of Post-Surgical Pain. <i>CNS Drugs</i> , 2017, 31, 605-615.	5.9	8
86	Medial open transversus abdominis plane (MOTAP) catheters for analgesia following open liver resection: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 241.	1.6	7
87	The 2017 Canadian opioid guideline: already time for an overhaul. <i>Cmaj</i> , 2018, 190, E300-E300.	2.0	7
88	Perioperative pregabalin and delirium following total hip arthroplasty: a post hoc analysis of a double-blind randomized placebo-controlled trial. <i>Canadian Journal of Anaesthesia</i> , 2018, 65, 1269-1270.	1.6	7
89	Bioactive Chemical Composition of Cannabis Extracts and Cannabinoid Receptors. <i>Molecules</i> , 2020, 25, 3466.	3.8	7
90	Postoperative opioid-prescribing patterns among surgeons and residents at university-affiliated hospitals: a survey study. <i>Canadian Journal of Surgery</i> , 2020, 63, E1-E8.	1.2	7

#	ARTICLE	IF	CITATIONS
91	The association between prescription opioid dispensing and opioid-related morbidity and mortality in Ontario, Canada: an ecological study of public health units. <i>Drug and Alcohol Dependence</i> , 2021, 227, 108989.	3.2	7
92	In Response. <i>Anesthesia and Analgesia</i> , 2013, 116, 508-509.	2.2	6
93	Clinicians' perspective of the current diagnostic criteria for myofascial pain syndrome. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2017, 30, 509-514.	1.1	6
94	Toward a phenomic analysis of chronic postsurgical pain following cardiac surgery. <i>Canadian Journal of Pain</i> , 2019, 3, 58-69.	1.7	6
95	Time for accountability and change: institutional gaps in pain care during the opioid crisis. <i>British Journal of Anaesthesia</i> , 2019, 122, e90-e93.	3.4	6
96	Remote buprenorphine-naloxone initiation as an essential service for people with chronic pain and opioid dependence during the COVID-19 pandemic: Case reports, clinical pathways, and implications for the future. <i>Canadian Journal of Pain</i> , 2020, 4, 224-235.	1.7	6
97	Perioperative Pain and Addiction Interdisciplinary Network (PAIN): protocol of a practice advisory for the perioperative management of buprenorphine using a modified Delphi process. <i>BMJ Open</i> , 2019, 9, e027374.	1.9	5
98	Effect of intravenous acetaminophen on postoperative outcomes in hip fracture patients: a systematic review and narrative synthesis. <i>Canadian Journal of Anaesthesia</i> , 2022, , 1.	1.6	4
99	Saddle block analgesia for high-dose-rate brachytherapy: A prospective study. <i>Brachytherapy</i> , 2009, 8, 335-338.	0.5	3
100	Perioperative pain and addiction interdisciplinary network (PAIN): protocol for the perioperative management of cannabis and cannabinoid-based medicines using a modified Delphi process. <i>BMJ Open</i> , 2020, 10, e036472.	1.9	3
101	Opioid safety recommendations in adult palliative medicine: a North American Delphi expert consensus. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, 81-90.	1.6	3
102	Autobiographical memory predicts postsurgical pain up to 12 months after major surgery. <i>Pain</i> , 2022, Publish Ahead of Print, .	4.2	3
103	Le rôle des anesthésiologistes dans la réduction des pratiques liées aux opioïdes. <i>Canadian Journal of Anaesthesia</i> , 2022, 69, 917-922.	1.6	3
104	Daring discourse “yes: practical considerations for cannabis use in the perioperative setting. <i>Regional Anesthesia and Pain Medicine</i> , 2020, 45, 524-527.	2.3	2
105	State of the science: cannabis and cannabinoids in palliative medicine—the potential. <i>BMJ Supportive and Palliative Care</i> , 2021, 11, 299-302.	1.6	2
106	Presurgical distress about bodily sensations predicts chronic postsurgical pain intensity and disability 6 months after cardiothoracic surgery. <i>Pain</i> , 2022, 163, 159-169.	4.2	2
107	The relationship between cannabis use and legalization frameworks: A cross-sectional analysis using a nationally representative survey. <i>Preventive Medicine</i> , 2022, 156, 106978.	3.4	2
108	Association between harm reduction strategies and healthcare utilization in patients on long-term prescribed opioid therapy presenting to acute healthcare settings: a protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019, 8, 88.	5.3	1

#	ARTICLE	IF	CITATIONS
109	Response to the Comment on "Postoperative Opioid Prescribing and Pain". <i>Annals of Surgery</i> , 2020, 271, e125-e126.	4.2	1
110	The Levels of Insulin-Like Growth Factor in Patients with Myofascial Pain Syndrome and in Healthy Controls. <i>PM and R</i> , 2020, 13, 1104-1110.	1.6	1
111	The association between patient-reported pain scores and physical activity in the postoperative period: A prospective observational study. <i>Journal of Clinical Anesthesia</i> , 2020, 66, 1099-16.	1.6	1
112	Important considerations with respect to reducing the transition from acute to persistent postoperative pain. <i>Expert Opinion on Pharmacotherapy</i> , 2021, 22, 779-782.	1.8	1
113	Concerns about Recommendations for Perioperative Cannabis Use. <i>JAMA Surgery</i> , 2021, 156, 987-988.	4.3	1
114	The intersection of harm reduction and postoperative care for an illicit fentanyl consumer after major surgery: A case report. <i>Canadian Journal of Pain</i> , 2021, 5, 166-171.	1.7	1
115	Manage My Pain. <i>Advances in Healthcare Information Systems and Administration Book Series</i> , 2018, , 93-126.	0.2	1
116	Manage My Pain. , 2019, , 642-667.		1
117	Gabapentin & multimodal analgesia post hip arthroplasty under spinal. <i>Canadian Journal of Anaesthesia</i> , 2007, 54, 44485-44485.	1.6	0
118	Reply. <i>Liver Transplantation</i> , 2015, 21, 1110-1111.	2.4	0
119	Persistent Opioid Use After Major Surgery"Reply. <i>JAMA Surgery</i> , 2017, 152, 412.	4.3	0
120	19"..."A tale of ill-managed pain and the opioid epidemic. , 2019, , .		0
121	Association between supportive interventions and healthcare utilization and outcomes in patients on long-term prescribed opioid therapy presenting to acute healthcare settings: a systematic review and meta-analysis. <i>BMC Emergency Medicine</i> , 2021, 21, 17.	1.9	0
122	In reply: Comment on: Patient-reported outcomes in those consuming medical cannabis: a prospective longitudinal observational study in patients with chronic pain. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 1709-1710.	1.6	0
123	An Analysis of the #CovidPain Tweet Chat During the First Wave of the COVID-19 Pandemic in 2020. <i>Cureus</i> , 2021, 13, e18871.	0.5	0
124	Only a small reduction in morphine use with adding NSAIDs, paracetamol or COX-2 inhibitors to patient controlled morphine in the 24 h after major surgery. <i>Evidence-based Nursing</i> , 2010, 14, 24-25.	0.2	0
125	Response. <i>Canadian Family Physician</i> , 2019, 65, 860-862.	0.4	0