Kamila SouÄkova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/956868/publications.pdf

Version: 2024-02-01

23 papers

723 citations

840776 11 h-index 19 g-index

24 all docs

24 docs citations

times ranked

24

739 citing authors

#	Article	IF	CITATIONS
1	Histopathology of laboratoryâ€reared Nothobranchius fishes: Mycobacterial infections versus neoplastic lesions. Journal of Fish Diseases, 2021, 44, 1179-1190.	1.9	6
2	Barriers in Systemic Delivery and Preclinical Testing of Synthetic microRNAs in Animal Models: an Experimental Study on miR-215-5p Mimic. Physiological Research, 2021, 70, 481-487.	0.9	2
3	Swim bladder as a primary site of mycobacterial infection in Nothobranchius "belly sliders― Diseases of Aquatic Organisms, 2021, 145, 111-117.	1.0	4
4	An Independent Validation Study of Candidate microRNAs as Predictive Biomarkers for Bevacizumab-based Therapy in Patients With Metastatic Colorectal Cancer. In Vivo, 2021, 35, 2809-2814.	1.3	2
5	Non-coding RNA therapy in cancer. , 2020, , 211-220.		O
6	MiR-215-5p Reduces Liver Metastasis in an Experimental Model of Colorectal Cancer through Regulation of ECM-Receptor Interactions and Focal Adhesion. Cancers, 2020, 12, 3518.	3.7	32
7	Spontaneous adenocarcinoma of the gas gland in Nothobranchius fishes. Diseases of Aquatic Organisms, 2020, 137, 205-210.	1.0	6
8	Implication of Other Noncoding RNAs in Cancer. , 2018, , 229-244.		0
9	MicroRNAs as outcome predictors in patients with metastatic colorectal cancer treated with bevacizumab in combination with FOLFOX. Oncology Letters, 2017, 14, 743-750.	1.8	26
10	Abstract 3445: ZFAS1 is upregulated in GBM tissue and affects viability and migration of GBM cells in vitro. Cancer Research, 2017, 77, 3445-3445.	0.9	1
11	Abstract 5451: Panel of urinary cell-free microRNAs in detection of urinary bladder cancer. , 2017, , .		1
12	A plant culture (BY-2) widely used in molecular and cell studies is genetically unstable and highly heterogeneous. Botanical Journal of the Linnean Society, 2012, 170, 459-471.	1.6	15
13	Reduced inducibility of SOCS3 by interferon gamma associates with higher resistance of human breast cancer lines as compared to normal mammary epithelial cells. Neoplasma, 2009, 56, 379-386.	1.6	3
14	The asymmetric meiosis in pentaploid dogroses (Rosa sect. Caninae) is associated with a skewed distribution of rRNA gene families in the gametes. Heredity, 2008, 101, 359-367.	2.6	39
15	Defective IFNÎ \pm /Î 3 -induced STAT3 protein activation in human malignant melanoma cells. Molecular Medicine Reports, 2008, 1, 909-15.	2.4	3
16	Development of IFN- \hat{l}^3 resistance is associated with attenuation of SOCS genes induction and constitutive expression of SOCS 3 in melanoma cells. British Journal of Cancer, 2007, 97, 231-237.	6.4	34
17	Transcription activity of rRNA genes correlates with a tendency towards intergenomic homogenization in <i>Nicotiana</i> li>allotetraploids. New Phytologist, 2007, 174, 658-668.	7.3	57
18	NUCLEAR CYTOPLASMIC INTERACTION HYPOTHESIS AND THE ROLE OF TRANSLOCATIONS IN NICOTIANA ALLOPOLYPLOIDS., 2006, , 319-326.		9

#	Article	IF	CITATION
19	A genetic appraisal of a new synthetic <i>Nicotiana tabacum</i> (Solanaceae) and the Kostoff synthetic tobacco. American Journal of Botany, 2006, 93, 875-883.	1.7	43
20	Preferential elimination of repeated DNA sequences from the paternal, <i>Nicotiana tomentosiformis</i> genome donor of a synthetic, allotetraploid tobacco. New Phytologist, 2005, 166, 291-303.	7. 3	143
21	Dynamic Changes in the Distribution of a Satellite Homologous to Intergenic 26-18S rDNA Spacer in the Evolution of Nicotiana. Genetics, 2004, 166, 1935-1946.	2.9	64
22	Concerted evolution of 18-5.8-26S rDNA repeats in Nicotiana allotetraploids. Biological Journal of the Linnean Society, 2004, 82, 615-625.	1.6	154
23	Rapid evolution of parental rDNA in a synthetic tobacco allotetraploid line. American Journal of Botany, 2003, 90, 988-996.	1.7	79