

Catharina Lavebratt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9568791/publications.pdf>

Version: 2024-02-01

139
papers

6,838
citations

87888

38
h-index

79698

73
g-index

149
all docs

149
docs citations

149
times ranked

10451
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
2	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
3	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> , 2016, 387, 1085-1093.	13.7	306
4	Genetic and epigenetic associations of MAOA and NR3C1 with depression and childhood adversities. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1513-1528.	2.1	182
5	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	2.9	182
6	Epigenetic aberrations in leukocytes of patients with schizophrenia: association of global DNA methylation with antipsychotic drug treatment and disease onset. <i>FASEB Journal</i> , 2012, 26, 2712-2718.	0.5	170
7	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	2.5	156
8	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	1.3	137
9	CRY2 Is Associated with Depression. <i>PLoS ONE</i> , 2010, 5, e9407.	2.5	132
10	Variations in FKBP5 and BDNF genes are suggestively associated with depression in a Swedish population-based cohort. <i>Journal of Affective Disorders</i> , 2010, 125, 249-255.	4.1	130
11	Kv1.1 Channels Act as Mechanical Brake in the Senses of Touch and Pain. <i>Neuron</i> , 2013, 77, 899-914.	8.1	120
12	PER2 variant is associated with depression vulnerability. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 570-581.	1.7	118
13	Associations of Maternal Diabetes and Body Mass Index With Offspring Birth Weight and Prematurity. <i>JAMA Pediatrics</i> , 2019, 173, 371.	6.2	117
14	Antidepressant treatment is associated with epigenetic alterations in the promoter of P11 in a genetic model of depression. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 669-679.	2.1	114
15	Antidepressant-Like Effect of Sodium Butyrate is Associated with an Increase in TET1 and in 5-Hydroxymethylation Levels in the Bdnf Gene. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu032-pyu032.	2.1	111
16	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	11.0	102
17	The Risk of Offspring Psychiatric Disorders in the Setting of Maternal Obesity and Diabetes. <i>Pediatrics</i> , 2018, 142, .	2.1	84
18	Multigenic Control of Disease Severity after Virulent Mycobacterium tuberculosis Infection in Mice. <i>Infection and Immunity</i> , 2003, 71, 126-131.	2.2	81

#	ARTICLE	IF	CITATIONS
19	Severity of Tuberculosis in Mice is Linked to Distal Chromosome 3 and Proximal Chromosome 9. <i>Journal of Infectious Diseases</i> , 1999, 180, 150-155.	4.0	78
20	CLOCK is suggested to associate with comorbid alcohol use and depressive disorders. <i>Journal of Circadian Rhythms</i> , 2014, 8, 1.	1.3	78
21	CRY2 Is Associated with Rapid Cycling in Bipolar Disorder Patients. <i>PLoS ONE</i> , 2010, 5, e12632.	2.5	71
22	Epigenetic regulation in obesity. <i>International Journal of Obesity</i> , 2012, 36, 757-765.	3.4	70
23	Enteric short-chain fatty acids promote proliferation of human neural progenitor cells. <i>Journal of Neurochemistry</i> , 2020, 154, 635-646.	3.9	68
24	Large-scale genotyping of single nucleotide polymorphisms by Pyrosequencing [®] and validation against the 5 ['] nuclease (Taqman [®] 1/2) assay. <i>Human Mutation</i> , 2002, 19, 395-401.	2.5	66
25	Telomerase Dysregulation in the Hippocampus of a Rat Model of Depression: Normalization by Lithium. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyv002-pyv002.	2.1	66
26	Adenovirus-36 Is Associated with Obesity in Children and Adults in Sweden as Determined by Rapid ELISA. <i>PLoS ONE</i> , 2012, 7, e41652.	2.5	66
27	The functional Val158Met polymorphism in catechol-O-methyltransferase (COMT) is associated with depression and motivation in men from a Swedish population-based study. <i>Journal of Affective Disorders</i> , 2011, 129, 158-166.	4.1	65
28	Early exposure to antibiotic drugs and risk for psychiatric disorders: a population-based study. <i>Translational Psychiatry</i> , 2019, 9, 317.	4.8	60
29	Examining the public refusal to consent to DNA biobanking: empirical data from a Swedish population-based study. <i>Journal of Medical Ethics</i> , 2010, 36, 93-98.	1.8	59
30	Hypothalamic CART and serum leptin levels are reduced in the anorectic (anx/anx) mouse. <i>Molecular Brain Research</i> , 2000, 84, 97-105.	2.3	58
31	Truncation of the Shaker-like voltage-gated potassium channel, Kv1.1, causes megencephaly. <i>European Journal of Neuroscience</i> , 2003, 18, 3231-3240.	2.6	58
32	Population-based study of antiepileptic drug exposure in utero—Influence on head circumference in newborns. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2009, 18, 672-675.	2.0	58
33	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021, 26, 4179-4190.	7.9	58
34	Pyrosequencing [®] -based SNP allele frequency estimation in DNA pools. <i>Human Mutation</i> , 2004, 23, 92-97.	2.5	51
35	Interleukin-6 and depressive symptom severity in response to physical exercise. <i>Psychiatry Research</i> , 2017, 252, 270-276.	3.3	49
36	AHSG gene variant is associated with leanness among Swedish men. <i>Human Genetics</i> , 2005, 117, 54-60.	3.8	47

#	ARTICLE	IF	CITATIONS
37	Relationship of prenatal maternal obesity and diabetes to offspring neurodevelopmental and psychiatric disorders: a narrative review. <i>International Journal of Obesity</i> , 2020, 44, 1981-2000.	3.4	47
38	NR3C1 hypermethylation in depressed and bullied adolescents. <i>Translational Psychiatry</i> , 2018, 8, 121.	4.8	46
39	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	7.9	44
40	Single nucleotide polymorphism (SNP) allele frequency estimation in DNA pools using Pyrosequencing. <i>Nature Protocols</i> , 2006, 1, 2573-2582.	12.0	43
41	Association of polycystic ovary syndrome or anovulatory infertility with offspring psychiatric and mild neurodevelopmental disorders: a Finnish population-based cohort study. <i>Human Reproduction</i> , 2020, 35, 2336-2347.	0.9	41
42	<i>CCDC26</i> , <i>CDKN2BAS</i> , <i>RTEL1</i> and <i>TERT</i> Polymorphisms in pediatric brain tumor susceptibility. <i>Carcinogenesis</i> , 2015, 36, 876-882.	2.8	39
43	School environment and mental health in early adolescence - a longitudinal study in Sweden (KUPOL). <i>BMC Psychiatry</i> , 2016, 16, 243.	2.6	36
44	Genetic Polymorphisms in Monoamine Systems and Outcome of Cognitive Behavior Therapy for Social Anxiety Disorder. <i>PLoS ONE</i> , 2013, 8, e79015.	2.5	35
45	A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. <i>Translational Psychiatry</i> , 2019, 9, 150.	4.8	35
46	Associations of Different Types of Maternal Diabetes and Body Mass Index With Offspring Psychiatric Disorders. <i>JAMA Network Open</i> , 2020, 3, e1920787.	5.9	35
47	P2RX7: Expression Responds to Sleep Deprivation and Associates with Rapid Cycling in Bipolar Disorder Type 1. <i>PLoS ONE</i> , 2012, 7, e43057.	2.5	35
48	Mitochondrial DNA copy number is associated with psychosis severity and anti-psychotic treatment. <i>Scientific Reports</i> , 2018, 8, 12743.	3.3	34
49	PreproNPY Pro7 protects against depression despite exposure to environmental risk factors. <i>Journal of Affective Disorders</i> , 2009, 118, 124-130.	4.1	33
50	MRI and in situ hybridization reveal early disturbances in brain size and gene expression in the megencephalic (mceph/mceph) mouse. <i>European Journal of Neuroscience</i> , 2003, 18, 3218-3230.	2.6	31
51	Carbamazepine protects against megencephaly and abnormal expression of BDNF and Nogo signaling components in the mceph/mceph mouse. <i>Neurobiology of Disease</i> , 2006, 24, 374-383.	4.4	31
52	A multifactorial developmental model for the etiology of Major Depression in a population-based sample. <i>Journal of Affective Disorders</i> , 2009, 113, 66-76.	4.1	30
53	Twelve-week physical exercise does not have a long-lasting effect on kynurenines in plasma of depressed patients. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 967-972.	2.2	30
54	Effects of a synbiotic on symptoms, and daily functioning in attention deficit hyperactivity disorder – A double-blind randomized controlled trial. <i>Brain, Behavior, and Immunity</i> , 2020, 89, 9-19.	4.1	29

#	ARTICLE	IF	CITATIONS
55	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	2.6	28
56	Impact of Childhood Adversity and Vasopressin receptor 1a Variation on Social Interaction in Adulthood: A Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0136436.	2.5	27
57	TERT rs2736100 genotypes are associated with differential risk of myeloproliferative neoplasms in Swedish and Chinese male patient populations. <i>Annals of Hematology</i> , 2016, 95, 1825-1832.	1.8	26
58	Genetics of response to cognitive behavior therapy in adults with major depression: a preliminary report. <i>Molecular Psychiatry</i> , 2019, 24, 484-490.	7.9	26
59	A truncated Kv1.1 protein in the brain of the megencephaly mouse: expression and interaction. <i>BMC Neuroscience</i> , 2005, 6, 65.	1.9	25
60	hTERT genetic variation in depression. <i>Journal of Affective Disorders</i> , 2016, 189, 62-69.	4.1	25
61	Association of maternal polycystic ovary syndrome or anovulatory infertility with obesity and diabetes in offspring: a population-based cohort study. <i>Human Reproduction</i> , 2021, 36, 2345-2357.	0.9	25
62	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	4.8	25
63	Genome-wide DNA methylomic differences between dorsolateral prefrontal and temporal pole cortices of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2019, 117, 45-54.	3.1	24
64	Polymorphism of the AHSG gene is associated with increased adipocyte β 2-adrenoceptor function. <i>Journal of Lipid Research</i> , 2005, 46, 2278-2281.	4.2	23
65	MicroRNA 101b Is Downregulated in the Prefrontal Cortex of a Genetic Model of Depression and Targets the Glutamate Transporter SLC1A1 (EAAT3) <i>in Vitro</i> . <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw069.	2.1	22
66	Effects of internet-based cognitive behavioural therapy and physical exercise on sick leave and employment in primary care patients with depression: two subgroup analyses. <i>Occupational and Environmental Medicine</i> , 2018, 75, 52-58.	2.8	22
67	Proinflammatory mediators and their associations with medication and comorbid traits in children and adults with ADHD. <i>European Neuropsychopharmacology</i> , 2020, 41, 118-131.	0.7	22
68	Human adenovirus-36 is uncommon in type 2 diabetes and is associated with increased insulin sensitivity in adults in Sweden. <i>Annals of Medicine</i> , 2014, 46, 539-546.	3.8	21
69	Treating impulsivity with probiotics in adults (PROBIA): study protocol of a multicenter, double-blind, randomized, placebo-controlled trial. <i>Trials</i> , 2020, 21, 161.	1.6	21
70	Mood Stabilizers and the Influence on Global Leukocyte DNA Methylation in Bipolar Disorder. <i>Molecular Neuropsychiatry</i> , 2015, 1, 76-81.	2.9	20
71	Association of brain-derived neurotrophic factor (BDNF) Val66Met polymorphism with early-onset bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 645-652.	1.9	20
72	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20

#	ARTICLE	IF	CITATIONS
73	Lack of potassium channel induces proliferation and survival causing increased neurogenesis and two-fold hippocampus enlargement. <i>Hippocampus</i> , 2007, 17, 292-304.	1.9	19
74	Kv1.1 null mice have enlarged hippocampus and ventral cortex. <i>BMC Neuroscience</i> , 2007, 8, 10.	1.9	19
75	Neuropeptide Y: Identification of a novel rat mRNA splice-variant that is downregulated in the hippocampus and the prefrontal cortex of a depression-like model. <i>Peptides</i> , 2012, 35, 49-55.	2.4	19
76	Genetic variant in SLC1A2 is associated with elevated anterior cingulate cortex glutamate and lifetime history of rapid cycling. <i>Translational Psychiatry</i> , 2019, 9, 149.	4.8	19
77	Carbamazepine treatment recovered low N-acetylaspartate+N-acetylaspartylglutamate (tNAA) levels in the megencephaly mouse BALB/cByJ-Kv1.1mceph/mceph. <i>Neurobiology of Disease</i> , 2007, 26, 221-228.	4.4	18
78	Idiopathic megalencephaly – possible cause and treatment opportunities: From patient to lab. <i>European Journal of Paediatric Neurology</i> , 2008, 12, 438-445.	1.6	17
79	Stress, depressive status and telomere length: Does social interaction and coping strategy play a mediating role?. <i>Journal of Affective Disorders</i> , 2017, 222, 138-145.	4.1	16
80	The serotonin transporter promoter variant (5-HTTLPR) and childhood adversity are associated with the personality trait openness to experience. <i>Psychiatry Research</i> , 2017, 257, 322-326.	3.3	16
81	Lithium and the Interplay Between Telomeres and Mitochondria in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 586083.	2.6	16
82	Improvement in indices of cellular protection after psychological treatment for social anxiety disorder. <i>Translational Psychiatry</i> , 2019, 9, 340.	4.8	15
83	The megencephaly mouse has disturbances in the insulin-like growth factor (IGF) system. <i>Molecular Brain Research</i> , 1999, 72, 80-88.	2.3	14
84	Expression of telomerase reverse transcriptase positively correlates with duration of lithium treatment in bipolar disorder. <i>Psychiatry Research</i> , 2020, 286, 112865.	3.3	14
85	Childhood adversity increases methylation in the GRIN2B gene. <i>Journal of Psychiatric Research</i> , 2021, 132, 38-43.	3.1	14
86	Association of Preeclampsia and Perinatal Complications With Offspring Neurodevelopmental and Psychiatric Disorders. <i>JAMA Network Open</i> , 2022, 5, e2145719.	5.9	14
87	Prenatal Exposure to Carbamazepine Reduces Hippocampal and Cortical Neuronal Cell Population in New-Born and Young Mice without Detectable Effects on Learning And Memory. <i>PLoS ONE</i> , 2013, 8, e80497.	2.5	13
88	Genetic and Clinical Factors Affecting Plasma Clozapine Concentration. <i>primary care companion for CNS disorders</i> , The, 2015, 17, .	0.6	13
89	Depression-associated <i>ARNTL</i> and <i>PER2</i> genetic variants in psychotic disorders. <i>Chronobiology International</i> , 2015, 32, 579-584.	2.0	12
90	BDNF Val66Met and childhood adversity on response to physical exercise and internet-based cognitive behavioural therapy in depressed Swedish adults. <i>Journal of Psychiatric Research</i> , 2017, 93, 50-58.	3.1	12

#	ARTICLE	IF	CITATIONS
91	Sex-specific effects of gain-of-function P2RX7 variation on bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 245, 597-601.	4.1	11
92	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021, 11, 1155.	3.3	11
93	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	2.8	11
94	Carbamazepine protects against neuronal hyperplasia and abnormal gene expression in the megecephaly mouse. <i>Neurobiology of Disease</i> , 2008, 32, 364-376.	4.4	10
95	Neuropeptide Y, stressful life events and personality trait conscientiousness: Preliminary associations from a Swedish longitudinal study. <i>Psychiatry Research</i> , 2018, 263, 48-53.	3.3	10
96	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	3.3	10
97	The Effect of Smartphone Apps Versus Supervised Exercise on Physical Activity, Cardiorespiratory Fitness, and Body Composition Among Individuals With Mild-to-Moderate Mobility Disability: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2020, 8, e14615.	3.7	10
98	Common genetic variations in cell cycle and DNA repair pathways associated with pediatric brain tumor susceptibility. <i>Oncotarget</i> , 2016, 7, 63640-63650.	1.8	9
99	The cannabinoid receptor-1 gene interacts with stressful life events to increase the risk for problematic alcohol use. <i>Scientific Reports</i> , 2022, 12, 4963.	3.3	9
100	KIBRA genetic polymorphism and cognitive dysfunction in depression. <i>Psychiatry Research</i> , 2015, 226, 405-406.	3.3	8
101	Association of Catechol-O-methyltransferase (COMT Val158Met) with future risk of cardiovascular disease in depressed individuals - a Swedish population-based cohort study. <i>BMC Medical Genetics</i> , 2018, 19, 126.	2.1	8
102	Evidence for Presence and Functional Effects of Kv1.1 Channels in $\hat{1}^2$ -Cells: General Survey and Results from mceph/mceph Mice. <i>PLoS ONE</i> , 2011, 6, e18213.	2.5	7
103	Cognitive Manic Symptoms in Bipolar Disorder Associated with Polymorphisms in the DAOA and COMT Genes. <i>PLoS ONE</i> , 2013, 8, e67450.	2.5	7
104	AKT1 and genetic vulnerability to bipolar disorder. <i>Psychiatry Research</i> , 2020, 284, 112677.	3.3	7
105	Acoustic startle hypersensitivity in Mceph mice and its effect on hippocampal excitability. <i>European Journal of Neuroscience</i> , 2011, 34, 1121-1130.	2.6	6
106	Influence of serotonin transporter promoter variation on the effects of separation from parent/partner on depression.. <i>Journal of Affective Disorders</i> , 2013, 144, 216-224.	4.1	6
107	Path analysis of the chronicity of depression using the comprehensive developmental model framework. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 380-391.	1.3	6
108	5-HTTLPR, victimization and ecological executive function of adolescents. <i>Psychiatry Research</i> , 2016, 237, 55-59.	3.3	6

#	ARTICLE	IF	CITATIONS
109	Single-nucleotide polymorphism in the human TIA1 gene interacts with stressful life events to predict the development of pathological anxiety symptoms in a Swedish population. <i>Journal of Affective Disorders</i> , 2020, 260, 597-603.	4.1	6
110	Cortisol Concentration as Predictor of Tobacco Initiation in Adolescents: Results From a Population-Based Swedish Cohort. <i>Journal of Adolescent Health</i> , 2021, 68, 758-764.	2.5	6
111	DNA methylation of the glucocorticoid receptor gene predicts substance use in adolescence: longitudinal data from over 1000 young individuals. <i>Translational Psychiatry</i> , 2021, 11, 477.	4.8	6
112	Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> , 2021, 7, 80-89.	0.9	6
113	Association of maternal polycystic ovary syndrome and diabetes with preterm birth and offspring birth size: a population-based cohort study. <i>Human Reproduction</i> , 2022, 37, 1311-1323.	0.9	6
114	Plasma GDF15 level is elevated in psychosis and inversely correlated with severity. <i>Scientific Reports</i> , 2017, 7, 7906.	3.3	5
115	Parental age and risk of genetic syndromes predisposing to nervous system tumors: nested case–control study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 729-738.	3.0	5
116	The importance of epigenomic studies in schizophrenia. <i>Epigenomics</i> , 2012, 4, 359-362.	2.1	4
117	Working conditions, serotonin transporter gene polymorphism (5-HTTLPR) and anxiety disorders: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2013, 151, 652-659.	4.1	4
118	Pulse Pressure Magnifies the Effect of COMT Val158Met on 15 Years Episodic Memory Trajectories. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 34.	3.4	4
119	Genetic variants of increased waist circumference in psychosis. <i>Psychiatric Genetics</i> , 2017, 27, 210-218.	1.1	4
120	A Weighted Genetic Risk Score of Adult Glioma Susceptibility Loci Associated with Pediatric Brain Tumor Risk. <i>Scientific Reports</i> , 2019, 9, 18142.	3.3	4
121	Improving lithium dose prediction using population pharmacokinetics and pharmacogenomics: a cohort genome-wide association study in Sweden. <i>Lancet Psychiatry</i> , 2022, 9, 447-457.	7.4	4
122	Evaluation of Serological Assays for Diagnosis of Onchocercosis. <i>Scandinavian Journal of Infectious Diseases</i> , 1997, 29, 65-70.	1.5	3
123	FitForLife: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 553.	1.6	3
124	Melatonin receptor 1B gene associated with hyperglycemia in bipolar disorder. <i>Psychiatric Genetics</i> , 2016, 26, 136-139.	1.1	3
125	Exercise Reduces Salivary Morning Cortisol Levels in Patients with Depression. <i>Molecular Neuropsychiatry</i> , 2018, 4, 196-203.	2.9	3
126	<i>Sirtuins</i> and <i>neuropeptide y</i> downregulation in Flinders Sensitive Line rat model of depression. <i>Acta Neuropsychiatrica</i> , 2022, 34, 86-92.	2.1	3

#	ARTICLE	IF	CITATIONS
127	Reply: Association of maternal polycystic ovary syndrome or anovulatory infertility with obesity and diabetes in offspring: a population-based cohort study. <i>Human Reproduction</i> , 2021, 37, 193-194.	0.9	3
128	Physical exercise is associated with a reduction in plasma levels of fractalkine, TGF- β 1, eotaxin-1 and IL-6 in younger adults with mobility disability. <i>PLoS ONE</i> , 2022, 17, e0263173.	2.5	3
129	Diagnosis of Onchocerciasis Using Highly Specific and Sensitive Native Proteins. <i>Scandinavian Journal of Infectious Diseases</i> , 2002, 34, 583-590.	1.5	2
130	Troponin T levels associated with genetic variants in NOTCH2 and MTNR1B in women with psychosis. <i>Psychiatry Research</i> , 2017, 250, 217-220.	3.3	2
131	Physical exercise is associated with a reduction in inflammatory biomarkers in first-episode psychosis: A pilot study of CRP, SAA, sICAM-1 and sVCAM-1. <i>Schizophrenia Research</i> , 2021, 228, 316-318.	2.0	2
132	Field Diagnosis of Onchocerciasis in an Area of High versus Low Endemicity: Evaluation of the Dot Blot Assay. <i>Scandinavian Journal of Infectious Diseases</i> , 1996, 28, 75-81.	1.5	1
133	High Heritability of Telomere Length In Families With Bipolar Disorder. <i>European Neuropsychopharmacology</i> , 2017, 27, S387.	0.7	1
134	Implications of Gestational Weight Gain in Studies of Gestational Diabetes – Reply. <i>JAMA Pediatrics</i> , 2019, 173, 889.	6.2	1
135	No association of cigarette smoking and depressive symptoms with cortisol concentration in adolescents. Results from a population-based Swedish cohort. <i>Psychiatry Research</i> , 2021, 301, 113968.	3.3	1
136	Genetic variations of NPY and AGRP in body fatness regulation. <i>Future Lipidology</i> , 2007, 2, 147-151.	0.5	0
137	S13. Can Psychological Treatment Slow Down Cellular Aging in Social Anxiety Disorder? An Intervention Study Evaluating Changes in Telomere Length and Telomerase Activity. <i>Biological Psychiatry</i> , 2018, 83, S351-S352.	1.3	0
138	STRESS, DEPRESSIVE STATUS AND TELOMERE LENGTH: DOES SOCIAL INTERACTION AND COPING STRATEGY PLAY A MEDIATING ROLE?. <i>European Neuropsychopharmacology</i> , 2019, 29, S848-S849.	0.7	0
139	Investigating the Long-Term Effect of an Interdisciplinary Multimodal Rehabilitation Program on Levels of Bioactive Lipids and Telomerase Activity in Blood from Patients with Chronic Pain. <i>Journal of Clinical Medicine</i> , 2022, 11, 1291.	2.4	0