

Enric I. Canela

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9571408/publications.pdf>

Version: 2024-02-01

357
papers

19,917
citations

6613

79
h-index

16650

123
g-index

363
all docs

363
docs citations

363
times ranked

14170
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression of the Adenosine A2A-A3 Receptor Heteromer in Different Brain Regions and Marked Upregulation in the Microglia of the Transgenic APPSw,Ind Alzheimer's Disease Model. <i>Biomedicines</i> , 2022, 10, 214.	3.2	5
2	The Binding Mode to Orthosteric Sites and/or Exosites Underlies the Therapeutic Potential of Drugs Targeting Cannabinoid CB2 Receptors. <i>Frontiers in Pharmacology</i> , 2022, 13, 852631.	3.5	2
3	Robustness of the Krebs Cycle under Physiological Conditions and in Cancer: New Clues for Evaluating Metabolism-Modifying Drug Therapies. <i>Biomedicines</i> , 2022, 10, 1199.	3.2	2
4	Nk3R blockade has sex-divergent effects on memory in mice. <i>Biology of Sex Differences</i> , 2022, 13, .	4.1	1
5	The Heteromeric Complex Formed by Dopamine Receptor D5 and CCR9 Leads the Gut Homing of CD4+ T Cells Upon Inflammation. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 12, 489-506.	4.5	12
6	Dopamine in Health and Disease: Much More Than a Neurotransmitter. <i>Biomedicines</i> , 2021, 9, 109.	3.2	78
7	Structure and function of adenosine receptor heteromers. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 3957-3968.	5.4	30
8	Discovery of a macromolecular complex mediating the hunger suppressive actions of cocaine: Structural and functional properties. <i>Addiction Biology</i> , 2021, 26, e13017.	2.6	6
9	Carnitine palmitoyltransferase 1C negatively regulates the endocannabinoid hydrolase ABHD6 in mice, depending on nutritional status. <i>British Journal of Pharmacology</i> , 2021, 178, 1507-1523.	5.4	11
10	Methamphetamine Blocks Adenosine A2A Receptor Activation via Sigma 1 and Cannabinoid CB1 Receptors. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2743.	4.1	3
11	Functional Fine-Tuning of Metabolic Pathways by the Endocannabinoid System—Implications for Health and Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3661.	4.1	14
12	Microglial Adenosine Receptors: From Preconditioning to Modulating the M1/M2 Balance in Activated Cells. <i>Cells</i> , 2021, 10, 1124.	4.1	22
13	Potent and Subtype-Selective Dopamine D ₂ Receptor Biased Partial Agonists Discovered via an Ugi-Based Approach. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 8710-8726.	6.4	3
14	Design of Negative and Positive Allosteric Modulators of the Cannabinoid CB ₂ Receptor Derived from the Natural Product Cannabidiol. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 9354-9364.	6.4	27
15	Identification of the Ghrelin and Cannabinoid CB2 Receptor Heteromer Functionality and Marked Upregulation in Striatal Neurons from Offspring of Mice under a High-Fat Diet. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8928.	4.1	4
16	Heteromerization between α 2A adrenoceptors and different polymorphic variants of the dopamine D4 receptor determines pharmacological and functional differences. Implications for impulsive-control disorders. <i>Pharmacological Research</i> , 2021, 170, 105745.	7.1	6
17	Identification of BiP as a CB ₁ Receptor-Interacting Protein That Fine-Tunes Cannabinoid Signaling in the Mouse Brain. <i>Journal of Neuroscience</i> , 2021, 41, 7924-7941.	3.6	14
18	Novel Interactions Involving the Mas Receptor Show Potential of the Renin-Angiotensin system in the Regulation of Microglia Activation: Altered Expression in Parkinsonism and Dyskinesia. <i>Neurotherapeutics</i> , 2021, 18, 998-1016.	4.4	11

#	ARTICLE	IF	CITATIONS
19	Recent Advances in the Potential of Cannabinoids for Neuroprotection in Alzheimer's, Parkinson's, and Huntington's Diseases. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1264, 81-92.	1.6	23
20	Adenosine Receptor Antagonists to Combat Cancer and to Boost Anti-Cancer Chemotherapy and Immunotherapy. <i>Cells</i> , 2021, 10, 2831.	4.1	22
21	Similarities and differences upon binding of naturally occurring Δ^9 -tetrahydrocannabinol-derivatives to cannabinoid CB1 and CB2 receptors. <i>Pharmacological Research</i> , 2021, 174, 105970.	7.1	17
22	N-Methyl-D-aspartate (NMDA) and cannabinoid CB2 receptors form functional complexes in cells of the central nervous system: insights into the therapeutic potential of neuronal and microglial NMDA receptors. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 184.	6.2	14
23	Ghrelin and Cannabinoid Functional Interactions Mediated by Ghrelin/CB1 Receptor Heteromers That Are Upregulated in the Striatum From Offspring of Mice Under a High-Fat Diet. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 786597.	3.7	2
24	Melatonin and the control of intraocular pressure. <i>Progress in Retinal and Eye Research</i> , 2020, 75, 100798.	15.5	31
25	Adreno-melatonin receptor complexes control ion homeostasis and intraocular pressure - their disruption contributes to hypertensive glaucoma. <i>British Journal of Pharmacology</i> , 2020, 177, 2090-2105.	5.4	8
26	Structure of G-protein-coupled receptor heteromers. , 2020, , 109-119.		1
27	A2A and A2B adenosine receptors: The extracellular loop 2 determines high (A2A) or low affinity (A2B) for adenosine. <i>Biochemical Pharmacology</i> , 2020, 172, 113718.	4.4	24
28	Expression of GPR55 and either cannabinoid CB1 or CB2 heteroreceptor complexes in the caudate, putamen, and accumbens nuclei of control, parkinsonian, and dyskinetic non-human primates. <i>Brain Structure and Function</i> , 2020, 225, 2153-2164.	2.3	12
29	SARS-CoV-2 as a Factor to Disbalance the Renin-Angiotensin System: A Suspect in the Case of Exacerbated IL-6 Production. <i>Journal of Immunology</i> , 2020, 205, 1198-1206.	0.8	18
30	The Interplay between Cancer Biology and the Endocannabinoid System - Significance for Cancer Risk, Prognosis and Response to Treatment. <i>Cancers</i> , 2020, 12, 3275.	3.7	23
31	Adenosine A2A and A3 Receptors Are Able to Interact with Each Other. A Further Piece in the Puzzle of Adenosine Receptor-Mediated Signaling. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5070.	4.1	14
32	Experimental and computational analysis of biased agonism on full-length and a C-terminally truncated adenosine A2A receptor. <i>Computational and Structural Biotechnology Journal</i> , 2020, 18, 2723-2732.	4.1	20
33	Angiotensin AT1 and AT2 receptor heteromer expression in the hemilesioned rat model of Parkinson's disease that increases with levodopa-induced dyskinesia. <i>Journal of Neuroinflammation</i> , 2020, 17, 243.	7.2	16
34	Functional Complexes of Angiotensin-Converting Enzyme 2 and Renin-Angiotensin System Receptors: Expression in Adult but Not Fetal Lung Tissue. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9602.	4.1	11
35	Adenosine A2A Receptor Antagonists Affects NMDA Glutamate Receptor Function. Potential to Address Neurodegeneration in Alzheimer's Disease. <i>Cells</i> , 2020, 9, 1075.	4.1	36
36	Pharmacological potential of varinic-, minor-, and acidic phytocannabinoids. <i>Pharmacological Research</i> , 2020, 158, 104801.	7.1	30

#	ARTICLE	IF	CITATIONS
37	Pharmacological data of cannabidiol- and cannabigerol-type phytocannabinoids acting on cannabinoid CB1, CB2 and CB1/CB2 heteromer receptors. <i>Pharmacological Research</i> , 2020, 159, 104940.	7.1	57
38	Microbiota and Other Preventive Strategies and Non-genetic Risk Factors in Parkinson's Disease. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 12.	3.4	5
39	Adenosine/A2B Receptor Signaling Ameliorates the Effects of Aging and Counteracts Obesity. <i>Cell Metabolism</i> , 2020, 32, 56-70.e7.	16.2	77
40	Expression of Melatonin and Dopamine D3 Receptor Heteromers in Eye Ciliary Body Epithelial Cells and Negative Correlation with Ocular Hypertension. <i>Cells</i> , 2020, 9, 152.	4.1	12
41	Altered Signaling in CB1R-5-HT2AR Heteromers in Olfactory Neuroepithelium Cells of Schizophrenia Patients is Modulated by Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 1547-1557.	4.3	17
42	The Old and New Visions of Biased Agonism Through the Prism of Adenosine Receptor Signaling and Receptor/Receptor and Receptor/Protein Interactions. <i>Frontiers in Pharmacology</i> , 2020, 11, 628601.	3.5	10
43	Modulation of dopamine D1 receptors via histamine H3 receptors is a novel therapeutic target for Huntington's disease. <i>ELife</i> , 2020, 9, .	6.0	20
44	The Kinetic Component in Drug Discovery: Using the Most Basic Pharmacological Concepts to Advance in Selecting Drugs to Combat CNS Diseases. <i>Current Neuropharmacology</i> , 2020, 18, 250-257.	2.9	2
45	Cocaine Blocks Effects of Hunger Hormone, Ghrelin, Via Interaction with Neuronal Sigma-1 Receptors. <i>Molecular Neurobiology</i> , 2019, 56, 1196-1210.	4.0	13
46	Adenosine A1-Dopamine D1 Receptor Heteromers Control the Excitability of the Spinal Motoneuron. <i>Molecular Neurobiology</i> , 2019, 56, 797-811.	4.0	36
47	Potential of cannabinoid signaling in microglia by adenosine A2A receptor antagonists. <i>Glia</i> , 2019, 67, 2410-2423.	4.9	36
48	Lessons on Differential Neuronal-Death-Vulnerability from Familial Cases of Parkinson's and Alzheimer's Diseases. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3297.	4.1	6
49	Biased G Protein-Independent Signaling of Dopamine D1-D3 Receptor Heteromers in the Nucleus Accumbens. <i>Molecular Neurobiology</i> , 2019, 56, 6756-6769.	4.0	33
50	The Endocannabinoid System as a Target in Cancer Diseases: Are We There Yet?. <i>Frontiers in Pharmacology</i> , 2019, 10, 339.	3.5	91
51	Therapeutic targeting of HER2 ⁺ CB ₂ R heteromers in HER2-positive breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 3863-3872.	7.1	40
52	Increased expression of cannabinoid CB2 and serotonin 5-HT1A heteroreceptor complexes in a model of newborn hypoxic-ischemic brain damage. <i>Neuropharmacology</i> , 2019, 152, 58-66.	4.1	25
53	Why have transgenic rodent models failed to successfully mimic Alzheimer's disease. How can we develop effective drugs without them?. <i>Expert Opinion on Drug Discovery</i> , 2019, 14, 327-330.	5.0	8
54	A2A Receptor Homodimer-Disrupting Sequence Efficiently Delivered by a Protease-Resistant, Cyclic CPP Vector. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4937.	4.1	9

#	ARTICLE	IF	CITATIONS
55	Reinterpreting anomalous competitive binding experiments within G protein-coupled receptor homodimers using a dimer receptor model. <i>Pharmacological Research</i> , 2019, 139, 337-347.	7.1	15
56	Differential effect of amphetamine over the corticotropin-releasing factor CRF2 receptor, the orexin OX1 receptor and the CRF2-OX1 heteroreceptor complex. <i>Neuropharmacology</i> , 2019, 152, 102-111.	4.1	11
57	Identification of Heteroreceptors Complexes and Signal Transduction Events Using Bioluminescence Resonance Energy Transfer (BRET). <i>Bio-protocol</i> , 2019, 9, e3385.	0.4	1
58	Cannabis Users Show Enhanced Expression of CB1-5HT2A Receptor Heteromers in Olfactory Neuroepithelium Cells. <i>Molecular Neurobiology</i> , 2018, 55, 6347-6361.	4.0	34
59	Î±2A- and Î±2C-Adrenoceptors as Potential Targets for Dopamine and Dopamine Receptor Ligands. <i>Molecular Neurobiology</i> , 2018, 55, 8438-8454.	4.0	26
60	Singular Location and Signaling Profile of Adenosine A2A-Cannabinoid CB1 Receptor Heteromers in the Dorsal Striatum. <i>Neuropsychopharmacology</i> , 2018, 43, 964-977.	5.4	52
61	Orexin A/Hypocretin Modulates Leptin Receptor-Mediated Signaling by Allosteric Modulations Mediated by the Ghrelin GHS-R1A Receptor in Hypothalamic Neurons. <i>Molecular Neurobiology</i> , 2018, 55, 4718-4730.	4.0	14
62	Receptor-heteromer mediated regulation of endocannabinoid signaling in activated microglia. Role of CB1 and CB2 receptors and relevance for Alzheimer's disease and levodopa-induced dyskinesia. <i>Brain, Behavior, and Immunity</i> , 2018, 67, 139-151.	4.1	99
63	Adenosine A2A receptor ligand recognition and signaling is blocked by A2B receptors. <i>Oncotarget</i> , 2018, 9, 13593-13611.	1.8	77
64	Biased receptor functionality versus biased agonism in G-protein-coupled receptors. <i>Biomolecular Concepts</i> , 2018, 9, 143-154.	2.2	32
65	Identification of a Tool Compound to Study the Mechanisms of Functional Selectivity between D ₂ and D ₃ Dopamine Receptors. <i>ACS Omega</i> , 2018, 3, 17368-17375.	3.5	1
66	N-Methyl-D-Aspartate Receptor Link to the MAP Kinase Pathway in Cortical and Hippocampal Neurons and Microglia Is Dependent on Calcium Sensors and Is Blocked by Î±-Synuclein, Tau, and Phospho-Tau in Non-transgenic and Transgenic APPSw,Ind Mice. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 273.	2.9	19
67	Cannabidiol skews biased agonism at cannabinoid CB1 and CB2 receptors with smaller effect in CB1-CB2 heteroreceptor complexes. <i>Biochemical Pharmacology</i> , 2018, 157, 148-158.	4.4	74
68	Adenosine Receptors as a Paradigm to Identify Dimer/Oligomers of G-Protein-Coupled Receptors and as Targets in Parkinson's Disease and Schizophrenia. , 2018, , 239-258.		0
69	Analysis and Quantification of GPCR Allosteric Receptor-Receptor Interactions Using Radioligand Binding Assays: The A2AR-D2R Heteroreceptor Complex Example. <i>NeuroMethods</i> , 2018, , 1-14.	0.3	0
70	Methods to Identify the Signature of Trimers Formed by Three G Protein-Coupled Receptors or by Two G Protein-Coupled and One Ionotropic Receptor with Special Emphasis in the Functional Role in the Central Nervous System. <i>NeuroMethods</i> , 2018, , 187-203.	0.3	1
71	Molecular Evidence of Adenosine Deaminase Linking Adenosine A2A Receptor and CD26 Proteins. <i>Frontiers in Pharmacology</i> , 2018, 9, 106.	3.5	54
72	Cannabigerol Action at Cannabinoid CB1 and CB2 Receptors and at CB1-CB2 Heteroreceptor Complexes. <i>Frontiers in Pharmacology</i> , 2018, 9, 632.	3.5	88

#	ARTICLE	IF	CITATIONS
73	Adenosine A2A Receptor Antagonists in Neurodegenerative Diseases: Huge Potential and Huge Challenges. <i>Frontiers in Psychiatry</i> , 2018, 9, 68.	2.6	46
74	Brain Dopamine Transmission in Health and Parkinson's Disease: Modulation of Synaptic Transmission and Plasticity Through Volume Transmission and Dopamine Heteroreceptors. <i>Frontiers in Synaptic Neuroscience</i> , 2018, 10, 20.	2.5	43
75	Neuronal Calcium and cAMP Cross-Talk Mediated by Cannabinoid CB1 Receptor and EF-Hand Calcium Sensor Interactions. <i>Frontiers in Cell and Developmental Biology</i> , 2018, 6, 67.	3.7	13
76	Understanding the Role of Adenosine A2AR Heteroreceptor Complexes in Neurodegeneration and Neuroinflammation. <i>Frontiers in Neuroscience</i> , 2018, 12, 43.	2.8	44
77	Cocaine Effects on Dopaminergic Transmission Depend on a Balance between Sigma-1 and Sigma-2 Receptor Expression. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 17.	2.9	17
78	Cross-communication between Gi and Gs in a G-protein-coupled receptor heterotetramer guided by a receptor C-terminal domain. <i>BMC Biology</i> , 2018, 16, 24.	3.8	70
79	Evidence for functional pre-coupled complexes of receptor heteromers and adenylyl cyclase. <i>Nature Communications</i> , 2018, 9, 1242.	12.8	103
80	Molecular and functional interaction between GPR18 and cannabinoid CB2 G-protein-coupled receptors. Relevance in neurodegenerative diseases. <i>Biochemical Pharmacology</i> , 2018, 157, 169-179.	4.4	47
81	Heteroreceptor Complexes Formed by Dopamine D1, Histamine H3, and N-Methyl-D-Aspartate Glutamate Receptors as Targets to Prevent Neuronal Death in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2017, 54, 4537-4550.	4.0	44
82	Potential of GPCRs to modulate MAPK and mTOR pathways in Alzheimer's disease. <i>Progress in Neurobiology</i> , 2017, 149-150, 21-38.	5.7	42
83	Functional μ -Opioid-Galanin Receptor Heteromers in the Ventral Tegmental Area. <i>Journal of Neuroscience</i> , 2017, 37, 1176-1186.	3.6	34
84	Heteroreceptor Complexes Implicated in Parkinson's Disease. , 2017, , 477-501.		1
85	Neurochemical evidence supporting dopamine D1-D2 receptor heteromers in the striatum of the long-tailed macaque: changes following dopaminergic manipulation. <i>Brain Structure and Function</i> , 2017, 222, 1767-1784.	2.3	58
86	Binding and Signaling Studies Disclose a Potential Allosteric Site for Cannabidiol in Cannabinoid CB2 Receptors. <i>Frontiers in Pharmacology</i> , 2017, 8, 744.	3.5	134
87	The Epigenetic Cytocrin Pathway to the Nucleus. Epigenetic Factors, Epigenetic Mediators, and Epigenetic Traits. A Biochemist Perspective. <i>Frontiers in Genetics</i> , 2017, 8, 179.	2.3	10
88	Understanding the Functional Plasticity in Neural Networks of the Basal Ganglia in Cocaine Use Disorder: A Role for Allosteric Receptor-Receptor Interactions in A2A-D2 Heteroreceptor Complexes. <i>Neural Plasticity</i> , 2016, 2016, 1-12.	2.2	28
89	Targeting Cannabinoid CB2 Receptors in the Central Nervous System. Medicinal Chemistry Approaches with Focus on Neurodegenerative Disorders. <i>Frontiers in Neuroscience</i> , 2016, 10, 406.	2.8	108
90	Basic Pharmacological and Structural Evidence for Class A G-Protein-Coupled Receptor Heteromerization. <i>Frontiers in Pharmacology</i> , 2016, 7, 76.	3.5	98

#	ARTICLE	IF	CITATIONS
91	Two Affinity Sites of the Cannabinoid Subtype 2 Receptor Identified by a Novel Homogeneous Binding Assay. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 358, 580-587.	2.5	20
92	A Significant Role of the Truncated Ghrelin Receptor GHS-R1b in Ghrelin-induced Signaling in Neurons. <i>Journal of Biological Chemistry</i> , 2016, 291, 13048-13062.	3.4	41
93	Targeting the dopamine D3 receptor: an overview of drug design strategies. <i>Expert Opinion on Drug Discovery</i> , 2016, 11, 641-664.	5.0	49
94	Disruption of a dopamine receptor complex amplifies the actions of cocaine. <i>European Neuropsychopharmacology</i> , 2016, 26, 1366-1377.	0.7	36
95	Quaternary structure of a G-protein-coupled receptor heterotetramer in complex with Gi and Gs. <i>BMC Biology</i> , 2016, 14, 26.	3.8	97
96	Fatty acid amide hydrolase inhibition for the symptomatic relief of Parkinson's disease. <i>Brain, Behavior, and Immunity</i> , 2016, 57, 94-105.	4.1	51
97	Presynaptic P2X1-3 and β 3-containing nicotinic receptors assemble into functionally interacting ion channels in the rat hippocampus. <i>Neuropharmacology</i> , 2016, 105, 241-257.	4.1	14
98	Hints on the Lateralization of Dopamine Binding to D1 Receptors in Rat Striatum. <i>Molecular Neurobiology</i> , 2016, 53, 5436-5445.	4.0	7
99	Adenosine deaminase regulates Treg expression in autologous T cell-dendritic cell cocultures from patients infected with HIV-1. <i>Journal of Leukocyte Biology</i> , 2016, 99, 349-359.	3.3	20
100	Purinergic signaling in Parkinson's disease. Relevance for treatment. <i>Neuropharmacology</i> , 2016, 104, 161-168.	4.1	68
101	Structures for G-Protein-Coupled Receptor Tetramers in Complex with G Proteins. <i>Trends in Biochemical Sciences</i> , 2015, 40, 548-551.	7.5	60
102	Detection of cannabinoid receptors CB1 and CB2 within basal ganglia output neurons in macaques: changes following experimental parkinsonism. <i>Brain Structure and Function</i> , 2015, 220, 2721-2738.	2.3	82
103	Allosteric interactions between agonists and antagonists within the adenosine A _{2A} receptor-dopamine D ₂ receptor heterotetramer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E3609-18.	7.1	135
104	The relevance of theobromine for the beneficial effects of cocoa consumption. <i>Frontiers in Pharmacology</i> , 2015, 6, 30.	3.5	100
105	Alternatively activated microglia and macrophages in the central nervous system. <i>Progress in Neurobiology</i> , 2015, 131, 65-86.	5.7	561
106	Orexin/Corticotropin-Releasing Factor Receptor Heteromers in the Ventral Tegmental Area as Targets for Cocaine. <i>Journal of Neuroscience</i> , 2015, 35, 6639-6653.	3.6	66
107	Stronger Dopamine D1 Receptor-Mediated Neurotransmission in Dyskinesia. <i>Molecular Neurobiology</i> , 2015, 52, 1408-1420.	4.0	49
108	Role of Cannabinoid Receptor CB2 in HER2 Pro-oncogenic Signaling in Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv077.	6.3	98

#	ARTICLE	IF	CITATIONS
109	Moonlighting Adenosine Deaminase: A Target Protein for Drug Development. <i>Medicinal Research Reviews</i> , 2015, 35, 85-125.	10.5	54
110	Cognitive Impairment Induced by Delta9-tetrahydrocannabinol Occurs through Heteromers between Cannabinoid CB1 and Serotonin 5-HT2A Receptors. <i>PLoS Biology</i> , 2015, 13, e1002194.	5.6	157
111	Functional Selectivity of Allosteric Interactions within G Protein-Coupled Receptor Oligomers: The Dopamine D ₁ -D ₃ Receptor Heterotetramer. <i>Molecular Pharmacology</i> , 2014, 86, 417-429.	2.3	114
112	Cocaine Disrupts Histamine H ₃ Receptor Modulation of Dopamine D ₁ Receptor Signaling: D ₁ -D ₁ -H ₃ Receptor Complexes as Key Targets for Reducing Cocaine's Effects. <i>Journal of Neuroscience</i> , 2014, 34, 3545-3558.	3.6	66
113	CCR5/CD4/CXCR4 oligomerization prevents HIV-1 gp120 binding to the cell surface. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E1960-9.	7.1	45
114	Successful therapies for Alzheimer's disease: why so many in animal models and none in humans?. <i>Frontiers in Pharmacology</i> , 2014, 5, 146.	3.5	138
115	Potential of caveolae in the therapy of cardiovascular and neurological diseases. <i>Frontiers in Physiology</i> , 2014, 5, 370.	2.8	17
116	Intracellular Calcium Levels Determine Differential Modulation of Allosteric Interactions within G Protein-Coupled Receptor Heteromers. <i>Chemistry and Biology</i> , 2014, 21, 1546-1556.	6.0	51
117	G Protein-Coupled Receptor Heteromers as Key Players in the Molecular Architecture of the Central Nervous System. <i>CNS Neuroscience and Therapeutics</i> , 2014, 20, 703-709.	3.9	23
118	Neuroprotective Potential of Adenosine A _{2A} and Cannabinoid CB ₁ Receptor Antagonists in an Animal Model of Parkinson Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2014, 73, 414-424.	1.7	31
119	Understanding the Added Value of G-Protein-Coupled Receptor Heteromers. <i>Scientifica</i> , 2014, 2014, 1-7.	1.7	6
120	l-DOPA-treatment in primates disrupts the expression of A _{2A} adenosine-CB ₁ cannabinoid-D ₂ dopamine receptor heteromers in the caudate nucleus. <i>Neuropharmacology</i> , 2014, 79, 90-100.	4.1	83
121	Dopamine receptor heteromeric complexes and their emerging functions. <i>Progress in Brain Research</i> , 2014, 211, 183-200.	1.4	38
122	Targeting CB ₂ -GPR55 Receptor Heteromers Modulates Cancer Cell Signaling. <i>Journal of Biological Chemistry</i> , 2014, 289, 21960-21972.	3.4	95
123	l-DOPA disrupts adenosine A _{2A} -cannabinoid CB ₁ -dopamine D ₂ receptor heteromer cross-talk in the striatum of hemiparkinsonian rats: Biochemical and behavioral studies. <i>Experimental Neurology</i> , 2014, 253, 180-191.	4.1	77
124	M17 Targeting Dopamine D ₁ -histamine H ₃ Receptor Heteromers As A Therapeutical Strategy To Prevent Cognitive Deficits And Neurodegeneration In Huntington's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, A100-A100.	1.9	0
125	Challenges in the Development of Heteromer-GPCR-Based Drugs. <i>Progress in Molecular Biology and Translational Science</i> , 2013, 117, 143-162.	1.7	10
126	A _{1R} -A _{2AR} heteromers coupled to G _s and G _{i/o} proteins modulate GABA transport into astrocytes. <i>Purinergic Signalling</i> , 2013, 9, 433-449.	2.2	123

#	ARTICLE	IF	CITATIONS
127	CB2 receptor and amyloid pathology in frontal cortex of Alzheimer's disease patients. <i>Neurobiology of Aging</i> , 2013, 34, 805-808.	3.1	152
128	The catalytic site structural gate of adenosine deaminase allosterically modulates ligand binding to adenosine receptors. <i>FASEB Journal</i> , 2013, 27, 1048-1061.	0.5	35
129	Mechanisms of cannabidiol neuroprotection in hypoxic-ischemic newborn pigs: Role of 5HT1A and CB2 receptors. <i>Neuropharmacology</i> , 2013, 71, 282-291.	4.1	182
130	Homodimerization of adenosine A1 receptors in brain cortex explains the biphasic effects of caffeine. <i>Neuropharmacology</i> , 2013, 71, 56-69.	4.1	30
131	Health Benefits of Methylxanthines in Cacao and Chocolate. <i>Nutrients</i> , 2013, 5, 4159-4173.	4.1	155
132	Detection of Receptor Heteromers Involving Dopamine Receptors by the Sequential BRET-FRET Technology. <i>Methods in Molecular Biology</i> , 2013, 964, 95-105.	0.9	10
133	Cocaine Inhibits Dopamine D2 Receptor Signaling via Sigma-1-D2 Receptor Heteromers. <i>PLoS ONE</i> , 2013, 8, e61245.	2.5	112
134	Circadian-Related Heteromerization of Adrenergic and Dopamine D4 Receptors Modulates Melatonin Synthesis and Release in the Pineal Gland. <i>PLoS Biology</i> , 2012, 10, e1001347.	5.6	132
135	Cannabinoid Receptors CB1 and CB2 Form Functional Heteromers in Brain. <i>Journal of Biological Chemistry</i> , 2012, 287, 20851-20865.	3.4	196
136	An old enzyme for current needs: adenosine deaminase and a dendritic cell vaccine for HIV. <i>Immunology and Cell Biology</i> , 2012, 90, 594-600.	2.3	7
137	Transcriptional profiling of striatal neurons in response to single or concurrent activation of dopamine D2, adenosine A2A and metabotropic glutamate type 5 receptors: Focus on beta-synuclein expression. <i>Gene</i> , 2012, 508, 199-205.	2.2	5
138	Unmasking adenosine 2A receptors (A2ARs) in monkey basal ganglia output neurons using cholera toxin subunit B (CTB). <i>Neurobiology of Disease</i> , 2012, 47, 347-357.	4.4	4
139	Adenosine Deaminase Enhances the Immunogenicity of Human Dendritic Cells from Healthy and HIV-Infected Individuals. <i>PLoS ONE</i> , 2012, 7, e51287.	2.5	21
140	Dopamine-Galanin Receptor Heteromers Modulate Cholinergic Neurotransmission in the Rat Ventral Hippocampus. <i>Journal of Neuroscience</i> , 2011, 31, 7412-7423.	3.6	31
141	Biotin Ergopeptide Probes for Dopamine Receptors. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 1080-1090.	6.4	13
142	Modulation of GABA Transport by Adenosine A1R-A2AR Heteromers, Which Are Coupled to Both Gs- and Gi/o-Proteins. <i>Journal of Neuroscience</i> , 2011, 31, 15629-15639.	3.6	16
143	Real-Time G-Protein-Coupled Receptor Imaging to Understand and Quantify Receptor Dynamics. <i>Scientific World Journal</i> , The, 2011, 11, 1995-2010.	2.1	2
144	A2A adenosine receptor ligand binding and signalling is allosterically modulated by adenosine deaminase. <i>Biochemical Journal</i> , 2011, 435, 701-709.	3.7	37

#	ARTICLE	IF	CITATIONS
145	Adenosine A2A Receptors and A2A Receptor Heteromers as Key Players in Striatal Function. <i>Frontiers in Neuroanatomy</i> , 2011, 5, 36.	1.7	44
146	Reinforcing and neurochemical effects of cannabinoid CB1 receptor agonists, but not cocaine, are altered by an adenosine A2A receptor antagonist. <i>Addiction Biology</i> , 2011, 16, 405-415.	2.6	50
147	Past, present and future of A2A adenosine receptor antagonists in the therapy of Parkinson's disease. , 2011, 132, 280-299.		170
148	Production of functional recombinant G-protein coupled receptors for heteromerization studies. <i>Journal of Neuroscience Methods</i> , 2011, 199, 258-264.	2.5	10
149	Expression of the mRNA coding the cannabinoid receptor 2 in the pallidal complex of <i>Macaca fascicularis</i> . <i>Journal of Psychopharmacology</i> , 2011, 25, 97-104.	4.0	120
150	Abnormal calcium handling in atrial fibrillation is linked to up-regulation of adenosine A2A receptors. <i>European Heart Journal</i> , 2011, 32, 721-729.	2.2	67
151	Dopamine D1-histamine H3 Receptor Heteromers Provide a Selective Link to MAPK Signaling in GABAergic Neurons of the Direct Striatal Pathway. <i>Journal of Biological Chemistry</i> , 2011, 286, 5846-5854.	3.4	109
152	Striatal Pre- and Postsynaptic Profile of Adenosine A2A Receptor Antagonists. <i>PLoS ONE</i> , 2011, 6, e16088.	2.5	115
153	Cocaine self-administration markedly increases dopamine D ₂ receptor negative cooperativity for dopamine binding: A receptor dimer-based analysis. <i>Synapse</i> , 2010, 64, 566-569.	1.2	8
154	Adenosine-cannabinoid receptor interactions. Implications for striatal function. <i>British Journal of Pharmacology</i> , 2010, 160, 443-453.	5.4	113
155	G _i protein coupling to adenosine A ₁ -A _{2A} receptor heteromers in human brain caudate nucleus. <i>Journal of Neurochemistry</i> , 2010, 114, 972-980.	3.9	14
156	A Hybrid Indoloquinolizidine Peptide as Allosteric Modulator of Dopamine D1 Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 876-885.	2.5	13
157	Direct involvement of β -1 receptors in the dopamine D ₁ receptor-mediated effects of cocaine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 18676-18681.	7.1	153
158	Human adenosine deaminase 2 induces differentiation of monocytes into macrophages and stimulates proliferation of T helper cells and macrophages. <i>Journal of Leukocyte Biology</i> , 2010, 88, 279-290.	3.3	192
159	Interactions between Intracellular Domains as Key Determinants of the Quaternary Structure and Function of Receptor Heteromers. <i>Journal of Biological Chemistry</i> , 2010, 285, 27346-27359.	3.4	102
160	Prime Time for G-Protein-Coupled Receptor Heteromers as Therapeutic Targets for CNS disorders: The Dopamine D1-D3 Receptor Heteromer. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010, 9, 596-600.	1.4	23
161	Platforms for the identification of GPCR targets, and of orthosteric and allosteric modulators. <i>Expert Opinion on Drug Discovery</i> , 2010, 5, 391-403.	5.0	6
162	Oligomerization of G-protein-coupled receptors: A reality. <i>Current Opinion in Pharmacology</i> , 2010, 10, 1-5.	3.5	60

#	ARTICLE	IF	CITATIONS
163	Calcium-mediated modulation of the quaternary structure and function of adenosine A2A-dopamine D2 receptor heteromers. <i>Current Opinion in Pharmacology</i> , 2010, 10, 67-72.	3.5	25
164	Cocaine produces D2R-mediated conformational changes in the adenosine A2AR-dopamine D2R heteromer. <i>Biochemical and Biophysical Research Communications</i> , 2010, 394, 988-992.	2.1	25
165	G Protein-Coupled Receptor Heteromers as New Targets for Drug Development. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 91, 41-52.	1.7	46
166	Adenosine deaminase potentiates the generation of effector, memory, and regulatory CD4+ T cells. <i>Journal of Leukocyte Biology</i> , 2010, 89, 127-136.	3.3	59
167	Interactions between Calmodulin, Adenosine A2A, and Dopamine D2 Receptors. <i>Journal of Biological Chemistry</i> , 2009, 284, 28058-28068.	3.4	65
168	Dynamic Regulation of CXCR1 and CXCR2 Homo- and Heterodimers. <i>Journal of Immunology</i> , 2009, 183, 7337-7346.	0.8	44
169	GPCR homomers and heteromers: A better choice as targets for drug development than GPCR monomers?. , 2009, 124, 248-257.		84
170	Useful pharmacological parameters for G-protein-coupled receptor homodimers obtained from competition experiments. Agonist-antagonist binding modulation. <i>Biochemical Pharmacology</i> , 2009, 78, 1456-1463.	4.4	39
171	Indoloquinolizidine-Peptide Hybrids as Multiple Agonists for D ₁ and D ₂ Dopamine Receptors. <i>ChemMedChem</i> , 2009, 4, 1514-1522.	3.2	16
172	Neurotransmitter receptor heteromers in neurodegenerative diseases and neural plasticity. <i>Journal of Neural Transmission</i> , 2009, 116, 983-987.	2.8	12
173	Immunodensity and mRNA expression of A2A adenosine, D2 dopamine, and CB1 cannabinoid receptors in postmortem frontal cortex of subjects with schizophrenia: effect of antipsychotic treatment. <i>Psychopharmacology</i> , 2009, 206, 313-324.	3.1	108
174	Immunological dysfunction in HIV-1 infected individuals caused by impairment of adenosine deaminase-induced costimulation of T cell activation. <i>Immunology</i> , 2009, 128, 393-404.	4.4	25
175	Adenosine deaminase enhances T cell response elicited by dendritic cells loaded with inactivated HIV. <i>Immunology and Cell Biology</i> , 2009, 87, 634-639.	2.3	26
176	Building a new conceptual framework for receptor heteromers. <i>Nature Chemical Biology</i> , 2009, 5, 131-134.	8.0	349
177	Marked changes in signal transduction upon heteromerization of dopamine D ₁ and histamine H ₃ receptors. <i>British Journal of Pharmacology</i> , 2009, 157, 64-75.	5.4	138
178	G-protein-coupled receptor heteromers or how neurons can display differently flavoured patterns in response to the same neurotransmitter. <i>British Journal of Pharmacology</i> , 2009, 158, 23-31.	5.4	23
179	Metabotropic glutamate type 5, dopamine D ₂ and adenosine A _{2a} receptors form higher-order oligomers in living cells. <i>Journal of Neurochemistry</i> , 2009, 109, 1497-1507.	3.9	249
180	The association of metabotropic glutamate receptor type 5 with the neuronal Ca ²⁺ -binding protein 2 modulates receptor function. <i>Journal of Neurochemistry</i> , 2009, 111, 555-567.	3.9	27

#	ARTICLE	IF	CITATIONS
181	Looking for the role of cannabinoid receptor heteromers in striatal function. <i>Neuropharmacology</i> , 2009, 56, 226-234.	4.1	82
182	Adenosine A _{2A} Receptor-Antagonist/Dopamine D ₂ Receptor-Agonist Bivalent Ligands as Pharmacological Tools to Detect A _{2A} -D ₂ Receptor Heteromers. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 5590-5602.	6.4	129
183	Light resonance energy transfer-based methods in the study of G protein-coupled receptor oligomerization. <i>BioEssays</i> , 2008, 30, 82-89.	2.5	37
184	G-protein-coupled receptor heteromers: function and ligand pharmacology. <i>British Journal of Pharmacology</i> , 2008, 153, S90-8.	5.4	60
185	Detection of heteromerization of more than two proteins by sequential BRET-FRET. <i>Nature Methods</i> , 2008, 5, 727-733.	19.0	269
186	Human adenosine deaminase as an allosteric modulator of human A ₁ adenosine receptor: abolishment of negative cooperativity for [³ H](R)-pi binding to the caudate nucleus. <i>Journal of Neurochemistry</i> , 2008, 107, 161-170.	3.9	45
187	Detection of higher-order G protein-coupled receptor oligomers by a combined BRET-BiFC technique. <i>FEBS Letters</i> , 2008, 582, 2979-2984.	2.8	89
188	Plasma membrane diffusion of g protein-coupled receptor oligomers. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 2262-2268.	4.1	41
189	Novel pharmacological targets based on receptor heteromers. <i>Brain Research Reviews</i> , 2008, 58, 475-482.	9.0	32
190	Antagonistic cannabinoid CB1/dopamine D2 receptor interactions in striatal CB1/D2 heteromers. A combined neurochemical and behavioral analysis. <i>Neuropharmacology</i> , 2008, 54, 815-823.	4.1	154
191	Interactions between histamine H3 and dopamine D2 receptors and the implications for striatal function. <i>Neuropharmacology</i> , 2008, 55, 190-197.	4.1	157
192	How Calmodulin Interacts with the Adenosine A _{2A} and the Dopamine D ₂ Receptors. <i>Journal of Proteome Research</i> , 2008, 7, 3428-3434.	3.7	42
193	Identification of Dopamine D1-D3 Receptor Heteromers. <i>Journal of Biological Chemistry</i> , 2008, 283, 26016-26025.	3.4	216
194	Detection of Heteromers Formed by Cannabinoid CB ₁ , Dopamine D ₂ , and Adenosine A _{2A} -G-Protein-Coupled Receptors by Combining Bimolecular Fluorescence Complementation and Bioluminescence Energy Transfer. <i>Scientific World Journal</i> , The, 2008, 8, 1088-1097.	2.1	105
195	Actin-binding Protein β -Actinin-1 Interacts with the Metabotropic Glutamate Receptor Type 5b and Modulates the Cell Surface Expression and Function of the Receptor. <i>Journal of Biological Chemistry</i> , 2007, 282, 12143-12153.	3.4	37
196	Heteromeric Nicotinic Acetylcholine-Dopamine Autoreceptor Complexes Modulate Striatal Dopamine Release. <i>Neuropsychopharmacology</i> , 2007, 32, 35-42.	5.4	63
197	Functional relevance of neurotransmitter receptor heteromers in the central nervous system. <i>Trends in Neurosciences</i> , 2007, 30, 440-446.	8.6	136
198	Adenosine receptor-dopamine receptor interactions in the basal ganglia and their relevance for brain function. <i>Physiology and Behavior</i> , 2007, 92, 210-217.	2.1	239

#	ARTICLE	IF	CITATIONS
199	Aspects of the general biology of adenosine A2A signaling. <i>Progress in Neurobiology</i> , 2007, 83, 263-276.	5.7	168
200	Working memory deficits in transgenic rats overexpressing human adenosine A2A receptors in the brain. <i>Neurobiology of Learning and Memory</i> , 2007, 87, 42-56.	1.9	115
201	The neuronal Ca ²⁺ -binding protein 2 (NECAB2) interacts with the adenosine A2A receptor and modulates the cell surface expression and function of the receptor. <i>Molecular and Cellular Neurosciences</i> , 2007, 36, 1-12.	2.2	37
202	Novel Ergopeptides as Dual Ligands for Adenosine and Dopamine Receptors. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 3062-3069.	6.4	39
203	Striatal Adenosine A2A and Cannabinoid CB1 Receptors Form Functional Heteromeric Complexes that Mediate the Motor Effects of Cannabinoids. <i>Neuropsychopharmacology</i> , 2007, 32, 2249-2259.	5.4	229
204	Adenosine Receptor Heteromers and their Integrative Role in Striatal Function. <i>Scientific World Journal</i> , The, 2007, 7, 74-85.	2.1	89
205	Basic Concepts in G-Protein-Coupled Receptor Homo- and Heterodimerization. <i>Scientific World Journal</i> , The, 2007, 7, 48-57.	2.1	83
206	Enzymatic and Extraenzymatic Role of Adenosine Deaminase 1 in T-Cell-Dendritic Cell Contacts and in Alterations of the Immune Function. <i>Critical Reviews in Immunology</i> , 2007, 27, 495-509.	0.5	53
207	Increase in A2A receptors in the nucleus accumbens after extended cocaine self-administration and its disappearance after cocaine withdrawal. <i>Brain Research</i> , 2007, 1143, 208-220.	2.2	52
208	Neurotransmitter receptor heteromers and their integrative role in "local modules": The striatal spine module. <i>Brain Research Reviews</i> , 2007, 55, 55-67.	9.0	112
209	Old and new ways to calculate the affinity of agonists and antagonists interacting with G-protein-coupled monomeric and dimeric receptors: The receptor "dimer cooperativity index. ", 2007, 116, 343-354.		70
210	Receptor-receptor interactions involving adenosine A1 or dopamine D1 receptors and accessory proteins. <i>Journal of Neural Transmission</i> , 2007, 114, 93-104.	2.8	69
211	Allosteric Modulation of Dopamine D2 Receptors by Homocysteine. <i>Journal of Proteome Research</i> , 2006, 5, 3077-3083.	3.7	53
212	Involvement of adenosine A2A and dopamine receptors in the locomotor and sensitizing effects of cocaine. <i>Brain Research</i> , 2006, 1077, 67-80.	2.2	90
213	The Two-State Dimer Receptor Model: A General Model for Receptor Dimers. <i>Molecular Pharmacology</i> , 2006, 69, 1905-1912.	2.3	76
214	Presynaptic Control of Striatal Glutamatergic Neurotransmission by Adenosine A1-A2A Receptor Heteromers. <i>Journal of Neuroscience</i> , 2006, 26, 2080-2087.	3.6	553
215	Trafficking of Adenosine A _{2A} and Dopamine D ₂ Receptors. <i>Journal of Molecular Neuroscience</i> , 2005, 25, 191-200.	2.3	42
216	Role of Electrostatic Interaction in Receptor-Receptor Heteromerization. <i>Journal of Molecular Neuroscience</i> , 2005, 26, 125-132.	2.3	74

#	ARTICLE	IF	CITATIONS
217	Adenosine A _{2A} and Dopamine D ₂ Heteromeric Receptor Complexes and Their Function. <i>Journal of Molecular Neuroscience</i> , 2005, 26, 209-220.	2.3	207
218	Partners for Adenosine A ₁ Receptors. <i>Journal of Molecular Neuroscience</i> , 2005, 26, 221-232.	2.3	25
219	Heptaspanning Membrane Receptors and Cytoskeletal/Scaffolding Proteins: Focus on Adenosine, Dopamine, and Metabotropic Glutamate Receptor Function. <i>Journal of Molecular Neuroscience</i> , 2005, 26, 277-292.	2.3	25
220	Existence and Theoretical Aspects of Homomeric and Heteromeric Dopamine Receptor Complexes and Their Relevance for Neurological Diseases. <i>NeuroMolecular Medicine</i> , 2005, 7, 061-078.	3.4	21
221	Molecular mechanisms involved in the adenosine A ₁ and A _{2A} receptor-induced neuronal differentiation in neuroblastoma cells and striatal primary cultures. <i>Journal of Neurochemistry</i> , 2005, 92, 337-348.	3.9	56
222	Adenosine A _{2A} receptor stimulation potentiates nitric oxide release by activated microglia. <i>Journal of Neurochemistry</i> , 2005, 95, 919-929.	3.9	140
223	Dimer-based model for heptaspanning membrane receptors. <i>Trends in Biochemical Sciences</i> , 2005, 30, 360-366.	7.5	60
224	ROLE OF ADENOSINE IN THE CONTROL OF HOMOSYNAPTIC PLASTICITY IN STRIATAL EXCITATORY SYNAPSES. <i>Journal of Integrative Neuroscience</i> , 2005, 04, 445-464.	1.7	45
225	Adenosine A _{2A} Receptor and Dopamine D ₃ Receptor Interactions: Evidence of Functional A _{2A} /D ₃ Heteromeric Complexes. <i>Molecular Pharmacology</i> , 2005, 67, 400-407.	2.3	119
226	New Methods to Evaluate Colocalization of Fluorophores in Immunocytochemical Preparations as Exemplified by a Study on A _{2A} and D ₂ Receptors in Chinese Hamster Ovary Cells. <i>Journal of Histochemistry and Cytochemistry</i> , 2005, 53, 941-953.	2.5	43
227	On the Nested Hierarchical Organization of CNS: Basic Characteristics of Neuronal Molecular Networks. <i>Lecture Notes in Computer Science</i> , 2004, , 24-54.	1.3	21
228	Adenosine receptor-mediated modulation of dopamine release in the nucleus accumbens depends on glutamate neurotransmission and N-methyl-d-aspartate receptor stimulation. <i>Journal of Neurochemistry</i> , 2004, 91, 873-880.	3.9	107
229	On the Molecular Basis of the Receptor Mosaic Hypothesis of the Engram. <i>Cellular and Molecular Neurobiology</i> , 2004, 24, 501-516.	3.3	30
230	Combining Mass Spectrometry and Pull-Down Techniques for the Study of Receptor Heteromerization. Direct Epitope-Epitope Electrostatic Interactions between Adenosine A _{2A} and Dopamine D ₂ Receptors. <i>Analytical Chemistry</i> , 2004, 76, 5354-5363.	6.5	195
231	Neuroprotective effect of L-DOPA co-administered with the adenosine A _{2A} receptor agonist CGS 21680 in an animal model of Parkinson's disease. <i>Brain Research Bulletin</i> , 2004, 64, 155-164.	3.0	32
232	Adenosine A _{2A} -dopamine D ₂ receptor-receptor heteromers. Targets for neuro-psychiatric disorders. <i>Parkinsonism and Related Disorders</i> , 2004, 10, 265-271.	2.2	132
233	Mutual regulation between metabotropic glutamate type 1 receptor and caveolin proteins: from traffick to constitutive activity. <i>Experimental Cell Research</i> , 2004, 300, 23-34.	2.6	26
234	Regulation of heptaspanning-membrane-receptor function by dimerization and clustering. <i>Trends in Biochemical Sciences</i> , 2003, 28, 238-243.	7.5	74

#	ARTICLE	IF	CITATIONS
235	Metabotropic glutamate type 1 receptor localizes in low-density caveolin-rich plasma membrane fractions. <i>Journal of Neurochemistry</i> , 2003, 86, 785-791.	3.9	31
236	Homodimerization of adenosine A2A receptors: qualitative and quantitative assessment by fluorescence and bioluminescence energy transfer. <i>Journal of Neurochemistry</i> , 2003, 88, 726-734.	3.9	139
237	Ligand-induced caveolae-mediated internalization of A1 adenosine receptors: morphological evidence of endosomal sorting and receptor recycling. <i>Experimental Cell Research</i> , 2003, 285, 72-90.	2.6	65
238	Adenosine A2A-Dopamine D2 Receptor-Receptor Heteromerization. <i>Journal of Biological Chemistry</i> , 2003, 278, 46741-46749.	3.4	401
239	Molecular Mechanisms and Therapeutical Implications of Intramembrane Receptor/Receptor Interactions among Heptahelical Receptors with Examples from the Striatopallidal GABA Neurons. <i>Pharmacological Reviews</i> , 2003, 55, 509-550.	16.0	306
240	The Adenosine A2A Receptor Interacts with the Actin-binding Protein β -Actinin. <i>Journal of Biological Chemistry</i> , 2003, 278, 37545-37552.	3.4	100
241	Glutamate mGlu5-Adenosine A2A-Dopamine D2 Receptor Interactions in the Striatum. Implications for Drug Therapy in Neuro-psychiatric Disorders and Drug Abuse. <i>Current Medicinal Chemistry - Central Nervous System Agents</i> , 2003, 3, 1-26.	0.5	18
242	A ₁ Adenosine Receptors Accumulate in Neurodegenerative Structures in Alzheimer's Disease and Mediate Both Amyloid Precursor Protein Processing and Tau Phosphorylation and Translocation. <i>Brain Pathology</i> , 2003, 13, 440-451.	4.1	150
243	Coaggregation, Cointernalization, and Codesensitization of Adenosine A2A Receptors and Dopamine D2 Receptors. <i>Journal of Biological Chemistry</i> , 2002, 277, 18091-18097.	3.4	450
244	Synergistic interaction between adenosine A2A and glutamate mGlu5 receptors: Implications for striatal neuronal function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11940-11945.	7.1	345
245	Regulation of epithelial and lymphocyte cell adhesion by adenosine deaminase-CD26 interaction. <i>Biochemical Journal</i> , 2002, 361, 203.	3.7	34
246	Adenosine A1 Receptor in Cultured Neurons from Rat Cerebral Cortex. <i>Journal of Neurochemistry</i> , 2002, 75, 656-664.	3.9	43
247	Modulation of GH4 Cell Cycle via A1 Adenosine Receptors. <i>Journal of Neurochemistry</i> , 2002, 69, 2145-2154.	3.9	8
248	Regulation of L-Type Calcium Channels in GH4 Cells via A1 Adenosine Receptors. <i>Journal of Neurochemistry</i> , 2002, 69, 2546-2554.	3.9	19
249	Involvement of Caveolin in Ligand-Induced Recruitment and Internalization of A ₁ Adenosine Receptor and Adenosine Deaminase in an Epithelial Cell Line. <i>Molecular Pharmacology</i> , 2001, 59, 1314-1323.	2.3	84
250	Adenosine/dopamine receptor-receptor interactions in the central nervous system. <i>Drug Development Research</i> , 2001, 52, 296-302.	2.9	11
251	Adenosine-glutamate receptor-receptor interactions in the central nervous system. <i>Drug Development Research</i> , 2001, 52, 316-322.	2.9	4
252	Metabotropic Glutamate 1 and Adenosine A1 Receptors Assemble into Functionally Interacting Complexes. <i>Journal of Biological Chemistry</i> , 2001, 276, 18345-18351.	3.4	170

#	ARTICLE	IF	CITATIONS
253	Comodulation of CXCR4 and CD26 in Human Lymphocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 19532-19539.	3.4	89
254	Evidence for Adenosine/Dopamine Receptor Interactions Indications for Heteromerization. <i>Neuropsychopharmacology</i> , 2000, 23, S50-S59.	5.4	147
255	Dopamine D1 and adenosine A1 receptors form functionally interacting heteromeric complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8606-8611.	7.1	419
256	The Heat Shock Cognate Protein hsc73 Assembles with A1 Adenosine Receptors To Form Functional Modules in the Cell Membrane. <i>Molecular and Cellular Biology</i> , 2000, 20, 5164-5174.	2.3	62
257	The HIV-1 gp120 inhibits the binding of adenosine deaminase to CD26 by a mechanism modulated by CD4 and CXCR4 expression. <i>FEBS Letters</i> , 2000, 477, 123-128.	2.8	32
258	Glycogen Structure: an Evolutionary View. , 2000, , 319-326.		2
259	Epidermal growth factor (EGF)-induced up-regulation and agonist- and antagonist-induced desensitization and internalization of A1 adenosine receptors in a pituitary-derived cell line. <i>Brain Research</i> , 1999, 816, 47-57.	2.2	29
260	The Fractal Structure of Glycogen: A Clever Solution to Optimize Cell Metabolism. <i>Biophysical Journal</i> , 1999, 77, 1327-1332.	0.5	86
261	Enzymatic and extraenzymatic role of ecto-adenosine deaminase in lymphocytes. <i>Immunological Reviews</i> , 1998, 161, 27-42.	6.0	158
262	Ecto-adenosine deaminase: An ecto-enzyme and a costimulatory protein acting on a variety of cell surface receptors. , 1998, 45, 261-268.		12
263	Ecto-ADA in the development of the immune system. <i>Trends in Immunology</i> , 1998, 19, 533.	7.5	10
264	Adenosine Deaminase and A1 Adenosine Receptors Internalize Together following Agonist-induced Receptor Desensitization. <i>Journal of Biological Chemistry</i> , 1998, 273, 17610-17617.	3.4	93
265	Ligand-Induced Phosphorylation, Clustering, and Desensitization of A ₁ Adenosine Receptors. <i>Molecular Pharmacology</i> , 1997, 52, 788-797.	2.3	80
266	Cell surface adenosine deaminase: Much more than an ectoenzyme. <i>Progress in Neurobiology</i> , 1997, 52, 283-294.	5.7	224
267	Calcium mobilization in Jurkat cells via A2b adenosine receptors. <i>British Journal of Pharmacology</i> , 1997, 122, 1075-1082.	5.4	57
268	Ammonium toxicity in different cell lines. , 1997, 56, 530-537.		19
269	The Cluster-Arranged Cooperative Model: A Model That Accounts for the Kinetics of Binding to A1 Adenosine Receptors. <i>Biochemistry</i> , 1996, 35, 3007-3015.	2.5	38
270	Adenosine deaminase affects ligand-induced signalling by interacting with cell surface adenosine receptors. <i>FEBS Letters</i> , 1996, 380, 219-223.	2.8	150

#	ARTICLE	IF	CITATIONS
271	Molecular Bureaucracy: Who Controls the Delays?. <i>Journal of Theoretical Biology</i> , 1996, 182, 333-339.	1.7	6
272	Adenosine Deaminase Interacts with A ₁ Adenosine Receptors in Pig Brain Cortical Membranes. <i>Journal of Neurochemistry</i> , 1996, 66, 1675-1682.	3.9	58
273	Immunological identification of A ₁ adenosine receptors in brain cortex. <i>Journal of Neuroscience Research</i> , 1995, 42, 818-828.	2.9	121
274	A model of the pentose phosphate pathway in rat liver cells. <i>Molecular and Cellular Biochemistry</i> , 1995, 142, 9-17.	3.1	41
275	Surface adenosine deaminase. <i>Human Immunology</i> , 1995, 42, 265-273.	2.4	16
276	A ₁ Adenosine receptors can occur manifesting two kinetic components of 8-cyclopentyl-1,3-[³ H]dipropylxanthine ([³ H]DPCPX) binding. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1994, 349, 485-491.	3.0	2
277	Solubilization and molecular characterization of the nitrobenzylthioinosine binding sites from pig kidney brush-border membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1994, 1191, 94-102.	2.6	9
278	Enzyme-enzyme interactions and metabolite channelling: alternative mechanisms and their evolutionary significance. <i>Biochemical Journal</i> , 1994, 298, 313-320.	3.7	25
279	Metabolic Pathway Characterization from Transient Response Data Obtained In Situ: Parameter Estimation in S-system Models. <i>Journal of Theoretical Biology</i> , 1993, 162, 81-102.	1.7	20
280	Adenine nucleotides and adenosine metabolism in pig kidney proximal tubule membranes. <i>Journal of Cellular Physiology</i> , 1993, 157, 77-83.	4.1	12
281	Role of Histidine Residues in Agonist and Antagonist Binding Sites of A ₁ Adenosine Receptor. <i>Journal of Neurochemistry</i> , 1993, 60, 1525-1533.	3.9	10
282	Experimental Strategy to Study the pH Dependence of the Kinetic Behavior of Enzymes: Practical Application to Chicken Liver Xanthine Dehydrogenase. <i>Archives of Biochemistry and Biophysics</i> , 1993, 300, 42-48.	3.0	0
283	Analysis of ultradian heat production and aortic core temperature rhythms in the rat. <i>Archives Internationales De Physiologie, De Biochimie Et De Biophysique</i> , 1993, 101, 117-122.	0.1	2
284	Optimal association-saturation procedure for estimating association and dissociation rate parameters in receptor studies. Application to solubilized A ₁ adenosine receptors. <i>Biochemical Journal</i> , 1992, 281, 477-483.	3.7	6
285	A model for adenosine transport and metabolism. <i>Biochemical Journal</i> , 1992, 287, 461-472.	3.7	9
286	Graphical analysis of data from pharmacology experiments. <i>Pharmacological Research</i> , 1992, 25, 325-334.	7.1	0
287	Characterization of adenosine receptors in brush-border membranes from pig kidney. <i>British Journal of Pharmacology</i> , 1992, 107, 671-678.	5.4	23
288	The distribution of A ₁ adenosine receptor and 5'-nucleotidase in pig brain cortex subcellular fractions. <i>Neurochemical Research</i> , 1992, 17, 129-139.	3.3	10

#	ARTICLE	IF	CITATIONS
289	The molybdoenzymes xanthine oxidase and aldehyde oxidase contain fast- and slow-DTNB reacting sulphhydryl groups. <i>The Protein Journal</i> , 1992, 11, 547-551.	1.1	2
290	The Adenosine Receptors Present on the Plasma Membrane of Chromaffin Cells Are of the A2bSubtype. <i>Journal of Neurochemistry</i> , 1992, 59, 425-431.	3.9	32
291	Modulation of adenosine agonist [3H]N6-(R)-phenylisopropyladenosine binding to pig brain cortical membranes by changes of membrane fluidity and of medium physicochemical characteristics. <i>European Journal of Pharmacology</i> , 1992, 225, 7-14.	2.6	15
292	N-ethylmaleimide affects agonist binding to A1adenosine receptors differently in the presence than in the absence of ligand. <i>Biochemical and Biophysical Research Communications</i> , 1991, 181, 213-218.	2.1	9
293	The binding of [3H]R-PIA to A1adenosine receptors produces a conversion of the high- to the low-affinity state. <i>FEBS Letters</i> , 1991, 286, 221-224.	2.8	14
294	An Improved Purification Procedure for Sulfite Oxidase from Bovine Liver. <i>Preparative Biochemistry and Biotechnology</i> , 1991, 21, 53-61.	0.5	2
295	Fitting integrated enzyme rate equations to progress curves with the use of a weighting matrix. <i>Biochemical Journal</i> , 1991, 274, 509-511.	3.7	6
296	Adenosine (Ado) uptake in brush-border membrane vesicles from rat kidney (BBM). <i>Biochemical Society Transactions</i> , 1991, 19, 323S-323S.	3.4	2
297	New possibilities in the therapy of immunodeficiency diseases. <i>Immunology Letters</i> , 1991, 29, 277-279.	2.5	0
298	Adenosine Receptors in Myelin Fractions and Subtractions: The Effect of the Agonist (R)-Phenylisopropyladenosine on Myelin Membrane Microviscosity. <i>Journal of Neurochemistry</i> , 1991, 57, 1623-1629.	3.9	15
299	Effect of phospholipases and proteases on the [3H]N6-(R)-phenylisopropyladenosine ([3H]R-PIA) binding to A1 adenosine receptors from pig cerebral cortex. <i>Journal of Cellular Biochemistry</i> , 1991, 47, 278-288.	2.6	13
300	A new strategy for the evaluation of force parameters from quantum mechanical computations. <i>Journal of Computational Chemistry</i> , 1991, 12, 664-674.	3.3	39
301	Biochemical systems theory: Increasing predictive power by using second-order derivatives measurements. <i>Journal of Theoretical Biology</i> , 1991, 149, 521-535.	1.7	12
302	Control analysis of transition times. <i>Molecular and Cellular Biochemistry</i> , 1991, 101, 83-91.	3.1	11
303	Effect of Endogenous Phospholipids on the [³ H]R-Pia Binding to A ₁ Adenosine Receptors from PIG Cerebral Cortex. <i>Nucleosides & Nucleotides</i> , 1991, 10, 1141-1143.	0.5	3
304	Distribution of A1-adenosine receptors, adenosine deaminase and 5â€²-nucleotidase in brain and other tissues of the pig. <i>Biochemical Society Transactions</i> , 1990, 18, 639-641.	3.4	2
305	Preparative purification of adenosine deaminase from human erythrocytes by affinity chromatography. <i>Biomedical Applications</i> , 1990, 532, 75-85.	1.7	8
306	A quantum chemical study of the enzymatic deamination of benzo adenine derivatives. A theoretical model of the interactions occurring between nucleosides and the active site of adenosine deaminase. <i>FEBS Journal</i> , 1990, 188, 155-163.	0.2	19

#	ARTICLE	IF	CITATIONS
307	Control analysis of systems having two steps catalyzed by the same protein molecule in unbranched chains. <i>FEBS Journal</i> , 1990, 192, 369-371.	0.2	12
308	Occurrence and comparison of sulfite oxidase activity in mammalian tissues. <i>Biochemical Medicine and Metabolic Biology</i> , 1990, 43, 159-162.	0.7	33
309	Adenosine metabolism in kidney slices under normoxic conditions. <i>Journal of Cellular Physiology</i> , 1990, 143, 344-351.	4.1	5
310	Quantum Chemical Study of the Electronic and Conformational Characteristics of Adenosine and 8-Substituted Derivatives: Functional Implications in the Mechanism of Reaction of Adenosine Deaminase. <i>Journal of Pharmaceutical Sciences</i> , 1990, 79, 133-137.	3.3	10
311	Solubilization of A1 adenosine receptor from pig brain: Characterization and evidence of the role of the cell membrane on the coexistence of high- and low-affinity states. <i>Journal of Neuroscience Research</i> , 1990, 26, 461-473.	2.9	64
312	Discrete design of enzyme kinetic experiments. <i>International Journal of Bio-medical Computing</i> , 1990, 25, 7-20.	0.5	9
313	A method for binding parameters estimation of A1 adenosine receptor subtype: A practical approach. <i>Analytical Biochemistry</i> , 1990, 184, 117-123.	2.4	18
314	Theoretical study of the acidic strength of amino acid side chains. <i>Bioorganic Chemistry</i> , 1990, 18, 361-372.	4.1	2
315	Purification of Adenosine Deaminase from Chicken-Egg Yolk by Affinity Column Chromatography. <i>Preparative Biochemistry and Biotechnology</i> , 1990, 20, 199-204.	0.5	1
316	A Sensitive Enzymatic Method of Sulfite Determination. <i>Analytical Letters</i> , 1990, 23, 23-30.	1.8	10
317	Theoretical study of the hydroxyl nucleophilic attack on the 6-aminopyrimidine molecule: functional implications in the reaction mechanism of nucleoside deaminative enzymes. <i>Journal of Organic Chemistry</i> , 1990, 55, 2630-2637.	3.2	15
318	Ab initio study of the protonation and the tautomerism of the 7-aminopyrazolopyrimidine molecule. <i>Journal of Organic Chemistry</i> , 1990, 55, 753-756.	3.2	9
319	Determination of the conformational preferences of adenosine at the active site of adenosine deaminase. <i>Journal of the American Chemical Society</i> , 1990, 112, 8221-8229.	13.7	14
320	Further characterization of adenosine transport in renal brush-border membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990, 1024, 241-248.	2.6	29
321	Application of inverse regression for estimating molecular masses and Stokes radii of globular proteins by gel filtration chromatography. <i>Journal of Proteomics</i> , 1990, 20, 123-135.	2.4	2
322	Practical Determination of Control Coefficients in Metabolic Pathways. , 1990, , 157-169.		2
323	Performance Indices in Metabolic Systems: a Criterion for Evaluating Effectiveness in Metabolic Regulation. , 1990, , 149-156.		0
324	Theoretical Approximation to the Reaction Mechanism of Adenosine Deaminase. <i>QSAR and Combinatorial Science</i> , 1989, 8, 109-114.	1.2	9

#	ARTICLE	IF	CITATIONS
325	Interdependence between cooperativity and control coefficients. <i>BioSystems</i> , 1989, 23, 7-14.	2.0	4
326	Accuracy and precision in the determination of stokes radii and molecular masses of proteins by gel filtration chromatography. <i>Journal of Chromatography A</i> , 1989, 472, 347-356.	3.7	25
327	Use of implicit methods from general sensitivity theory to develop a systematic approach to metabolic control. I. unbranched pathways. <i>Mathematical Biosciences</i> , 1989, 94, 271-288.	1.9	74
328	Use of implicit methods from general sensitivity theory to develop a systematic approach to metabolic control. II. complex systems. <i>Mathematical Biosciences</i> , 1989, 94, 289-309.	1.9	79
329	Theoretical study of the protonation and tautomerization of adenosine, formycin, and their 2-NH ₂ and 2-F derivatives: functional implications in the mechanism of reaction of adenosine deaminase. <i>Molecular Pharmacology</i> , 1989, 35, 257-64.	2.3	26
330	Identification and rejection of outliers in enzyme kinetics. <i>International Journal of Bio-medical Computing</i> , 1988, 23, 9-20.	0.5	23
331	Kinetic mechanism of chicken liver xanthine dehydrogenase. <i>Biochemical Journal</i> , 1988, 249, 171-178.	3.7	10
332	The effects of pH on chicken liver xanthine dehydrogenase. <i>Biochemical Society Transactions</i> , 1987, 15, 510-511.	3.4	0
333	Purification properties and functional groups of bovine liver xanthine oxidase. <i>Biochemical Society Transactions</i> , 1987, 15, 511-512.	3.4	3
334	Purification and properties of bovine liver aldehyde oxidase. <i>Biochemical Society Transactions</i> , 1987, 15, 882-883.	3.4	2
335	The influence of ammonium ions on the aggregation of chicken liver xanthine dehydrogenase. <i>Biochemical Society Transactions</i> , 1987, 15, 883-884.	3.4	0
336	Simulation of the purine nucleotide cycle as an anaplerotic process in skeletal muscle. <i>Archives of Biochemistry and Biophysics</i> , 1987, 254, 142-155.	3.0	14
337	Distribution of adenosine deaminase in some rat tissues. Inhibition by ethanol and dimethyl sulfoxide. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1987, 86, 95-98.	0.2	4
338	Enzyme kinetic studies from progress curves. <i>Biochemical Journal</i> , 1986, 233, 599-605.	3.7	16
339	A computer program for enzyme kinetics that combines model discrimination, parameter refinement and sequential experimental design. <i>Biochemical Journal</i> , 1986, 238, 855-862.	3.7	18
340	Enzymes of the purine metabolism in rat brain microsomes. <i>Neurochemical Research</i> , 1986, 11, 407-422.	3.3	7
341	Heterogeneous localization of some purine enzymes in subcellular fractions of rat brain and cerebellum. <i>Neurochemical Research</i> , 1986, 11, 423-435.	3.3	65
342	Kinetics of the 5?-nucleotidase and the adenosine deaminase in subcellular fractions of rat brain. <i>Neurochemical Research</i> , 1986, 11, 471-479.	3.3	14

#	ARTICLE	IF	CITATIONS
343	An Improved Method for the Preparation of Rat Brain Microsomes. <i>Biological Chemistry Hoppe-Seyler</i> , 1986, 367, 307-312.	1.4	0
344	SIMCODE: A program for simulating point mutations in genomic DNA. <i>Biochemical Education</i> , 1985, 13, 66-67.	0.1	0
345	Functional groups and quaternary structure of chicken liver xanthine dehydrogenase. <i>The Protein Journal</i> , 1985, 4, 305-317.	1.1	4
346	A microcomputer method for designing optimal experiments for estimating enzyme kinetic parameters. <i>International Journal of Bio-medical Computing</i> , 1985, 16, 257-266.	0.5	6
347	Computer-based learning of cooperativity and allostery. <i>Bioinformatics</i> , 1985, 1, 161-165.	4.1	0
348	Computer simulation of purine metabolism. <i>FEBS Journal</i> , 1984, 144, 305-315.	0.2	29
349	A free derivate program for non-linear regression analysis of enzyme kinetics to be used on small computers. <i>International Journal of Bio-medical Computing</i> , 1984, 15, 121-130.	0.5	57
350	A program for the numerical integration of enzyme kinetic equations using small computers. <i>International Journal of Bio-medical Computing</i> , 1984, 15, 419-432.	0.5	15
351	A program for deriving rate equations using small computers. <i>International Journal of Bio-medical Computing</i> , 1983, 14, 43-52.	0.5	11
352	Characterization of the forms of bovine liver adenosine deaminase. <i>International Journal of Biochemistry & Cell Biology</i> , 1982, 14, 679-683.	0.5	10
353	Characterization of bovine liver guanine aminohydrolyase. <i>International Journal of Biochemistry & Cell Biology</i> , 1981, 13, 773-776.	0.5	6
354	The course analysis of guanine and hypoxanthine transformation to uric acid by bovine liver guanine aminohydrolyase and xanthine oxidase. <i>Journal of Molecular Catalysis</i> , 1981, 12, 27-36.	1.2	7
355	Comparison of the kinetic behaviour of xanthine oxidase and xanthine dehydrogenase. <i>Journal of Molecular Catalysis</i> , 1981, 10, 195-201.	1.2	1
356	Chicken liver xanthine dehydrogenase kinetic behaviour with oxygen or NAD ⁺ as electron acceptors. <i>Journal of Molecular Catalysis</i> , 1980, 8, 401-409.	1.2	5
357	Uric acid as electron acceptor of liver xanthine dehydrogenase. <i>Journal of Molecular Catalysis</i> , 1979, 6, 153-162.	1.2	5