

Harry M Meyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9572088/publications.pdf>

Version: 2024-02-01

243
papers

12,542
citations

29994

54
h-index

31759

101
g-index

249
all docs

249
docs citations

249
times ranked

16684
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced Graphene Oxide Aerogels with Functionalization-Mediated Disordered Stacking for Sodium-Ion Batteries. <i>Batteries</i> , 2022, 8, 12.	2.1	5
2	Enhancing Cycling Stability and Capacity Retention of NMC811 Cathodes by Reengineering Interfaces via Electrochemical Fluorination. <i>Advanced Materials Interfaces</i> , 2022, 9, .	1.9	10
3	Interaction of beryllium with 316H stainless steel in molten Li ₂ BeF ₄ (FLiBe). <i>Journal of Nuclear Materials</i> , 2022, 565, 153698.	1.3	12
4	MoS ₂ nanosheet integrated electrodes with engineered 1T-2H phases and defects for efficient hydrogen production in practical PEM electrolysis. <i>Applied Catalysis B: Environmental</i> , 2022, 313, 121458.	10.8	33
5	Modified coal char materials with high rate performance for battery applications. <i>Carbon</i> , 2021, 172, 414-421.	5.4	21
6	Na _{1+x} Mn _{x/2} Zr _{2x} (PO ₄) ₃ as a Li ⁺ and Na ⁺ Super Ion Conductor for Solid-State Batteries. <i>ACS Energy Letters</i> , 2021, 6, 429-436.	8.8	20
7	Low-Cost Transformation of Biomass-Derived Carbon to High-Performing Nano-graphite via Low-Temperature Electrochemical Graphitization. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 4393-4401.	4.0	26
8	Structural Interconversion between Agglomerated Palladium Domains and Mononuclear Pd(II) Cations in Chabazite Zeolites. <i>Chemistry of Materials</i> , 2021, 33, 1698-1713.	3.2	42
9	Enabling aqueous processing for LiNi _{0.80} Co _{0.15} Al _{0.05} O ₂ (NCA)-based lithium-ion battery cathodes using polyacrylic acid. <i>Electrochimica Acta</i> , 2021, 380, 138203.	2.6	33
10	Photoinduced Strong Metal-Support Interaction for Enhanced Catalysis. <i>Journal of the American Chemical Society</i> , 2021, 143, 8521-8526.	6.6	85
11	Chromium evaporation and oxidation characteristics of alumina-forming austenitic stainless steels for balance of plant applications in solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 21619-21633.	3.8	15
12	Wear penalty for steel rubbing against hard coatings in reactive lubricants due to tribochemical interactions. <i>Tribology International</i> , 2021, 160, 107010.	3.0	8
13	Formation of LiF Surface Layer During Direct Fluorination of High-Capacity Co-Free Disordered Rocksalt Cathodes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 38221-38228.	4.0	13
14	Al ₂ O ₃ /TiO ₂ coated separators: Roll-to-roll processing and implications for improved battery safety and performance. <i>Journal of Power Sources</i> , 2021, 507, 230259.	4.0	30
15	Polymer, Additives, and Processing Effects on N95 Filter Performance. <i>ACS Applied Polymer Materials</i> , 2021, 3, 1022-1031.	2.0	21
16	RF sheath induced sputtering on Proto-MPEX part 2: Impurity transport modeling and experimental comparison. <i>Physics of Plasmas</i> , 2021, 28, 103508.	0.7	6
17	Operando Analysis of Gas Evolution in TiNb ₂ O ₇ (TNO)-Based Anodes for Advanced High-Energy Lithium-Ion Batteries under Fast Charging. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 55145-55155.	4.0	15
18	Chemical stability and long-term cell performance of low-cobalt, Ni-Rich cathodes prepared by aqueous processing for high-energy Li-Ion batteries. <i>Energy Storage Materials</i> , 2020, 24, 188-197.	9.5	155

#	ARTICLE	IF	CITATIONS
19	Compatibility of FeCrAlMo with flowing PbLi at 500 ^o -650 ^o C. Journal of Nuclear Materials, 2020, 528, 151847.	1.3	19
20	Composition-Preserving Extraction and Characterization of Biomass Extrinsic and Intrinsic Inorganic Compounds. ACS Sustainable Chemistry and Engineering, 2020, 8, 1599-1610.	3.2	11
21	Laser-interference pulse number dependence of surface chemistry and sub-surface microstructure of AA2024-T3 alloy. Optics and Laser Technology, 2020, 131, 106457.	2.2	6
22	New synthesis strategies to improve Co-Free LiNi _{0.5} Mn _{0.5} O ₂ cathodes: Early transition metal d ₀ dopants and manganese pyrophosphate coating. Journal of Power Sources, 2020, 479, 228591.	4.0	22
23	Direct Characterization of Atomically Dispersed Catalysts: Nitrogen-Coordinated Ni Sites in Carbon-Based Materials for CO ₂ Electroreduction. Advanced Energy Materials, 2020, 10, 2001836.	10.2	46
24	Solvent-Mediated Synthesis of Amorphous Li ₃ PS ₄ /Polyethylene Oxide Composite Solid Electrolytes with High Li ⁺ Conductivity. Chemistry of Materials, 2020, 32, 8789-8797.	3.2	21
25	Styrene-Based Elastomer Composites with Functionalized Graphene Oxide and Silica Nanofiber Fillers: Mechanical and Thermal Conductivity Properties. Nanomaterials, 2020, 10, 1682.	1.9	14
26	Investigation of Complex Intermediates in Solvent-Mediated Synthesis of Thiophosphate Solid-State Electrolytes. Journal of Physical Chemistry C, 2020, 124, 27396-27402.	1.5	9
27	Lithium and transition metal dissolution due to aqueous processing in lithium-ion battery cathode active materials. Journal of Power Sources, 2020, 466, 228315.	4.0	61
28	Synthesizing High-Capacity Oxyfluoride Conversion Anodes by Direct Fluorination of Molybdenum Dioxide (MoO ₂). ChemSusChem, 2020, 13, 3825-3834.	3.6	12
29	Low Energy Implantation into Transition-Metal Dichalcogenide Monolayers to Form Janus Structures. ACS Nano, 2020, 14, 3896-3906.	7.3	136
30	Ultralow Boundary Lubrication Friction by Three-Way Synergistic Interactions among Ionic Liquid, Friction Modifier, and Dispersant. ACS Applied Materials & Interfaces, 2020, 12, 17077-17090.	4.0	36
31	Ion-gated carbon molecular sieve gas separation membranes. Journal of Membrane Science, 2020, 604, 118013.	4.1	15
32	Material-Dependent Antagonistic Effects between Soot and ZDDP. Advanced Materials Interfaces, 2020, 7, 1901956.	1.9	5
33	Surpassing Robeson Upper Limit for CO ₂ /N ₂ Separation with Fluorinated Carbon Molecular Sieve Membranes. Chem, 2020, 6, 631-645.	5.8	73
34	Probing the Li ₄ Ti ₅ O ₁₂ Interface Upon Lithium Uptake by Operando Small Angle Neutron Scattering. ChemSusChem, 2020, 13, 3654-3661.	3.6	9
35	Temporal Evolution of Corrosion Film Nano-Porosity and Magnesium Alloy Hydrogen Penetration in NaCl Solution. Journal of the Electrochemical Society, 2020, 167, 131513.	1.3	5
36	Re-establishing the paradigm for evaluating halide salt compatibility to study commercial chloride salts at 600 ^o C-800 ^o C. Materials and Corrosion - Werkstoffe Und Korrosion, 2019, 70, 1439-1449.	0.8	23

#	ARTICLE	IF	CITATIONS
37	High-Voltage Performance of Ni-Rich NCA Cathodes: Linking Operating Voltage with Cathode Degradation. <i>ChemElectroChem</i> , 2019, 6, 5571-5580.	1.7	13
38	Synergistic Interactions Between Silver and Palladium Nanoparticles in Lubrication. <i>ACS Applied Nano Materials</i> , 2019, 2, 5302-5309.	2.4	12
39	A dicyanobenzoquinone based cathode material for rechargeable lithium and sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 17888-17895.	5.2	35
40	Surface chemistry and composition-induced variation of laser interference-based surface treatment of Al alloys. <i>Applied Surface Science</i> , 2019, 489, 893-904.	3.1	9
41	Interfacial Reactions and Performance of $\text{Li}_{0.7}\text{La}_{0.3}\text{Zr}_2\text{O}_{12}$ -Stabilized Li-Sulfur Hybrid Cell. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 42042-42048.	4.0	34
42	Evaluation of Gas Formation and Consumption Driven by Crossover Effect in High-Voltage Lithium-Ion Batteries with Ni-Rich NMC Cathodes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 43235-43243.	4.0	50
43	Magnesium Alloy Effects on Plasma Electrolytic Oxidation Electro-Ceramic and Electro-Coat Formation and Corrosion Resistance. <i>Journal of the Electrochemical Society</i> , 2019, 166, C492-C508.	1.3	12
44	Defect-Mediated Phase Transformation in Anisotropic Two-Dimensional PdSe_2 Crystals for Seamless Electrical Contacts. <i>Journal of the American Chemical Society</i> , 2019, 141, 8928-8936.	6.6	81
45	Fluorination of MXene by Elemental F_2 as Electrode Material for Lithium-Ion Batteries. <i>ChemSusChem</i> , 2019, 12, 1271-1271.	3.6	0
46	Ionic liquids as oil additives for lubricating oxygen-diffusion case-hardened titanium. <i>Tribology International</i> , 2019, 136, 342-348.	3.0	23
47	Depolymerization of corn stover lignin with bulk molybdenum carbide catalysts. <i>Fuel</i> , 2019, 244, 528-535.	3.4	39
48	Fluorination of MXene by Elemental F_2 as Electrode Material for Lithium-Ion Batteries. <i>ChemSusChem</i> , 2019, 12, 1316-1324.	3.6	28
49	Advancing Lithium- and Manganese-Rich Cathodes through a Combined Electrolyte Additive/Surface Treatment Strategy. <i>Journal of the Electrochemical Society</i> , 2019, 166, A3896-A3907.	1.3	10
50	Corrosion Behavior of Zinc-Nickel and Graphene Layered Structures on Steel Substrates. <i>Advanced Engineering Materials</i> , 2019, 21, 1800949.	1.6	2
51	Bis(trimethylsilyl) 2-fluoromalonate derivatives as electrolyte additives for high voltage lithium ion batteries. <i>Journal of Power Sources</i> , 2019, 412, 527-535.	4.0	47
52	Carbon Dioxide Separation: Highly Permeable Oligo(ethylene oxide)-co-poly(dimethylsiloxane) Membranes for Carbon Dioxide Separation (<i>Adv. Sustainable Syst.</i> 4/2018). <i>Advanced Sustainable Systems</i> , 2018, 2, 1870030.	2.7	1
53	Highly Permeable Oligo(ethylene oxide)-co-poly(dimethylsiloxane) Membranes for Carbon Dioxide Separation. <i>Advanced Sustainable Systems</i> , 2018, 2, 1700113.	2.7	6
54	A physical catalyst for the electrolysis of nitrogen to ammonia. <i>Science Advances</i> , 2018, 4, e1700336.	4.7	264

#	ARTICLE	IF	CITATIONS
55	Controlling Water Vapor in Gas-Cell Microscopy Experiments. <i>Microscopy and Microanalysis</i> , 2018, 24, 286-287.	0.2	7
56	Balancing formation time and electrochemical performance of high energy lithium-ion batteries. <i>Journal of Power Sources</i> , 2018, 402, 107-115.	4.0	56
57	Anti-soiling and highly transparent coatings with multi-scale features. <i>Solar Energy Materials and Solar Cells</i> , 2018, 188, 255-262.	3.0	30
58	Identifying degradation mechanisms in lithium-ion batteries with coating defects at the cathode. <i>Applied Energy</i> , 2018, 231, 446-455.	5.1	39
59	The response of ZrB ₂ to simulated plasma-facing material conditions of He irradiation at high temperature. <i>Journal of Nuclear Materials</i> , 2018, 507, 112-125.	1.3	10
60	Palladium Nanoparticle-Enabled Ultrathick Tribofilm with Unique Composition. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 31804-31812.	4.0	26
61	Compatibility between Various Ionic Liquids and an Organic Friction Modifier as Lubricant Additives. <i>Langmuir</i> , 2018, 34, 10711-10720.	1.6	31
62	Selecting the Best Graphite for Long-Life, High-Energy Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2018, 165, A1837-A1845.	1.3	65
63	Unraveling the Molecular Weight Dependence of Interfacial Interactions in Poly(2-vinylpyridine)/Silica Nanocomposites. <i>ACS Macro Letters</i> , 2017, 6, 68-72.	2.3	65
64	Toward the Design of a Hierarchical Perovskite Support: Ultra-Sintering-Resistant Gold Nanocatalysts for CO Oxidation. <i>ACS Catalysis</i> , 2017, 7, 3388-3393.	5.5	40
65	Impact of air exposure and surface chemistry on Li ⁷ La ³ Zr ² O ¹² interfacial resistance. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13475-13487.	5.2	300
66	Electrolyte Volume Effects on Electrochemical Performance and Solid Electrolyte Interphase in Si-Graphite/NMC Lithium-Ion Pouch Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 18799-18808.	4.0	65
67	Powder bed charging during electron-beam additive manufacturing. <i>Acta Materialia</i> , 2017, 124, 437-445.	3.8	69
68	Organic-Modified Silver Nanoparticles as Lubricant Additives. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 37227-37237.	4.0	90
69	Rapid Diffusion and Nanosegregation of Hydrogen in Magnesium Alloys from Exposure to Water. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 38125-38134.	4.0	14
70	Lattice Matched Carbide-Phosphide Composites with Superior Electrocatalytic Activity and Stability. <i>Chemistry of Materials</i> , 2017, 29, 9369-9377.	3.2	22
71	Sulfur-Tolerant Molybdenum Carbide Catalysts Enabling Low-Temperature Stabilization of Fast Pyrolysis Bio-oil. <i>Energy & Fuels</i> , 2017, 31, 9585-9594.	2.5	17
72	Effect of Gold on the Microstructural Evolution and Integrity of a Sintered Silver Joint. <i>Journal of Electronic Materials</i> , 2017, 46, 4085-4092.	1.0	5

#	ARTICLE	IF	CITATIONS
73	Model "Alloy" Specimens for MEMS-Based Closed-Cell Gas-Reactions. <i>Microscopy and Microanalysis</i> , 2017, 23, 908-909.	0.2	0
74	Kinetic and potential sputtering of an anorthite-like glassy thin film. <i>Journal of Geophysical Research E: Planets</i> , 2017, 122, 1597-1609.	1.5	10
75	Uniform corrosion of FeCrAl alloys in LWR coolant environments. <i>Journal of Nuclear Materials</i> , 2016, 479, 36-47.	1.3	158
76	Samarium electrodeposited acetate and oxide thin films on stainless steel substrate characterized by XPS. <i>Surface Science Spectra</i> , 2016, 23, 70-81.	0.3	11
77	Samarium and europium beta-alumina derivatives characterized by XPS. <i>Surface Science Spectra</i> , 2016, 23, 102-111.	0.3	3
78	Advanced characterization study of commercial conversion and electrocoating structures on magnesium alloys AZ31B and ZE10A. <i>Surface and Coatings Technology</i> , 2016, 294, 164-176.	2.2	25
79	Influence of Surface Oxidation on Ion Dynamics and Capacitance in Porous and Nonporous Carbon Electrodes. <i>Journal of Physical Chemistry C</i> , 2016, 120, 8730-8741.	1.5	40
80	The impact of carbon coating on the synthesis and properties of Fe^{2+} -Fe ₁₆ N ₂ powders. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 13010-13017.	1.3	10
81	High-Selectivity Electrochemical Conversion of CO ₂ to Ethanol using a Copper Nanoparticle/N-Doped Graphene Electrode. <i>ChemistrySelect</i> , 2016, 1, 6055-6061.	0.7	251
82	Development of Cast Alumina-Forming Austenitic Stainless Steels. <i>Jom</i> , 2016, 68, 2803-2810.	0.9	21
83	Molybdenum Carbides, Active and <i>In Situ</i> Regenerable Catalysts in Hydroprocessing of Fast Pyrolysis Bio-Oil. <i>Energy & Fuels</i> , 2016, 30, 5016-5026.	2.5	26
84	Tertiary and Quaternary Ammonium-Phosphate Ionic Liquids as Lubricant Additives. <i>Tribology Letters</i> , 2016, 63, 1.	1.2	107
85	Characterizing the Li/Li ₇ La ₃ Zr ₂ O ₁₂ interface stability and kinetics as a function of temperature and current density. <i>Journal of Power Sources</i> , 2016, 302, 135-139.	4.0	446
86	Effect of friction stir welding and post-weld heat treatment on a nanostructured ferritic alloy. <i>Journal of Nuclear Materials</i> , 2016, 469, 200-208.	1.3	14
87	The corrosion and passivity of sputtered Mg-Ti alloys. <i>Corrosion Science</i> , 2016, 104, 36-46.	3.0	27
88	Effect of GaN surface treatment on Al ₂ O ₃ /GaN MOS capacitors. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2015, 33, .	0.6	29
89	Does the Use of Diamond-Like Carbon Coating and Organophosphate Lubricant Additive Together Cause Excessive Tribochemical Material Removal?. <i>Advanced Materials Interfaces</i> , 2015, 2, 1500213.	1.9	15
90	Synergistic Effects Between Phosphonium-Alkylphosphate Ionic Liquids and Zinc Dialkyldithiophosphate (ZDDP) as Lubricant Additives. <i>Advanced Materials</i> , 2015, 27, 4767-4774.	11.1	168

#	ARTICLE	IF	CITATIONS
91	Effective Strategy for Improving Electrocatalyst Durability by Adhesive Immobilization of Catalyst Nanoparticles on Graphitic Carbon Supports. <i>ACS Catalysis</i> , 2015, 5, 3662-3674.	5.5	13
92	Structural Evolution of Molybdenum Carbides in Hot Aqueous Environments and Impact on Low-Temperature Hydroprocessing of Acetic Acid. <i>Catalysts</i> , 2015, 5, 406-423.	1.6	14
93	Tunable morphologies of indium tin oxide nanostructures using nanocellulose templates. <i>RSC Advances</i> , 2015, 5, 103680-103685.	1.7	9
94	Synthesis of Hexagonal Boron Nitride Monolayer: Control of Nucleation and Crystal Morphology. <i>Chemistry of Materials</i> , 2015, 27, 8041-8047.	3.2	202
95	Size tunable elemental copper nanoparticles: extracellular synthesis by thermoanaerobic bacteria and capping molecules. <i>Journal of Materials Chemistry C</i> , 2015, 3, 644-650.	2.7	39
96	Tracer study of oxygen and hydrogen uptake by Mg alloys in air with water vapor. <i>Scripta Materialia</i> , 2015, 106, 38-41.	2.6	8
97	Characterization of ZDDP and ionic liquid tribofilms on non-metallic coatings providing insights of tribofilm formation mechanisms. <i>Wear</i> , 2015, 332-333, 1273-1285.	1.5	48
98	Hydrothermal corrosion of SiC in LWR coolant environments in the absence of irradiation. <i>Journal of Nuclear Materials</i> , 2015, 465, 488-498.	1.3	84
99	<i>In situ</i> capping for size control of monochalcogenide (ZnS, CdS and SnS) nanocrystals produced by anaerobic metal-reducing bacteria. <i>Nanotechnology</i> , 2015, 26, 325602.	1.3	13
100	Degradation of SS316L bipolar plates in simulated fuel cell environment: Corrosion rate, barrier film formation kinetics and contact resistance. <i>Journal of Power Sources</i> , 2015, 273, 1237-1249.	4.0	69
101	Anorthite sputtering by H ⁺ and Ar ⁺ ($\theta = 1^\circ$) at solar wind velocities. <i>Journal of Geophysical Research: Space Physics</i> , 2014, 119, 8006-8016.	0.8	14
102	He-ion and self-atom induced damage and surface-morphology changes of a hot W target. <i>Physica Scripta</i> , 2014, T159, 014029.	1.2	15
103	Surface-morphology changes and damage in hot tungsten by impact of 80 eV – 12 keV He-ions and keV-energy self-atoms. <i>Journal of Physics: Conference Series</i> , 2014, 488, 012036.	0.3	7
104	Comparison of the tribological behavior of steel–steel and Si ₃ N ₄ –steel contacts in lubricants with ZDDP or ionic liquid. <i>Wear</i> , 2014, 319, 172-183.	1.5	43
105	Phosphonium-Organophosphate Ionic Liquids as Lubricant Additives: Effects of Cation Structure on Physicochemical and Tribological Characteristics. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 22585-22593.	4.0	163
106	Transmission Electron Microscopy Study of Aqueous Film Formation and Evolution on Magnesium Alloys. <i>Journal of the Electrochemical Society</i> , 2014, 161, C302-C311.	1.3	111
107	Insulating gallium oxide layer produced by thermal oxidation of gallium–polar GaN. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2014, 11, 565-568.	0.8	12
108	Effect of tungsten crystallographic orientation on He-ion-induced surface morphology changes. <i>Acta Materialia</i> , 2014, 62, 173-181.	3.8	109

#	ARTICLE	IF	CITATIONS
109	Methanol Fractionation of Softwood Kraft Lignin: Impact on the Lignin Properties. ChemSusChem, 2014, 7, 221-228.	3.6	132
110	High performance Cr, N-codoped mesoporous TiO ₂ microspheres for lithium-ion batteries. Journal of Materials Chemistry A, 2014, 2, 1818-1824.	5.2	58
111	Atomic layer deposition TiO ₂ /Al ₂ O ₃ stack: An improved gate dielectric on Ga-polar GaN metal oxide semiconductor capacitors. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2014, 32, 060602.	0.6	4
112	High-Resolution Mapping of the PFSA Polymer Distribution in PEFC Electrode Layers. ECS Transactions, 2014, 64, 819-827.	0.3	3
113	Improving corrosion resistance of AZ31B magnesium alloy via a conversion coating produced by a protic ammonium-phosphate ionic liquid. Thin Solid Films, 2014, 568, 44-51.	0.8	41
114	Electronic Structure and Band Alignment at an Epitaxial Spinel/Perovskite Heterojunction. ACS Applied Materials & Interfaces, 2014, 6, 14338-14344.	4.0	18
115	Comparison of the physical, chemical and electrical properties of ALD Al ₂ O ₃ on c- and m- plane GaN. Physica Status Solidi C: Current Topics in Solid State Physics, 2014, 11, 898-901.	0.8	5
116	Studies on Supercapacitor Electrode Material from Activated Lignin-Derived Mesoporous Carbon. Langmuir, 2014, 30, 900-910.	1.6	342
117	Growth and Electrochemical Characterization of Carbon Nanospire Thin Film Electrodes. Journal of the Electrochemical Society, 2014, 161, H558-H563.	1.3	24
118	Evaluation of nitrated titanium separator plates for proton exchange membrane electrolyzer cells. Journal of Power Sources, 2014, 272, 954-960.	4.0	51
119	Role of Surface Functionality in the Electrochemical Performance of Silicon Nanowire Anodes for Rechargeable Lithium Batteries. ACS Applied Materials & Interfaces, 2014, 6, 7607-7614.	4.0	30
120	Scalable superhydrophobic coatings based on fluorinated diatomaceous earth: Abrasion resistance versus particle geometry. Applied Surface Science, 2014, 292, 563-569.	3.1	46
121	Effects of pretreatment and process temperature of a conversion coating produced by an aprotic ammonium-phosphate ionic liquid on magnesium corrosion protection. Electrochimica Acta, 2014, 123, 58-65.	2.6	38
122	Advanced surface and microstructural characterization of natural graphite anodes for lithium ion batteries. Carbon, 2014, 72, 393-401.	5.4	50
123	Surface-conductivity enhancement of PMMA by keV-energy metal-ion implantation. Nuclear Instruments & Methods in Physics Research B, 2014, 339, 75-84.	0.6	10
124	Scalable production of microbially mediated zinc sulfide nanoparticles and application to functional thin films. Acta Biomaterialia, 2014, 10, 4474-4483.	4.1	49
125	Direct Electrodeposition of UO ₂ from Uranyl Bis(trifluoromethanesulfonyl)imide Dissolved in 1-Ethyl-3-methylimidazolium Bis(trifluoromethanesulfonyl)imide Room Temperature Ionic Liquid System. Electrochimica Acta, 2014, 115, 630-638.	2.6	17
126	X-Ray Photoelectron Spectroscopy (XPS)., 2013, , 4133-4138.		2

#	ARTICLE	IF	CITATIONS
127	Improving microstructure of silicon/carbon nanofiber composites as a Li battery anode. Journal of Power Sources, 2013, 221, 455-461.	4.0	50
128	Manufacturing and performance assessment of stamped, laser welded, and nitrided FeCrV stainless steel bipolar plates for proton exchange membrane fuel cells. International Journal of Hydrogen Energy, 2013, 38, 4734-4739.	3.8	34
129	Nature of the band gap and origin of the electro-/photo-activity of Co ₃ O ₄ . Journal of Materials Chemistry C, 2013, 1, 4628.	2.7	176
130	Large scale atmospheric pressure chemical vapor deposition of graphene. Carbon, 2013, 54, 58-67.	5.4	241
131	Nitrogen-enriched ordered mesoporous carbons through direct pyrolysis in ammonia with enhanced capacitive performance. Journal of Materials Chemistry A, 2013, 1, 7920.	5.2	120
132	Influence of thermal history on the mechanical properties of carbon fiber/acrylate composites cured by electron beam and thermal processes. Composites Part A: Applied Science and Manufacturing, 2013, 45, 162-172.	3.8	36
133	Oxygen-Functionalized Few-Layer Graphene Sheets as Active Catalysts for Oxidative Dehydrogenation Reactions. ChemSusChem, 2013, 6, 840-846.	3.6	61
134	Nanostructured columnar heterostructures of TiO ₂ and Cu ₂ O enabled by a thin-film self-assembly approach: Potential for photovoltaics. Materials Research Bulletin, 2013, 48, 352-356.	2.7	15
135	Kinetic and potential sputtering of lunar regolith: The contribution of the heavy (minority) solar wind ions. , 2013, , .		0
136	Influence of Atomic Layer Deposition Temperatures on TiO ₂ /n-Si MOS Capacitor. ECS Journal of Solid State Science and Technology, 2013, 2, N110-N114.	0.9	39
137	Understanding the Mechanism of Solvent-Mediated Adhesion of Vacuum Deposited Au and Pt Thin Films onto PMMA Substrates. Advanced Functional Materials, 2013, 23, 1431-1439.	7.8	9
138	Characterization of zirconium carbides using electron microscopy, optical anisotropy, Auger depth profiles, X-ray diffraction, and electron density calculated by charge flipping method. Journal of Solid State Chemistry, 2012, 194, 91-99.	1.4	23
139	Properties of thermo-chemically surface treated carbon fibers and of their epoxy and vinyl ester composites. Composites Part A: Applied Science and Manufacturing, 2012, 43, 1120-1133.	3.8	68
140	Influence of the carbon fiber surface microstructure on the surface chemistry generated by a thermo-chemical surface treatment. Applied Surface Science, 2012, 261, 473-480.	3.1	44
141	Novel Pulse Electrodeposited Co-Cu-ZnO Nanowire/tube Catalysts for C ₁ -C ₄ Alcohols and C ₂ -C ₆ (Except C ₅) Hydrocarbons from CO and H ₂ . Journal of Physical Chemistry C, 2012, 116, 10924-10933.	1.5	10
142	Compositional tuning of the strain-induced structural phase transition and of ferromagnetism in Bi _{1-x} Ba _x FeO ₃ . Journal of Materials Research, 2011, 26, 1326-1331.	1.2	17
143	Electrical and thermal conductivity of low temperature CVD graphene: the effect of disorder. Nanotechnology, 2011, 22, 275716.	1.3	132
144	Wet oxidation of stainless steels: New insights into hydrogen ingress. Corrosion Science, 2011, 53, 1633-1638.	3.0	22

#	ARTICLE	IF	CITATIONS
145	The role of boron segregation in enhanced thermoelectric power factor of CoSi _{1-x} B _x alloys. <i>Journal of Applied Physics</i> , 2011, 110, 123711.	1.1	10
146	Properties of ultrafast laser textured silicon for photovoltaics. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 2745-2751.	3.0	53
147	Low-temperature colossal carbon supersaturation enables anti-wear boundary film formation for austenitic stainless steels in oil-lubricated environment. <i>Wear</i> , 2011, 271, 1733-1738.	1.5	2
148	Comparing Cr, and N only doping with (Cr, N)-codoping for enhancing visible light reactivity of TiO ₂ . <i>Applied Catalysis B: Environmental</i> , 2011, 110, 148-153.	10.8	37
149	Monodispersed biocompatible silver sulfide nanoparticles: Facile extracellular biosynthesis using the β -proteobacterium, <i>Shewanella oneidensis</i> . <i>Acta Biomaterialia</i> , 2011, 7, 4253-4258.	4.1	138
150	Nanostructure and Composition of Tribo-Boundary Films Formed in Ionic Liquid Lubrication. <i>Tribology Letters</i> , 2011, 43, 205-211.	1.2	53
151	Microstructural Characterization of Ti-6Al-4V Metal Chips by Focused Ion Beam and Transmission Electron Microscopy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011, 42, 3527.	1.1	6
152	Oxidative dehydrogenation of isobutane on phosphorous-modified graphitic mesoporous carbon. <i>Carbon</i> , 2011, 49, 659-668.	5.4	56
153	Responses of bone-forming cells on pre-immersed Zr-based bulk metallic glasses: Effects of composition and roughness. <i>Acta Biomaterialia</i> , 2011, 7, 395-405.	4.1	102
154	Thermal stability of HfO ₂ nanotube arrays. <i>Applied Surface Science</i> , 2011, 257, 4075-4081.	3.1	25
155	Sputtering of lunar regolith simulant by protons and singly and multicharged Ar ions at solar wind energies. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2011, 269, 1316-1320.	0.6	21
156	Structural Dependence of Grain Boundary Resistivity in Copper Nanowires. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 08LB09.	0.8	2
157	An evaluation of phase separated, self-assembled LaMnO ₃ -MgO nanocomposite films directly on IBAD-MgO as buffer layers for flux pinning enhancements in YBa ₂ Cu ₃ O _{7-δ} coated conductors. <i>Journal of Materials Research</i> , 2010, 25, 437-443.	1.2	7
158	Microstructural stability of copper with antimony dopants at grain boundaries: experiments and molecular dynamics simulations. <i>Journal of Materials Science</i> , 2010, 45, 6707-6718.	1.7	29
159	Sublimation growth of titanium nitride crystals. <i>Journal of Materials Science: Materials in Electronics</i> , 2010, 21, 78.	1.1	11
160	Hydrothermal Barium Titanate Thin-Film Characteristics and their Suitability as Decoupling Capacitors. <i>Journal of the American Ceramic Society</i> , 2010, 93, 2764-2770.	1.9	7
161	Probing Defect Sites on CeO ₂ Nanocrystals with Well-Defined Surface Planes by Raman Spectroscopy and O ₂ Adsorption. <i>Langmuir</i> , 2010, 26, 16595-16606.	1.6	889
162	Pre-oxidized and nitrated stainless steel alloy foil for proton exchange membrane fuel cell bipolar plates: Part 1. Corrosion, interfacial contact resistance, and surface structure. <i>Journal of Power Sources</i> , 2010, 195, 5610-5618.	4.0	41

#	ARTICLE	IF	CITATIONS
163	Oxygen diffusion enables anti-wear boundary film formation on titanium surfaces in zinc-dialkyl-dithiophosphate (ZDDP)-containing lubricants. <i>Scripta Materialia</i> , 2009, 60, 886-889.	2.6	41
164	Ionic Liquids as Novel Lubricants and Additives for Diesel Engine Applications. <i>Tribology Letters</i> , 2009, 35, 181-189.	1.2	168
165	Tribological characteristics of aluminum alloys sliding against steel lubricated by ammonium and imidazolium ionic liquids. <i>Wear</i> , 2009, 267, 1226-1231.	1.5	125
166	Aging of nanocarbons in ambient conditions: Probable metastability of carbon nanotubes. <i>Journal of Colloid and Interface Science</i> , 2009, 338, 128-134.	5.0	15
167	Nanofibrous chitosan non-wovens for filtration applications. <i>Polymer</i> , 2009, 50, 3661-3669.	1.8	234
168	Fabrication and characterization of brookite-rich, visible light-active TiO ₂ films for water splitting. <i>Applied Catalysis B: Environmental</i> , 2009, 93, 90-95.	10.8	54
169	Effect of Surface Oxygen and Temperature on External and Micropore Adsorption of Water in Single-Walled Carbon Nanotubes by Gravimetric and Spectroscopic Experiments. <i>Journal of Physical Chemistry C</i> , 2009, 113, 12109-12117.	1.5	11
170	Band Gap Narrowing of Titanium Oxide Semiconductors by Noncompensated Anion-Cation Codoping for Enhanced Visible-Light Photoactivity. <i>Physical Review Letters</i> , 2009, 103, 226401.	2.9	347
171	Immobilization of Biomolecules on Poly(vinylidimethylazlactone)-Containing Surface Scaffolds. <i>Langmuir</i> , 2009, 25, 262-268.	1.6	32
172	XPS Analysis of Fuel Cell Membrane Prepared Using an Ultra-Low-Angle-Microtomy Technique. <i>Microscopy and Microanalysis</i> , 2009, 15, 1130-1131.	0.2	0
173	Surface modification and chemical sputtering of graphite induced by low-energy atomic and molecular deuterium ions. <i>Vacuum</i> , 2008, 82, 1285-1290.	1.6	15
174	Single-crystal nanowires grown via electron-beam-induced deposition. <i>Nanotechnology</i> , 2008, 19, 345705.	1.3	41
175	A study of the corrosion behaviour of Zr ₅₀ Cu(40-x)Al ₁₀ Pd _x bulk metallic glasses with scanning Auger microanalysis. <i>Corrosion Science</i> , 2008, 50, 1825-1832.	3.0	47
176	Analysis of copper treatments and the effects on signal propagation. , 2008, , .		6
177	Effect of chain length on nanomechanics of alkanethiol self-assembly. <i>Nanotechnology</i> , 2007, 18, 424028.	1.3	37
178	Creep-Resistant, Al ₂ O ₃ -Forming Austenitic Stainless Steels. <i>Science</i> , 2007, 316, 433-436.	6.0	337
179	Controlling thin film structure for the dewetting of catalyst nanoparticle arrays for subsequent carbon nanofiber growth. <i>Nanotechnology</i> , 2007, 18, 465304.	1.3	49
180	Thin intergranular films and solid-state activated sintering in nickel-doped tungsten. <i>Acta Materialia</i> , 2007, 55, 3131-3142.	3.8	190

#	ARTICLE	IF	CITATIONS
181	On the Production of X-rays by Low Energy Ion Beams. Scanning, 2007, 29, 1-4.	0.7	8
182	Corrosion of CVD Silicon Carbide in 500°C Supercritical Water. Journal of the American Ceramic Society, 2007, 90, 315-318.	1.9	53
183	High-Resolution Soft X-ray Photoelectron Spectroscopic Studies and Scanning Auger Microscopy Studies of the Air Oxidation of Alkylated Silicon(111) Surfaces. Journal of Physical Chemistry B, 2006, 110, 23450-23459.	1.2	57
184	Formation of Ultrasharp Vertically Aligned Cu-Si Nanocones by a DC Plasma Process. Journal of Physical Chemistry B, 2006, 110, 4766-4771.	1.2	9
185	Corrosion behavior of CrN, Cr ₂ N and γ phase surfaces on nitrided Ni-50Cr for proton exchange membrane fuel cell bipolar plates. Corrosion Science, 2006, 48, 3157-3171.	3.0	92
186	The effect of hydrogen in the mechanism of aluminum-induced crystallization of sputtered amorphous silicon using scanning Auger microanalysis. Thin Solid Films, 2006, 510, 184-190.	0.8	4
187	Large-grain poly-crystalline silicon thin films prepared by aluminum-induced crystallization of sputter-deposited hydrogenated amorphous silicon. Journal of Materials Research, 2006, 21, 761-766.	1.2	9
188	Crystal growth of B ₁₂ As ₂ on SiC substrate by CVD method. Journal of Crystal Growth, 2005, 273, 431-438.	0.7	26
189	Cu-Ni composition gradient for the catalytic synthesis of vertically aligned carbon nanofibers. Carbon, 2005, 43, 1857-1863.	5.4	41
190	Scuffing transition diagrams for heavy duty diesel fuel injector materials in ultra low-sulfur fuel-lubricated environment. Wear, 2005, 259, 1031-1040.	1.5	30
191	Rapid tarnishing of silver nanoparticles in ambient laboratory air. Applied Physics B: Lasers and Optics, 2005, 80, 915-921.	1.1	190
192	Wet-chemical synthesis of zirconium oxyfluoride. Journal of Materials Science, 2005, 40, 2655-2658.	1.7	4
193	Growth and properties of Si-N-C-O nanocones and graphitic nanofibers synthesized using three-nanometer diameter iron/platinum nanoparticle-catalyst. Journal of Materials Research, 2005, 20, 850-855.	1.2	6
194	H α emission as a feedback control sensor for reactive sputter deposition of nano-structured, diamond-like carbon coatings. IEEE Transactions on Plasma Science, 2005, 33, 799-807.	0.6	3
195	Segregation-induced grain boundary premelting in nickel-doped tungsten. Applied Physics Letters, 2005, 87, 231902.	1.5	133
196	Auger Microscopy of Laser Induced Fe Oxide/Al Reaction Composite Coating. Surface Engineering, 2004, 20, 48-52.	1.1	4
197	Experimental secondary electron spectra under SEM conditions. Journal of Microscopy, 2004, 215, 77-85.	0.8	52
198	Thermally nitrided stainless steels for polymer electrolyte membrane fuel cell bipolar plates. Journal of Power Sources, 2004, 138, 79-85.	4.0	142

#	ARTICLE	IF	CITATIONS
199	Kinetics of borosilicate glass deposition. <i>Journal of Materials Research</i> , 2004, 19, 872-879.	1.2	1
200	The Durability of Various Crucible Materials for Aluminum Nitride Crystal Growth by Sublimation. <i>MRS Internet Journal of Nitride Semiconductor Research</i> , 2004, 9, 1.	1.0	15
201	Characteristics of wear particles produced during friction tests of conventional and unconventional disc brake materials. <i>Wear</i> , 2003, 255, 1261-1269.	1.5	94
202	Nitrogen impurity gettering in oxide dispersion ductilized chromium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 358, 243-254.	2.6	16
203	Fabrication and Characterization of Carbon Nanofiber-Based Vertically Integrated Schottky Barrier Junction Diodes. <i>Nano Letters</i> , 2003, 3, 1751-1755.	4.5	46
204	Micromechanical properties of a laser-induced iron oxide/aluminum matrix composite coating. <i>Journal of Materials Research</i> , 2003, 18, 833-839.	1.2	11
205	Surface microstructuring and long-range ordering of silicon nanoparticles. <i>Applied Physics Letters</i> , 2002, 80, 3799-3801.	1.5	15
206	Laser-induced nanoparticle ordering. <i>Journal of Materials Research</i> , 2002, 17, 2815-2822.	1.2	11
207	Microanalysis of alkali-activated fly ash/CH pastes. <i>Cement and Concrete Research</i> , 2002, 32, 963-972.	4.6	41
208	X-ray photoelectron spectroscopy of uv laser irradiated sapphire and alumina. <i>Journal of Materials Research</i> , 1994, 9, 2251-2257.	1.2	23
209	Surface reactivity and interface morphology for Ti growth on $YBa_2Cu_3O_{7-x}$, Y_2BaCuO_5 , and CuO . <i>Journal of Applied Physics</i> , 1990, 67, 1995-2002.	1.1	7
210	XPS study of chemical bonding at polyimide interfaces with metal and semiconductor overlayers. <i>Vacuum</i> , 1990, 40, 85-90.	1.6	9
211	CdTe(110) interface formation with reactive and nonreactive overlayers: Al, Ti, Pd, Ag, Au, In, and Ce. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1990, 8, 2055-2061.	0.9	9
212	O 2p holes: Temperature effects and surface characteristics of cuprate superconductors. <i>Physical Review B</i> , 1990, 41, 4201-4211.	1.1	26
213	Atom- and cluster-assembled interfaces: Cr growth on $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8+y}$. <i>Physical Review B</i> , 1990, 41, 11677-11680.	1.1	10
214	Reaction and stability of metal/silicide interfaces: $Ti/MoSi_2(001)$. <i>Applied Physics Letters</i> , 1990, 56, 671-673.	1.5	5
215	Ba oxides: Core level binding energies and defect-related Fermi level pinning. <i>Surface Science</i> , 1990, 225, 63-71.	0.8	41
216	Silicon interfaces with high temperature superconductors. <i>Surface Science</i> , 1990, 236, 377-384.	0.8	11

#	ARTICLE	IF	CITATIONS
217	Photoemission and inverse resonant photoemission studies of $Tl_2Ba_2Ca_2Cu_3O_{10+y}$. <i>Physical Review B</i> , 1989, 39, 7343-7346.	1.1	51
218	Single-crystal $YBa_2Cu_3O_{7-x}$ and $Bi_2Ca_{1+x}Sr_{2-x}Cu_2O_{8+y}$ surfaces and Ag adatom-induced modification. <i>Journal of Applied Physics</i> , 1989, 65, 3130-3135.	1.1	51
219	Photoemission and inverse-photoemission studies of $Ba_{1-x}K_xBiO_3^y$. <i>Physical Review B</i> , 1989, 40, 4532-4537.	1.1	41
220	Photoemission, inverse photoemission, and ab initio SCF investigations of the electronic structure of polyimide. <i>Chemical Physics Letters</i> , 1989, 164, 527-532.	1.2	15
221	Y, Ba, Cu, and Ti interface reactions with $SrTiO_3(100)$ surfaces. <i>Journal of Applied Physics</i> , 1989, 65, 4943-4950.	1.1	44
222	Valence bands, oxygen in planes and chains, and surface changes for single crystals of M_2CuO_4 and $MBa_2Cu_3O_x$ ($M=Pr, Nd, Eu, Gd$). <i>Physical Review B</i> , 1988, 38, 4668-4676.	1.1	101
223	X-ray photoemission investigations of clustering and electron emission, injection, and trapping at the gold/polyimide interface. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1988, 6, 30-37.	0.9	38
224	Empty electronic states of graphite and the growth of Au and Pd clusters. <i>Physical Review B</i> , 1988, 38, 3037-3044.	1.1	15
225	Semiconductor/polyimide interface formation: An x-ray photoelectron spectroscopy study of germanium chemical bonding. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1988, 6, 2175-2181.	0.9	15
226	Passivation of high T_c superconductor surfaces with CaF_2 and Bi, Al, and Si oxides. <i>Applied Physics Letters</i> , 1988, 53, 1657-1659.	1.5	56
227	Occupied electronic states of single-crystal $Bi_2Ca_{1+x}Sr_{2-x}Cu_2O_{8+y}$. <i>Physical Review B</i> , 1988, 38, 7144-7147.	1.1	83
228	Temperature-dependent x-ray photoemission studies of metastable Co/polyimide interface formation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1988, 6, 2205-2212.	0.9	34
229	Summary Abstract: X-ray photoemission investigation of electron injection and trapping at the gold/polyimide interface. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1988, 6, 1002-1004.	0.9	12
230	Electronic structures of the $YBa_2Cu_3O_{7-x}$ surface and its modification by sputtering and adatoms of Ti and Cu. <i>Physical Review B</i> , 1988, 38, 6500-6512.	1.1	104
231	Cu-induced surface disruption of $La_{1.85}Sr_{0.15}CuO_4$. <i>Physical Review B</i> , 1988, 37, 511-514.	1.1	25
232	Cu adatom interactions with single- and polycrystalline $Bi_2Ca_{1+x}Sr_{2-x}Cu_2O_{8+y}$ and $YBa_2Cu_3O_{7-x}$. <i>Physical Review B</i> , 1988, 38, 11331-11336.	1.1	38
233	Dynamics of polyimide curing and degradation: An in situ x-ray photoemission study. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1988, 6, 38-43.	0.9	36
234	Reactivity and passivation for Bi adatoms on $YBa_2Cu_3O_{6.9}$ and $Bi_2Ca_{1+x}Sr_{2-x}Cu_2O_{8+y}$. <i>Applied Physics Letters</i> , 1988, 53, 1004-1006.	1.5	37

#	ARTICLE	IF	CITATIONS
235	Spectroscopic examinations of surface stability of high-temperature superconductors. AIP Conference Proceedings, 1988, , .	0.3	0
236	Interface formation: High-temperature superconductors with noble metals, reactive transition metals, and semiconductors. AIP Conference Proceedings, 1988, , .	0.3	0
237	Oxygen withdrawal, copper valency, and interface reaction for Fe/La _{1.85} Sr _{0.15} CuO ₄ . Physical Review B, 1987, 36, 3979-3982.	1.1	35
238	Spectroscopic evidence for passivation of the La _{1.85} Sr _{0.15} CuO ₄ surface with gold. Applied Physics Letters, 1987, 51, 1118-1120.	1.5	30
239	Titanium-oxygen reaction at the Ti/La _{1.85} Sr _{0.15} CuO ₄ interface. Applied Physics Letters, 1987, 51, 1750-1752.	1.5	19
240	Aluminum/polyimide interface formation: An x-ray photoelectron spectroscopy study of selective chemical bonding. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1987, 5, 3325-3333.	0.9	117
241	Chemical and Mechanical Analysis of HDIS Residues Using Auger Electron Spectroscopy and Nanoindentation. Solid State Phenomena, 0, 145-146, 261-264.	0.3	2
242	Phase-Separated, Epitaxial, Nanostructured LaMnO ₃ +MgO Composite Cap Layer Films for Propagation of Pinning Defects in YBa ₂ Cu ₃ O _{7-δ} Coated Conductors. Applied Physics Express, 0, 2, 063008.	1.1	6
243	Fluorination of MXene by Elemental F ₂ as Electrode Material for Lithium-Ion Batteries. ChemSusChem, 0, , .	3.6	0