
Paul McCrone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/957627/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. Nature Genetics, 2018, 50, 381-389.	21.4	1,332
2	The Camberwell Assessment of Need: The Validity and Reliability of an Instrument to Assess the Needs of People with Severe Mental Illness. British Journal of Psychiatry, 1995, 167, 589-595.	2.8	739
3	Comparison of adaptive pacing therapy, cognitive behaviour therapy, graded exercise therapy, and specialist medical care for chronic fatigue syndrome (PACE): a randomised trial. Lancet, The, 2011, 377, 823-836.	13.7	734
4	Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: A revision of the 2005 guidelines from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2014, 28, 403-439.	4.0	511
5	An integrated palliative and respiratory care service for patients with advanced disease and refractory breathlessness: a randomised controlled trial. Lancet Respiratory Medicine,the, 2014, 2, 979-987.	10.7	464
6	Effectiveness and cost-effectiveness of home palliative care services for adults with advanced illness and their caregivers. The Cochrane Library, 2022, 2022, CD007760.	2.8	376
7	Cost-effectiveness of computerised cognitive-behavioural therapy for anxiety and depression in primary care: Randomised controlled trial. British Journal of Psychiatry, 2004, 185, 55-62.	2.8	297
8	Efficacy of ethyl-eicosapentaenoic acid in bipolar depression: Randomised double-blind placebo-controlled study. British Journal of Psychiatry, 2006, 188, 46-50.	2.8	278
9	Social Networks and Mental Health Service Utilisation - a Literature Review. International Journal of Social Psychiatry, 1998, 44, 248-266.	3.1	231
10	Effectiveness of a community-based intervention for people with schizophrenia and their caregivers in India (COPSI): a randomised controlled trial. Lancet, The, 2014, 383, 1385-1394.	13.7	207
11	The economic impact of mental health stigma and discrimination: A systematic review. Epidemiologia E Psichiatria Sociale, 2010, 19, 223-232.	0.9	178
12	Cognitive behavioural therapy for adults with dissociative seizures (CODES): a pragmatic, multicentre, randomised controlled trial. Lancet Psychiatry,the, 2020, 7, 491-505.	7.4	175
13	Caregiving in schizophrenia: development, internal consistency and reliability of the Involvement Evaluation Questionnaire – European Version. British Journal of Psychiatry, 2000, 177, s21-s27.	2.8	167
14	Is Short-Term Palliative Care Cost-Effective inÂMultiple Sclerosis? A Randomized Phase II Trial. Journal of Pain and Symptom Management, 2009, 38, 816-826.	1.2	166
15	Rationale and design. British Journal of Psychiatry, 1998, 173, 363-370.	2.8	159
16	Economic burden of multimorbidity among older adults: impact on healthcare and societal costs. BMC Health Services Research, 2016, 16, 173.	2.2	157
17	Impact on mental health care and on mental health service users of the COVID-19 pandemic: a mixed methods survey of UK mental health care staff. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 25-37.	3.1	157
18	A pilot randomised controlled trial of an Internet-based cognitive behavioural therapy self-management programme (MS Invigor8) for multiple sclerosis fatigue. Behaviour Research and Therapy, 2012, 50, 415-421.	3.1	155

#	Article	IF	CITATIONS
19	ls a specialist breathlessness service more effective and cost-effective for patients with advanced cancer and their carers than standard care? Findings of a mixed-method randomised controlled trial. BMC Medicine, 2014, 12, 194.	5.5	155
20	Adjuvant occupational therapy for work-related major depression works: randomized trial including economic evaluation. Psychological Medicine, 2007, 37, 351.	4.5	154
21	The Mental Health Consequences of the Recession: Economic Hardship and Employment of People with Mental Health Problems in 27 European Countries. PLoS ONE, 2013, 8, e69792.	2.5	151
22	Effect of early intervention on 5-year outcome in non-affective psychosis. British Journal of Psychiatry, 2010, 196, 372-376.	2.8	146
23	Cost-effectiveness of an early intervention service for people with psychosis. British Journal of Psychiatry, 2010, 196, 377-382.	2.8	144
24	Mental disorders among Somali refugees. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 400-408.	3.1	137
25	Assessing telephone-delivered cognitive–behavioural therapy (CBT) and web-delivered CBT versus treatment as usual in irritable bowel syndrome (ACTIB): a multicentre randomised trial. Gut, 2019, 68, gutjnl-2018-317805.	12.1	123
26	Reliability of the Camberwell Assessment of Need – European Version. British Journal of Psychiatry, 2000, 177, s34-s40.	2.8	122
27	Use of standardised outcome measures in adult mental health services. British Journal of Psychiatry, 2006, 189, 330-336.	2.8	121
28	Effectiveness and Cost-Effectiveness of Dialectical Behaviour Therapy for Self-Harming Patients with Personality Disorder: A Pragmatic Randomised Controlled Trial. Psychotherapy and Psychosomatics, 2012, 81, 356-365.	8.8	121
29	Distress improves after mindfulness training for progressive MS: A pilot randomised trial. Multiple Sclerosis Journal, 2015, 21, 1184-1194.	3.0	121
30	ls computerised CBT really helpful for adult depression?-A meta-analytic re-evaluation of CCBT for adult depression in terms of clinical implementation and methodological validity. BMC Psychiatry, 2013, 13, 113.	2.6	114
31	VOICE: Developing a new measure of service users' perceptions of inpatient care, using a participatory methodology. Journal of Mental Health, 2012, 21, 57-71.	1.9	112
32	Prevalence of Dementia in People Aged 60 Years and Above: Results from the WiSE Study. Journal of Alzheimer's Disease, 2015, 45, 1127-1138.	2.6	112
33	Social and clinical determinants of preferences and their achievement at the end of life: prospective cohort study of older adults receiving palliative care in three countries. BMC Geriatrics, 2017, 17, 271.	2.7	110
34	Post-migration geographical mobility, mental health and health service utilisation among Somali refugees in the UK: A qualitative study. Health and Place, 2006, 12, 503-515.	3.3	101
35	Supporting recovery in patients with psychosis through care by community-based adult mental health teams (REFOCUS): a multisite, cluster, randomised, controlled trial. Lancet Psychiatry,the, 2015, 2, 503-514.	7.4	99
36	The Maudsley long-term follow-up of child and adolescent depression. British Journal of Psychiatry, 2002, 180, 19-23.	2.8	97

#	Article	IF	CITATIONS
37	Multiple Sclerosis in the UK. Pharmacoeconomics, 2008, 26, 847-860.	3.3	96
38	The eSMART study protocol: a randomised controlled trial to evaluate electronic symptom management using the advanced symptom management system (ASyMS) remote technology for patients with cancer. BMJ Open, 2017, 7, e015016.	1.9	96
39	Randomized controlled trial of computerized cognitive behavioural therapy for depressive symptoms: effectiveness and costs of a workplace intervention. Psychological Medicine, 2014, 44, 741-752.	4.5	94
40	The clinical and cost effectiveness of a Breathlessness Intervention Service for patients with advanced non-malignant disease and their informal carers: mixed findings of a mixed method randomised controlled trial. Trials, 2016, 17, 185.	1.6	94
41	Improving the Efficiency of Psychotherapy for Depression: Computer-Assisted Versus Standard CBT. American Journal of Psychiatry, 2018, 175, 242-250.	7.2	93
42	The economic cost of chronic fatigue and chronic fatigue syndrome in UK primary care. Psychological Medicine, 2003, 33, 253-261.	4.5	91
43	Nurse and patient activities and interaction on psychiatric inpatients wards: A literature review. International Journal of Nursing Studies, 2010, 47, 909-917.	5.6	90
44	Symptoms and Quality of Life in Late Stage Parkinson Syndromes: A Longitudinal Community Study of Predictive Factors. PLoS ONE, 2012, 7, e46327.	2.5	83
45	Supported employment: randomised controlled trial. British Journal of Psychiatry, 2010, 196, 404-411.	2.8	82
46	Real time remote symptom monitoring during chemotherapy for cancer: European multicentre randomised controlled trial (eSMART). BMJ, The, 2021, 374, n1647.	6.0	81
47	Consequences of Untreated Posttraumatic Stress Disorder Following War in Former Yugoslavia: Morbidity, Subjective Quality of Life, and Care Costs. Croatian Medical Journal, 2009, 50, 465-475.	0.7	80
48	The Effectiveness of a Patient-Centred Assessment with a Solution-Focused Approach (DIALOG+) for Patients with Psychosis: A Pragmatic Cluster-Randomised Controlled Trial in Community Care. Psychotherapy and Psychosomatics, 2015, 84, 304-313.	8.8	79
49	Mental health needs, service use and costs among Somali refugees in the UK. Acta Psychiatrica Scandinavica, 2005, 111, 351-357.	4.5	77
50	COgnitive behavioural therapy vs standardised medical care for adults with Dissociative non-Epileptic Seizures (CODES): a multicentre randomised controlled trial protocol. BMC Neurology, 2015, 15, 98.	1.8	77
51	Characteristics associated with quality of life among people with drug-resistant epilepsy. Journal of Neurology, 2017, 264, 1174-1184.	3.6	77
52	Structured lifestyle education for people with schizophrenia, schizoaffective disorder and first-episode psychosis (STEPWISE): randomised controlled trial. British Journal of Psychiatry, 2019, 214, 63-73.	2.8	77
53	Alzheimer's disease in the UK: comparative evidence on cost of illness and volume of health services research funding. International Journal of Geriatric Psychiatry, 2001, 16, 1143-1148.	2.7	76
54	A comparison of needs of patients with schizophrenia in five European countries: the EPSILON Study. Acta Psychiatrica Scandinavica, 2001, 103, 370-379.	4.5	75

#	Article	IF	CITATIONS
55	Tailored online cognitive behavioural therapy with or without therapist support calls to target psychological distress in adults receiving haemodialysis: A feasibility randomised controlled trial. Journal of Psychosomatic Research, 2017, 102, 61-70.	2.6	73
56	Improving distress in dialysis (iDiD): a feasibility two-arm parallel randomised controlled trial of an online cognitive behavioural therapy intervention with and without therapist-led telephone support for psychological distress in patients undergoing haemodialysis. BMJ Open, 2016, 6, e011286.	1.9	72
57	Predicting the cost of Parkinson's disease. Movement Disorders, 2007, 22, 804-812.	3.9	70
58	REFOCUS Trial: protocol for a cluster randomised controlled trial of a pro-recovery intervention within community based mental health teams. BMC Psychiatry, 2011, 11, 185.	2.6	70
59	The provision of care for residents dying in UK nursing care homes. Age and Ageing, 2014, 43, 375-379.	1.6	70
60	The reliability and validity of the forensic Camberwell Assessment of Need (CANFOR): a needs assessment for forensic mental health service users. International Journal of Methods in Psychiatric Research, 2008, 17, 111-120.	2.1	69
61	Cost–utility analysis of intravenous immunoglobulin and prednisolone for chronic inflammatory demyelinating polyradiculoneuropathy. European Journal of Neurology, 2003, 10, 687-694.	3.3	68
62	Social recovery therapy in combination with early intervention services for enhancement of social recovery in patients with first-episode psychosis (SUPEREDEN3): a single-blind, randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 41-50.	7.4	67
63	Cost-effectiveness of early intervention in psychosis: systematic review. British Journal of Psychiatry, 2019, 215, 388-394.	2.8	67
64	Social networks and service use among representative cases of psychosis in South London. British Journal of Psychiatry, 1997, 171, 15-19.	2.8	66
65	Variations in the quality and costs of end-of-life care, preferences and palliative outcomes for cancer patients by place of death: the QUALYCARE study. BMC Cancer, 2010, 10, 400.	2.6	66
66	The Cost of Relapse in Schizophrenia. Pharmacoeconomics, 2017, 35, 921-936.	3.3	64
67	Adaptive Pacing, Cognitive Behaviour Therapy, Graded Exercise, and Specialist Medical Care for Chronic Fatigue Syndrome: A Cost-Effectiveness Analysis. PLoS ONE, 2012, 7, e40808.	2.5	64
68	Cognitive behavioural therapy for irritable bowel syndrome: 24-month follow-up of participants in the ACTIB randomised trial. The Lancet Gastroenterology and Hepatology, 2019, 4, 863-872.	8.1	63
69	Community Psychiatric Nurse Teams: Cost-effectiveness of Intensive Support Versus Generic Care. British Journal of Psychiatry, 1994, 165, 218-221.	2.8	60
70	Randomized controlled trial of supported employment in England: 2 year followâ€up of the Supported Work and Needs (SWAN) study. World Psychiatry, 2011, 10, 132-137.	10.4	59
71	Deinstitutionalised patients, homelessness and imprisonment: Systematic review. British Journal of Psychiatry, 2016, 208, 421-428.	2.8	59
72	Economic evaluation of a crisis resolution service: A randomised controlled trial. Epidemiologia E Psichiatria Sociale, 2009, 18, 54-58.	0.9	58

#	Article	IF	CITATIONS
73	Quality of life, autonomy, satisfaction, and costs associated with mental health supported accommodation services in England: a national survey. Lancet Psychiatry,the, 2016, 3, 1129-1137.	7.4	58
74	Cost Effectiveness of Memantine in Alzheimer???s Disease. Drugs and Aging, 2004, 21, 607-620.	2.7	57
75	The effect of using high facilitation when implementing the Gold Standards Framework in Care Homes programme: A cluster randomised controlled trial. Palliative Medicine, 2014, 28, 1099-1109.	3.1	55
76	A scoping review of the problems and solutions associated with contamination in trials of complex interventions in mental health. BMC Medical Research Methodology, 2019, 19, 4.	3.1	55
77	A comparison of SF-6D and EQ-5D utility scores in a study of patients with schizophrenia. Journal of Mental Health Policy and Economics, 2009, 12, 27-31.	0.6	53
78	Utilisation and costs of community mental health services. British Journal of Psychiatry, 1998, 173, 391-398.	2.8	51
79	Characteristics of 698 patients with dissociative seizures: A <scp>UK</scp> multicenter study. Epilepsia, 2019, 60, 2182-2193.	5.1	51
80	Capturing the Costs of End-of-Life Care: Comparisons of Multiple Sclerosis, Parkinson's Disease, and Dementia. Journal of Pain and Symptom Management, 2009, 38, 62-67.	1.2	50
81	Service use and costs of people with dual diagnosis in South London. Acta Psychiatrica Scandinavica, 2000, 101, 464-472.	4.5	47
82	The Cost Effectiveness of Long-Acting/Extended-Release Antipsychotics for the Treatment of Schizophrenia. Applied Health Economics and Health Policy, 2013, 11, 95-106.	2.1	47
83	Layers of listening: Qualitative analysis of the impact of early intervention services for first-episode psychosis on carers' experiences. British Journal of Psychiatry, 2015, 207, 135-142.	2.8	47
84	How do patients referred to neurologists for headache differ from those managed in primary care?. British Journal of General Practice, 2007, 57, 388-95.	1.4	47
85	Diagnosis and length of psychiatric in-patient stay. Psychological Medicine, 1994, 24, 1025-1030.	4.5	44
86	Core outcome measures for exercise studies in people with multiple sclerosis: recommendations from a multidisciplinary consensus meeting. Multiple Sclerosis Journal, 2014, 20, 1641-1650.	3.0	44
87	Impact of community mental health services on users' social networks. British Journal of Psychiatry, 1998, 173, 404-408.	2.8	43
88	Collaborative community based care for people and their families living with schizophrenia in India: protocol for a randomised controlled trial. Trials, 2011, 12, 12.	1.6	42
89	Clinical effectiveness of a staff training intervention in mental health inpatient rehabilitation units designed to increase patients' engagement in activities (the Rehabilitation Effectiveness for Activities) Tj ETQq	1 1 0,7843 7.4	14 rgBT /Ove 42
	38-48.		
90	Early intervention for firstâ€episode psychosis: broadening the scope of economic estimates. Microbial Biotechnology, 2016, 10, 144-151.	1.7	42

#	Article	IF	CITATIONS
91	Improving patient experiences of mental health inpatient care: a randomised controlled trial. Psychological Medicine, 2018, 48, 488-497.	4.5	42
92	Integrated Care for Co-occurring Disorders: Psychiatric Symptoms, Social Functioning, and Service Costs at 18 Months. Psychiatric Services, 2008, 59, 276-282.	2.0	41
93	Long-Term Impact of War on Healthcare Costs: An Eight-Country Study. PLoS ONE, 2012, 7, e29603.	2.5	41
94	Predictors of length of stay in psychiatry: analyses of electronic medical records. BMC Psychiatry, 2015, 15, 238.	2.6	41
95	More severe mental illness is more concentrated in deprived areas. British Journal of Psychiatry, 1999, 175, 544-548.	2.8	40
96	The REACT Study: Cost-Effectiveness Analysis of Assertive Community Treatment in North London. Psychiatric Services, 2009, 60, 908-913.	2.0	40
97	Study Protocol: Phase III single-blinded fast-track pragmatic randomised controlled trial of a complex intervention for breathlessness in advanced disease. Trials, 2011, 12, 130.	1.6	40
98	Cost-Effectiveness of Individual versus Group Psychotherapy for Sexually Abused Girls. Child and Adolescent Mental Health, 2005, 10, 26-31.	3.5	39
99	The Maudsley long-term follow-up of child and adolescent depression. European Child and Adolescent Psychiatry, 2005, 14, 407-413.	4.7	39
100	Improving Cost-effectiveness and Access to Cognitive Behavior Therapy for Depression: Providing Remote-Ready, Computer-Assisted Psychotherapy in Times of Crisis and Beyond. Psychotherapy and Psychosomatics, 2020, 89, 307-313.	8.8	39
101	Structured lifestyle education to support weight loss for people with schizophrenia, schizoaffective disorder and first episode psychosis: the STEPWISE RCT. Health Technology Assessment, 2018, 22, 1-160.	2.8	39
102	Variations in the cost of formal and informal health care for patients with advanced chronic disease and refractory breathlessness: A cross-sectional secondary analysis. Palliative Medicine, 2017, 31, 369-377.	3.1	38
103	Clinical outcomes and costs for people with complex psychosis; a naturalistic prospective cohort study of mental health rehabilitation service users in England. BMC Psychiatry, 2016, 16, 95.	2.6	36
104	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. Trials, 2018, 19, 193.	1.6	36
105	The UPBEAT Nurse-Delivered Personalized Care Intervention for People with Coronary Heart Disease Who Report Current Chest Pain and Depression: A Randomised Controlled Pilot Study. PLoS ONE, 2014, 9, e98704.	2.5	35
106	Home care by general practitioners for cancer patients in the last 3 months of life: An epidemiological study of quality and associated factors. Palliative Medicine, 2016, 30, 64-74.	3.1	35
107	Cognitive remediation therapy for patients with bipolar disorder: A randomised proofâ€ofâ€concept trial. Bipolar Disorders, 2021, 23, 196-208.	1.9	35
108	Cost-effectiveness of cognitive behavioural therapy, graded exercise and usual care for patients with chronic fatigue in primary care. Psychological Medicine, 2004, 34, 991-999.	4.5	34

#	Article	IF	CITATIONS
109	Development, effectiveness and cost-effectiveness of a new out-patient Breathlessness Support Service: study protocol of a phase III fast-track randomised controlled trial. BMC Pulmonary Medicine, 2012, 12, 58.	2.0	34
110	Factors Associated with Transition from Community Settings to Hospital as Place of Death for Adults Aged 75 and Older: A Populationâ€Based Mortality Followâ€Back Survey. Journal of the American Geriatrics Society, 2016, 64, 2210-2217.	2.6	34
111	Clinical- and Cost-Effectiveness of a Nurse Led Self-Management Intervention to Reduce Emergency Visits by People with Epilepsy. PLoS ONE, 2014, 9, e90789.	2.5	34
112	Posttraumatic stress disorder (PTSD) in the armed forces: Health economic considerations. Journal of Traumatic Stress, 2003, 16, 519-522.	1.8	33
113	Factors associated with use of psychiatric intensive care and seclusion in adult inpatient mental health services. Epidemiology and Psychiatric Sciences, 2018, 27, 51-61.	3.9	33
114	Exploratory cluster randomised controlled trial of shared care development for long-term mental illness. British Journal of General Practice, 2004, 54, 259-66.	1.4	33
115	Evolving service interventions in Nunhead and Norwood. British Journal of Psychiatry, 1998, 173, 371-375.	2.8	32
116	Service use and costs for people with headache: a UK primary care study. Journal of Headache and Pain, 2011, 12, 617-623.	6.0	32
117	Assessing Cognitive behavioural Therapy in Irritable Bowel (ACTIB): protocol for a randomised controlled trial of clinical-effectiveness and cost-effectiveness of therapist delivered cognitive behavioural therapy and web-based self-management in irritable bowel syndrome in adults. BMJ Open, 2015. 5. e008622.	1.9	32
118	Cost-of-Illness Studies for Bipolar Disorder: Systematic Review of International Studies. Pharmacoeconomics, 2015, 33, 341-353.	3.3	32
119	Economic impact of services for firstâ€episode psychosis: a decision model approach. Microbial Biotechnology, 2009, 3, 266-273.	1.7	31
120	Predictors of mental health service costs for representative cases of psychosis in south London. Psychological Medicine, 1998, 28, 159-164.	4.5	30
121	Effectiveness of structured patient-clinician communication with a solution focused approach (DIALOG+) in community treatment of patients with psychosis – a cluster randomised controlled trial. BMC Psychiatry, 2013, 13, 173.	2.6	30
122	Self-Management education for adults with poorly controlled epILEpsy (SMILE (UK)): a randomised controlled trial protocol. BMC Neurology, 2014, 14, 69.	1.8	30
123	The effects of an Audio Visual Assisted Therapy Aid for Refractory auditory hallucinations (AVATAR) Tj ETQq1 1 C	.784314 ı 1.6	gBT/Overloc
124	Predictors of moving on from mental health supported accommodation in England: national cohort study. British Journal of Psychiatry, 2020, 216, 331-337.	2.8	29
125	A work time study analysing differences in resource use between psychiatric inpatients. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1309-1315.	3.1	28
126	Adaptation and Implementation of a Mobile Phone–Based Remote Symptom Monitoring System for People With Cancer in Europe. JMIR Cancer, 2019, 5, e10813.	2.4	28

#	Article	IF	CITATIONS
127	A new GP with special interest headache service: observational study. British Journal of General Practice, 2008, 58, 478-483.	1.4	27
128	Enhancing adoptive parenting: A randomized controlled trial. Clinical Child Psychology and Psychiatry, 2010, 15, 529-542.	1.6	27
129	The effect of counselling, graded exercise and usual care for people with chronic fatigue in primary care: a randomized trial. Psychological Medicine, 2012, 42, 2217-2224.	4.5	27
130	The economic impact of early intervention in psychosis services for children and adolescents. Microbial Biotechnology, 2013, 7, 368-373.	1.7	27
131	A comparison of the responsiveness of EQ-5D-5L and the QOLIE-31P and mapping of QOLIE-31P to EQ-5D-5L in epilepsy. European Journal of Health Economics, 2018, 19, 861-870.	2.8	27
132	Therapist telephone-delivered CBT and web-based CBT compared with treatment as usual in refractory irritable bowel syndrome: the ACTIB three-arm RCT. Health Technology Assessment, 2019, 23, 1-154.	2.8	27
133	Inpatient care 50Âyears after the process of deinstitutionalisation. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 665-671.	3.1	26
134	Expanding the role of radiographers in reporting suspected lung cancer: A cost-effectiveness analysis using a decision tree model. Radiography, 2017, 23, 273-278.	2.1	26
135	The economic impact of initiatives to reduce stigma: demonstration of a modelling approach. Epidemiologia E Psichiatria Sociale, 2010, 19, 131-139.	0.9	25
136	The Economic Cost of Patients With Migraine Headache Referred to Specialist Clinics. Headache, 2018, 58, 287-294.	3.9	25
137	Critical time Intervention for Severely mentally ill Prisoners (CrISP): a randomised controlled trial. Health Services and Delivery Research, 2017, 5, 1-138.	1.4	25
138	Economic Evaluation of Mental Health Interventions: A Guide to Costing Approaches. Pharmacoeconomics, 2016, 34, 651-664.	3.3	24
139	Clinical and cost implications of using immediate MRI in the management of patients with a suspected scaphoid fracture and negative radiographs results from the SMaRT trial. Bone and Joint Journal, 2019, 101-B, 984-994.	4.4	24
140	Psychological and demographic characteristics of 368 patients with dissociative seizures: data from the CODES cohort. Psychological Medicine, 2021, 51, 2433-2445.	4.5	24
141	Seclusion and Psychiatric Intensive Care Evaluation Study (SPICES): combined qualitative and quantitative approaches to the uses and outcomes of coercive practices in mental health services. Health Services and Delivery Research, 2017, 5, 1-116.	1.4	24
142	Cost-effectiveness of cognitive behaviour therapy in addition to mebeverine for irritable bowel syndrome. European Journal of Gastroenterology and Hepatology, 2008, 20, 255-263.	1.6	23
143	Modelling the cost-effectiveness of pharmacotherapy compared with cognitive–behavioural therapy and combination therapy for the treatment of moderate to severe depression in the UK. Psychological Medicine, 2015, 45, 3019-3031.	4.5	23
144	A behavioural change package to prevent hand dermatitis in nurses working in the national health service (the SCIN trial): study protocol for a cluster randomised controlled trial. Trials, 2016, 17, 145.	1.6	23

#	Article	IF	CITATIONS
145	Does the EQ-5D capture the concerns measured by the Palliative care Outcome Scale? Mapping the Palliative care Outcome Scale onto the EQ-5D using statistical methods. Palliative Medicine, 2017, 31, 716-725.	3.1	23
146	The cost of child and adolescent mental health services. Lancet Psychiatry, the, 2018, 5, 299-300.	7.4	23
147	Self-Management education for adults with poorly controlled epILEpsy [SMILE (UK)]: a randomised controlled trial. Health Technology Assessment, 2018, 22, 1-142.	2.8	23
148	Economic evaluation of early intervention services. British Journal of Psychiatry, 2007, 191, s19-s22.	2.8	22
149	Pilot randomised trial of a brief intervention for comorbid substance misuse in psychiatric inâ€patient settings. Acta Psychiatrica Scandinavica, 2016, 133, 298-309.	4.5	22
150	Acceptability and use of coercive methods across differing service configurations with and without seclusion and/or psychiatric intensive care units. Journal of Advanced Nursing, 2017, 73, 966-976.	3.3	22
151	Reducing weight and increasing physical activity in people at high risk of cardiovascular disease: a randomised controlled trial comparing the effectiveness of enhanced motivational interviewing intervention with usual care. Heart, 2020, 106, 447-454.	2.9	22
152	Economic Impact of Early Detection and Early Intervention of Psychosis. Current Pharmaceutical Design, 2012, 18, 592-595.	1.9	21
153	How much does mental health discrimination cost: valuing experienced discrimination in relation to healthcare care costs and community participation. Epidemiology and Psychiatric Sciences, 2015, 24, 423-434.	3.9	21
154	The Societal Cost of Dementia in Singapore: Results from the WiSE Study. Journal of Alzheimer's Disease, 2016, 51, 439-449.	2.6	21
155	Cost-effectiveness of care for people with psychosis in the community and psychiatric hospitals in the Czech Republic: an economic analysis. Lancet Psychiatry,the, 2018, 5, 1023-1031.	7.4	21
156	The Camberwell Assessment of Need: comparison of assessments by staff and patients in an inner-city and a semi-rural community area. Psychiatric Bulletin, 2005, 29, 13-17.	0.3	20
157	Following the Francis report: Investigating patient experience of mental health in-patient care. British Journal of Psychiatry, 2016, 209, 35-39.	2.8	20
158	The effectiveness of a group selfâ€management education course for adults with poorly controlled epilepsy, SMILE (UK): A randomized controlled trial. Epilepsia, 2018, 59, 1048-1061.	5.1	20
159	Early intervention in psychosis: health economic evaluation using the net benefit approach in a real-world setting. British Journal of Psychiatry, 2020, 217, 484-490.	2.8	20
160	Clinical effectiveness and cost-effectiveness of body psychotherapy in the treatment of negative symptoms of schizophrenia: a multicentre randomised controlled trial. Health Technology Assessment, 2016, 20, 1-100.	2.8	20
161	A multicentre randomiSed controlled TRial of IntraVEnous immunoglobulin compared with standard therapy for the treatment of transverse myelitis in adults and children (STRIVE). Health Technology Assessment, 2017, 21, 1-50.	2.8	20
162	Computerâ€Aided Selfâ€Exposure Therapy for Phobia/Panic Disorder: A Pilot Economic Evaluation. Cognitive Behaviour Therapy, 2009, 38, 91-99.	3.5	19

#	Article	IF	CITATIONS
163	A cost-consequence analysis of long-acting injectable risperidone in schizophrenia: A one-year mirror-image study with national claim-based database in Taiwan. Journal of Psychiatric Research, 2012, 46, 751-756.	3.1	19
164	The Cognitive Remediation in Bipolar (CRiB) pilot study: study protocol for a randomised controlled trial. Trials, 2016, 17, 371.	1.6	19
165	The economic cost of treatment-resistant depression in patients referred to a specialist service. Journal of Mental Health, 2018, 27, 567-573.	1.9	19
166	Predicting the Costs of Community Care for Individuals With Severe Mental Illness in South London. Schizophrenia Bulletin, 2001, 27, 653-660.	4.3	18
167	A randomised trial of adaptive pacing therapy, cognitive behaviour therapy, graded exercise, and specialist medical care for chronic fatigue syndrome (PACE): statistical analysis plan. Trials, 2013, 14, 386.	1.6	18
168	Costs of caring for adults with long-term neurological conditions. Journal of Rehabilitation Medicine, 2013, 45, 653-661.	1.1	18
169	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. BMJ Open, 2015, 5, e008996.	1.9	18
170	Protocol for a multicentre randomiSed controlled TRial of IntraVEnous immunoglobulin versus standard therapy for the treatment of transverse myelitis in adults and children (STRIVE). BMJ Open, 2015, 5, e008312-e008312.	1.9	18
171	Feasibility Randomised Trial Comparing Two Forms of Mental Health Supported Accommodation (Supported Housing and Floating Outreach); a Component of the QuEST (Quality and Effectiveness of) Tj ETQq	1 1 D 7843	3141ægBT /Ov
172	Effect of the Connecting People Intervention on Social Capital: A Pilot Study. Research on Social Work Practice, 2019, 29, 483-494.	1.9	18
173	Predicting mental health service use: Diagnosis based systems and alternatives. Journal of Mental Health, 1995, 4, 31-40.	1.9	17
174	Ethnic Differences in Mental Health Service Use Among Patients with Psychotic Disorders. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 771-776.	3.1	17
175	The costs of early intervention in psychosis: Restoring the balance. Australian and New Zealand Journal of Psychiatry, 2012, 46, 808-811.	2.3	17
176	Economic evaluation of audio based resilience training for depression in primary care. Journal of Affective Disorders, 2013, 149, 307-312.	4.1	17
177	Enhanced motivational interviewing for reducing weight and increasing physical activity in adults with high cardiovascular risk: the MOVE IT three-arm RCT. Health Technology Assessment, 2019, 23, 1-144.	2.8	17
178	Self-management education for adults with poorly controlled epilepsy (SMILE (UK)): statistical, economic and qualitative analysis plan for a randomised controlled trial. Trials, 2015, 16, 269.	1.6	16
179	Cost drivers of inpatient mental health care: a systematic review. Epidemiology and Psychiatric Sciences, 2015, 24, 78-89.	3.9	16
180	Effectiveness of one-to-one volunteer support for patients with psychosis: protocol of a randomised controlled trial. BMJ Open, 2016, 6, e011582.	1.9	16

#	Article	IF	CITATIONS
181	Response to the editorial by Dr Geraghty. Journal of Health Psychology, 2017, 22, 1113-1117.	2.3	16
182	The CIRCuiTS study (Implementation of cognitive remediation in early intervention services): protocol for a randomised controlled trial. Trials, 2018, 19, 183.	1.6	16
183	Rationale and design of: A Randomized tRial of Expedited transfer to a cardiac arrest center for non-ST elevation out-of-hospital cardiac arrest: The ARREST randomized controlled trial. American Heart Journal, 2018, 204, 92-101.	2.7	16
184	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. BMC Medicine, 2019, 17, 161.	5.5	16
185	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. Health Technology Assessment, 2019, 23, 1-108.	2.8	16
186	Improving risk management for violence in mental health services: a multimethods approach. Programme Grants for Applied Research, 2016, 4, 1-408.	1.0	16
187	Effective patient–clinician interaction to improve treatment outcomes for patients with psychosis: a mixed-methods design. Programme Grants for Applied Research, 2017, 5, 1-160.	1.0	16
188	Comparing the effectiveness of an enhanced MOtiVational intErviewing InTervention (MOVE IT) with usual care for reducing cardiovascular risk in high risk subjects: study protocol for a randomised controlled trial. Trials, 2015, 16, 112.	1.6	15
189	Effectiveness and cost-effectiveness of home palliative care services for adults with advanced illness and their caregivers. Sao Paulo Medical Journal, 2016, 134, 93-94.	0.9	15
190	Impact of a crisis resolution team on service costs in the UK. Psychiatric Bulletin, 2009, 33, 17-19.	0.3	14
191	Determinants of per diem Hospital Costs in Mental Health. PLoS ONE, 2016, 11, e0152669.	2.5	14
192	Development of a Patient-Reported Palliative Care-Specific Health Classification System: The POS-E. Patient, 2017, 10, 353-365.	2.7	14
193	Understanding barriers and outcomes of unspecified (non-directed altruistic) kidney donation from both professional's and patient's perspectives: research protocol for a national multicentre mixed-methods prospective cohort study. BMJ Open, 2017, 7, e015971.	1.9	14
194	Psychoeducation and Problem Solving (PEPS) Therapy for Adults With Personality Disorder: A Pragmatic Randomized-Controlled Trial. Journal of Personality Disorders, 2017, 31, 810-826.	1.4	14
195	Care pathways for people with major depressive disorder: A European Brain Council Value of Treatment study. European Psychiatry, 2022, 65, .	0.2	14
196	Mental health economics: current methodological issues. Epidemiology and Psychiatric Sciences, 2011, 20, 239-243.	3.9	13
197	Service Use and Costs for People with Long-Term Neurological Conditions in the First Year following Discharge from In-Patient Neuro-Rehabilitation: A Longitudinal Cohort Study. PLoS ONE, 2014, 9, e113056.	2.5	13
198	Measuring the economic costs of discrimination experienced by people with mental health problems: development of the Costs of Discrimination Assessment (CODA). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 787-795.	3.1	13

#	Article	IF	CITATIONS
199	The economic costs of mental healthâ€related discrimination. Acta Psychiatrica Scandinavica, 2016, 134, 34-44.	4.5	13
200	COgnitive behavioural therapy versus standardised medical care for adults with Dissociative non-Epileptic Seizures (CODES): statistical and economic analysis plan for a randomised controlled trial. Trials, 2017, 18, 258.	1.6	13
201	Persistent physical symptoms reduction intervention: a system change and evaluation in secondary care (PRINCE secondary) – a CBT-based transdiagnostic approach: study protocol for a randomised controlled trial. BMC Psychiatry, 2019, 19, 307.	2.6	13
202	A behaviour change package to prevent hand dermatitis in nurses working in the National Health Service: results of a cluster randomized controlled trial. British Journal of Dermatology, 2020, 183, 462-470.	1.5	13
203	The Economic Costs of Progressive Supranuclear Palsy and Multiple System Atrophy in France, Germany and the United Kingdom. PLoS ONE, 2011, 6, e24369.	2.5	13
204	Patients' Experiences of Telephone-Based and Web-Based Cognitive Behavioral Therapy for Irritable Bowel Syndrome: Longitudinal Qualitative Study. Journal of Medical Internet Research, 2020, 22, e18691.	4.3	13
205	How do psychiatric patients on prison healthcare centres differ from inpatients in secure psychiatric inpatient units?. Psychology, Crime and Law, 2009, 15, 729-742.	1.0	12
206	STEPWISE – STructured lifestyle Education for People WIth SchizophrEnia: a study protocol for a randomised controlled trial. Trials, 2016, 17, 475.	1.6	12
207	Coping with Unusual ExperienceS for 12–18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. Trials. 2017. 18. 586.	1.6	12
208	Training the Frontline Workforce to Deliver Evidence-Based Therapy to People With Psychosis: Challenges in the GOALS Study. Psychiatric Services, 2018, 69, 9-11.	2.0	12
209	Costâ€effectiveness of early intervention services for psychosis and fidelity to national policy implementation guidance. Microbial Biotechnology, 2018, 12, 747-756.	1.7	12
210	Stratified medicine in schizophrenia: how accurate would a test of drug response need to be to achieve cost-effective improvements in quality of life?. European Journal of Health Economics, 2019, 20, 1425-1435.	2.8	12
211	Graded Exercise Therapy Guided Self-Help Trial for Patients with Chronic Fatigue Syndrome (GETSET): Protocol for a Randomized Controlled Trial and Interview Study. JMIR Research Protocols, 2016, 5, e70.	1.0	12
212	Health economic measures in schizophrenia research. British Journal of Psychiatry, 2007, 191, s42-s45.	2.8	11
213	Cognitive interviewing of bereaved relatives to improve the measurement of health outcomes and care utilisation at the end of life in a mortality followback survey. Supportive Care in Cancer, 2013, 21, 2835-2844.	2.2	11
214	Cost-effectiveness of active monitoring versus antidepressants for major depression in primary health care: a 12-month non-randomized controlled trial (INFAP study). BMC Psychiatry, 2015, 15, 63.	2.6	11
215	Integrating electronic healthcare records of armed forces personnel: Developing a framework for evaluating health outcomes in England, Scotland and Wales. International Journal of Medical Informatics, 2018, 113, 17-25.	3.3	11
216	Improving implementation of evidence based practice for people with psychosis through training the wider workforce: Results of the GOALS feasibility randomised controlled trial. Journal of Behavior Therapy and Experimental Psychiatry, 2018, 59, 121-128.	1.2	11

#	Article	IF	CITATIONS
217	The economic evidence for advanced imaging in the diagnosis of suspected scaphoid fractures: systematic review of evidence. Journal of Hand Surgery: European Volume, 2018, 43, 642-651.	1.0	11
218	A pilot study of an integrated mental health, social and medical model for diabetes care in an innerâ€city setting: Three Dimensions for Diabetes (3DFD). Diabetic Medicine, 2020, 37, 1658-1668.	2.3	11
219	Psychoeducation with problem-solving (PEPS) therapy for adults with personality disorder: a pragmatic randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of a manualised intervention to improve social functioning. Health Technology Assessment, 2016, 20, 1-250.	2.8	11
220	Uptake of welfare benefits by psychiatric patients. Psychiatric Bulletin, 1995, 19, 411-413.	0.3	10
221	Can an epilepsy nurse specialist-led self-management intervention reduce attendance at emergency departments and promote well-being for people with severe epilepsy? A non-randomised trial with a nested qualitative phase. Health Services and Delivery Research, 2013, 1, 1-128.	1.4	10
222	Interventions to improve social circumstances of people with mental health conditions: a rapid evidence synthesis. BMC Psychiatry, 2022, 22, 302.	2.6	10
223	Enhancing Adoptive Parenting: A Cost-Effectiveness Analysis. Child and Adolescent Mental Health, 2011, 16, 110-115.	3.5	9
224	IAPT is probably not cost-effective. British Journal of Psychiatry, 2013, 202, 383-383.	2.8	9
225	Exploring the factor structure of the Health of the Nation Outcomes Scale (HoNOS) in a sample of patients with schizophrenia, schizotypal and delusional disorders. Health and Quality of Life Outcomes, 2017, 15, 141.	2.4	9
226	Cost-Effectiveness of Immediate Magnetic Resonance Imaging In the Management of Patients With Suspected Scaphoid Fracture: Results From a Randomized Clinical Trial. Value in Health, 2020, 23, 1444-1452.	0.3	9
227	Predicting high-cost care in a mental health setting. BJPsych Open, 2020, 6, e10.	0.7	9
228	A Time Study of Physicians' Work in a German University Eye Hospital to Estimate Unit Costs. PLoS ONE, 2015, 10, e0121910.	2.5	9
229	The cost of providing end of life care for nursing care home residents: A retrospective cohort study. Health Services Management Research, 2015, 28, 16-23.	1.7	8
230	Predicting psychiatric inpatient costs. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 303-308.	3.1	8
231	Cognitive–behavioural therapy compared with standardised medical care for adults with dissociative non-epileptic seizures: the CODES RCT. Health Technology Assessment, 2021, 25, 1-144.	2.8	8
232	Cost-effectiveness of adherence therapy versus health education for people with schizophrenia: randomised controlled trial in four European countries. Cost Effectiveness and Resource Allocation, 2013, 11, 12.	1.5	7
233	Cost-effectiveness and cost-utility of selective serotonin reuptake inhibitors, serotonin norepinephrine reuptake inhibitors, and tricyclic antidepressants in depression with comorbid cardiovascular disease. Journal of Psychiatric Research, 2014, 54, 70-78.	3.1	7
234	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. Trials, 2016, 17, 515.	1.6	7

#	Article	IF	CITATIONS
235	Feasibility trial of a psychoeducational intervention for parents with personality difficulties: The Helping Families Programme. Contemporary Clinical Trials Communications, 2017, 8, 67-74.	1.1	7
236	Does Non-Adherence Increase Treatment Costs in Schizophrenia?. Pharmacoeconomics, 2018, 36, 941-955.	3.3	7
237	A case management occupational health model to facilitate earlier return to work of NHS staff with common mental health disorders: a feasibility study. Health Technology Assessment, 2021, 25, 1-94.	2.8	7
238	Impact of initial treatment outcome on long-term costs of depression: a 3-year nationwide follow-up study in Taiwan. Psychological Medicine, 2014, 44, 1147-1158.	4.5	6
239	Reducing outcome measures in mental health: a systematic review of the methods. Journal of Mental Health, 2016, 25, 461-472.	1.9	6
240	A cost comparison study of using global positioning system technology (electronic monitoring) in a medium secure forensic psychiatric service. Journal of Forensic Psychiatry and Psychology, 2017, 28, 57-69.	1.0	6
241	Cost-effectiveness of nurse-delivered cognitive behavioural therapy (CBT) compared to supportive listening (SL) for adjustment to multiple sclerosis. Health Economics Review, 2017, 7, 36.	2.0	6
242	Cost-effectiveness of antidepressants versus active monitoring for mild-to-moderate major depressive disorder: a multisite non-randomized-controlled trial in primary care (INFAP study). European Journal of Health Economics, 2019, 20, 703-713.	2.8	6
243	Health State Utility Values in Schizophrenia: A Systematic Review and Meta-Analysis. Value in Health, 2020, 23, 1256-1267.	0.3	6
244	Allocating resources in psychiatric hospitals according to casemix. Psychiatric Bulletin, 1994, 18, 212-213.	0.3	6
245	Where, When and What? A Time Study of Surgeons' Work in Urology. PLoS ONE, 2014, 9, e92979.	2.5	6
246	A behaviour change package to prevent hand dermatitis in nurses working in health care: the SCIN cluster RCT. Health Technology Assessment, 2019, 23, 1-92.	2.8	6
247	An intervention for parents with severe personality difficulties whose children have mental health problems: a feasibility RCT. Health Technology Assessment, 2020, 24, 1-188.	2.8	6
248	Real-world clinical and cost-effectiveness of community clozapine initiation: mirror cohort study. British Journal of Psychiatry, 2022, 221, 740-747.	2.8	6
249	A comparison of psychiatric casemix in the UK and Italy. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 432-436.	3.1	5
250	The development of a Local Index of Need (LIN) and its use to explain variations in social services expenditure on mental health care in England. Health and Social Care in the Community, 2006, 14, 254-263.	1.6	5
251	Comparisons of Costs between Black Caribbean and White British Patients with Advanced Multiple Sclerosis in the UK. Multiple Sclerosis International, 2014, 2014, 1-12.	0.8	5
252	Costâ€effectiveness of staffing levels on conflict and containment on psychiatric wards in England. Journal of Psychiatric and Mental Health Nursing, 2019, 26, 337-346.	2.1	5

#	Article	IF	CITATIONS
253	The Cost-Effectiveness of the Improving Access to Psychological Therapies (IAPT) Programme in Severe Mental Illness: A Decision Analytical Model Using Routine Data. Community Mental Health Journal, 2019, 55, 873-883.	2.0	5
254	Persistent physical symptoms reduction intervention: a system change and evaluation (PRINCE)—integrated GP care for persistent physical symptoms: protocol for a feasibility and cluster randomised waiting list, controlled trial. BMJ Open, 2019, 9, e025513.	1.9	5
255	Randomised feasibility trial of the helping families programme-modified: an intensive parenting intervention for parents affected by severe personality difficulties. BMJ Open, 2020, 10, e033637.	1.9	5
256	Evaluation of a personalised adherence intervention to improve photoprotection in adults with Xeroderma Pigmentosum (XP): protocol for the trial of XPAND. BMJ Open, 2019, 9, e028577.	1.9	5
257	Patient involvement in improving the evidence base on mental health inpatient care: the PERCEIVE programme. Programme Grants for Applied Research, 2018, 6, 1-182.	1.0	5
258	Patient Preferences for Antipsychotic Drug Side Effects: A Discrete Choice Experiment. Schizophrenia Bulletin Open, 2021, 2, .	1.7	5
259	Experience-based investigation and codesign of approaches to prevent and reduce Mental Health Act use (CO-PACT): a protocol. BMJ Open, 2022, 12, e060086.	1.9	5
260	Economic implications of shared care arrangements. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 553-9.	3.1	4
261	Service use and cost associated with caring for people with serious mental illness. Journal of Mental Health, 2005, 14, 37-47.	1.9	4
262	A survey to determine usual care after cancer treatment within the United Kingdom national health service. BMC Cancer, 2017, 17, 186.	2.6	4
263	Rationale and design of the SMaRT trial: A randomised, prospective, parallel, non-blinded, one-centre trial to evaluate the use of magnetic resonance imaging in acute setting in patients presenting with suspected scaphoid fracture. Clinical Trials, 2018, 15, 120-129.	1.6	4
264	The costâ€effectiveness implications of suboptimal treatment for different severities of Alzheimer's disease in the UK. International Journal of Geriatric Psychiatry, 2018, 33, 307-315.	2.7	4
265	Update to the study protocol, including statistical analysis plan, for the multicentre, randomised controlled OuTSMART trial: a combined screening/treatment programme to prevent premature failure of renal transplants due to chronic rejection in patients with HLA antibodies. Trials, 2019, 20, 476.	1.6	4
266	Efficacy of therapist-delivered transdiagnostic CBT for patients with persistent physical symptoms in secondary care: a randomised controlled trial. Psychological Medicine, 0, , 1-11.	4.5	4
267	Adaptation of the World Health Organization Electronic Mental Health Gap Action Programme Intervention Guide App for Mobile Devices in Nepal and Nigeria: Protocol for a Feasibility Cluster Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e24115.	1.0	4
268	Management by geographical area or management specialised by disorder? A mixed-methods evaluation of the effects of an organisational intervention on secondary mental health care for common mental disorder. Health Services and Delivery Research, 2016, 4, 1-114.	1.4	4
269	UPBEAT-UK: a programme of research into the relationship between coronary heart disease and depression in primary care patients. Programme Grants for Applied Research, 2016, 4, 1-172.	1.0	4
270	Management of chronic headache with referral from primary care to direct access to MRI compared with Neurology services: an observational prospective study in London. BMJ Open, 2020, 10, e036097.	1.9	4

#	Article	IF	CITATIONS
271	Health economics. British Journal of Psychiatry, 1997, 171, 191-193.	2.8	3
272	Social deprivation and the use of secure psychiatric beds. Journal of Forensic Psychiatry Psychology, 2001, 12, 434-445.	0.3	3
273	Service use and costs of supporting the most socially disabled patients in a hospital reprovision programme. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 656-661.	3.1	3
274	Cost-effectiveness of ethyl-eicosapentaenoic acid in the treatment of bipolar disorder. Therapeutic Advances in Psychopharmacology, 2013, 3, 73-81.	2.7	3
275	The Economic Impact of Mental Health Stigma. , 2017, , 401-414.		3
276	Integrated GP care for patients with persistent physical symptoms: feasibility cluster randomised trial. BMC Family Practice, 2020, 21, 207.	2.9	3
277	Impact on the use and cost of other services following intervention by an inpatient pathway homelessness team in an acute mental health hospital. Journal of Mental Health, 2022, 31, 325-331.	1.9	3
278	Guided graded exercise self-help for chronic fatigue syndrome: Long term follow up and cost-effectiveness following the GETSET trial. Journal of Psychosomatic Research, 2021, 146, 110484.	2.6	3
279	Location of care for people with serious mental illness (LOCAPE): implications for service use and costs using a mixed-methods approach. Health Services and Delivery Research, 2016, 4, 1-108.	1.4	3
280	Supported accommodation for people with mental health problems: the QuEST research programme with feasibility RCT. Programme Grants for Applied Research, 2019, 7, 1-82.	1.0	3
281	Social deprivation and the use of secure psychiatric beds. Journal of Forensic Psychiatry Psychology, 2001, 12, 434-445.	0.3	2
282	On the Use and Interpretation of Quantile Regression in Quality-of-Life Research. Pharmacoeconomics, 2014, 32, 225-227.	3.3	2
283	Changing nurses' views of the therapeutic environment: randomised controlled trial. BJPsych Open, 2019, 5, e17.	0.7	2
284	The impact of manic symptoms in firstâ€episode psychosis: Findings from the UK National EDEN study. Acta Psychiatrica Scandinavica, 2021, 144, 358-367.	4.5	2
285	Cost effectiveness of therapist delivered cognitive behavioural therapy and web-based self-management in irritable bowel syndrome: the ACTIB randomised trial. BMC Gastroenterology, 2021, 21, 276.	2.0	2
286	053â€The characteristics of emergency attendees for epilepsy in London hospitals. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, e1.219-e1.	1.9	1
287	Clozapine and patient safety. Lancet Psychiatry,the, 2014, 1, 8-9.	7.4	1
288	COGNITIVE BEHAVIOURAL THERAPY VS STANDARDISED MEDICAL CARE FOR ADULTS WITH DISSOCIATIVE NON-EPILEPTIC SEIZURES (CODES): AN RCT PROTOCOL. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, e3.17-e3.	1.9	1

#	Article	IF	CITATIONS
289	Cost of post-deployment screening for mental illness in the UK military: findings from a cluster randomised controlled trial. Journal of Mental Health, 2019, , 1-8.	1.9	1
290	An observational study to compare the utilisation of computed tomography colonography with optical colonoscopy as the first diagnostic imaging tool in patients with suspected colorectal cancer. Clinical Radiology, 2020, 75, 712.e23-712.e31.	1.1	1
291	Community interventions for people with complex emotional needs that meet the criteria for personality disorder diagnoses: systematic review of economic evaluations and expert commentary. BJPsych Open, 2021, 7, .	0.7	1
292	Developing and testing a case-management intervention to support the return to work of health care workers with common mental health disorders. Journal of Public Health, 2023, 45, e285-e295.	1.8	1
293	Making Rational Mental Health Services Edited by Michele Tansella. Rome: II Pensiero Scientifico Editore. 1997. 245 pp. ISBN 1-1211-89-X. British Journal of Psychiatry, 1998, 173, 277-277.	2.8	0
294	Information Systems and the Takeâ€up of Benefits by Mentally I11 People. Mental Health Review Journal, 1999, 4, 21-23.	0.7	0
295	Die EPSILON-Studie: Versorgung von Patienten mit Schizophrenic in fünf europächen Zentren. Zeitschrift Fur Gesundheitswissenschaften, 2002, 10, 72-94.	1.6	0
296	The economics of dementia. British Journal of Health Care Management, 2008, 14, 437-440.	0.2	0
297	P12â€Predictors of mood in amyotrophic lateral sclerosis: physical and psychological factors. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, e1.22-e1.	1.9	0
298	OP22â€Projections of Healthcare Costs in the Last Year of life for Older Cancer Patients in European Union Member States (2008-2030). Journal of Epidemiology and Community Health, 2012, 66, A9.1-A9.	3.7	0
299	Invited commentary … On poverty, politics and psychology. British Journal of Psychiatry, 2016, 209, 431-432.	2.8	0
300	'Money doesn't talk, it swears'. Journal of Mental Health, 2018, 27, 485-486.	1.9	0
301	Do welfare benefit reassessments of people with mental health conditions lead to worse mental health? A prospective cohort study. International Journal of Social Psychiatry, 2020, 66, 136-149.	3.1	0
302	Author's Reply. Value in Health, 2021, 24, 603.	0.3	0
303	Management of chronic headache with referral from primary care to direct access to MRI compared with Neurology services: an observational prospective study in London. BMJ Open, 2020, 10, e036097.	1.9	0

304 Does early intervention for psychosis services make economic sense?. Mental Health Today (brighton,) Tj ETQq0 0 0 rgBT /Overlock 10 T