Raimondas I MozuraÇtis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9576876/publications.pdf

Version: 2024-02-01

54 papers

810 citations

623734 14 h-index 25 g-index

55 all docs

55 docs citations

55 times ranked 995 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----------------------|---------------|
| 1 | A <i>Verticillium longisporum</i> pleiotropic drug transporter determines tolerance to the plant host βâ€pinene monoterpene. Molecular Plant Pathology, 2022, 23, 291-303. | 4.2 | 8 |
| 2 | Electroantennographic and Behavioural Responses of European Cherry Fruit Fly, Rhagoletis cerasi, to the Volatile Organic Compounds from Sour Cherry, Prunus cerasus, Fruit. Insects, 2022, 13, 114. | 2.2 | 6 |
| 3 | Volatiles Produced by Yeasts Related to Prunus avium and P. cerasus Fruits and Their Potentials to Modulate the Behaviour of the Pest Rhagoletis cerasi Fruit Flies. Journal of Fungi (Basel,) Tj ETQq1 1 0.784314 rg | gBT3/ .6 verlo | oc№10 Tf 50 6 |
| 4 | Sea Buckthorn Hippophae rhamnoides and Fruit Flies Rhagoletis batava: Search for Volatile Semiochemicals Involved in Pest Attraction. Horticulturae, 2022, 8, 179. | 2.8 | 0 |
| 5 | Chemical Composition of Fresh Leaves Headspace Aroma and Essential Oils of Four Coriander Cultivars. Frontiers in Plant Science, 2022, 13, 820644. | 3.6 | 5 |
| 6 | Battleground midgut: The cost to the mosquito for hosting the malaria parasite. Biology of the Cell, 2021, 113, 79-94. | 2.0 | 9 |
| 7 | Acaricidal activity against Ixodes ricinus nymphs of essential oils from the Libyan plants Artemisia herba alba, Origanum majorana and Juniperus phoenicea. Veterinary Parasitology: Regional Studies and Reports, 2021, 24, 100575. | 0.5 | 6 |
| 8 | Mycobiota in the Carposphere of Sour and Sweet Cherries and Antagonistic Features of Potential Biocontrol Yeasts. Microorganisms, 2021, 9, 1423. | 3.6 | 8 |
| 9 | Plasmodium metabolite HMBPP stimulates feeding of main mosquito vectors on blood and artificial toxic sources. Communications Biology, 2021, 4, 1161. | 4.4 | 4 |
| 10 | Hippophae rhamnoides berry related Pichia kudriavzevii yeast volatiles modify behaviour of Rhagoletis batava flies. Journal of Advanced Research, 2020, 21, 71-77. | 9.5 | 12 |
| 11 | Male swarming aggregation pheromones increase female attraction and mating success among multiple African malaria vector mosquito species. Nature Ecology and Evolution, 2020, 4, 1395-1401. | 7.8 | 40 |
| 12 | Composition of Strawberry Floral Volatiles and their Effects on Behavior of Strawberry Blossom Weevil, Anthonomus rubi. Journal of Chemical Ecology, 2020, 46, 1069-1081. | 1.8 | 13 |
| 13 | Fungal Microbiota of Sea Buckthorn Berries at Two Ripening Stages and Volatile Profiling of Potential Biocontrol Yeasts. Microorganisms, 2020, 8, 456. | 3.6 | 13 |
| 14 | Male-Produced (â^')-Î'-Heptalactone, Pheromone of Fruit Fly Rhagoletis batava (Diptera: Tephritidae), a Sea Buckthorn Berries Pest. Insects, 2020, 11, 138. | 2.2 | 7 |
| 15 | Identification of (Z)-8-Heptadecene and n-Pentadecane as Electrophysiologically Active Compounds in Ophrys insectifera and Its Argogorytes Pollinator. International Journal of Molecular Sciences, 2020, 21, 620. | 4.1 | 8 |
| 16 | Anti-aphrodisiac pheromone, a renewable signal in adult butterflies. Scientific Reports, 2019, 9, 14262. | 3.3 | 4 |
| 17 | The repellency and toxicity effects of essential oils from the Libyan plants Salvadora persica and Rosmarinus officinalis against nymphs of Ixodes ricinus. Experimental and Applied Acarology, 2019, 77, 585-599. | 1.6 | 15 |
| 18 | Can <i>Plasmodium</i> 's tricks for enhancing its transmission be turned against the parasite? New hopes for vector control. Pathogens and Global Health, 2019, 113, 325-335. | 2.3 | 4 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 19 | Combining plant volatiles and pheromones to catch two insect pests in the same trap: Examples from two berry crops. Crop Protection, 2018, 109, 1-8. | 2.1 | 23 |
| 20 | A key malaria metabolite modulates vector blood seeking, feeding, and susceptibility to infection. Science, 2017, 355, 1076-1080. | 12.6 | 87 |
| 21 | Dynamics of putative sex pheromone components during heat periods in estrus-induced cows. Journal of Dairy Science, 2017, 100, 7686-7695. | 3.4 | 10 |
| 22 | Volatiles released from foliar extract of host plant enhance landing rates of gravid ⟨i⟩⟨scp⟩P⟨scp⟩olygonia câ€album⟨li⟩ females, but do not stimulate oviposition. Entomologia Experimentalis Et Applicata, 2016, 158, 275-283. | 1.4 | 5 |
| 23 | Electrophysiological and behavioural responses of Ips typographus (L.) to trans-4-thujanol—a host tree volatile compound. Annals of Forest Science, 2016, 73, 247-256. | 2.0 | 25 |
| 24 | Susceptibility to <i>Verticillium longisporum</i> is linked to monoterpene production by <scp>TPS</scp> 23/27 in Arabidopsis. Plant Journal, 2015, 81, 572-585. | 5.7 | 19 |
| 25 | Chemical communication and host search in Galerucella leaf beetles. Chemoecology, 2015, 25, 33-45. | 1.1 | 8 |
| 26 | Review: Improving our knowledge of male mosquito biology in relation to genetic control programmes. Acta Tropica, 2014, 132, S2-S11. | 2.0 | 78 |
| 27 | The roles of kairomones, synomones and pheromones in the chemically-mediated behaviour of male mosquitoes. Acta Tropica, 2014, 132, S26-S34. | 2.0 | 55 |
| 28 | Intra- and Interspecific Activities of Semiochemicals from the Sex Pheromone Gland of the Welsh Clearwing, Synanthedon Scoliaeformis. Journal of Chemical Ecology, 2013, 39, 1066-1069. | 1.8 | 4 |
| 29 | Nonvolatile Chemical Cues Affect Host-Plant Ranking by Gravid Polygonia c-album Females. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2012, 67, 93-102. | 1.4 | 1 |
| 30 | p-Cresol: A Sex Pheromone Component Identified from the Estrous Urine of Mares. Journal of Chemical Ecology, 2012, 38, 811-813. | 1.8 | 24 |
| 31 | p- and m-Cresols emitted from estrous urine are reliable volatile chemical markers of ovulation in mares. Animal Reproduction Science, 2012, 130, 51-56. | 1.5 | 20 |
| 32 | Nonvolatile Chemical Cues Affect Host-Plant Ranking by Gravid Polygonia c-album Females. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2012, 67, 0093. | 1.4 | 2 |
| 33 | Deposit-feeders accumulate the cyanobacterial toxin nodularin. Harmful Algae, 2011, 12, 77-81. | 4.8 | 14 |
| 34 | BOVINOSE: Pheromone-Based Sensor System for Detecting Estrus in Dairy Cows. Procedia Computer Science, 2011, 7, 340-342. | 2.0 | 17 |
| 35 | Odour Maps in the Brain of Butterflies with Divergent Host-Plant Preferences. PLoS ONE, 2011, 6, e24025. | 2.5 | 23 |
| 36 | Optimization of Solid-Phase Microextraction Sampling for Analysis of Volatile Compounds Emitted from Oestrous Urine of Mares. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2010, 65, 127-133. | 1.4 | 6 |

| # | Article | IF | CITATIONS |
|----|---|------------|----------------|
| 37 | Sex attractant, distribution and DNA barcodes for the Afrotropical leaf-mining moth Phyllonorycter melanosparta (Lepidoptera: Gracillariidae) . Zootaxa, 2009, 2281, 53-67. | 0.5 | 10 |
| 38 | Syntheses, Characterizations, and Biological Activities of Tetradecaâ€4,8â€dienâ€1â€yl Acetates as Sex Attractants of Leafâ€Mining Moth of the Genus <i>Phyllonorycter</i> (Lepidoptera: Gracillariidae). Chemistry and Biodiversity, 2009, 6, 1388-1403. | 2.1 | 14 |
| 39 | Sex pheromone communication of tentiform leaf-miners Phyllonorycter insignitella and Ph. nigrescentella from two related species groups. Chemoecology, 2008, 18, 171-176. | 1.1 | 4 |
| 40 | Methyl Salicylate, Identified as Primary Odorant of a Specific Receptor Neuron Type, Inhibits Oviposition by the Moth Mamestra Brassicae L. (Lepidoptera, Noctuidae). Chemical Senses, 2008, 33, 35-46. | 2.0 | 47 |
| 41 | Identification of Minor Sex Pheromone Components of the Poplar Clearwing Moth Paranthrene tabaniformis (Lepidoptera, Sesiidae). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2007, 62, 138-142. | 1.4 | 4 |
| 42 | Inter- and Intraspecific Activities of Compounds Derived from Sex Pheromone Glands of Currant Borer, Synanthedon tipuliformis (Clerck) (Lepidoptera: Sesiidae). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2006, 61, 278-284. | 1.4 | 9 |
| 43 | Pheromone Release Behaviour in Females of Phyllonorycter junoniella (Z.) (Lepidoptera,) Tj ETQq1 1 0.784314 rg | gBT/Overlo | ock 10 Tf 50 5 |
| 44 | New Type of Sesiidae Sex Pheromone Identified from the Hornet Moth Sesia apiformis. Journal of Chemical Ecology, 2004, 30, 805-817. | 1.8 | 16 |
| 45 | Parthenogenesis, calling behavior, and insect-released volatiles of leafminer moth Phyllonorycter emberizaepenella. Journal of Chemical Ecology, 2002, 28, 1191-1208. | 1.8 | 16 |
| 46 | Sex Attractants for Six Clearwing and Tineid Species (Lepidoptera, Sesiidae and Tineidae) from Kazakhstan and Lithuania. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2001, 56, 1120-1125. | 1.4 | 3 |
| 47 | Sex pheromones of Phyllonorycter acerifoliella and Ph. heegerella and communication peculiarities in three species of leafmining moths. Entomologia Experimentalis Et Applicata, 2000, 94, 15-23. | 1.4 | 11 |
| 48 | Attractiveness of Octadecadienols and their Acetates for Clearwings (Lepidoptera, Sesiidae) from Altai Mountains. Acta Zoologica Lituanica, 2000, 10, 89-93. | 0.3 | 1 |
| 49 | New Sex Attractants for Five Chamaesphecia Species (Lepidoptera, Sesiidae) from the Ukraine and Turkmenistan. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1999, 54, 253-258. | 1.4 | 8 |
| 50 | Sex pheromone of the spotted tentiform leafminer moth Phyllonorycter blancardella (Fabr.) (Lep.,) Tj ETQq0 0 0 0 | rgBT/Ovei | rlogk 10 Tf 50 |
| 51 | New sex attractants and inhibitors for 17 moth species from the families Gracillariidae, Tortricidae, Yponomeutidae, Oecophoridae, Pyralidae and Gelechiidae. Journal of Applied Entomology, 1998, 122, 441-452. | 1.8 | 9 |
| 52 | Chemocommunication in Phyllonorycter ulmifoliella (HBN.) (Lepidoptera: Gracillariidae): Periodicity, Sex Pheromone, and Inhibitors. Journal of Chemical Ecology, 1997, 23, 175-189. | 1.8 | 9 |
| 53 | Solid Phase Micro Extraction Technique Used for Collecting Semiochemicals. Identification of Volatiles Released by Individual Signalling Phyllonorycter sylvella Moths. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1996, 51, 599-602. | 1.4 | 30 |
| 54 | C18 Dienes as attractants for eighteen clearwing (Sesiidae), tineid (Tineidae), and choreutid (Choreutidae) moth species. Journal of Chemical Ecology, 1993, 19, 799-813. | 1.8 | 13 |