
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9577958/publications.pdf Version: 2024-02-01



Ρλίση Μ Ένεξ

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Tracking Hunter-Gatherer Impact on Vegetation in Last Interglacial and Holocene Europe: Proxies and Challenges. Journal of Archaeological Method and Theory, 2022, 29, 989-1033. | 3.0 | 12 |
| 2 | Pollen-Based Maps of Past Regional Vegetation Cover in Europe Over 12 Millennia—Evaluation and Potential. Frontiers in Ecology and Evolution, 2022, 10, . | 2.2 | 8 |
| 3 | European pollen-based REVEALS land-cover reconstructions for the Holocene: methodology, mapping and potentials. Earth System Science Data, 2022, 14, 1581-1619. | 9.9 | 42 |
| 4 | Mid-Holocene European climate revisited: New high-resolution regional climate model simulations using pollen-based land-cover. Quaternary Science Reviews, 2022, 281, 107431. | 3.0 | 18 |
| 5 | Reconstructing sea-level change in the Falkland Islands (Islas Malvinas) using salt-marsh foraminifera, diatoms and testate amoebae. Marine Micropaleontology, 2021, 162, 101923. | 1.2 | 3 |
| 6 | Winter temperature and forest cover have shaped red deer distribution in Europe and the Ural Mountains since the Late Pleistocene. Journal of Biogeography, 2021, 48, 147-159. | 3.0 | 26 |
| 7 | What drives biodiversity patterns? Using longâ€ŧerm multidisciplinary data to discern centennialâ€scale change. Journal of Ecology, 2021, 109, 1396-1410. | 4.0 | 24 |
| 8 | Archaeology and agriculture: plants, people, and past land-use. Trends in Ecology and Evolution, 2021, 36, 943-954. | 8.7 | 10 |
| 9 | Nonlinear landscape and cultural response to sea-level rise. Science Advances, 2020, 6, . | 10.3 | 11 |
| 10 | The spatiotemporal spread of human migrations during the European Holocene. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 8989-9000. | 7.1 | 52 |
| 11 | Mapping upland peat depth using airborne radiometric and lidar survey data. Geoderma, 2019, 335, 78-87. | 5.1 | 28 |
| 12 | Adapt or die—Response of large herbivores to environmental changes in Europe during the Holocene. Global Change Biology, 2019, 25, 2915-2930. | 9.5 | 35 |
| 13 | Archaeological assessment reveals Earth's early transformation through land use. Science, 2019, 365, 897-902. | 12.6 | 369 |
| 14 | Prehistoric palaeodemographics and regional land cover change in eastern Iberia. Holocene, 2019, 29, 799-815. | 1.7 | 40 |
| 15 | Mediterranean landscape change during the Holocene: Synthesis, comparison and regional trends in population, land cover and climate. Holocene, 2019, 29, 923-937. | 1.7 | 96 |
| 16 | Role of recent climate change on carbon sequestration in peatland systems. Science of the Total Environment, 2019, 667, 348-358. | 8.0 | 16 |
| 17 | Supply and demand in prehistory? Economics of Neolithic mining in northwest Europe. Journal of Anthropological Archaeology, 2019, 54, 149-160. | 1.6 | 12 |
| 18 | Holocene landscape dynamics and long-term population trends in the Levant. Holocene, 2019, 29, 708-727. | 1.7 | 48 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Long-term trends of land use and demography in Greece: A comparative study. Holocene, 2019, 29, 742-760. | 1.7 | 58 |
| 20 | Tyrrhenian central Italy: Holocene population and landscape ecology. Holocene, 2019, 29, 761-775. | 1.7 | 37 |
| 21 | From influence to impact: The multifunctional land use in Mediterranean prehistory emerging from palynology of archaeological sites (8.0-2.8 ka BP). Holocene, 2019, 29, 830-846. | 1.7 | 65 |
| 22 | The changing face of the Mediterranean – Land cover, demography and environmental change: Introduction and overview. Holocene, 2019, 29, 703-707. | 1.7 | 24 |
| 23 | Holocene land cover and population dynamics in Southern France. Holocene, 2019, 29, 776-798. | 1.7 | 42 |
| 24 | Pollen-inferred regional vegetation patterns and demographic change in Southern Anatolia through the Holocene. Holocene, 2019, 29, 728-741. | 1.7 | 31 |
| 25 | Trajectories of change in Mediterranean Holocene vegetation through classification of pollen data. Vegetation History and Archaeobotany, 2018, 27, 351-364. | 2.1 | 34 |
| 26 | Quantified moorland vegetation and assessment of the role of burning over the past five millennia. Journal of Vegetation Science, 2018, 29, 393-403. | 2.2 | 12 |
| 27 | Glastonbury Lake Village Revisited: A Multi-proxy Palaeoenvironmental Investigation of an Iron Age Wetland Settlement. Journal of Wetland Archaeology, 2018, 18, 115-137. | 1.2 | 5 |
| 28 | Panâ€Mediterranean Holocene vegetation and landâ€cover dynamics from synthesized pollen data. Journal of Biogeography, 2018, 45, 2159-2174. | 3.0 | 33 |
| 29 | Twitter: an emerging source for geographical study. Geography, 2018, 103, 97-101. | 0.6 | 2 |
| 30 | The first 100 years of pollen analysis. Nature Plants, 2017, 3, . | 9.3 | 47 |
| 31 | Resolving discrepancies between field and modelled relative seaâ€ l evel data: lessons from western Ireland. Journal of Quaternary Science, 2017, 32, 957-975. | 2.1 | 9 |
| 32 | Quantifying the effects of land use and climate on Holocene vegetation in Europe. Quaternary Science Reviews, 2017, 171, 20-37. | 3.0 | 97 |
| 33 | Holocene fluctuations in human population demonstrate repeated links to food production and climate. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E10524-E10531. | 7.1 | 194 |
| 34 | Late-glacial and Holocene European pollen data. Journal of Maps, 2017, 13, 921-928. | 2.0 | 52 |
| 35 | Constraining the Deforestation History of Europe: Evaluation of Historical Land Use Scenarios with Pollen-Based Land Cover Reconstructions. Land, 2017, 6, 91. | 2.9 | 62 |
| 36 | Late Holocene climate: Natural or anthropogenic?. Reviews of Geophysics, 2016, 54, 93-118. | 23.0 | 150 |

| # | Article | IF | CITATIONS |
|----|---|------------------|---------------------|
| 37 | Peatlands as knowledge archives. , 2016, , 95-113. | | 10 |
| 38 | Does peatland drainage damage the palaeoecological record?. Review of Palaeobotany and Palynology, 2015, 221, 92-105. | 1.5 | 7 |
| 39 | Later Holocene vegetation history of the Isles of Scilly, UK: coastal influence and human land use in a small island context. Journal of Quaternary Science, 2015, 30, 764-778. | 2.1 | 9 |
| 40 | Ten years on: what can <i>Google Earth</i> offer the geoscience community?. Geology Today, 2015, 31, 216-221. | 0.9 | 8 |
| 41 | Automated mapping of linear dunefield morphometric parameters from remotely-sensed data. Aeolian Research, 2015, 19, 215-224. | 2.7 | 24 |
| 42 | Moving forwards? Palynology and the human dimension. Journal of Archaeological Science, 2015, 56, 117-132. | 2.4 | 41 |
| 43 | Pollenâ€based quantitative reconstructions of Holocene regional vegetation cover (plantâ€functional) Tj ETQq1 3 676-697. | 1 0.78431 9.5 | 4 rgBT /Over 161 |
| 44 | From forest to farmland: pollenâ€inferred land cover change across Europe using the pseudobiomization approach. Global Change Biology, 2015, 21, 1197-1212. | 9.5 | 133 |
| 45 | Regional climate model simulations for Europe at 6 and 0.2 k BP: sensitivity to changes in anthropogenic deforestation. Climate of the Past, 2014, 10, 661-680. | 3.4 | 68 |
| 46 | Is Neolithic land use correlated with demography? An evaluation of pollen-derived land cover and radiocarbon-inferred demographic change from Central Europe. Holocene, 2014, 24, 1297-1307. | 1.7 | 57 |
| 47 | Managing, Valuing, and Protecting Heritage Resources in the Twenty-First Century: Peatland Archaeology, the Ecosystem Services Framework, and the Kyoto Protocol. Conservation and Management of Archaeological Sites, 2014, 16, 236-244. | 0.5 | 14 |
| 48 | Recent environmental change in an upland reservoir catchment: a palaeoecological perspective. Journal of Paleolimnology, 2014, 52, 229-244. | 1.6 | 4 |
| 49 | The impact of the Neolithic agricultural transition in Britain: a comparison of pollen-based land-cover and archaeological 14C date-inferred population change. Journal of Archaeological Science, 2014, 51, 216-224. | 2.4 | 128 |
| 50 | Towards mapping the late Quaternary vegetation change of Europe. Vegetation History and Archaeobotany, 2014, 23, 75-86. | 2.1 | 105 |
| 51 | Holocene changes in vegetation composition in northern Europe: why quantitative pollen-based vegetation reconstructions matter. Quaternary Science Reviews, 2014, 90, 199-216. | 3.0 | 112 |
| 52 | The importance of subâ€peat carbon storage as shown by data from <scp>D</scp> artmoor, <scp>UK</scp> . Soil Use and Management, 2014, 30, 23-31. | 4.9 | 10 |
| 53 | Creating spatially continuous maps of past land cover from point estimates: A new statistical approach applied to pollen data. Ecological Complexity, 2014, 20, 127-141. | 2.9 | 31 |
| 54 | The application of geospatial interpolation methods in the reconstruction of Quaternary landform records. Geomorphology, 2014, 216, 234-246. | 2.6 | 16 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A comparison of remotely sensed and pollenâ€based approaches to mapping Europe's land cover. Journal of Biogeography, 2014, 41, 2080-2092. | 3.0 | 27 |
| 56 | The European Modern Pollen Database (EMPD) project. Vegetation History and Archaeobotany, 2013, 22, 521-530. | 2.1 | 101 |
| 57 | The Holocene vegetation cover of Britain and Ireland: overcoming problems of scale and discerning patterns of openness. Quaternary Science Reviews, 2013, 73, 132-148. | 3.0 | 118 |
| 58 | The development of GIS education in the UK and Turkey: a comparative review. Planet, 2013, 27, 14-20. | 0.1 | 4 |
| 59 | A spatial approach to upland vegetation change and human impact: the Aber Valley, Snowdonia. Environmental Archaeology, 2012, 17, 80-94. | 1.2 | 3 |
| 60 | Bronze Age landscape dynamics: spatially detailed pollen analysis from a ceremonial complex. Journal of Archaeological Science, 2012, 39, 2764-2773. | 2.4 | 26 |
| 61 | Differences in time and space in vegetation patterning: analysis of pollen data from Dartmoor, UK. Landscape Ecology, 2012, 27, 745-760. | 4.2 | 28 |
| 62 | Holocene land-cover reconstructions for studies on land cover-climate feedbacks. Climate of the Past, 2010, 6, 483-499. | 3.4 | 214 |
| 63 | The date and context of a stone row: Cut Hill, Dartmoor, south-west England. Antiquity, 2010, 84, 55-70. | 1.0 | 8 |
| 64 | Pushing the boundaries of data? Issues in the construction of rich visual past landscapes. Quaternary International, 2010, 220, 153-159. | 1.5 | 20 |
| 65 | The use of pollen analysis to reveal Holocene treeline dynamics: a modelling approach. Holocene, 2009, 19, 273-283. | 1.7 | 7 |
| 66 | The European Pollen Database: past efforts and current activities. Vegetation History and Archaeobotany, 2009, 18, 417-424. | 2.1 | 106 |
| 67 | Pollen modelling, palaeoecology and archaeology: virtualisation and/or visualisation of the past?. Vegetation History and Archaeobotany, 2008, 17, 543-549. | 2.1 | 27 |
| 68 | Pollen productivity estimates of key European plant taxa for quantitative reconstruction of past vegetation: a review. Vegetation History and Archaeobotany, 2008, 17, 461-478. | 2.1 | 275 |
| 69 | The use of modelling and simulation approach in reconstructing past landscapes from fossil pollen data: a review and results from the POLLANDCAL network. Vegetation History and Archaeobotany, 2008, 17, 419-443. | 2.1 | 152 |
| 70 | Temporal and spatial variation in the diet of a marine top predator—links with commercial fisheries. Marine Ecology - Progress Series, 2008, 367, 223-232. | 1.9 | 37 |
| 71 | Bronze Age upland settlement decline in southwest England: testing the climate change hypothesis. Journal of Archaeological Science, 2008, 35, 87-98. | 2.4 | 48 |
| 72 | Historical context and chronology of Bronze Age land enclosure on Dartmoor, UK. Journal of Archaeological Science, 2008, 35, 2250-2261. | 2.4 | 44 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Pollen productivity estimates from the forest—tundra ecotone in west-central Sweden: implications for vegetation reconstruction at the limits of the boreal forest. Holocene, 2008, 18, 323-332. | 1.7 | 61 |
| 74 | The importance of local-scale openness within regions dominated by closed woodland. Journal of Quaternary Science, 2007, 22, 571-578. | 2.1 | 31 |
| 75 | Simulating the nature of vegetation communities at the opening of the Neolithic on Achill Island, Co. Mayo, Ireland — the potential role of models of pollen dispersal and deposition. Review of Palaeobotany and Palynology, 2007, 144, 135-144. | 1.5 | 20 |
| 76 | GIS and the application of a model of pollen deposition and dispersal: a new approach to testing landscape hypotheses using the POLLANDCAL models. Journal of Archaeological Science, 2006, 33, 483-493. | 2.4 | 52 |
| 77 | A modelling approach to locating and characterising elm decline/landnam landscapes. Quaternary Science Reviews, 2006, 25, 632-644. | 3.0 | 56 |
| 78 | Sustainable conservation and management of the historic environment record in upland peat: a view from Exmoor. International Journal of Biodiversity Science and Management, 2006, 2, 146-149. | 0.7 | 2 |
| 79 | Beyond Villages and Open Fields: The Origins and Development of a Historic Landscape Characterised by Dispersed Settlement in South-West England. Medieval Archaeology, 2006, 50, 31-70. | 0.5 | 29 |
| 80 | Characterising the late prehistoric, â€~Romano-British' and medieval landscape, and dating the emergence of a regionally distinct agricultural system in South West Britain. Journal of Archaeological Science, 2004, 31, 1699-1714. | 2.4 | 23 |
| 81 | Mid- to late-Holocene vegetation history of Greater Exmoor, UK: estimating the spatial extent of human-induced vegetation change. Vegetation History and Archaeobotany, 2003, 12, 215-232. | 2.1 | 50 |