

Hildo J Lamb

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9578329/publications.pdf>

Version: 2024-02-01

313
papers

16,061
citations

17776

65
h-index

22488

117
g-index

327
all docs

327
docs citations

327
times ranked

14452
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Posterolateral Scar Tissue on Clinical and Echocardiographic Improvement After Cardiac Resynchronization Therapy. <i>Circulation</i> , 2006, 113, 969-976.	1.6	1,115
2	Comparison of Myocardial Infarct Size Assessed With Contrast-Enhanced Magnetic Resonance Imaging and Left Ventricular Function and Volumes to Predict Mortality in Patients With Healed Myocardial Infarction. <i>American Journal of Cardiology</i> , 2007, 100, 930-936.	0.7	568
3	Short-Term Caloric Restriction Induces Accumulation of Myocardial Triglycerides and Decreases Left Ventricular Diastolic Function in Healthy Subjects. <i>Diabetes</i> , 2007, 56, 2849-2853.	0.3	520
4	Myocardial Steatosis Is an Independent Predictor of Diastolic Dysfunction in Type 2 Diabetes Mellitus. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1793-1799.	1.2	472
5	Relationship Between Noninvasive Coronary Angiography With Multi-Slice Computed Tomography and Myocardial Perfusion Imaging. <i>Journal of the American College of Cardiology</i> , 2006, 48, 2508-2514.	1.2	441
6	Infarct Tissue Heterogeneity Assessed With Contrast-Enhanced MRI Predicts Spontaneous Ventricular Arrhythmia in Patients With Ischemic Cardiomyopathy and Implantable Cardioverter-Defibrillator. <i>Circulation: Cardiovascular Imaging</i> , 2009, 2, 183-190.	1.3	406
7	Fatty kidney: emerging role of ectopic lipid in obesity-related renal disease. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 417-426.	5.5	355
8	Diastolic dysfunction is associated with altered myocardial metabolism in asymptomatic normotensive patients with well-controlled type 2 diabetes mellitus. <i>Journal of the American College of Cardiology</i> , 2003, 42, 328-335.	1.2	334
9	Left ventricular measurements with cine and spin-echo MR imaging: a study of reproducibility with variance component analysis. <i>Radiology</i> , 1993, 187, 261-268.	3.6	314
10	Findings from Left Ventricular Strain and Strain Rate Imaging in Asymptomatic Patients With Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2009, 104, 1398-1401.	0.7	261
11	Altered Myocardial Substrate Metabolism and Decreased Diastolic Function in Nonischemic Human Diabetic Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2009, 54, 1524-1532.	1.2	257
12	Noninvasive visualization of the cardiac venous system using multislice computed tomography. <i>Journal of the American College of Cardiology</i> , 2005, 45, 749-753.	1.2	236
13	Meta-analysis of comparative diagnostic performance of magnetic resonance imaging and multislice computed tomography for noninvasive coronary angiography. <i>American Heart Journal</i> , 2006, 151, 404-411.	1.2	226
14	Prolonged Caloric Restriction in Obese Patients With Type 2 Diabetes Mellitus Decreases Myocardial Triglyceride Content and Improves Myocardial Function. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1006-1012.	1.2	226
15	Diastolic Dysfunction in Hypertensive Heart Disease Is Associated With Altered Myocardial Metabolism. <i>Circulation</i> , 1999, 99, 2261-2267.	1.6	220
16	Diagnostic Accuracy of 64-Slice Multislice Computed Tomography in the Noninvasive Evaluation of Significant Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2006, 98, 145-148.	0.7	215
17	Pioglitazone Improves Cardiac Function and Alters Myocardial Substrate Metabolism Without Affecting Cardiac Triglyceride Accumulation and High-Energy Phosphate Metabolism in Patients With Well-Controlled Type 2 Diabetes Mellitus. <i>Circulation</i> , 2009, 119, 2069-2077.	1.6	210
18	Comparison Between Manual and Semiautomated Analysis of Left Ventricular Volume Parameters from Short-Axis MR Images. <i>Journal of Computer Assisted Tomography</i> , 1997, 21, 756-765.	0.5	198

#	ARTICLE	IF	CITATIONS
19	Reproducibility of MRI-derived measurements of right ventricular volumes and myocardial mass. <i>Magnetic Resonance Imaging</i> , 1995, 13, 53-63.	1.0	184
20	Myocardial Steatosis and Biventricular Strain and Strain Rate Imaging in Patients With Type 2 Diabetes Mellitus. <i>Circulation</i> , 2010, 122, 2538-2544.	1.6	179
21	Fusion of multislice computed tomography imaging with three-dimensional electroanatomic mapping to guide radiofrequency catheter ablation procedures. <i>Heart Rhythm</i> , 2005, 2, 1076-1081.	0.3	178
22	Feasibility of assessment of coronary stent patency using 16-slice computed tomography. <i>American Journal of Cardiology</i> , 2004, 94, 427-430.	0.7	159
23	Deep Learning-based Method for Fully Automatic Quantification of Left Ventricle Function from Cine MR Images: A Multivendor, Multicenter Study. <i>Radiology</i> , 2019, 290, 81-88.	3.6	152
24	Functional and Metabolic Evaluation of the Athlete's Heart By Magnetic Resonance Imaging and Dobutamine Stress Magnetic Resonance Spectroscopy. <i>Circulation</i> , 1998, 97, 666-672.	1.6	145
25	Comparison of gated single-photon emission computed tomography with magnetic resonance imaging for evaluation of left ventricular function in ischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 2000, 86, 1299-1305.	0.7	141
26	Multislice computed tomography versus intracardiac echocardiography to evaluate the pulmonary veins before radiofrequency catheter ablation of atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2005, 45, 343-350.	1.2	138
27	Feasibility of tissue magnetic resonance imaging. <i>Journal of the American College of Cardiology</i> , 2005, 45, 1109-1116.	1.2	136
28	Detection of Vein Graft Disease Using High-Resolution Magnetic Resonance Angiography. <i>Circulation</i> , 2002, 105, 328-333.	1.6	133
29	Atrial Fibrillation: Multi-Detector Row CT of Pulmonary Vein Anatomy prior to Radiofrequency Catheter Ablation-Initial Experience. <i>Radiology</i> , 2005, 234, 702-709.	3.6	132
30	Exercise MR Imaging in the Assessment of Pulmonary Regurgitation and Biventricular Function in Patients after Tetralogy of Fallot Repair. <i>Radiology</i> , 2002, 223, 204-211.	3.6	129
31	Obesity, Brain Volume, and White Matter Microstructure at MRI: A Cross-sectional UK Biobank Study. <i>Radiology</i> , 2019, 291, 763-771.	3.6	129
32	Assessment of Left Ventricular Dyssynchrony in Patients With Conduction Delay and Idiopathic Dilated Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2006, 47, 2042-2048.	1.2	128
33	Metabolic Imaging of Myocardial Triglyceride Content: Reproducibility of ¹ H MR Spectroscopy with Respiratory Navigator Gating in Volunteers. <i>Radiology</i> , 2007, 245, 251-257.	3.6	124
34	Noninvasive coronary imaging and assessment of left ventricular function using 16-slice computed tomography. <i>American Journal of Cardiology</i> , 2005, 95, 571-574.	0.7	123
35	Quantitative Assessment of Mitral Regurgitation. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 694-700.	1.3	123
36	Flow Assessment Through Four Heart Valves Simultaneously Using 3-Dimensional 3-Directional Velocity-Encoded Magnetic Resonance Imaging With Retrospective Valve Tracking in Healthy Volunteers and Patients With Valvular Regurgitation. <i>Investigative Radiology</i> , 2009, 44, 669-675.	3.5	121

#	ARTICLE	IF	CITATIONS
37	Validation of Echocardiographic Two-Dimensional Speckle Tracking Longitudinal Strain Imaging for Viability Assessment in Patients With Chronic Ischemic Left Ventricular Dysfunction and Comparison With Contrast-Enhanced Magnetic Resonance Imaging. <i>American Journal of Cardiology</i> , 2009, 104, 312-317.	0.7	119
38	The ageing male heart: myocardial triglyceride content as independent predictor of diastolic function. <i>European Heart Journal</i> , 2008, 29, 1516-1522.	1.0	114
39	Usefulness of dynamic multislice computed tomography of left ventricular function in unstable angina pectoris and comparison with echocardiography. <i>American Journal of Cardiology</i> , 2002, 90, 1157-1160.	0.7	109
40	Association Between Diffuse Myocardial Fibrosis by Cardiac Magnetic Resonance Contrast-Enhanced T ₁ Mapping and Subclinical Myocardial Dysfunction in Diabetic Patients. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 51-59.	1.3	109
41	Effects of Hepatic Triglyceride Content on Myocardial Metabolism in Type 2 Diabetes. <i>Journal of the American College of Cardiology</i> , 2010, 56, 225-233.	1.2	108
42	Body fat distribution, in particular visceral fat, is associated with cardiometabolic risk factors in obese women. <i>PLoS ONE</i> , 2017, 12, e0185403.	1.1	107
43	Assessment of diastolic function by cardiovascular magnetic resonance. <i>American Heart Journal</i> , 2002, 144, 198-205.	1.2	105
44	Effects of Short-Term High-Fat, High-Energy Diet on Hepatic and Myocardial Triglyceride Content in Healthy Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2702-2708.	1.8	99
45	Progressive Caloric Restriction Induces Dose-Dependent Changes in Myocardial Triglyceride Content and Diastolic Function in Healthy Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 497-503.	1.8	97
46	Left ventricular remodeling early after aortic valve replacement: differential effects on diastolic function in aortic valve stenosis and aortic regurgitation. <i>Journal of the American College of Cardiology</i> , 2002, 40, 2182-2188.	1.2	95
47	Comprehensive assessment of patients after coronary artery bypass grafting by 16-detector-row computed tomography. <i>American Heart Journal</i> , 2005, 150, 775-781.	1.2	87
48	Cardioprotective Properties of Omentin-1 in Type 2 Diabetes: Evidence from Clinical and In Vitro Studies. <i>PLoS ONE</i> , 2013, 8, e59697.	1.1	87
49	The Association between Abdominal Visceral Fat and Carotid Stiffness Is Mediated by Circulating Inflammatory Markers in Uncomplicated Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 1495-1501.	1.8	86
50	Value of Magnetic Resonance Imaging for the Noninvasive Detection of Stenosis in Coronary Artery Bypass Grafts and Recipient Coronary Arteries. <i>Circulation</i> , 2003, 107, 1502-1508.	1.6	84
51	Pioglitazone Compared with Metformin Increases Pericardial Fat Volume in Patients with Type 2 Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 456-460.	1.8	84
52	Associations of Abdominal Subcutaneous and Visceral Fat with Insulin Resistance and Secretion Differ Between Men and Women: The Netherlands Epidemiology of Obesity Study. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 54-63.	0.5	82
53	Echo Planar MRI of the Heart on a Standard System: Validation of Measurements of Left Ventricular Function and Mass. <i>Journal of Computer Assisted Tomography</i> , 1996, 20, 942-949.	0.5	81
54	Magnetic Resonance Assessment of Aortic Pulse Wave Velocity, Aortic Distensibility, and Cardiac Function in Uncomplicated Type 2 Diabetes Mellitus. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 645-651.	1.6	79

#	ARTICLE	IF	CITATIONS
55	Head-to-Head comparison between Contrast-Enhanced magnetic resonance imaging and dobutamine magnetic resonance imaging in men with ischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 2004, 93, 1461-1464.	0.7	78
56	Automated Detection of Regional Wall Motion Abnormalities Based on a Statistical Model Applied to Multislice Short-Axis Cardiac MR Images. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 595-607.	5.4	77
57	Assessment of global and regional left ventricular function and volumes with 64-slice MSCT: A comparison with 2D echocardiography. <i>Journal of Nuclear Cardiology</i> , 2006, 13, 480-487.	1.4	76
58	Biventricular response to supine physical exercise in young adults assessed with ultrafast magnetic resonance imaging. <i>American Journal of Cardiology</i> , 2001, 87, 601-605.	0.7	74
59	Global and regional left ventricular function assessment with 16-detector row CT: Comparison with echocardiography and cardiovascular magnetic resonance. <i>European Journal of Echocardiography</i> , 2006, 7, 308-314.	2.3	72
60	Automated segmentation of myocardial scar in late enhancement MRI using combined intensity and spatial information. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 586-594.	1.9	71
61	Long-term Beneficial Effect of a 16-week Very Low Calorie Diet on Pericardial Fat in Obese Type 2 Diabetes Mellitus Patients. <i>Obesity</i> , 2012, 20, 1572-1576.	1.5	70
62	Which parameters on magnetic resonance imaging determine Q waves on the electrocardiogram?. <i>American Journal of Cardiology</i> , 2005, 95, 925-929.	0.7	68
63	Quantification of myocardial infarct size and transmuralty by contrast-enhanced magnetic resonance imaging in men. <i>American Journal of Cardiology</i> , 2004, 94, 284-288.	0.7	67
64	Cardiac multidetector-row computed tomography in patients with unstable angina. <i>American Journal of Cardiology</i> , 2005, 95, 457-461.	0.7	67
65	Distinct effects of pioglitazone and metformin on circulating sclerostin and biochemical markers of bone turnover in men with type 2 diabetes mellitus. <i>European Journal of Endocrinology</i> , 2012, 166, 711-716.	1.9	67
66	Gastric Motility: Comparison of Assessment with Real-Time MR Imaging or Barostat Measurement—Initial Experience. <i>Radiology</i> , 2002, 224, 592-597.	3.6	66
67	Time Course of Diastolic and Systolic Function Improvement After Pulmonary Valve Replacement in Adult Patients With Tetralogy of Fallot. <i>Journal of the American College of Cardiology</i> , 2005, 46, 1559-1564.	1.2	66
68	Reproducibility of Human Cardiac ³¹ P-NMR Spectroscopy. , 1996, 9, 217-227.		65
69	Sex differences in body fat distribution are related to sex differences in serum leptin and adiponectin. <i>Peptides</i> , 2018, 107, 25-31.	1.2	65
70	Short-term flexibility of myocardial triglycerides and diastolic function in patients with type 2 diabetes mellitus. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 295, E714-E718.	1.8	63
71	Improved Ejection Fraction after Exercise Training in Obesity Is Accompanied by Reduced Cardiac Lipid Content. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1932-1938.	1.8	63
72	Evaluation of Patients with Previous Coronary Stent Implantation with 64-Section CT. <i>Radiology</i> , 2007, 245, 416-423.	3.6	62

#	ARTICLE	IF	CITATIONS
73	Metabolic Response of Normal Human Myocardium to High-Dose Atropine-Dobutamine Stress Studied by ³¹ P-MRS. <i>Circulation</i> , 1997, 96, 2969-2977.	1.6	61
74	A 5-Day High-Fat, High-Calorie Diet Impairs Insulin Sensitivity in Healthy, Young South Asian Men but Not in Caucasian Men. <i>Diabetes</i> , 2014, 63, 248-258.	0.3	59
75	Usefulness of Intramyocardial Injection of Autologous Bone Marrow-Derived Mononuclear Cells in Patients With Severe Angina Pectoris and Stress-Induced Myocardial Ischemia. <i>American Journal of Cardiology</i> , 2006, 97, 1326-1331.	0.7	58
76	Noninvasive Angiography and Assessment of Left Ventricular Function Using Multislice Computed Tomography in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2004, 27, 2905-2910.	4.3	56
77	Assessment of the carotid artery by MRI at 3T: A study on reproducibility. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 1035-1043.	1.9	53
78	Consensus-based technical recommendations for clinical translation of renal T1 and T2 mapping MRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 163-176.	1.1	52
79	Right Ventricular Involvement in Diabetic Cardiomyopathy. <i>Diabetes Care</i> , 2013, 36, 457-462.	4.3	51
80	Aortic Valve Replacement in Patients with Aortic Valve Stenosis Improves Myocardial Metabolism and Diastolic Function. <i>Radiology</i> , 2001, 219, 637-643.	3.6	50
81	Predictive imaging for thoracic aortic dissection and rupture: moving beyond diameters. <i>European Radiology</i> , 2019, 29, 6396-6404.	2.3	49
82	Positive association between increased popliteal artery vessel wall thickness and generalized osteoarthritis: is OA also part of the metabolic syndrome?. <i>Skeletal Radiology</i> , 2009, 38, 1147-1151.	1.2	48
83	Feasibility of Diastolic Function Assessment With Cardiac CT. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 246-256.	2.3	47
84	MR Imaging Evaluation of Cardiovascular Risk in Metabolic Syndrome. <i>Radiology</i> , 2012, 264, 21-37.	3.6	47
85	Exercise and Type 2 Diabetes Mellitus: Changes in Tissue-specific Fat Distribution and Cardiac Function. <i>Radiology</i> , 2013, 269, 434-442.	3.6	47
86	Improved MR Flow Mapping in Coronary Artery Bypass Grafts during Adenosine-induced Stress. <i>Radiology</i> , 2001, 218, 540-547.	3.6	45
87	Dietary modulation of plasma angiotensin-like protein 4 concentrations in healthy volunteers and in patients with type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 255-260.	2.2	45
88	A double-blind, placebo-controlled, randomised trial to assess the effect of liraglutide on ectopic fat accumulation in South Asian type 2 diabetes patients. <i>Cardiovascular Diabetology</i> , 2019, 18, 87.	2.7	44
89	Diabetic cardiomyopathy in uncomplicated type 2 diabetes is associated with the metabolic syndrome and systemic inflammation. <i>Diabetologia</i> , 2005, 48, 1669-1670.	2.9	43
90	Automated Cardiac Valve Tracking for Flow Quantification with Four-dimensional Flow MRI. <i>Radiology</i> , 2019, 290, 70-78.	3.6	43

#	ARTICLE	IF	CITATIONS
91	Comparison of gated PET with MRI for evaluation of left ventricular function in patients with coronary artery disease. <i>Journal of Nuclear Medicine</i> , 2004, 45, 176-82.	2.8	43
92	Six Months of Recombinant Human GH Therapy in Patients with Ischemic Cardiac Failure Does Not Influence Left Ventricular Function and Mass. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4638-4643.	1.8	42
93	Noninvasive Evaluation of the Coronary Arteries With Multislice Computed Tomography in Hypertensive Patients. <i>Hypertension</i> , 2005, 45, 227-232.	1.3	42
94	MR Flow Mapping in Coronary Artery Bypass Grafts: A Validation Study with Doppler Flow Measurements. <i>Radiology</i> , 2002, 222, 127-135.	3.6	41
95	MRI-assessed regional pulse wave velocity for predicting absence of regional aorta luminal growth in marfan syndrome. <i>International Journal of Cardiology</i> , 2013, 167, 2977-2982.	0.8	41
96	Individual contributions of visceral fat and total body fat to subclinical atherosclerosis: The NEO study. <i>Atherosclerosis</i> , 2015, 241, 547-554.	0.4	41
97	Real-Time MR Imaging of Aortic Flow: Influence of Breathing on Left Ventricular Stroke Volume in Chronic Obstructive Pulmonary Disease. <i>Radiology</i> , 2003, 229, 513-519.	3.6	40
98	Agreement and disagreement between contrast-enhanced magnetic resonance imaging and nuclear imaging for assessment of myocardial viability. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 594-601.	3.3	40
99	Cardiac lipid content is unresponsive to a physical activity training intervention in type 2 diabetic patients, despite improved ejection fraction. <i>Cardiovascular Diabetology</i> , 2011, 10, 47.	2.7	40
100	Entropy as a Novel Measure of Myocardial Tissue Heterogeneity for Prediction of Ventricular Arrhythmias and Mortality in Post-Infarct Patients. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 480-489.	1.3	40
101	Automated Observer-independent Acquisition of Cardiac Short-Axis MR Images: A Pilot Study. <i>Radiology</i> , 2001, 221, 537-542.	3.6	39
102	Volume tracking cardiac ³¹ P spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2002, 48, 380-384.	1.9	38
103	Liver Fat Content in Type 2 Diabetes: Relationship With Hepatic Perfusion and Substrate Metabolism. <i>Diabetes</i> , 2010, 59, 2747-2754.	0.3	37
104	Effects of bariatric surgery on pericardial ectopic fat depositions and cardiovascular function. <i>Clinical Endocrinology</i> , 2014, 81, 689-695.	1.2	37
105	Multiparametric MRI in Patients With Nonalcoholic Fatty Liver Disease. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1623-1631.	1.9	37
106	Assessment of Aortic Pulse Wave Velocity and Cardiac Diastolic Function in Subjects With and Without the Metabolic Syndrome. <i>Diabetes Care</i> , 2008, 31, 1442-1444.	4.3	36
107	Fatty acid binding protein 4 (FABP4) as a potential biomarker reflecting myocardial lipid storage in type 2 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2019, 96, 12-21.	1.5	35
108	Prolonged Caloric Restriction in Obese Patients With Type 2 Diabetes Mellitus Decreases Plasma CETP and Increases Apolipoprotein AI Levels Without Improving the Cholesterol Efflux Properties of HDL. <i>Diabetes Care</i> , 2011, 34, 2576-2580.	4.3	33

#	ARTICLE	IF	CITATIONS
109	Automated left ventricle segmentation in late gadolinium-enhanced MRI for objective myocardial scar assessment. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 390-399.	1.9	33
110	Comparison of Aortic Elasticity in Patients With the Marfan Syndrome With and Without Aortic Root Replacement. <i>American Journal of Cardiology</i> , 2003, 91, 637-640.	0.7	32
111	Activin a is associated with impaired myocardial glucose metabolism and left ventricular remodeling in patients with uncomplicated type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2013, 12, 150.	2.7	32
112	Abdominal visceral and subcutaneous fat increase, insulin resistance and hyperlipidemia in testicular cancer patients treated with cisplatin-based chemotherapy. <i>Acta Oncol</i> , 2014, 53, 351-360.	0.8	32
113	Global and regional left ventricular function: a comparison between gated SPECT, 2D echocardiography and multi-slice computed tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 1452-1460.	3.3	31
114	Short-Term Caloric Restriction Normalizes Hypothalamic Neuronal Responsiveness to Glucose Ingestion in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2012, 61, 3255-3259.	0.3	31
115	Accurate and Reproducible Mitral Valvular Blood Flow Measurement with Three-Directional Velocity-Encoded Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2004, 6, 767-776.	1.6	30
116	Impact of coronary calcium score on diagnostic accuracy of multislice computed tomography coronary angiography for detection of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2007, 14, 36-43.	1.4	30
117	Metabolic imaging of the human heart: clinical application of magnetic resonance spectroscopy. <i>Heart</i> , 2014, 100, 881-890.	1.2	29
118	Association of plasma osteoprotegerin and adiponectin with arterial function, cardiac function and metabolism in asymptomatic type 2 diabetic men. <i>Cardiovascular Diabetology</i> , 2011, 10, 67.	2.7	28
119	Pulse wave velocity and flow in the carotid artery versus the aortic arch: Effects of aging. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 287-293.	1.9	28
120	Body fat, especially visceral fat, is associated with electrocardiographic measures of sympathetic activation. <i>Obesity</i> , 2014, 22, 1553-1559.	1.5	28
121	Geometrically induced wall shear stress variability in CFD-MRI coupled simulations of blood flow in the thoracic aortas. <i>Computers in Biology and Medicine</i> , 2021, 133, 104385.	3.9	28
122	Effect of intramyocardial bone marrow cell injection on diastolic function in patients with chronic myocardial ischemia. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 992-997.	1.9	27
123	Metabolic Imaging of Human Kidney Triglyceride Content: Reproducibility of Proton Magnetic Resonance Spectroscopy. <i>PLoS ONE</i> , 2013, 8, e62209.	1.1	26
124	Visceral adipose tissue is associated with microstructural brain tissue damage. <i>Obesity</i> , 2015, 23, 1092-1096.	1.5	26
125	Caloric restriction lowers endocannabinoid tonus and improves cardiac function in type 2 diabetes. <i>Nutrition and Diabetes</i> , 2018, 8, 6.	1.5	26
126	Toward Magnetic Resonance-Guided Electroanatomical Voltage Mapping for Catheter Ablation of Scar-Related Ventricular Tachycardia: A Comparison of Registration Methods. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 74-80.	0.8	25

#	ARTICLE	IF	CITATIONS
127	Clinical application and technical considerations of T_1 & T_2 (*) mapping in cardiac, liver, and renal imaging. British Journal of Radiology, 2018, 91, 20170825.	1.0	25
128	Effect of Liraglutide on Cardiovascular Function and Myocardial Tissue Characteristics in Type 2 Diabetes Patients of South Asian Descent Living in the Netherlands: A Double-blind, Randomized, Placebo-controlled Trial. Journal of Magnetic Resonance Imaging, 2020, 51, 1679-1688.	1.9	25
129	Metabolic MRI of myocardial and hepatic triglyceride content in response to nutritional interventions. Current Opinion in Clinical Nutrition and Metabolic Care, 2008, 11, 573-579.	1.3	24
130	Metabolomics Profiling of Visceral Adipose Tissue: Results From MESA and the NEO Study. Journal of the American Heart Association, 2019, 8, e010810.	1.6	24
131	Exercise and Type 2 Diabetes Mellitus: Changes in Tissue-specific Fat Distribution and Cardiac Function. Radiology, 2013, 269, 434-442.	3.6	24
132	Assessment of right ventricular infarction with contrast-enhanced magnetic resonance imaging. Coronary Artery Disease, 2007, 18, 39-43.	0.3	23
133	Metabolomics: a search for biomarkers of visceral fat and liver fat content. Metabolomics, 2019, 15, 139.	1.4	23
134	T1 mapping performance and measurement repeatability: results from the multi-national T1 mapping standardization phantom program (TIMES). Journal of Cardiovascular Magnetic Resonance, 2020, 22, 31.	1.6	23
135	Improved MR Coronary Angiography with Use of a New Rapid Clearance Blood Pool Contrast Agent in Pigs. Radiology, 2003, 227, 802-808.	3.6	22
136	Circulating Long Noncoding RNAs in Personalized Medicine. Journal of the American College of Cardiology, 2016, 68, 2914-2916.	1.2	22
137	Phenotyping diabetic cardiomyopathy in Europeans and South Asians. Cardiovascular Diabetology, 2019, 18, 133.	2.7	22
138	The impact of visceral and general obesity on vascular and left ventricular function and geometry: a cross-sectional magnetic resonance imaging study of the UK Biobank. European Heart Journal Cardiovascular Imaging, 2020, 21, 273-281.	0.5	22
139	Consensus-based Technical Recommendations for Clinical Translation of Renal Phase Contrast MRI. Journal of Magnetic Resonance Imaging, 2022, 55, 323-335.	1.9	22
140	Reproducibility of Aorta Segmentation on 4D Flow MRI in Healthy Volunteers. Journal of Magnetic Resonance Imaging, 2021, 53, 1268-1279.	1.9	22
141	Coronary Magnetic Resonance Angiography: Technical Developments and Clinical Applications. Journal of Cardiovascular Magnetic Resonance, 2003, 5, 365-386.	1.6	21
142	Do risk factors influence the diagnostic accuracy of noninvasive coronary angiography with multislice computed tomography?. Journal of Nuclear Cardiology, 2006, 13, 635-641.	1.4	21
143	Parameter optimization for reproducible cardiac 1H MR spectroscopy at 3 Tesla. Journal of Magnetic Resonance Imaging, 2016, 44, 1151-1158.	1.9	21
144	High spatial resolution free-breathing 3D late gadolinium enhancement cardiac magnetic resonance imaging in ischaemic and non-ischaemic cardiomyopathy: quantitative assessment of scar mass and image quality. European Radiology, 2018, 28, 4027-4035.	2.3	21

#	ARTICLE	IF	CITATIONS
145	Metabolic imaging of fatty kidney in diabetes: validation and dietary intervention. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 224-230.	0.4	21
146	Multicenter Consistency Assessment of Valvular Flow Quantification With Automated Valve Tracking in 4D Flow CMR. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1354-1366.	2.3	21
147	Prolonged cardiac recovery from exercise in asymptomatic adults late after atrial correction of transposition of the great arteries: evaluation with magnetic resonance flow mapping. <i>American Journal of Cardiology</i> , 2001, 88, 1011-1017.	0.7	20
148	Intraatrial Repair of Transposition of the Great Arteries: Use of MR Imaging after Exercise to Evaluate Regional Systemic Right Ventricular Function. <i>Radiology</i> , 2005, 237, 861-867.	3.6	20
149	Pioglitazone Decreases Plasma Cholesteryl Ester Transfer Protein Mass, Associated With a Decrease in Hepatic Triglyceride Content, in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1625-1628.	4.3	20
150	Use of a Single Hybrid Imaging Agent for Integration of Target Validation with In Vivo and Ex Vivo Imaging of Mouse Tumor Lesions Resembling Human DCIS. <i>PLoS ONE</i> , 2013, 8, e48324.	1.1	20
151	Noninvasive and Invasive Evaluation of Noncompaction Cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2002, 4, 353-357.	1.6	19
152	MR imaging of regional cardiac function: Low-pass filtering of wall thickness curves. <i>Magnetic Resonance in Medicine</i> , 1995, 34, 498-502.	1.9	18
153	Scar tissue on contrast-enhanced MRI predicts left ventricular remodelling after acute infarction. <i>Heart</i> , 2007, 93, 375-376.	1.2	18
154	Aortic stiffness is related to left ventricular diastolic function in patients with diabetes mellitus type 1: assessment with MRI and speckle tracking strain analysis. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 633-641.	0.7	18
155	Rationale, Design, and Methodological Aspects of the <sc>BUDAPEST&GLOBAL</sc> Study (Burden of Tj ETQq1 1 0.784314 rgB (Clinical Cardiology, 2015, 38, 699-707.	0.7	18
156	Robust motion correction for myocardial $T_{1\rho}$ and extracellular volume mapping by principle component analysis-based groupwise image registration. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 1397-1405.	1.9	18
157	Stress increases intracardiac 4D flow cardiovascular magnetic resonance -derived energetics and vorticity and relates to VO ₂ max in Fontan patients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 43.	1.6	18
158	Magnetic resonance imaging analysis of left ventricular pressure-volume relations: Validation with the conductance method at rest and during dobutamine stress. <i>Magnetic Resonance in Medicine</i> , 1995, 34, 728-737.	1.9	17
159	MRI evaluation of left ventricular function in anterior LV aneurysms before and after surgical resection. <i>European Journal of Cardio-thoracic Surgery</i> , 2003, 23, 609-613.	0.6	17
160	Vein Graft Function Improvement after Percutaneous Intervention: Evaluation with MR Flow Mapping. <i>Radiology</i> , 2003, 228, 834-841.	3.6	17
161	Hemodynamic evaluation of saphenous vein coronary artery bypass grafts: Relative merits of Doppler flow velocity and SPECT perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2005, 12, 545-552.	1.4	17
162	Multimodality Imaging in Diabetic Heart Disease. <i>Current Problems in Cardiology</i> , 2011, 36, 9-47.	1.1	17

#	ARTICLE	IF	CITATIONS
163	Intramyocardial Bone Marrow-Derived Mononuclear Cell Injection for Chronic Myocardial Ischemia. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 122-129.	1.3	17
164	Ultrahigh-Field 7-T Magnetic Resonance Carotid Vessel Wall Imaging. <i>Investigative Radiology</i> , 2012, 47, 697-704.	3.5	17
165	How to Measure the Aorta Using MRI: A Practical Guide. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 971-977.	1.9	17
166	MR flow mapping of dobutamine-induced changes in diastolic heart function. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 19, 176-181.	1.9	16
167	Cardiovascular molecular MR imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 99-104.	3.3	16
168	The Association between Adult Weight Gain and Insulin Resistance at Middle Age: Mediation by Visceral Fat and Liver Fat. <i>Journal of Clinical Medicine</i> , 2019, 8, 1559.	1.0	16
169	Liraglutide decreases energy expenditure and does not affect the fat fraction of supraclavicular brown adipose tissue in patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 616-624.	1.1	16
170	Assessment of turbulent blood flow and wall shear stress in aortic coarctation using image-based simulations. <i>BioMedical Engineering OnLine</i> , 2021, 20, 84.	1.3	16
171	Renal sinus fat volume in type 2 diabetes mellitus is associated with glycated hemoglobin and metabolic risk factors. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107973.	1.2	16
172	Magnetic resonance imaging of coronary arteries, the ischemic cascade, and myocardial infarction. <i>American Heart Journal</i> , 2005, 149, 200-208.	1.2	15
173	Kinetic models for analysing myocardial [11C]palmitate data. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 966-978.	3.3	15
174	Site-Specific Coupling Between Vascular Wall Thickness and Function. <i>Investigative Radiology</i> , 2013, 48, 86-91.	3.5	15
175	Association between Hepatic Triglyceride Content and Left Ventricular Diastolic Function in a Population-based Cohort: The Netherlands Epidemiology of Obesity Study. <i>Radiology</i> , 2016, 279, 443-450.	3.6	15
176	¹ H-MRS for the assessment of renal triglyceride content in humans at 3T: A primer and reproducibility study. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 507-513.	1.9	15
177	Incidental findings in research: A focus group study about the perspective of the research participant. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 230-237.	1.9	15
178	Reproducibility of native T ₁ mapping for renal tissue characterization at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 588-596.	1.9	15
179	Normal and reference values for cardiovascular magnetic resonance-based pulse wave velocity in the middle-aged general population. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 46.	1.6	15
180	Tetralogy of Fallot: Postoperative Delayed Recovery of Left Ventricular Stroke Volume after Physical Exercise-Assessment with Fast MR Imaging. <i>Radiology</i> , 2003, 226, 278-284.	3.6	14

#	ARTICLE	IF	CITATIONS
181	Very-Low-Calorie Diet Increases Myocardial Triglyceride Content and Decreases Diastolic Left Ventricular Function in Type 2 Diabetes With Cardiac Complications. <i>Diabetes Care</i> , 2014, 37, e1-e2.	4.3	14
182	Super-resolution reconstruction of late gadolinium-enhanced MRI for improved myocardial scar assessment. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 160-167.	1.9	14
183	Sweet Snacks Are Positively and Fruits and Vegetables Are Negatively Associated with Visceral or Liver Fat Content in Middle-Aged Men and Women. <i>Journal of Nutrition</i> , 2019, 149, 304-313.	1.3	14
184	Primary Osteosarcoma of the Breast. <i>Radiographics</i> , 2019, 39, 626-629.	1.4	14
185	Associations of different body fat deposits with serum 25-hydroxyvitamin D concentrations. <i>Clinical Nutrition</i> , 2019, 38, 2851-2857.	2.3	14
186	The Influence of Respiration on Blood Flow in the Fontan Circulation: Insights for Imaging-Based Clinical Evaluation of the Total Cavopulmonary Connection. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 683849.	1.1	14
187	Repeatability and reproducibility of deep-learning-based liver volume and Couinaud segment volume measurement tool. <i>Abdominal Radiology</i> , 2022, 47, 143-151.	1.0	14
188	4D flow cardiovascular magnetic resonance derived energetics in the Fontan circulation correlate with exercise capacity and CMR-derived liver fibrosis/congestion. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2022, 24, 21.	1.6	14
189	Relation of B-Type Natriuretic Peptide Early After Acute Myocardial Infarction to Left Ventricular Diastolic Function and Extent of Myocardial Damage Determined by Magnetic Resonance Imaging. <i>American Journal of Cardiology</i> , 2006, 97, 1146-1150.	0.7	13
190	Evaluation of sampling density on the accuracy of aortic pulse wave velocity from velocity-encoded MRI in patients with Marfan syndrome. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 1470-1476.	1.9	13
191	Improved Cardiac Proton Magnetic Resonance Spectroscopy at 3 T Using High Permittivity Pads. <i>Investigative Radiology</i> , 2016, 51, 134-138.	3.5	13
192	Association of metabolic syndrome and electrocardiographic markers of subclinical cardiovascular disease. <i>Diabetology and Metabolic Syndrome</i> , 2017, 9, 40.	1.2	13
193	Short-Term Hyperglycemic Dysregulation in Patients With Type 1 Diabetes Does Not Change Myocardial Triglyceride Content or Myocardial Function. <i>Diabetes Care</i> , 2008, 31, 1613-1614.	4.3	12
194	Assessment of Right Ventricular Function in Acute Pulmonary Embolism Using ECG-Synchronized MDCT. <i>American Journal of Roentgenology</i> , 2010, 195, 909-915.	1.0	12
195	Preprocedural magnetic resonance imaging for image-guided catheter ablation of scar-related ventricular tachycardia. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 369-377.	0.7	12
196	19F-nanoparticles: Platform for in vivo delivery of fluorinated biomaterials for 19F-MRI. <i>Journal of Controlled Release</i> , 2021, 338, 870-889.	4.8	12
197	Habitual Sleep Measures are Associated with Overall Body Fat, and not Specifically with Visceral Fat, in Men and Women. <i>Obesity</i> , 2018, 26, 1651-1658.	1.5	11
198	Adult weight change in relation to visceral fat and liver fat at middle age: The Netherlands epidemiology of obesity study. <i>International Journal of Obesity</i> , 2019, 43, 790-799.	1.6	11

#	ARTICLE	IF	CITATIONS
199	Characterization of Ascending Aortic Flow in Patients With Degenerative Aneurysms. <i>Investigative Radiology</i> , 2021, Publish Ahead of Print, 494-500.	3.5	11
200	Objectively Measured Physical Activity and Body Fatness: Associations with Total Body Fat, Visceral Fat, and Liver Fat. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 2309-2317.	0.2	11
201	Echo planar imaging-induced errors in intracardiac 4D flow MRI quantification. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2398-2411.	1.9	11
202	Blood Flow in Coronary Artery Bypass Vein Grafts: Volume versus Velocity at Cardiovascular MR Imaging. <i>Radiology</i> , 2004, 232, 915-920.	3.6	10
203	Tissue Cardiovascular Magnetic Resonance Demonstrates Regional Diastolic Dysfunction in Remote Tissue Early After Inferior Myocardial Infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 877-882.	1.6	10
204	Validation of a High-Resolution, Phase Contrast Cardiovascular Magnetic Resonance Sequence for Evaluation of Flow in Coronary Artery Bypass Grafts. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 557-563.	1.6	10
205	High Spatial Resolution Coronary Magnetic Resonance Angiography at 7 T. <i>Investigative Radiology</i> , 2014, 49, 326-330.	3.5	10
206	Sustained cardiac remodeling after a short-term very low calorie diet in type 2 diabetes mellitus patients. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 121-127.	0.7	10
207	New Adjusted Cutoffs for "Normal" Endocardial Voltages in Patients With Post-Infarct LV Remodeling. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1115-1126.	1.3	10
208	Consumption of Alcoholic and Sugar-Sweetened Beverages is Associated with Increased Liver Fat Content in Middle-Aged Men and Women. <i>Journal of Nutrition</i> , 2019, 149, 649-658.	1.3	10
209	The Clinical Spectrum of Kommerell's Diverticulum in Adults with a Right-Sided Aortic Arch: A Case Series and Literature Overview. <i>Journal of Cardiovascular Development and Disease</i> , 2021, 8, 25.	0.8	10
210	The effect of physical activity level and exercise training on the association between plasma branched-chain amino acids and intrahepatic lipid content in participants with obesity. <i>International Journal of Obesity</i> , 2021, 45, 1510-1520.	1.6	10
211	Segmental assessment of blood flow efficiency in the total cavopulmonary connection using four-dimensional flow magnetic resonance imaging: vortical flow is associated with increased viscous energy loss rate. <i>European Heart Journal Open</i> , 2021, 1, .	0.9	10
212	Cardiovascular MR imaging: Pressure-gating using the arterial pressure signal from a conventional ferromagnetic micromanometer-tip catheter. <i>Magnetic Resonance Imaging</i> , 1994, 12, 531-534.	1.0	9
213	Magnetic Resonance Imaging of Ischemic Heart Disease: Why Cardiac Magnetic Resonance Imaging Will Play a Significant Role in the Management of Patients With Coronary Artery Disease. <i>Journal of Computer Assisted Tomography</i> , 1999, 23, S135-S141.	0.5	9
214	Serum CETP concentration is not associated with measures of body fat: The NEO study. <i>Atherosclerosis</i> , 2016, 246, 267-273.	0.4	9
215	When should we use contrast material in cardiac MRI?. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1551-1572.	1.9	9
216	Association of cardiovascular magnetic resonance-derived circumferential strain parameters with the risk of ventricular arrhythmia and all-cause mortality in patients with prior myocardial infarction and primary prevention implantable cardioverter defibrillator. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 28.	1.6	9

#	ARTICLE	IF	CITATIONS
217	Fasting in diabetes treatment (FIT) trial: study protocol for a randomised, controlled, assessor-blinded intervention trial on the effects of intermittent use of a fasting-mimicking diet in patients with type 2 diabetes. BMC Endocrine Disorders, 2020, 20, 94.	0.9	9
218	Novel artificial neural network and linear regression based equation for estimating visceral adipose tissue volume. Clinical Nutrition, 2020, 39, 3182-3188.	2.3	9
219	Quantification of Myocardial Creatine and Triglyceride Content in the Human Heart: Precision and Accuracy of in vivo Proton Magnetic Resonance Spectroscopy. Journal of Magnetic Resonance Imaging, 2021, 54, 411-420.	1.9	9
220	Six-months of recombinant human GH therapy in patients with ischemic cardiac failure. International Journal of Cardiovascular Imaging, 2004, 20, 53-60.	0.7	8
221	Automated regional wall motion abnormality detection by combining rest and stress cardiac MRI: Correlation with contrast-enhanced MRI. Journal of Magnetic Resonance Imaging, 2011, 34, 270-278.	1.9	8
222	Cardiac metabolic imaging: current imaging modalities and future perspectives. Journal of Applied Physiology, 2018, 124, 168-181.	1.2	8
223	The role of C-reactive protein, adiponectin and leptin in the association between abdominal adiposity and insulin resistance in middle-aged individuals. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1306-1314.	1.1	8
224	Estimated pulse wave velocity (ePWV) as a potential gatekeeper for MRI-assessed PWV: a linear and deep neural network based approach in 2254 participants of the Netherlands Epidemiology of Obesity study. International Journal of Cardiovascular Imaging, 2022, 38, 183-193.	0.7	8
225	Cardiorenal Syndrome: Emerging Role of Medical Imaging for Clinical Diagnosis and Management. Journal of Personalized Medicine, 2021, 11, 734.	1.1	8
226	The Effect of Glycemic Control on Renal Triglyceride Content Assessed by Proton Spectroscopy in Patients With Type 2 Diabetes Mellitus: A Single-Center Parallel-Group Trial. , 2021, 31, 611-619.		8
227	MR OF THE HEART UNDER PHARMACOLOGIC STRESS. Cardiology Clinics, 1998, 16, 247-265.	0.9	7
228	Malignant Right Coronary Artery Anomaly Detected by Magnetic Resonance Coronary Angiography. Circulation, 2002, 106, 1881-1882.	1.6	7
229	Three-dimensional navigator coronary MRA with the aid of a blood pool agent in pigs: Improved image quality with inclusion of the contrast agent first-pass. Journal of Magnetic Resonance Imaging, 2003, 18, 502-506.	1.9	7
230	Coronary Stent Imaging with Multidetector Row Computed Tomography. International Journal of Cardiovascular Imaging, 2004, 20, 341-344.	0.2	7
231	Evaluation of Saphenous Vein Coronary Artery Bypass Graft Flow by Cardiovascular Magnetic Resonance. Journal of Cardiovascular Magnetic Resonance, 2005, 7, 631-637.	1.6	7
232	Effect of lifestyle intervention plus rosiglitazone or placebo therapy on left ventricular mass assessed with cardiovascular magnetic resonance in the metabolic syndrome. Journal of Cardiovascular Magnetic Resonance, 2011, 13, 65.	1.6	7
233	Computed Tomography Evaluation of Cardiac Structure and Function. Journal of Thoracic Imaging, 2014, 29, 173-184.	0.8	7
234	Electrocardiographic Detection of Left Ventricular Hypertrophy; Adding Body Mass Index and Spatial QRS-T Angle: A Cross-Sectional Study. Cardiology and Therapy, 2019, 8, 345-356.	1.1	7

#	ARTICLE	IF	CITATIONS
235	Late effects of pediatric hematopoietic stem cell transplantation on left ventricular function, aortic stiffness and myocardial tissue characteristics. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 6.	1.6	7
236	Altered Ascending Aorta Hemodynamics in Patients After Arterial Switch Operation for Transposition of the Great Arteries. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1105-1116.	1.9	7
237	Reduced scan time and superior image quality with 3D flow MRI compared to 4D flow MRI for hemodynamic evaluation of the Fontan pathway. <i>Scientific Reports</i> , 2021, 11, 6507.	1.6	7
238	Mendelian randomization study of the relation between adiponectin and heart function, unravelling the paradox. <i>Peptides</i> , 2021, 146, 170664.	1.2	7
239	Extracardiac conduit adequacy along the respiratory cycle in adolescent Fontan patients. <i>European Journal of Cardio-thoracic Surgery</i> , 2022, 62, .	0.6	7
240	Nonsustained Ventricular Tachycardia Is Independently Associated With Sustained Ventricular Arrhythmias in Nonischemic Dilated Cardiomyopathy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2022, 15, CIRCEP121009979.	2.1	7
241	Evaluation of the Value of Waist Circumference and Metabolomics in the Estimation of Visceral Adipose Tissue. <i>American Journal of Epidemiology</i> , 2022, , .	1.6	7
242	Toward comparability of coronary magnetic resonance angiography: proposal for a standardized quantitative assessment. <i>European Radiology</i> , 2003, 13, 2353-2357.	2.3	6
243	Functional significance of stenoses in coronary artery bypass grafts. <i>Journal of the American College of Cardiology</i> , 2004, 44, 1877-1882.	1.2	6
244	Intramyocardial bone marrow cell transplantation and the progression of coronary atherosclerosis in patients with chronic myocardial ischemia. <i>Acute Cardiac Care</i> , 2007, 9, 243-251.	0.2	6
245	The Separate Contributions of Visceral Fat and Liver Fat to Chronic Kidney Disease-Related Renal Outcomes. , 2020, 30, 286-295.		6
246	Non-uniform mixing of hepatic venous flow and inferior vena cava flow in the Fontan conduit. <i>Journal of the Royal Society Interface</i> , 2021, 18, 20201027.	1.5	6
247	Hemodynamic interplay of vorticity, viscous energy loss, and kinetic energy from 4D Flow MRI and link to cardiac function in healthy subjects and Fontan patients. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H1687-H1698.	1.5	6
248	Effectiveness of a multidisciplinary clinical pathway for women with systemic lupus erythematosus and/or antiphospholipid syndrome. <i>Lupus Science and Medicine</i> , 2021, 8, e000472.	1.1	6
249	Stroke volume measurements with first-pass dynamic positron emission tomography: Comparison with cardiovascular magnetic resonance. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 218-224.	1.4	5
250	Coupling of vessel wall morphology and function in the aorta and the carotid artery: an evaluation with MRI. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 91-98.	0.7	5
251	Relation of Overall and Abdominal Adiposity With Electrocardiogram Parameters of Subclinical Cardiovascular Disease in Individuals Aged 45 to 65 Years (from the Netherlands Epidemiology of Tj ETQq1 1 0.784314 rgBT5/Overlo		5
252	The effects of age at correction of aortic coarctation and recurrent obstruction on adolescent patients: MRI evaluation of wall shear stress and pulse wave velocity. <i>European Radiology Experimental</i> , 2019, 3, 24.	1.7	5

#	ARTICLE	IF	CITATIONS
253	Hepatic triglyceride content does not affect circulating CETP: lessons from a liraglutide intervention trial and a population-based cohort. <i>Scientific Reports</i> , 2019, 9, 9996.	1.6	5
254	Lifetime Transfusion Burden and Transfusion-Related Iron Overload in Adult Survivors of Solid Malignancies. <i>Oncologist</i> , 2020, 25, e341-e350.	1.9	5
255	Identification of cardiovascular abnormalities by multiparametric magnetic resonance imaging in end-stage renal disease patients with preserved left ventricular ejection fraction. <i>European Radiology</i> , 2021, 31, 7098-7109.	2.3	5
256	Comparison of MSCT and MRA in the Evaluation of an Anomalous Right Coronary Artery. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2003, 5, 403-405.	1.6	5
257	The Effect of Multi-Parametric Magnetic Resonance Imaging in Standard of Care for Nonalcoholic Fatty Liver Disease: Protocol for a Randomized Control Trial. <i>JMIR Research Protocols</i> , 2020, 9, e19189.	0.5	5
258	Evaluation of rerouting surgery of a coronary artery anomaly by magnetic resonance angiography. <i>Annals of Thoracic Surgery</i> , 2003, 76, 1748.	0.7	4
259	Self-Gated CINE MRI for Combined Contrast-Enhanced Imaging and Wall-Stiffness Measurements of Murine Aortic Atherosclerotic Lesions. <i>PLoS ONE</i> , 2013, 8, e57299.	1.1	4
260	Middle-aged overweight South Asian men exhibit a different metabolic adaptation to short-term energy restriction compared with Europeans. <i>Diabetologia</i> , 2015, 58, 165-177.	2.9	4
261	Body fat distribution, in particular visceral fat, is associated with cardiometabolic risk factors in women with obesity. <i>Atherosclerosis</i> , 2017, 263, e175.	0.4	4
262	Associations between normal range albuminuria, renal function and cardiovascular function in a population-based imaging study. <i>Atherosclerosis</i> , 2018, 272, 94-100.	0.4	4
263	Adherence to dietary guidelines in relation to visceral fat and liver fat in middle-aged men and women: the NEO study. <i>International Journal of Obesity</i> , 2020, 44, 297-306.	1.6	4
264	Associations between left ventricular function, vascular function and measures of cerebral small vessel disease: a cross-sectional magnetic resonance imaging study of the UK Biobank. <i>European Radiology</i> , 2021, 31, 5068-5076.	2.3	4
265	Changes in body fat and lipid metabolism in testicular cancer patients undergoing curative chemotherapy. <i>Journal of Clinical Oncology</i> , 2012, 30, 337-337.	0.8	4
266	Mediation of the association between obesity and osteoarthritis by blood pressure, vessel wall stiffness and subclinical atherosclerosis. <i>Rheumatology</i> , 2021, 60, 3268-3277.	0.9	4
267	Combined brain and heart magnetic resonance imaging in systemic vasculitides: fiction or real need?. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 111, 152-159.	0.4	4
268	A comprehensive analysis of the intramural segment in interarterial anomalous coronary arteries using CT-angiography. <i>European Heart Journal Open</i> , 0, , .	0.9	4
269	Functional and metabolic evaluation of the hypertrophied heart using MRI and ³¹ P-MRS. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 1998, 6, 168-170.	1.1	3
270	Three-dimensional active shape model matching for left ventricle segmentation in cardiac CT. , 2003, , .		3

#	ARTICLE	IF	CITATIONS
271	Evaluation of ECG Criteria for Left Ventricular Hypertrophy Before and After Aortic Valve Replacement Using Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2003, 5, 465-474.	1.6	3
272	Dynamic Multislice Computed Tomography of Left Ventricular Function. <i>Circulation</i> , 2004, 109, e25-6.	1.6	3
273	Functional and Metabolic Imaging of the Cardiovascular System in Young Healthy South Asians and Caucasians Unveils Early Differences. <i>Diabetes Care</i> , 2013, 36, e178-e179.	4.3	3
274	Effects of Short-Term Nutritional Interventions on Right Ventricular Function in Healthy Men. <i>PLoS ONE</i> , 2013, 8, e76406.	1.1	3
275	Is Hepatic Triglyceride Content Associated with Aortic Pulse Wave Velocity and Carotid Intima-Media Thickness? The Netherlands Epidemiology of Obesity Study. <i>Radiology</i> , 2017, 285, 73-82.	3.6	3
276	Association Between Hepatic Triglyceride Content and Coagulation Factors. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 3004-3014.	1.1	3
277	Illness perceptions and health-related quality of life in individuals with overweight and obesity. <i>International Journal of Obesity</i> , 2022, 46, 417-426.	1.6	3
278	Functional and metabolic evaluation of the hypertrophied heart using MRI and 31P-MRS. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 1998, 6, 168-170.	1.1	2
279	Gastric motility and emptying: Evaluation of the barostat method with MRI. <i>Gastroenterology</i> , 2003, 124, A673.	0.6	2
280	Myocardial scar identification based on analysis of Lookâ€“Locker and 3D late gadolinium enhanced MRI. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 925-34.	0.7	2
281	Abdominal visceral adipose tissue is associated with unsuspected pulmonary embolism on routine CT scans in patients with gastrointestinal cancer. <i>British Journal of Radiology</i> , 2019, 92, 20190526.	1.0	2
282	The role of insulin resistance in the relation of visceral, abdominal subcutaneous and total body fat to cardiovascular function. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2230-2241.	1.1	2
283	Association of measures of body fat with serum alpha-tocopherol and its metabolites in middle-aged individuals. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2407-2415.	1.1	2
284	Improved Myocardial Scar Characterization by Super-Resolution Reconstruction in Late Gadolinium Enhanced MRI. <i>Lecture Notes in Computer Science</i> , 2013, 16, 147-154.	1.0	2
285	Wall shear stress in the thoracic aorta at rest and with dobutamine stress after arterial switch operation. <i>European Journal of Cardio-thoracic Surgery</i> , 2021, 59, 814-822.	0.6	2
286	Shortâ€“term effects of a standardized glucose load on regionâ€“specific aortic pulse wave velocity assessed by MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 717-721.	1.9	1
287	SP113IMAGING FATTY KIDNEY USING PROTON MR SPECTROSCOPY: VALIDATION BY PORCINE KIDNEY BIOPSIES. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii414-iii414.	0.4	1
288	Free-breathing 3D phase-sensitive inversion recovery late gadolinium enhancement at 3.0 Tesla: reliability and image quality in ischemic and non-ischemic cardiomyopathy in comparison with multiple breath-hold 3D imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, P97.	1.6	1

#	ARTICLE	IF	CITATIONS
289	Can We Convert a Comfort Blanket to an MRI Coil?. Radiology, 2019, 291, 186-187.	3.6	1
290	Exploring the Interaction between Liver and Heart Disease. Radiology, 2020, 297, 62-63.	3.6	1
291	Computed Tomography Derived Coronary Triangulated Orifice Areaâ€”Deduction of a New Parameter for Follow-up After Surgical Correction of Anomalous Aortic Origin of Coronary Arteries and Call for Validation. Frontiers in Cardiovascular Medicine, 2021, 8, 668503.	1.1	1
292	4D flow MRI of type B dissection with later retrograde progression to type A dissection in Marfan: a case report. European Heart Journal - Case Reports, 2021, 5, ytab288.	0.3	1
293	COVID-19 associated perimyocarditis. Magnetic Resonance Imaging, 2021, 84, 132-134.	1.0	1
294	Study design of the Fasting In diabetes Treatment (FIT) trial: a randomised, controlled, assessor blinded intervention trial which examines the effect of intermittent use of a fasting mimicking diet in patients with type 2 diabetes. British Journal of General Practice, 2020, 70, bjgp20X711173.	0.7	1
295	Use of personal protective equipment by European Radiologists during the COVID-19 pandemic, a survey of the European Union of Medical Specialists (UEMS). Insights Into Imaging, 2022, 13, 20.	1.6	1
296	4D Flow MRI in Ascending Aortic Aneurysms: Reproducibility of Hemodynamic Parameters. Applied Sciences (Switzerland), 2022, 12, 3912.	1.3	1
297	Confirmatory factor analysis including MRI-derived adipose tissues quantification improves associations of metabolic dysregulation to diastolic dysfunction. Journal of Diabetes and Its Complications, 2022, 36, 108202.	1.2	1
298	Functional and metabolic consequences of aortic valve replacement. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2000, 11, 75-77.	1.1	0
299	The cavity-to-myocardial count ratio as a marker of left ventricular function. International Journal of Cardiovascular Imaging, 2002, 18, 353-355.	0.2	0
300	Dynamic MRI of gastric motility and emptying: Response to somatostatin in healthy subjects. Gastroenterology, 2003, 124, A673.	0.6	0
301	Noninvasive evaluation of coronary artery disease: magnetic resonance imaging & multi-slice computed tomography. Future Cardiology, 2005, 1, 79-86.	0.5	0
302	Clinical Applications of Cardiac Multi-Slice Computed Tomography. Current Medical Imaging, 2006, 2, 139-146.	0.4	0
303	Cardiac lipid content is reduced after twelve weeks of endurance and strength training in overweight subjects. Chemistry and Physics of Lipids, 2008, 154, S10.	1.5	0
304	Pioglitazone alters fat distribution in patients with type 2 diabetes mellitus, in contrast to metformin. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
305	Fatty liver in uncomplicated type 2 DM is associated with impaired myocardial HEP metabolism, modulated by myocardial glucose uptake. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
306	Total Body Fat Distribution as Part of Multiorgan MR Imaging: New Tool for Risk Assessment in the Metabolic Syndrome?. Radiology, 2010, 257, 307-308.	3.6	0

#	ARTICLE	IF	CITATIONS
307	Metabolic syndrome is associated with electrocardiographic markers of subclinical cardiovascular disease. <i>Atherosclerosis</i> , 2017, 263, e92.	0.4	0
308	ASSOCIATIONS OF VASCULAR AND LEFT VENTRICULAR FUNCTION WITH BRAIN VOLUMES AND WHITE MATTER HYPERINTENSITIES: A CROSS-SECTIONAL MAGNETIC RESONANCE IMAGING STUDY OF THE UK BIOBANK. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1549.	1.2	0
309	Editorial for "Evaluation of Cardiac Shunts With 4D Flow Cardiac Magnetic Resonance: Intra- and Interobserver Variability" <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 1064-1065.	1.9	0
310	Response to letter: Multiparametric magnetic resonance imaging in patients with nonalcoholic fatty liver disease. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1941-1941.	1.9	0
311	Imaging of Congenital Heart Disease: Expect the Unexpected. <i>Radiology</i> , 2021, 300, 174-175.	3.6	0
312	Assessment of Diastolic Function by Cardiac MRI. , 2008, , 415-428.		0
313	Slice-Based Combination of Rest and Dobutamine "Stress Cardiac MRI Using a Statistical Motion Model to Identify Myocardial Infarction: Validation against Contrast-Enhanced MRI. <i>Lecture Notes in Computer Science</i> , 2011, , 267-274.	1.0	0