Ester Cerin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9578526/publications.pdf Version: 2024-02-01



FSTED CEDIN

#	Article	IF	CITATIONS
1	Older people and nature: the benefits of outdoors, parks and nature in light of COVID-19 and beyond– where to from here?. International Journal of Environmental Health Research, 2022, 32, 1329-1336.	2.7	35
2	Using compositional data analysis to explore accumulation of sedentary behavior, physical activity and youth health. Journal of Sport and Health Science, 2022, 11, 234-243.	6.5	13
3	A Generalized Framework for Measuring Pedestrian Accessibility around the World Using Open Data. Geographical Analysis, 2022, 54, 559-582.	3.5	19
4	The global burden of adolescent and young adult cancer in 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Oncology, The, 2022, 23, 27-52.	10.7	90
5	Outdoor public recreation spaces and social connectedness among adolescents. BMC Public Health, 2022, 22, 165.	2.9	5
6	Urban Neighbourhood Environments, Cardiometabolic Health and Cognitive Function: A National Cross-Sectional Study of Middle-Aged and Older Adults in Australia. Toxics, 2022, 10, 23.	3.7	15
7	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e105-e125.	10.0	1,199
8	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. Lancet Diabetes and Endocrinology,the, 2022, 10, 177-192.	11.4	66
9	Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life Years for 29 Cancer Groups From 2010 to 2019. JAMA Oncology, 2022, 8, 420.	7.1	719
10	Vegetation and vehicle emissions around primary schools across urban Australia: associations with academic performance. Environmental Research, 2022, 212, 113256.	7.5	4
11	Global, regional, and national burden of colorectal cancer and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. The Lancet Gastroenterology and Hepatology, 2022, 7, 627-647.	8.1	177
12	Creating healthy and sustainable cities: what gets measured, gets done. The Lancet Global Health, 2022, 10, e782-e785.	6.3	45
13	Using open data and open-source software to develop spatial indicators of urban design and transport features for achieving healthy and sustainable cities. The Lancet Global Health, 2022, 10, e907-e918.	6.3	60
14	What next? Expanding our view of city planning and global health, and implementing and monitoring evidence-informed policy. The Lancet Global Health, 2022, 10, e919-e926.	6.3	55
15	City planning policies to support health and sustainability: an international comparison of policy indicators for 25 cities. The Lancet Global Health, 2022, 10, e882-e894.	6.3	55
16	Determining thresholds for spatial urban design and transport features that support walking to create healthy and sustainable cities: findings from the IPEN Adult study. The Lancet Global Health, 2022, 10, e895-e906.	6.3	42
17	Associations between Traffic-Related Air Pollution and Cognitive Function in Australian Urban Settings: The Moderating Role of Diabetes Status. Toxics, 2022, 10, 289.	3.7	1
18	Parent-perceived neighbourhood environment, parenting practices and preschool-aged children physical activity and screen time: a cross-sectional study of two culturally and geographically diverse cities. BMC Pediatrics, 2022, 22, .	1.7	1

#	Article	IF	CITATIONS
19	The role of socio-demographic factors and physical functioning in the intra- and interpersonal variability of older adults' sedentary time: an observational two-country study. BMC Geriatrics, 2022, 22, .	2.7	4
20	Associations of accelerometer measured school- and non-school based physical activity and sedentary time with body mass index: IPEN Adolescent study. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, .	4.6	4
21	Intervention effects on children's movement behaviour accumulation as a result of theÂTransform-Us! school- and home-based cluster randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, .	4.6	3
22	ls replacing sedentary time with bouts of physical activity associated with inflammatory biomarkers in children?. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 733-741.	2.9	7
23	Office spatial design attributes, sitting, and face-to-face interactions: Systematic review and research agenda. Building and Environment, 2021, 187, 107426.	6.9	16
24	The effects of the Australian bushfires on physical activity in children. Environment International, 2021, 146, 106214.	10.0	12
25	Reallocating sedentary time with total physical activity and physical activity bouts in children: Associations with cardiometabolic biomarkers. Journal of Sports Sciences, 2021, 39, 332-340.	2.0	6
26	Family, school and individual characteristics associated with adolescents' physical activity at school in Hong Kong: the iHealt(H) study. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 14.	4.6	3
27	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12200.	3.7	53
28	Reliability of streetscape audits comparing onâ€ s treet and online observations: MAPS-Global in 5 countries. International Journal of Health Geographics, 2021, 20, 6.	2.5	9
29	Social network characteristics as correlates and moderators of older adults' quality of life—the SHARE study. European Journal of Public Health, 2021, 31, 541-547.	0.3	8
30	Development of Measures of Perceived Neighborhood Environmental Attributes Influencing, and Perceived Barriers to Engagement in, Healthy Behaviors for Older Chinese Immigrants to Australia. International Journal of Environmental Research and Public Health, 2021, 18, 4531.	2.6	0
31	International evaluation of the Microscale Audit of Pedestrian Streetscapes (MAPS) Clobal instrument: comparative assessment between local and remote online observers. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 84.	4.6	10
32	Lived experience of dietary change among Chinese colorectal cancer survivors in Hong Kong: A qualitative study. BMJ Open, 2021, 11, e051052.	1.9	2
33	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. BMC Medical Informatics and Decision Making, 2021, 21, 241.	3.0	2
34	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	13.7	229
35	International Physical Activity and Built Environment Study of adolescents: IPEN Adolescent design, protocol and measures. BMJ Open, 2021, 11, e046636.	1.9	24
36	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92

#	Article	IF	CITATIONS
37	From urban neighbourhood environments to cognitive health: a cross-sectional analysis of the role of physical activity and sedentary behaviours. BMC Public Health, 2021, 21, 2320.	2.9	20
38	A Community-Wide Walking Promotion Using Maps and Events for Japanese Older Adults. Journal of Aging and Health, 2020, 32, 735-743.	1.7	3
39	Distinct effects of acute exercise and breaks in sitting on working memory and executive function in older adults: a three-arm, randomised cross-over trial to evaluate the effects of exercise with and without breaks in sitting on cognition. British Journal of Sports Medicine, 2020, 54, 776-781.	6.7	60
40	Mapping disparities in education across low- and middle-income countries. Nature, 2020, 577, 235-238.	27.8	58
41	Objective neighbourhood attributes as correlates of neighbourhood dissatisfaction and the mediating role of neighbourhood perceptions in older adults from culturally and physically diverse urban environments. Cities, 2020, 107, 102879.	5.6	16
42	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
43	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
44	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890
45	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
46	ls the perceived neighborhood built environment associated with domain-specific physical activity in Latin American adults? An eight-country observational study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 125.	4.6	25
47	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
48	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	13.7	330
49	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1162-e1185.	6.3	91
50	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
51	Combined effects of continuous exercise and intermittent active interruptions to prolonged sitting on postprandial glucose, insulin, and triglycerides in adults with obesity: a randomized crossover trial. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 152.	4.6	16
52	Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.	2.8	4,468
53	Built Environment, Physical Activity, and Obesity: Findings from the International Physical Activity and Environment Network (IPEN) Adult Study. Annual Review of Public Health, 2020, 41, 119-139.	17.4	110
54	Activity Accumulation and Cardiometabolic Risk in Youth: A Latent Profile Approach. Medicine and Science in Sports and Exercise, 2020, 52, 1502-1510.	0.4	13

#	Article	IF	CITATIONS
55	Urban environments and objectively-assessed physical activity and sedentary time in older Belgian and Chinese community dwellers: potential pathways of influence and the moderating role of physical function. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 73.	4.6	20
56	Cross-Sectional Associations of Total Daily Volume and Activity Patterns across the Activity Spectrum with Cardiometabolic Risk Factors in Children and Adolescents. International Journal of Environmental Research and Public Health, 2020, 17, 4286.	2.6	8
57	Do physical activity and sedentary time mediate the association of the perceived environment with BMI? The IPEN adult study. Health and Place, 2020, 64, 102366.	3.3	5
58	Main and interacting effects of physical activity and sedentary time on older adults' BMI: The moderating roles of socio-demographic and environmental attributes. PLoS ONE, 2020, 15, e0235833.	2.5	5
59	Environmental Mismatch: Do Associations between the Built Environment and Physical Activity among Youth Depend on Concordance with Perceptions?. International Journal of Environmental Research and Public Health, 2020, 17, 1309.	2.6	8
60	Network diffusion modeling predicts neurodegeneration in traumatic brain injury. Annals of Clinical and Translational Neurology, 2020, 7, 270-279.	3.7	29
61	Effects of dietary and physical activity interventions on generic and cancer-specific health-related quality of life, anxiety, and depression in colorectal cancer survivors: a randomized controlled trial. Journal of Cancer Survivorship, 2020, 14, 424-433.	2.9	43
62	International Mind, Activities and Urban Places (iMAP) study: methods of a cohort study on environmental and lifestyle influences on brain and cognitive health. BMJ Open, 2020, 10, e036607.	1.9	9
63	Residential vs school neighborhoods: Associations with physical activity among adolescents. Health and Place, 2020, 63, 102328.	3.3	5
64	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
65	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 133-141.	2.8	56
66	Global and regional burden of cancer in 2016 arising from occupational exposure to selected carcinogens: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 151-159.	2.8	64
67	How urban densification shapes walking behaviours in older community dwellers: a cross-sectional analysis of potential pathways of influence. International Journal of Health Geographics, 2020, 19, 14.	2.5	34
68	Socioeconomic Status and Physical Activity among Mothers of Young Children in an Asian City: The Mediating Role of Household Activities and Domestic Help. International Journal of Environmental Research and Public Health, 2020, 17, 2498.	2.6	6
69	Title is missing!. , 2020, 15, e0235833.		0
70	Title is missing!. , 2020, 15, e0235833.		0
71	Title is missing!. , 2020, 15, e0235833.		0

Ester Cerin

#	Article	IF	CITATIONS
73	Walking behaviour and patterns of perceived access to neighbourhood destinations in older adults from a low-density (Brisbane, Australia) and an ultra-dense city (Hong Kong, China). Cities, 2019, 84, 23-33.	5.6	41
74	Associations of socio-demographic, perceived environmental, social and psychological factors with active travel in Hong Kong adolescents: The iHealt(H) cross-sectional study. Journal of Transport and Health, 2019, 12, 336-348.	2.2	16
75	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 913-933.	8.1	259
76	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	27.8	161
77	Objectively measured access to recreational destinations and leisure-time physical activity: Associations and demographic moderators in a six-country study. Health and Place, 2019, 59, 102196.	3.3	9
78	Associations of built environment and proximity of food outlets with weight status: Analysis from 14 cities in 10 countries. Preventive Medicine, 2019, 129, 105874.	3.4	16
79	Neighborhood walkability and 12-year changes in cardio-metabolic risk: the mediating role of physical activity. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 86.	4.6	34
80	Trial feasibility and process evaluation of a motivationally-embellished group peer led walking intervention in retirement villages using the RE-AIM framework: the residents in action trial (RiAT). Health Psychology and Behavioral Medicine, 2019, 7, 202-233.	1.8	17
81	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. JAMA Oncology, 2019, 5, 1749.	7.1	1,691
82	Associations Between Latent Classes of Perceived Neighborhood Destination Accessibility and Walking Behaviors in Older Adults of a Low-Density and a High-Density City. Journal of Aging and Physical Activity, 2019, 27, 553-564.	1.0	12
83	Predictors of healthier and more sustainable school travel mode profiles among Hong Kong adolescents. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 48.	4.6	22
84	Neighbourhood built environment and physical function among mid-to-older aged adults: A systematic review. Health and Place, 2019, 58, 102137.	3.3	42
85	Physical Activity of Children with Physical Disabilities: Associations with Environmental and Behavioral Variables at Home and School. International Journal of Environmental Research and Public Health, 2019, 16, 1394.	2.6	10
86	Population density is beneficially associated with 12-year diabetes risk marker change among residents of lower socio-economic neighborhoods. Health and Place, 2019, 57, 74-81.	3.3	3
87	Objectively-Measured Neighbourhood Attributes as Correlates and Moderators of Quality of Life in Older Adults with Different Living Arrangements: The ALECS Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2019, 16, 876.	2.6	22
88	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	10.2	2,625
89	Morning exercise mitigates the impact of prolonged sitting on cerebral blood flow in older adults. Journal of Applied Physiology, 2019, 126, 1049-1055.	2.5	39
90	Effect of Morning Exercise With or Without Breaks in Prolonged Sitting on Blood Pressure in Older Overweight/Obese Adults. Hypertension, 2019, 73, 859-867.	2.7	33

#	Article	IF	CITATIONS
91	Built and social environmental factors influencing healthy behaviours in older Chinese immigrants to Australia: a qualitative study. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 116.	4.6	21
92	Development and validation of the neighborhood environment walkability scale for youth across six continents. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 122.	4.6	22
93	Built environment and physical activity among adolescents: the moderating effects of neighborhood safety and social support. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 132.	4.6	48
94	Building the evidence for an ecological model of cognitive health. Health and Place, 2019, 60, 102206.	3.3	33
95	Do associations of sex, age and education with transport and leisure-time physical activity differ across 17 cities in 12 countries?. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 121.	4.6	29
96	To what extent does physical activity explain the associations between neighborhood environment and depressive symptoms in older adults living in an Asian metropolis?. Mental Health and Physical Activity, 2019, 16, 96-104.	1.8	11
97	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 88-106.	10.2	1,512
98	Associations of Socio-demographic, Family, and Neighborhood Factors with Physical Activity-Related Parenting Practices Among Hong Kong Preschoolers' Parents. Maternal and Child Health Journal, 2019, 23, 678-691.	1.5	10
99	An internet-supported school physical activity intervention in low socioeconomic status communities: results from the Activity and Motivation in Physical Education (AMPED) cluster randomised controlled trial. British Journal of Sports Medicine, 2019, 53, 341-347.	6.7	57
100	Physical Environments That Promote Physical Activity Among Older People. , 2018, , 447-466.		1
101	Dietary and Physical Activity Interventions for Colorectal Cancer Survivors: A Randomized Controlled Trial. Scientific Reports, 2018, 8, 5731.	3.3	25
102	Development and reliability of a streetscape observation instrument for international use: MAPS-global. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 19.	4.6	37
103	Relationships Between Neighbourhood Physical Environmental Attributes and Older Adults' Leisure-Time Physical Activity: A Systematic Review and Meta-Analysis. Sports Medicine, 2018, 48, 1635-1660.	6.5	174
104	Cross-sectional associations of objectively assessed neighbourhood attributes with depressive symptoms in older adults of an ultra-dense urban environment: the Hong Kong ALECS study. BMJ Open, 2018, 8, e020480.	1.9	12
105	Personal and Neighbourhood Indicators of Quality of Urban Life: A Case Study of Hong Kong. Social Indicators Research, 2018, 136, 751-773.	2.7	10
106	Potential moderators of day-to-day variability in children's physical activity patterns. Journal of Sports Sciences, 2018, 36, 637-644.	2.0	20
107	Prospective Associations of Local Destinations and Routes With Middle-to-Older Aged Adults' Walking. Gerontologist, The, 2018, 58, 121-129.	3.9	17
108	Relationships between the neighborhood environment and depression in older adults: a systematic review and meta-analysis. International Psychogeriatrics, 2018, 30, 1153-1176.	1.0	132

#	Article	IF	CITATIONS
109	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
110	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
111	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	13.7	3,269
112	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
113	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
114	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
115	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
116	Associations of neighborhood environmental attributes with adults' objectively-assessed sedentary time: IPEN adult multi-country study. Preventive Medicine, 2018, 115, 126-133.	3.4	20
117	Interacting effects of exercise with breaks in sitting time on cognitive and metabolic function in older adults: Rationale and design of a randomised crossover trial. Mental Health and Physical Activity, 2018, 15, 11-16.	1.8	10
118	Objectively-assessed neighbourhood destination accessibility and physical activity in adults from 10 countries: An analysis of moderators and perceptions as mediators. Social Science and Medicine, 2018, 211, 282-293.	3.8	71
119	Neighborhood Variation of Sustainable Urban Morphological Characteristics. International Journal of Environmental Research and Public Health, 2018, 15, 465.	2.6	18
120	Reply. American Journal of Ophthalmology, 2018, 185, 123-124.	3.3	1
121	Validity of a scale of neighbourhood informal social control relevant to pre-schoolers' physical activity: A cross-sectional study. SSM - Population Health, 2017, 3, 57-65.	2.7	7
122	International comparison of observation-specific spatial buffers: maximizing the ability to estimate physical activity. International Journal of Health Geographics, 2017, 16, 4.	2.5	52
123	The neighbourhood physical environment and active travel in older adults: a systematic review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 15.	4.6	365
124	Physical Activity and Age-related Macular Degeneration: A Systematic Literature Review and Meta-analysis. American Journal of Ophthalmology, 2017, 180, 29-38.	3.3	74
125	Physical Activity and Sedentary Time among Children with Disabilities at School. Medicine and Science in Sports and Exercise, 2017, 49, 292-297.	0.4	55
126	Consensus on measurement properties and feasibility of performance tests for the exercise and sport sciences: a Delphi study. Sports Medicine - Open, 2017, 3, 2.	3.1	45

#	Article	IF	CITATIONS
127	Interrupting prolonged sitting in type 2 diabetes: nocturnal persistence of improved glycaemic control. Diabetologia, 2017, 60, 499-507.	6.3	83
128	Access to parks and physical activity: An eight country comparison. Urban Forestry and Urban Greening, 2017, 27, 253-263.	5.3	125
129	Protocol for the residents in action pilot cluster randomised controlled trial (RiAT): evaluating a behaviour change intervention to promote walking, reduce sitting and improve mental health in physically inactive older adults in retirement villages. BMJ Open, 2017, 7, e015543.	1.9	7
130	Built environmental correlates of older adults' total physical activity and walking: a systematic review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 103.	4.6	476
131	Associations between major chain fast-food outlet availability and change in body mass index: a longitudinal observational study of women from Victoria, Australia. BMJ Open, 2017, 7, e016594.	1.9	14
132	Development of Physical Activity–Related Parenting Practices Scales for Urban Chinese Parents of Preschoolers: Confirmatory Factor Analysis and Reliability. Journal of Physical Activity and Health, 2017, 14, 692-700.	2.0	6
133	Associations between access to alcohol outlets and alcohol intake and depressive symptoms in women from socioeconomically disadvantaged neighbourhoods in Australia. BMC Public Health, 2017, 17, 83.	2.9	7
134	Do associations between objectively-assessed physical activity and neighbourhood environment attributes vary by time of the day and day of the week? IPEN adult study. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 34.	4.6	49
135	Associations of neighborhood environment with brain imaging outcomes in the Australian Imaging, Biomarkers and Lifestyle cohort. Alzheimer's and Dementia, 2017, 13, 388-398.	0.8	23
136	Associations Between Objective and Self-Report Measures of Traffic and Crime Safety in Latino Parents of Preschool Children. Journal of Immigrant and Minority Health, 2017, 19, 1109-1120.	1.6	10
137	Seasonal Variation in Physical Activity of Children with Disabilities during Physical Education. Medicine and Science in Sports and Exercise, 2017, 49, 71.	0.4	0
138	What are the associations between neighbourhood walkability and sedentary time in New Zealand adults? The URBAN cross-sectional study. BMJ Open, 2017, 7, e016128.	1.9	14
139	Is the Association between Park Proximity and Recreational Physical Activity among Mid-Older Aged Adults Moderated by Park Quality and Neighborhood Conditions?. International Journal of Environmental Research and Public Health, 2017, 14, 192.	2.6	23
140	Associations of the perceived and objective neighborhood environment with physical activity and sedentary time in New Zealand adolescents. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 145.	4.6	68
141	Reliability of self-report measures of correlates of obesity-related behaviours in Hong Kong adolescents for the iHealt(H) and IPEN adolescent studies. Archives of Public Health, 2017, 75, 38.	2.4	12
142	Physical Activity of Children with Intellectual Disabilities in Diverse Structured Settings in Special Schools. Medicine and Science in Sports and Exercise, 2016, 48, 488-489.	0.4	0
143	Perceived Neighborhood Environmental Attributes Associated with Walking and Cycling for Transport among Adult Residents of 17 Cities in 12 Countries: The IPEN Study. Environmental Health Perspectives, 2016, 124, 290-298.	6.0	195
144	Past physical activity and age-related macular degeneration: the Melbourne Collaborative Cohort Study. British Journal of Ophthalmology, 2016, 100, 1353-1358.	3.9	34

#	Article	IF	CITATIONS
145	Neighbourhood environment, physical activity, quality of life and depressive symptoms in Hong Kong older adults: a protocol for an observational study. BMJ Open, 2016, 6, e010384.	1.9	48
146	Interrupting prolonged sitting with brief bouts of light walking or simple resistance activities reduces resting blood pressure and plasma noradrenaline in type 2 diabetes. Journal of Hypertension, 2016, 34, 2376-2382.	0.5	101
147	Walkability and walking for transport: characterizing the built environment using space syntax. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 121.	4.6	67
148	Physical activity in relation to urban environments in 14 cities worldwide: a cross-sectional study. Lancet, The, 2016, 387, 2207-2217.	13.7	800
149	Benefits for Type 2 Diabetes of Interrupting Prolonged Sitting With Brief Bouts of Light Walking or Simple Resistance Activities. Diabetes Care, 2016, 39, 964-972.	8.6	273
150	Associations between the neighbourhood environment characteristics and physical activity in older adults with specific types of chronic conditions: the ALECS cross-sectional study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 53.	4.6	58
151	Associations of sedentary time patterns and <scp>TV</scp> viewing time with inflammatory and endothelial function biomarkers in children. Pediatric Obesity, 2016, 11, 194-201.	2.8	70
152	Associations of objectively-assessed neighborhood characteristics with older adults' total physical activity and sedentary time in an ultra-dense urban environment: Findings from the ALECS study. Health and Place, 2016, 42, 1-10.	3.3	47
153	Correlates of Agreement between Accelerometry and Self-reported Physical Activity. Medicine and Science in Sports and Exercise, 2016, 48, 1075-1084.	0.4	119
154	Measuring moderate-intensity walking in older adults using the ActiGraph accelerometer. BMC Geriatrics, 2016, 16, 211.	2.7	64
155	Places where preschoolers are (in)active: an observational study on Latino preschoolers and their parents using objective measures. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 29.	4.6	44
156	International comparisons of the associations between objective measures of the built environment and transport-related walking and cycling: IPEN adult study. Journal of Transport and Health, 2016, 3, 467-478.	2.2	160
157	Mediating effects of body composition between physical activity and body esteem in Hong Kong adolescents: a structural equation modeling approach. European Journal of Pediatrics, 2016, 175, 31-37.	2.7	11
158	Social Dancing and Incidence of Falls in Older Adults: A Cluster Randomised Controlled Trial. PLoS Medicine, 2016, 13, e1002112.	8.4	71
159	An In-depth Pilot Study on Patterns, Destinations, and Purposes of Walking in Hong Kong Older Adults. Journal of Aging and Physical Activity, 2015, 23, 144-152.	1.0	21
160	Parental Practices Encouraging and Discouraging Physical Activity in Hong Kong Chinese Preschoolers. Journal of Physical Activity and Health, 2015, 12, 361-369.	2.0	29
161	Within- and between-day associations between children's sitting and physical activity time. BMC Public Health, 2015, 15, 950.	2.9	35
162	Measures of Environmental Correlates of Physical Activity for Urban Chinese Preschool-Aged Children. SAGE Open, 2015, 5, 215824401560469.	1.7	5

#	Article	IF	CITATIONS
163	An Internet-supported Physical Activity Intervention Delivered in Secondary Schools Located in Low Socio-economic Status Communities: Study Protocol for the Activity and Motivation in Physical Education (AMPED) Cluster Randomized Controlled TrialÂ. BMC Public Health, 2015, 16, 17.	2.9	22
164	Validity of treadmill- and track-based individual calibration methods for estimating free-living walking speed and VO2 using the Actigraph accelerometer. BMC Sports Science, Medicine and Rehabilitation, 2015, 7, 29.	1.7	18
165	Statistical Approaches Used to Assess the Equity of Access to Food Outlets: A Systematic Review. AIMS Public Health, 2015, 2, 358-401.	2.6	15
166	International study of perceived neighbourhood environmental attributes and Body Mass Index: IPEN Adult study in 12 countries. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 62.	4.6	52
167	Breaking up of prolonged sitting over three days sustains, but does not enhance, lowering of postprandial plasma glucose and insulin in overweight and obese adults. Clinical Science, 2015, 129, 117-127.	4.3	67
168	A Child-Centered Scale of Informal Social Control for Latino Parents of Preschool-Age Children. Hispanic Journal of Behavioral Sciences, 2015, 37, 541-559.	0.5	5
169	Park proximity, quality and recreational physical activity among mid-older aged adults: moderating effects of individual factors and area of residence. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 46.	4.6	67
170	Neighbourhood environment, sitting time and motorised transport in older adults: a cross-sectional study in Hong Kong. BMJ Open, 2015, 5, e007557-e007557.	1.9	29
171	Moderating effects of age, gender and education on the associations of perceived neighborhood environment attributes with accelerometer-based physical activity: The IPEN adult study. Health and Place, 2015, 36, 65-73.	3.3	44
172	Walkable Area Within Which Destinations Matter. Asia-Pacific Journal of Public Health, 2015, 27, NP2757-NP2763.	1.0	10
173	International study of objectively measured physical activity and sedentary time with body mass index and obesity: IPEN adult study. International Journal of Obesity, 2015, 39, 199-207.	3.4	127
174	Parental practices encouraging and discouraging physical activity in Hong Kong Chinese preschoolers. Journal of Physical Activity and Health, 2015, 12, 361-9.	2.0	16
175	The Dutch Obesity Intervention in Teenagers (DOiT) cluster controlled implementation trial: intervention effects and mediators and moderators of adiposity and energy balance-related behaviours. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 158.	4.6	39
176	International variation in neighborhood walkability, transit, and recreation environments using geographic information systems: the IPEN adult study. International Journal of Health Geographics, 2014, 13, 43.	2.5	176
177	Built environment and physical activity in New Zealand adolescents: a protocol for a cross-sectional study: TableÂ1. BMJ Open, 2014, 4, e004475.	1.9	23
178	Understanding the relationships between the physical environment and physical activity in older adults: a systematic review of qualitative studies. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 79.	4.6	228
179	Compensation of Physical Activity and Sedentary Time in Primary School Children. Medicine and Science in Sports and Exercise, 2014, 46, 1564-1569.	0.4	97
180	What helps children to move more at school recess and lunchtime? Mid-intervention results from Transform-Us! cluster-randomised controlled trial. British Journal of Sports Medicine, 2014, 48, 271-277.	6.7	81

#	Article	IF	CITATIONS
181	Ageing in an ultra-dense metropolis: perceived neighbourhood characteristics and utilitarian walking in Hong Kong elders. Public Health Nutrition, 2014, 17, 225-232.	2.2	81
182	Neighborhood Environments and Objectively Measured Physical Activity in 11 Countries. Medicine and Science in Sports and Exercise, 2014, 46, 2253-2264.	0.4	96
183	Psychometrics of the preschooler physical activity parenting practices instrument among a Latino sample. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 3.	4.6	45
184	Environmental and cultural correlates of physical activity parenting practices among Latino parents with preschool-aged children: Niños Activos. BMC Public Health, 2014, 14, 707.	2.9	43
185	Development and reliability of a scale of physical-activity related informal social control for parents of Chinese pre-schoolers. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 87.	4.6	9
186	Repeatability of self-report measures of physical activity, sedentary and travel behaviour in Hong Kong adolescents for the iHealt(H) and IPEN – Adolescent studies. BMC Pediatrics, 2014, 14, 142.	1.7	19
187	Perceived neighbourhood environmental attributes associated with adults׳ recreational walking: IPEN Adult study in 12 countries. Health and Place, 2014, 28, 22-30.	3.3	125
188	Breaking up prolonged sitting reduces resting blood pressure in overweight/obese adults. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 976-982.	2.6	152
189	Longitudinal Relations of Perceived Availability of Neighborhood Sport Facilities With Physical Activity in Adolescents: An Analysis of Potential Moderators. Journal of Physical Activity and Health, 2014, 11, 581-587.	2.0	18
190	Interacting psychosocial and environmental correlates of leisure-time physical activity: A three-country study Health Psychology, 2014, 33, 699-709.	1.6	35
191	Understanding Neighborhood Environment Related to Hong Kong Children's Physical Activity: A Qualitative Study Using Nominal Group Technique. PLoS ONE, 2014, 9, e106578.	2.5	21
192	Neighborhood Environment and Physical Activity Behaviors among Chinese Adults in Hong Kong. Medicine and Science in Sports and Exercise, 2014, 46, 473.	0.4	0
193	Walking for transportation in Hong Kong Chinese urban elders: a cross-sectional study on what destinations matter and when. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 78.	4.6	95
194	Examination of mid-intervention mediating effects on objectively assessed sedentary time among children in the Transform-Us! cluster-randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 62.	4.6	80
195	Study protocol for "Moving Bright, Eating Smartâ€â€" A phase 2 clinical trial on the acceptability and feasibility of a diet and physical activity intervention to prevent recurrence in colorectal cancer survivors. BMC Public Health, 2013, 13, 487.	2.9	11
196	Can social dancing prevent falls in older adults? a protocol of the Dance, Aging, Cognition, Economics (DAnCE) fall prevention randomised controlled trial. BMC Public Health, 2013, 13, 477.	2.9	45
197	Sharing good NEWS across the world: developing comparable scores across 12 countries for the neighborhood environment walkability scale (NEWS). BMC Public Health, 2013, 13, 309.	2.9	113
198	Walking for Recreation and Perceptions of the Neighborhood Environment in Older Chinese Urban Dwellers. Journal of Urban Health, 2013, 90, 56-66.	3.6	80

#	Article	IF	CITATIONS
199	Research priorities for child and adolescent physical activity and sedentary behaviours: an international perspective using a twin-panel Delphi procedure. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 112.	4.6	42
200	What Hispanic parents do to encourage and discourage 3-5 year old children to be active: a qualitative study using nominal group technique. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 93.	4.6	40
201	Objectively-measured neighborhood environments and leisure-time physical activity in Chinese urban elders. Preventive Medicine, 2013, 56, 86-89.	3.4	119
202	Perceived neighborhood environmental attributes associated with adults' leisure-time physical activity: Findings from Belgium, Australia and the USA. Health and Place, 2013, 19, 59-68.	3.3	96
203	Comparison of three models of actigraph accelerometers during free living and controlled laboratory conditions. European Journal of Sport Science, 2013, 13, 332-339.	2.7	30
204	Socioeconomic Status, Neighborhood Characteristics, and Walking Within the Neighborhood Among Older Hong Kong Chinese. Journal of Aging and Health, 2013, 25, 1425-1444.	1.7	30
205	Advancing Science and Policy Through a Coordinated International Study of Physical Activity and Built Environments: IPEN Adult Methods. Journal of Physical Activity and Health, 2013, 10, 581-601.	2.0	148
206	Impact on Hemostatic Parameters of Interrupting Sitting with Intermittent Activity. Medicine and Science in Sports and Exercise, 2013, 45, 1285-1291.	0.4	70
207	Feasibility study to objectively assess activity and location of Hispanic preschoolers: a short communication. Geospatial Health, 2013, 7, 375.	0.8	19
208	Correlates of Change in Adults' Television Viewing Time. Medicine and Science in Sports and Exercise, 2012, 44, 1287-1292.	0.4	41
209	Breaking Up Prolonged Sitting Reduces Postprandial Glucose and Insulin Responses. Diabetes Care, 2012, 35, 976-983.	8.6	952
210	Reliability and Validity of the IPAQ-L in a Sample of Hong Kong Urban Older Adults: Does Neighborhood of Residence Matter?. Journal of Aging and Physical Activity, 2012, 20, 402-420.	1.0	43
211	Physical activity for cancer survivors: meta-analysis of randomised controlled trials. BMJ: British Medical Journal, 2012, 344, e70-e70.	2.3	618
212	Impact of an Active Video Game on Healthy Children's Physical Activity. Pediatrics, 2012, 129, e636-e642.	2.1	154
213	Identifying mediators of training effects on performance-related psychobiosocial states: A single-case observational study in an elite female triathlete. Psychology of Sport and Exercise, 2012, 13, 541-549.	2.1	6
214	Perceived neighborhood environmental attributes associated with adults' transport-related walking and cycling: Findings from the USA, Australia and Belgium. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 70.	4.6	119
215	School sport policy and school-based physical activity environments and their association with observed physical activity in middle school children. Health and Place, 2012, 18, 31-38.	3.3	53
216	Associations between perceived neighborhood environmental attributes and adults' sedentary behavior: Findings from the USA, Australia and Belgium. Social Science and Medicine, 2012, 74, 1375-1384.	3.8	86

#	Article	IF	CITATIONS
217	Statistical Approaches to Testing the Relationships of the Built Environment with Resident-Level Physical Activity Behavior and Health Outcomes in Cross-Sectional Studies with Cluster Sampling. Journal of Planning Literature, 2011, 26, 151-167.	3.5	52
218	From neighborhood design and food options to residents' weight status. Appetite, 2011, 56, 693-703.	3.7	49
219	The Acute Metabolic Effects Of 'Breaking-up' Prolonged Sitting In Adults. Medicine and Science in Sports and Exercise, 2011, 43, 540.	0.4	0
220	Investigating The Reproducibility Of The DAPA (Dogs And Physical Activity) Tool In Hong Kong. Medicine and Science in Sports and Exercise, 2011, 43, 610.	0.4	0
221	Neighborhood Walkability is Not Associated with Self-Reported Physical Activity in Hong Kong Residents. Medicine and Science in Sports and Exercise, 2011, 43, 570.	0.4	1
222	Active Video Games for Youth: A Systematic Review. Journal of Physical Activity and Health, 2011, 8, 724-737.	2.0	238
223	Active Commuting to School and Association With Physical Activity and Adiposity Among US Youth. Journal of Physical Activity and Health, 2011, 8, 488-495.	2.0	117
224	Predictors of pre―and postâ€competition affective states in male martial artists: a multilevel interactional approach. Scandinavian Journal of Medicine and Science in Sports, 2011, 21, 137-150.	2.9	20
225	Mechanisms linking affective reactions to competitionâ€related and competitionâ€extraneous concerns in male martial artists. Scandinavian Journal of Medicine and Science in Sports, 2011, 21, 700-712.	2.9	3
226	Objective assessment of walking environments in ultra-dense cities: Development and reliability of the Environment in Asia Scan Tool—Hong Kong version (EAST-HK). Health and Place, 2011, 17, 937-945.	3.3	66
227	Television viewing time of colorectal cancer survivors is associated prospectively with quality of life. Cancer Causes and Control, 2011, 22, 1111-1120.	1.8	50
228	A cluster-randomized controlled trial to reduce sedentary behavior and promote physical activity and health of 8-9 year olds: The Transform-Us! Study. BMC Public Health, 2011, 11, 759.	2.9	136
229	Measuring walking within and outside the neighborhood in Chinese elders: reliability and validity. BMC Public Health, 2011, 11, 851.	2.9	36
230	Examining the validity and reliability of the Chinese version of the International Physical Activity Questionnaire, long form (IPAQ-LC). Public Health Nutrition, 2011, 14, 443-450.	2.2	110
231	Perceived Neighborhood Environment and Park Use as Mediators of the Effect of Area Socio-Economic Status on Walking Behaviors. Journal of Physical Activity and Health, 2010, 7, 802-810.	2.0	88
232	Perceived Barriers to Leisure-Time Physical Activity in Adults: An Ecological Perspective. Journal of Physical Activity and Health, 2010, 7, 451-459.	2.0	135
233	Key Determinants (Ecological/Environmental Model) Associated With Being Highly or Moderately Active in Hong Kong Residents. Medicine and Science in Sports and Exercise, 2010, 42, 247.	0.4	0
234	Do Three Different Generations of the Actigraph Accelerometer Provide the Same Output?. Medicine and Science in Sports and Exercise, 2010, 45, 476.	0.4	6

Ester Cerin

#	Article	IF	CITATIONS
235	Bicycle Use for Transport in an Australian and a Belgian City: Associations with Built-Environment Attributes. Journal of Urban Health, 2010, 87, 189-198.	3.6	51
236	Relationships of Land Use Mix with Walking for Transport: Do Land Uses and Geographical Scale Matter?. Journal of Urban Health, 2010, 87, 782-795.	3.6	141
237	Adolescents' physical activity: Competition between perceived neighborhood sport facilities and home media resources. Pediatric Obesity, 2010, 5, 169-176.	3.2	32
238	Physical activity as a mediator of the associations between neighborhood walkability and adiposity in Belgian adults. Health and Place, 2010, 16, 952-960.	3.3	51
239	The effects of training on performance and performance-related states in individual elite athletes: A dynamic approach. Journal of Sports Sciences, 2010, 28, 1117-1126.	2.0	7
240	Ways of unraveling how and why physical activity influences mental health through statistical mediation analyses. Mental Health and Physical Activity, 2010, 3, 51-60.	1.8	67
241	Reliable and valid NEWS for Chinese seniors: measuring perceived neighborhood attributes related to walking. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 84.	4.6	98
242	Physical activity and sedentary behaviours in Hong Kong primary school children: Prevalence and gender differences. Preventive Medicine, 2010, 51, 96-97.	3.4	29
243	A commentary on current practice in mediating variable analyses in behavioural nutrition and physical activity. Public Health Nutrition, 2009, 12, 1182-1188.	2.2	180
244	Testing Theories of Dietary Behavior Change in Youth Using the Mediating Variable Model with Intervention Programs. Journal of Nutrition Education and Behavior, 2009, 41, 309-318.	0.7	141
245	Gender, level of participation, and type of sport: Differences in achievement goal orientation and attributional style. Journal of Science and Medicine in Sport, 2009, 12, 508-512.	1.3	80
246	Explaining socio-economic status differences in walking for transport: An ecological analysis of individual, social and environmental factors. Social Science and Medicine, 2009, 68, 1013-1020.	3.8	95
247	Can a Motivational Intervention Overcome an Unsupportive Environment for Walking—Findings from the Step-by-Step Study. Annals of Behavioral Medicine, 2009, 38, 137-146.	2.9	27
248	Associations of multiple physical activity domains with mental well-being. Mental Health and Physical Activity, 2009, 2, 55-64.	1.8	72
249	Cross-validation of the factorial structure of the Neighborhood Environment Walkability Scale (NEWS) and its abbreviated form (NEWS-A). International Journal of Behavioral Nutrition and Physical Activity, 2009, 6, 32.	4.6	172
250	Steps in the design, development and formative evaluation of obesity prevention-related behavior change trials. International Journal of Behavioral Nutrition and Physical Activity, 2009, 6, 6.	4.6	125
251	Structured Self-Reflection as a Tool to Enhance Perceived Performance and Maintain Effort in Adult Recreational Salsa Dancers. Sport Psychologist, 2009, 23, 151-169.	0.9	13
252	Physical activity of young people in the Torres Strait and Northern Peninsula Region: An exploratory study. Australian Journal of Rural Health, 2008, 16, 278-282.	1.5	16

#	Article	IF	CITATIONS
253	Pediatric obesity: Finding the causes and contexts. Pediatric Obesity, 2008, 3, 194-195.	3.2	3
254	How socio-economic status contributes to participation in leisure-time physical activity. Social Science and Medicine, 2008, 66, 2596-2609.	3.8	201
255	Are perceptions of the local environment related to neighbourhood satisfaction and mental health in adults?. Preventive Medicine, 2008, 47, 273-278.	3.4	185
256	Breaks in Sedentary Time. Diabetes Care, 2008, 31, 661-666.	8.6	1,220
257	Prospective Relationships of Physical Activity With Quality of Life Among Colorectal Cancer Survivors. Journal of Clinical Oncology, 2008, 26, 4480-4487.	1.6	91
258	Objective Versus Perceived Walking Distances to Destinations. Environment and Behavior, 2008, 40, 401-425.	4.7	115
259	An Australian Version of the Neighborhood Environment Walkability Scale: Validity Evidence. Measurement in Physical Education and Exercise Science, 2008, 12, 31-51.	1.8	79
260	Explaining the effect of a 1-year intervention promoting physical activity in middle schools: a mediation analysis. Public Health Nutrition, 2008, 11, 501-512.	2.2	55
261	Motivational readiness for active commuting by university students: incentives and barriers. Health Promotion Journal of Australia, 2008, 19, 210-215.	1.2	10
262	Recreational facilities and leisure-time physical activity: An analysis of moderators and self-efficacy as a mediator Health Psychology, 2008, 27, S126-S135.	1.6	74
263	Does Walking in the Neighbourhood Enhance Local Sociability?. Urban Studies, 2007, 44, 1677-1695.	3.7	125
264	Objectively Measured Light-Intensity Physical Activity Is Independently Associated With 2-h Plasma Glucose. Diabetes Care, 2007, 30, 1384-1389.	8.6	508
265	Regional Variations in Walking for Different Purposes. Environment and Behavior, 2007, 39, 557-577.	4.7	14
266	Residential proximity to school and the active travel choices of parents. Health Promotion Journal of Australia, 2007, 18, 127-134.	1.2	24
267	Neighborhood Walkability and the Walking Behavior of Australian Adults. American Journal of Preventive Medicine, 2007, 33, 387-395.	3.0	529
268	Explaining the effects of a 1-year intervention promoting a low fat diet in adolescent girls: a mediation analysis. International Journal of Behavioral Nutrition and Physical Activity, 2007, 4, 55.	4.6	22
269	Sitting time and socio-economic differences in overweight and obesity. International Journal of Obesity, 2007, 31, 169-176.	3.4	109
270	Measuring perceived neighbourhood walkability in Hong Kong. Cities, 2007, 24, 209-217.	5.6	111

#	Article	IF	CITATIONS
271	Destinations that matter: Associations with walking for transport. Health and Place, 2007, 13, 713-724.	3.3	235
272	Physical activity, activity change, and their correlates in a population-based sample of colorectal cancer survivors. Annals of Behavioral Medicine, 2007, 34, 135-143.	2.9	53
273	Associations of leisure-time physical activity with quality of life in a large, population-based sample of colorectal cancer survivors. Cancer Causes and Control, 2007, 18, 735-742.	1.8	60
274	Applying GIS in Physical Activity Research: Community â€~Walkability' and Walking Behaviors. Lecture Notes in Geoinformation and Cartography, 2007, , 72-89.	1.0	12
275	Objectively Assessing' Walkability' of Local Communities: Using GIS to Identify the Relevant Environmental Attributes. , 2007, , 91-104.		12
276	Small-scale randomized controlled trials need more powerful methods of mediational analysis than the Baron–Kenny method. Journal of Clinical Epidemiology, 2006, 59, 457-464.	5.0	55
277	A processual analysis of basic emotions and sources of concerns as they are lived before and after a competition. Psychology of Sport and Exercise, 2006, 7, 287-307.	2.1	28
278	Neighborhood and Individual Socio-Economic Variations in the Contribution of Occupational Physical Activity to Total Physical Activity. Journal of Physical Activity and Health, 2006, 3, 179-190.	2.0	6
279	Individual Calibration for Estimating Free-Living Walking Speed Using the MTI Monitor. Medicine and Science in Sports and Exercise, 2006, 38, 761-767.	0.4	24
280	Neighborhood Environment Walkability Scale. Medicine and Science in Sports and Exercise, 2006, 38, 1682-1691.	0.4	602
281	Physical Activity of Young Children. OTJR Occupation, Participation and Health, 2006, 26, 4-14.	0.8	23
282	Lifetime risk of suicide ideation and attempts in an Australian community: Prevalence, suicidal process, and help-seeking behaviour. Journal of Affective Disorders, 2005, 86, 215-224.	4.1	219
283	Levels of Physical Activity for Colon Cancer Prevention Compared with Generic Public Health Recommendations: Population Prevalence and Sociodemographic Correlates. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1000-1002.	2.5	17
284	Muscle metabolism during sprint exercise in man: influence of sprint training. Journal of Science and Medicine in Sport, 2004, 7, 314-322.	1.3	73
285	Single-Subject Research Designs and Data Analyses for Assessing Elite Athletes??? Conditioning. Sports Medicine, 2004, 34, 1035-1050.	6.5	65
286	Predictors of competitive anxiety direction in male Tae Kwon Do practitioners: a multilevel mixed idiographic/nomothetic interactional approach. Psychology of Sport and Exercise, 2004, 5, 497-516.	2.1	27
287	Gender, Age, and Educational-Attainment Differences in Australian Adults' Participation in Vigorous Sporting and Fitness Activities. Journal of Physical Activity and Health, 2004, 1, 377-388.	2.0	17
288	Anxiety versus Fundamental Emotions as Predictors of Perceived Functionality of Pre-Competitive Emotional States, Threat, and Challenge in Individual Sports. Journal of Applied Sport Psychology, 2003, 15, 223-238.	2.3	67

#	Article	IF	CITATIONS
289	Is the Experience Sampling Method (ESM) appropriate for studying pre-competitive emotions?. Psychology of Sport and Exercise, 2001, 2, 27-45.	2.1	31
290	Temporal patterning of competitive emotions: A critical review. Journal of Sports Sciences, 2000, 18, 605-626.	2.0	150