Dong Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9583633/publications.pdf

Version: 2024-02-01

30	1,281	15	28
papers	citations	h-index	g-index
31	31	31	1250 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Cancer cell-derived exosomal circUHRF1 induces natural killer cell exhaustion and may cause resistance to anti-PD1 therapy in hepatocellular carcinoma. Molecular Cancer, 2020, 19, 110.	19.2	295
2	Circular RNA circTRIM33–12 acts as the sponge of MicroRNA-191 to suppress hepatocellular carcinoma progression. Molecular Cancer, 2019, 18, 105.	19.2	172
3	Circular RNA circMET drives immunosuppression and anti-PD1 therapy resistance in hepatocellular carcinoma via the miR-30-5p/snail/DPP4 axis. Molecular Cancer, 2020, 19, 92.	19.2	147
4	Downregulation of RNF128 activates Wnt/ \hat{l}^2 -catenin signaling to induce cellular EMT and stemness via CD44 and CTTN ubiquitination in melanoma. Journal of Hematology and Oncology, 2019, 12, 21.	17.0	99
5	Current applications and future perspective of CRISPR/Cas9 gene editing in cancer. Molecular Cancer, 2022, 21, 57.	19.2	85
6	Amplification of spatially isolated adenosine pathway by tumor–macrophage interaction induces anti-PD1 resistance in hepatocellular carcinoma. Journal of Hematology and Oncology, 2021, 14, 200.	17.0	68
7	Distinct PD-L1/PD1 Profiles and Clinical Implications in Intrahepatic Cholangiocarcinoma Patients with Different Risk Factors. Theranostics, 2019, 9, 4678-4687.	10.0	61
8	The long noncoding RNA NORAD enhances the TGFâ€Î² pathway to promote hepatocellular carcinoma progression by targeting miRâ€202â€5p. Journal of Cellular Physiology, 2019, 234, 12051-12060.	4.1	44
9	Organ specific responses to first-line lenvatinib plus anti-PD-1 antibodies in patients with unresectable hepatocellular carcinoma: a retrospective analysis. Biomarker Research, 2021, 9, 19.	6.8	43
10	Overexpression of RNF38 facilitates TGF- \hat{l}^2 signaling by Ubiquitinating and degrading AHNAK in hepatocellular carcinoma. Journal of Experimental and Clinical Cancer Research, 2019, 38, 113.	8.6	41
11	Upregulation of B7-H4 promotes tumor progression of intrahepatic cholangiocarcinoma. Cell Death and Disease, 2017, 8, 3205.	6.3	34
12	Liver Computed Tomographic Perfusion in the Assessment of Microvascular Invasion in Patients With Small Hepatocellular Carcinoma. Investigative Radiology, 2015, 50, 188-194.	6.2	33
13	Lymphoidâ€specific helicase promotes the growth and invasion of hepatocellular carcinoma by transcriptional regulation of centromere protein F expression. Cancer Science, 2019, 110, 2133-2144.	3.9	25
14	Graft Programmed Death Ligand 1 Expression as a Marker for Transplant Rejection Following Antiâ€"Programmed Death 1 Immunotherapy for Recurrent Liver Tumors. Liver Transplantation, 2021, 27, 444-449.	2.4	24
15	CTLA-4 Synergizes With PD1/PD-L1 in the Inhibitory Tumor Microenvironment of Intrahepatic Cholangiocarcinoma. Frontiers in Immunology, 2021, 12, 705378.	4.8	17
16	Value of CTâ€guided Core Needle Biopsy in Diagnosing Spinal Lesions: A Comparison Study. Orthopaedic Surgery, 2019, 11, 60-65.	1.8	16
17	Gemox chemotherapy in combination with anti-PD1 antibody toripalimab and lenvatinib as first-line treatment for advanced intrahepatic cholangiocarcinoma: A phase 2 clinical trial Journal of Clinical Oncology, 2021, 39, 4094-4094.	1.6	14
18	Mortalin stabilizes CD151-depedent tetraspanin-enriched microdomains and implicates in the progression of hepatocellular carcinoma. Journal of Cancer, 2019, 10, 6199-6206.	2.5	11

#	Article	IF	CITATIONS
19	Simulation of portal/hepatic vein associated remnant liver ischemia/congestion by three-dimensional visualization technology based on preoperative CT scan. Annals of Translational Medicine, 2021, 9, 756-756.	1.7	8
20	MRI-based Nomogram Predicts the Risk of Progression of Unresectable Hepatocellular Carcinoma After Combined Lenvatinib and anti-PD-1 Antibody Therapy. Academic Radiology, 2022, 29, 819-829.	2.5	8
21	Lenvatinib plus toripalimab as first-line treatment for advanced intrahepatic cholangiocarcinoma: A single-arm, phase 2 trial Journal of Clinical Oncology, 2021, 39, 4099-4099.	1.6	6
22	Application of Thermal Insulation Gunite Material to the High Geo-Temperature Roadway. Advances in Civil Engineering, 2020, 2020, 1-12.	0.7	5
23	RAF1 expression is correlated with HAF, a parameter of liver computed tomographic perfusion, and may predict the early therapeutic response to sorafenib in advanced hepatocellular carcinoma patients. Open Medicine (Poland), 2020, 15, 167-174.	1.3	5
24	Phase II study of lenvatinib in combination with GEMOX chemotherapy for advanced intrahepatic cholangiocarcinoma Journal of Clinical Oncology, 2021, 39, e16163-e16163.	1.6	5
25	Liver computed tomographic perfusion for monitoring the early therapeutic response to sorafenib in advanced hepatocellular carcinoma patients. Journal of Cancer Research and Therapeutics, 2018, 14, 1556.	0.9	5
26	Apparent Diffusion Coefficient <scp>MRI</scp> Shows Association With Early Progression of Unresectable Intrahepatic Cholangiocarcinoma With Combined Targetedâ€mmunotherapy. Journal of Magnetic Resonance Imaging, 2023, 57, 275-284.	3.4	5
27	Contrast-enhanced MRI could predict response of systemic therapy in advanced intrahepatic cholangiocarcinoma. European Radiology, 2022, 32, 5156-5165.	4.5	4
28	Radiological response as a predictor of pathological response to combined tyrosine kinase inhibitor (TKI) and anti-PD-1 antibodies in hepatocellular carcinoma (HCC) Journal of Clinical Oncology, 2021, 39, e16144-e16144.	1.6	1
29	Future liver volume combined with platelet count predicts liver failure after major hepatectomy. Journal of the Royal College of Surgeons of Edinburgh, 2022, , .	1.8	0
30	KSR2-14–3-3ζ complex serves as a biomarker and potential therapeutic target in sorafenib-resistant hepatocellular carcinoma. Biomarker Research, 2022, 10, 25.	6.8	0