

Bing Ding

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9584849/publications.pdf>

Version: 2024-02-01

73
papers

6,326
citations

81900

39
h-index

74163

75
g-index

75
all docs

75
docs citations

75
times ranked

8904
citing authors

#	ARTICLE	IF	CITATIONS
1	Fabrication of a Covalent Triazine Framework Functional Interlayer for High-Performance Lithium-Sulfur Batteries. <i>Nanomaterials</i> , 2022, 12, 255.	4.1	7
2	A novel covalent organic framework with high-density imine groups for lithium storage as anode material in lithium-ion batteries. <i>Journal of Materials Science</i> , 2022, 57, 9980-9991.	3.7	18
3	Fabrication of the Oxygen Vacancy Amorphous MnO ₂ /Carbon Nanotube as Cathode for Advanced Aqueous Zinc-Ion Batteries. <i>Energy Technology</i> , 2021, 9, 2000769.	3.8	33
4	Nanoarchitected porous carbons derived from ZIFs toward highly sensitive and selective QCM sensor for hazardous aromatic vapors. <i>Journal of Hazardous Materials</i> , 2021, 405, 124248.	12.4	36
5	Single Atom-Based Nanoarchitected Electrodes for High-Performance Lithium-Sulfur Batteries. <i>Advanced Materials Interfaces</i> , 2021, 8, 2002159.	3.7	22
6	Charge Storage Mechanism of an Anthraquinone-Derived Porous Covalent Organic Framework with Multiredox Sites as Anode Material for Lithium-Ion Battery. <i>ACS Applied Energy Materials</i> , 2021, 4, 11377-11385.	5.1	31
7	Physical Expansion of Layered Graphene Oxide Nanosheets by Chemical Vapor Deposition of Metal-Organic Frameworks and their Thermal Conversion into Nitrogen-Doped Porous Carbons for Supercapacitor Applications. <i>ChemSusChem</i> , 2020, 13, 1629-1636.	6.8	18
8	Biomass-derived porous carbon electrodes for high-performance supercapacitors. <i>Journal of Materials Science</i> , 2020, 55, 5166-5176.	3.7	60
9	Atomic Layer Deposition of Single Atomic Cobalt as a Catalytic Interlayer for Lithium-Sulfur Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 11206-11212.	5.1	25
10	MOF-derived hybrid nanoarchitected carbons for gas discrimination of volatile aromatic hydrocarbons. <i>Carbon</i> , 2020, 168, 55-64.	10.3	20
11	Lithium-ion capacitor based on nanoarchitected polydopamine/graphene composite anode and porous graphene cathode. <i>Carbon</i> , 2020, 167, 627-633.	10.3	29
12	Sandwich-Structured Ordered Mesoporous Polydopamine/MXene Hybrids as High-Performance Anodes for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 14993-15001.	8.0	48
13	Universal Access to Two-Dimensional Mesoporous Heterostructures by Micelle-Directed Interfacial Assembly. <i>Angewandte Chemie</i> , 2020, 132, 19738-19743.	2.0	18
14	Universal Access to Two-Dimensional Mesoporous Heterostructures by Micelle-Directed Interfacial Assembly. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19570-19575.	13.8	52
15	Boosting the Reversibility of Sodium Metal Anode via Heteroatom-Doped Hollow Carbon Fibers. <i>Small</i> , 2019, 15, e1902688.	10.0	76
16	Auto-programmed heteroarchitecturing: Self-assembling ordered mesoporous carbon between two-dimensional Ti ₃ C ₂ T _x MXene layers. <i>Nano Energy</i> , 2019, 65, 103991.	16.0	70
17	Advanced Nanoporous Material-Based QCM Devices: A New Horizon of Interfacial Mass Sensing Technology. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900849.	3.7	69
18	Solid/Solid Interfacial Architecturing of Solid Polymer Electrolyte-Based All-Solid-State Lithium-Sulfur Batteries by Atomic Layer Deposition. <i>Small</i> , 2019, 15, e1903952.	10.0	62

#	ARTICLE	IF	CITATIONS
19	Confined Pyrolysis of ZIFs Polyhedrons Wrapped with Graphene Oxide Nanosheets to Prepare 3D Porous Carbon Heterostructures. <i>Small Methods</i> , 2019, 3, 1900277.	8.6	31
20	Ultra-thin, highly graphitized carbon nanosheets into three-dimensional interconnected framework utilizing a ball mill mixing of precursors. <i>Chemical Engineering Journal</i> , 2019, 374, 1214-1220.	12.7	18
21	Compressed and Crumpled Porous Carbon Electrode for High Volumetric Performance Electrical Double-Layer Capacitors. <i>Energy Technology</i> , 2019, 7, 1900209.	3.8	9
22	Gram-Scale Synthesis of Bimetallic ZIFs and Their Thermal Conversion to Nanoporous Carbon Materials. <i>Nanomaterials</i> , 2019, 9, 1796.	4.1	13
23	Scalable synthesis of holey graphite nanosheets for supercapacitors with high volumetric capacitance. <i>Nanoscale Horizons</i> , 2019, 4, 526-530.	8.0	32
24	Titelbild: Confined Self-Assembly in Two-Dimensional Interlayer Space: Monolayered Mesoporous Carbon Nanosheets with In-Plane Orderly Arranged Mesopores and a Highly Graphitized Framework (<i>Angew. Chem.</i> 11/2018). <i>Angewandte Chemie</i> , 2018, 130, 2777-2777.	2.0	2
25	Significant Effect of Pore Sizes on Energy Storage in Nanoporous Carbon Supercapacitors. <i>Chemistry - A European Journal</i> , 2018, 24, 6127-6132.	3.3	68
26	Self-Template-Directed Metal-Organic Frameworks Network and the Derived Honeycomb-Like Carbon Flakes via Confinement Pyrolysis. <i>Small</i> , 2018, 14, e1704461.	10.0	44
27	Confined Self-Assembly in Two-Dimensional Interlayer Space: Monolayered Mesoporous Carbon Nanosheets with In-Plane Orderly Arranged Mesopores and a Highly Graphitized Framework. <i>Angewandte Chemie</i> , 2018, 130, 2944-2948.	2.0	15
28	Confined Self-Assembly in Two-Dimensional Interlayer Space: Monolayered Mesoporous Carbon Nanosheets with In-Plane Orderly Arranged Mesopores and a Highly Graphitized Framework. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2894-2898.	13.8	235
29	Hierarchically Porous Multilayered Carbon Barriers for High-Performance Li-S Batteries. <i>Chemistry - A European Journal</i> , 2018, 24, 3768-3775.	3.3	43
30	Superlithiated Polydopamine Derivative for High-Capacity and High-Rate Anode for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 38101-38108.	8.0	59
31	Hierarchical porous carbons with layer-by-layer motif architectures from confined soft-template self-assembly in layered materials. <i>Nature Communications</i> , 2017, 8, 15717.	12.8	263
32	MoS ₂ -Nanosheet-Decorated 2D Titanium Carbide (MXene) as High-Performance Anodes for Sodium-Ion Batteries. <i>ChemElectroChem</i> , 2017, 4, 1560-1565.	3.4	123
33	Highly Conductive and Lightweight Composite Film as Polysulfide Reservoir for High-Performance Lithium-Sulfur Batteries. <i>ChemElectroChem</i> , 2017, 4, 362-368.	3.4	31
34	Biomass derived carbon for energy storage devices. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2411-2428.	10.3	632
35	Nitrogen-Doped Porous Carbon Nanospheres from Natural Sepia Ink: Easy Preparation and Extraordinary Capacitive Performance. <i>ChemNanoMat</i> , 2017, 3, 895-901.	2.8	17
36	Highly stable lithium ion capacitor enabled by hierarchical polyimide derived carbon microspheres combined with 3D current collectors. <i>Journal of Materials Chemistry A</i> , 2017, 5, 23283-23291.	10.3	94

#	ARTICLE	IF	CITATIONS
37	Co ₃ O ₄ nanoneedle arrays as a multifunctional "super-reservoir" electrode for long cycle life Li-S batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 250-257.	10.3	147
38	Pseudocapacitive materials for electrochemical capacitors: from rational synthesis to capacitance optimization. <i>National Science Review</i> , 2017, 4, 71-90.	9.5	215
39	Self-Sacrificial Template-Directed Synthesis of Metal-Organic Framework-Derived Porous Carbon for Energy-Storage Devices. <i>ChemElectroChem</i> , 2016, 3, 668-674.	3.4	52
40	Interconnected core-shell pyrolyzed polyacrylonitrile@sulfur/carbon nanocomposites for rechargeable lithium-sulfur batteries. <i>New Journal of Chemistry</i> , 2016, 40, 7680-7686.	2.8	17
41	PAA/PEDOT:PSS as a multifunctional, water-soluble binder to improve the capacity and stability of lithium-sulfur batteries. <i>RSC Advances</i> , 2016, 6, 40650-40655.	3.6	81
42	A two-step etching route to ultrathin carbon nanosheets for high performance electrical double layer capacitors. <i>Nanoscale</i> , 2016, 8, 11136-11142.	5.6	53
43	An in situ confinement strategy to porous poly(3,4-ethylenedioxythiophene)/sulfur composites for lithium-sulfur batteries. <i>RSC Advances</i> , 2016, 6, 47858-47863.	3.6	9
44	Nanospace-confined synthesis of oriented porous carbon nanosheets for high-performance electrical double layer capacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 16879-16885.	10.3	33
45	Heteroatom-Doped Porous Carbon Nanosheets: General Preparation and Enhanced Capacitive Properties. <i>Chemistry - A European Journal</i> , 2016, 22, 16668-16674.	3.3	17
46	Effect of Graphene Modified Cu Current Collector on the Performance of Li ₄ Ti ₅ O ₁₂ Anode for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 30926-30932.	8.0	81
47	Facile Synthesis of Nitrogen-Containing Mesoporous Carbon for High-Performance Energy Storage Applications. <i>Chemistry - A European Journal</i> , 2016, 22, 4256-4262.	3.3	17
48	Synthesis and electrochemical performances of mixed-valence vanadium oxide/ordered mesoporous carbon composites for supercapacitors. <i>RSC Advances</i> , 2016, 6, 25056-25061.	3.6	15
49	General Strategy to Fabricate Ternary Metal Nitride/Carbon Nanofibers for Supercapacitors. <i>ChemElectroChem</i> , 2015, 2, 2020-2026.	3.4	19
50	Nanospace-Confinement Copolymerization Strategy for Encapsulating Polymeric Sulfur into Porous Carbon for Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 11165-11171.	8.0	49
51	Enhanced electrochemical performance of sulfur cathodes with a water-soluble binder. <i>RSC Advances</i> , 2015, 5, 13709-13714.	3.6	57
52	Crumpled Nitrogen-Doped Graphene for Supercapacitors with High Gravimetric and Volumetric Performances. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 22284-22291.	8.0	77
53	Porous nitrogen and phosphorus co-doped carbon nanofiber networks for high performance electrical double layer capacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 23268-23273.	10.3	82
54	Absorption mechanism of carbon-nanotube paper-titanium dioxide as a multifunctional barrier material for lithium-sulfur batteries. <i>Nano Research</i> , 2015, 8, 3066-3074.	10.4	95

#	ARTICLE	IF	CITATIONS
55	Biomass-derived porous carbon materials with sulfur and nitrogen dual-doping for energy storage. <i>Green Chemistry</i> , 2015, 17, 1668-1674.	9.0	572
56	Enhanced Performance of Aqueous Sodium-Ion Batteries Using Electrodes Based on the $\text{NaTi}_2(\text{PO}_4)_3/\text{MWNTs}/\text{Na}_0.44\text{MnO}_2$ System. <i>Energy Technology</i> , 2014, 2, 705-712.	3.8	56
57	Enhanced Lithium Storage Performance from Three-Dimensional MoS_2 Nanosheets/Carbon Nanotube Paper. <i>ChemElectroChem</i> , 2014, 1, 1118-1125.	3.4	43
58	Porous nitrogen-doped hollow carbon spheres derived from polyaniline for high performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2014, 2, 5352-5357.	10.3	403
59	High performance lithium-sulfur batteries: advances and challenges. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12662-12676.	10.3	269
60	Prussian blue analogues: a new class of anode materials for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 5852-5857.	10.3	241
61	Synthesis of hydrogenated TiO_2 -reduced-graphene oxide nanocomposites and their application in high rate lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9150-9155.	10.3	35
62	Design of a Nitrogen-Doped, Carbon-Coated $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Nanocomposite with a Core-Shell Structure and Its Application for High-Rate Lithium-Ion Batteries. <i>ChemPlusChem</i> , 2014, 79, 128-133.	2.8	32
63	Preparation and electrochemical performances of porous polypyrrole film by interfacial polymerization. <i>Journal of Applied Polymer Science</i> , 2013, 127, 2938-2944.	2.6	16
64	Enhancing the electrochemical performance of $\text{Li}_{1.2}\text{Ni}_{0.2}\text{Mn}_{0.6}\text{O}_2$ by surface modification with nickel-manganese composite oxide. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 2087-2093.	2.5	15
65	Advanced Energy Storage Architectures Composed of Spinel Lithium Metal Oxide Nanocrystal on Carbon Textiles. <i>Advanced Energy Materials</i> , 2013, 3, 1484-1489.	19.5	109
66	Fabrication of a sandwich structured electrode for high-performance lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 14280.	10.3	40
67	Encapsulating Sulfur into Hierarchically Ordered Porous Carbon as a High-Performance Cathode for Lithium-Sulfur Batteries. <i>Chemistry - A European Journal</i> , 2013, 19, 1013-1019.	3.3	212
68	Sulfur embedded in metal organic framework-derived hierarchically porous carbon nanoplates for high performance lithium-sulfur battery. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4490.	10.3	266
69	Chemically tailoring the nanostructure of graphene nanosheets to confine sulfur for high-performance lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1096-1101.	10.3	180
70	One-step electrochemical composite polymerization of polypyrrole integrated with functionalized graphene/carbon nanotubes nanostructured composite film for electrochemical capacitors. <i>Electrochimica Acta</i> , 2012, 62, 132-139.	5.2	36
71	Enhanced high-current capacitive behavior of graphene/CoAl-layered double hydroxide composites as electrode material for supercapacitors. <i>Journal of Power Sources</i> , 2012, 199, 395-401.	7.8	195
72	Effect of feeding ratios on the structure and electrochemical performance of graphite oxide/polypyrrole nanocomposites. <i>Science Bulletin</i> , 2011, 56, 2846-2852.	1.7	15

#	ARTICLE	IF	CITATIONS
73	Capacitance properties of graphite oxide/poly(3,4-ethylene dioxythiophene) composites. Journal of Applied Polymer Science, 2011, 121, 892-898.	2.6	50