
SÃ-lvia Barrabés Vera

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/958860/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Rational design of mitochondria targeted thiabendazole-based Ir(III) biscyclometalated complexes for a multimodal photodynamic therapy of cancer. Journal of Inorganic Biochemistry, 2022, 231, 111790.	3.5	8
2	Effect of the aniline fragment in Pt(II) and Pt(IV) complexes as anti-proliferative agents. Standard reduction potential as a more reliable parameter for Pt(IV) compounds than peak reduction potential. Journal of Inorganic Biochemistry, 2021, 218, 111403.	3.5	7
3	Photodynamic therapy with mitochondria-targeted biscyclometallated Ir(<scp>iii</scp>) complexes. Multi-action mechanism and strong influence of the cyclometallating ligand. Dalton Transactions, 2021, 51, 111-128.	3.3	13
4	A nucleus-directed bombesin derivative for targeted delivery of metallodrugs to cancer cells. Journal of Inorganic Biochemistry, 2020, 212, 111214.	3.5	3
5	Amino Acid Substitutions and Differential Gene Expression of Outer Membrane Proteins in Adherent-Invasive Escherichia coli. Frontiers in Microbiology, 2019, 10, 1707.	3.5	6
6	Multivariate data analysis for the detection of human alpha-acid glycoprotein aberrant glycosylation in pancreatic ductal adenocarcinoma. Journal of Proteomics, 2019, 195, 76-87.	2.4	8
7	Analysis of sialyl-Lewis x on MUC5AC and MUC1 mucins in pancreatic cancer tissues. International Journal of Biological Macromolecules, 2018, 112, 33-45.	7.5	18
8	Glycoprotein biomarkers for the detection of pancreatic ductal adenocarcinoma. World Journal of Gastroenterology, 2018, 24, 2537-2554.	3.3	30
9	Analysis of urinary PSA glycosylation is not indicative of high-risk prostate cancer. Clinica Chimica Acta, 2017, 470, 97-102.	1.1	10
10	Sample preparation of serum to allow capillary electrophoresis analysis of prostate specific antigen isoforms. Journal of Pharmaceutical and Biomedical Analysis, 2017, 134, 220-227.	2.8	6
11	Comparative analysis of prostateâ€specific antigen by twoâ€dimensional gel electrophoresis and capillary electrophoresis. Electrophoresis, 2017, 38, 408-416.	2.4	6
12	Improvement of Prostate Cancer Diagnosis by Detecting PSA Glycosylation-Specific Changes. Theranostics, 2016, 6, 1190-1204.	10.0	104
13	Increased α1-3 fucosylation of α-1-acid glycoprotein (AGP) in pancreatic cancer. Journal of Proteomics, 2016, 132, 144-154.	2.4	47
14	Identification of potential pancreatic cancer serum markers: Increased sialyl-Lewis X on ceruloplasmin. Clinica Chimica Acta, 2015, 442, 56-62.	1.1	44
15	Integrin-targeted delivery into cancer cells of a Pt(<scp>iv</scp>) pro-drug through conjugation to RGD-containing peptides. Dalton Transactions, 2015, 44, 202-212.	3.3	67
16	Effect of sialic acid content on glycoprotein p <i>I</i> analyzed by twoâ€dimensional electrophoresis. Electrophoresis, 2010, 31, 2903-2912.	2.4	43
17	Altered Glycosylation in Tumours Focused to Cancer Diagnosis. Disease Markers, 2008, 25, 207-218.	1.3	147
18	Glycosylation of serum ribonuclease 1 indicates a major endothelial origin and reveals an increase in core fucosylation in pancreatic cancer. Glycobiology, 2007, 17, 388-400.	2.5	96

#	Article	IF	CITATIONS
19	Different glycan structures in prostate-specific antigen from prostate cancer sera in relation to seminal plasma PSA. Glycobiology, 2006, 16, 132-145.	2.5	152
20	Glycosylation of human pancreatic ribonuclease: differences between normal and tumor states. Glycobiology, 2003, 13, 227-244.	2.5	64