

# Shu-Hui Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9596939/publications.pdf>

Version: 2024-02-01

28  
papers

927  
citations

430874

18  
h-index

501196

28  
g-index

31  
all docs

31  
docs citations

31  
times ranked

1368  
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression and prognostic significance of centromere protein A in human lung adenocarcinoma. <i>Lung Cancer</i> , 2012, 77, 407-414.	2.0	96
2	ShRNA-Targeted MAP4K4 Inhibits Hepatocellular Carcinoma Growth. <i>Clinical Cancer Research</i> , 2011, 17, 710-720.	7.0	86
3	Upregulation of miR-194 contributes to tumor growth and progression in pancreatic ductal adenocarcinoma. <i>Oncology Reports</i> , 2014, 31, 1157-1164.	2.6	70
4	Malignant angiomyolipoma in the liver: A case report with pathological and molecular analysis. <i>Pathology Research and Practice</i> , 2008, 204, 911-918.	2.3	65
5	Intrahepatic cholangiocarcinoma arising in multiple bile duct hamartomas: report of two cases and review of the literature. <i>European Journal of Gastroenterology and Hepatology</i> , 2009, 21, 580-584.	1.6	62
6	Downregulated expression of metallothionein and its clinicopathological significance in hepatocellular carcinoma. <i>Hepatology Research</i> , 2007, 37, 820-827.	3.4	49
7	Pathological and molecular analysis of sporadic hepatic angiomyolipoma. <i>Human Pathology</i> , 2006, 37, 735-741.	2.0	45
8	Expression and prognostic significance of MAP4K4 in lung adenocarcinoma. <i>Pathology Research and Practice</i> , 2012, 208, 541-548.	2.3	41
9	MicroRNA-6809-5p mediates luteolin-induced anticancer effects against hepatoma by targeting flotillin 1. <i>Phytomedicine</i> , 2019, 57, 18-29.	5.3	40
10	microRNA-622 acts as a tumor suppressor in hepatocellular carcinoma. <i>Cancer Biology and Therapy</i> , 2015, 16, 1754-1763.	3.4	38
11	Clinicopathologic significance of mitotic arrest defective protein 2 overexpression in hepatocellular carcinoma. <i>Human Pathology</i> , 2008, 39, 1827-1834.	2.0	36
12	Clinicopathological significance of loss of heterozygosity and microsatellite instability in hepatocellular carcinoma in China. <i>World Journal of Gastroenterology</i> , 2005, 11, 3034.	3.3	36
13	Expression and prognostic relevance of centromere protein A in primary osteosarcoma. <i>Pathology Research and Practice</i> , 2014, 210, 228-233.	2.3	35
14	Panax Notoginseng flower saponins (PNFS) inhibit LPS-stimulated NO overproduction and iNOS gene overexpression via the suppression of TLR4-mediated MAPK/NF-kappa B signaling pathways in RAW264.7 macrophages. <i>Chinese Medicine</i> , 2015, 10, 15.	4.0	34
15	MAP4K4 promotes epithelial-mesenchymal transition and metastasis in hepatocellular carcinoma. <i>Tumor Biology</i> , 2016, 37, 11457-11467.	1.8	26
16	Expression of aspartyl beta-hydroxylase and its clinicopathological significance in hepatocellular carcinoma. <i>Modern Pathology</i> , 2006, 19, 280-286.	5.5	24
17	Electroacupuncture Attenuates Collagen-Induced Arthritis in Rats through Vasoactive Intestinal Peptide Signalling-Dependent Re-Establishment of the Regulatory T Cell/T-Helper 17 Cell Balance. <i>Acupuncture in Medicine</i> , 2015, 33, 305-311.	1.0	24
18	Short hairpin RNA-mediated down-regulation of CENP-A attenuates the aggressive phenotype of lung adenocarcinoma cells. <i>Cellular Oncology (Dordrecht)</i> , 2014, 37, 399-407.	4.4	21

#	ARTICLE	IF	CITATIONS
19	Apigenin Inhibits the Growth of Hepatocellular Carcinoma Cells by Affecting the Expression of microRNA Transcriptome. <i>Frontiers in Oncology</i> , 2021, 11, 657665.	2.8	21
20	Upregulation of PP2Ac predicts poor prognosis and contributes to aggressiveness in hepatocellular carcinoma. <i>Cancer Biology and Therapy</i> , 2016, 17, 151-162.	3.4	17
21	Scutellaria barbata D.Don and Oldenlandia diffusa (Willd.) Roxb crude extracts inhibit hepatitis-B-virus-associated hepatocellular carcinoma growth through regulating circRNA expression. <i>Journal of Ethnopharmacology</i> , 2021, 275, 114110.	4.1	17
22	Genomic instability in hepatocellular carcinoma revealed by using the random amplified polymorphic DNA method. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 757-761.	2.5	13
23	A retrospective analysis of pleural effusion specimens based on the newly proposed International System for Reporting Serous Fluid Cytopathology. <i>Diagnostic Cytopathology</i> , 2021, 49, 997-1007.	1.0	11
24	Coexistence of splenic marginal zone lymphoma with hepatocellular carcinoma: a case report. <i>Diagnostic Pathology</i> , 2007, 2, 5.	2.0	6
25	Genomic instability of murine hepatocellular carcinomas with low and high metastatic capacities. <i>World Journal of Gastroenterology</i> , 2004, 10, 521.	3.3	5
26	Clinicopathologic significance and function of S-phase kinase-associated protein 2 overexpression in hepatocellular carcinoma. <i>Human Pathology</i> , 2012, 43, 1084-1093.	2.0	4
27	Histopathological evidence of intrahepatic cholangiocarcinoma occurring in ductal plate malformation: A clinicopathologic study of 5 cases. <i>Annals of Diagnostic Pathology</i> , 2021, 55, 151828.	1.3	3
28	Cytomorphological and immunohistochemical features of pancreatic ductal adenocarcinoma in serous fluids. <i>Diagnostic Cytopathology</i> , 0, , .	1.0	1