## Shu-Hui Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9596939/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Apigenin Inhibits the Growth of Hepatocellular Carcinoma Cells by Affecting the Expression of microRNA Transcriptome. Frontiers in Oncology, 2021, 11, 657665.	2.8	21
2	A retrospective analysis of pleural effusion specimens based on the newly proposed International System for Reporting Serous Fluid Cytopathology. Diagnostic Cytopathology, 2021, 49, 997-1007.	1.0	11
3	Scutellaria barbata D.Don and Oldenlandia diffusa (Willd.) Roxb crude extracts inhibit hepatitis-B-virus-associated hepatocellular carcinoma growth through regulating circRNA expression. Journal of Ethnopharmacology, 2021, 275, 114110.	4.1	17
4	Histopathological evidence of intrahepatic cholangiocarcinoma occurring in ductal plate malformation: A clinicopathologic study of 5 cases. Annals of Diagnostic Pathology, 2021, 55, 151828.	1.3	3
5	MicroRNA-6809-5p mediates luteolin-induced anticancer effects against hepatoma by targeting flotillin 1. Phytomedicine, 2019, 57, 18-29.	5.3	40
6	MAP4K4 promotes epithelial-mesenchymal transition and metastasis in hepatocellular carcinoma. Tumor Biology, 2016, 37, 11457-11467.	1.8	26
7	Upregulation of PP2Ac predicts poor prognosis and contributes to aggressiveness in hepatocellular carcinoma. Cancer Biology and Therapy, 2016, 17, 151-162.	3.4	17
8	Electroacupuncture Attenuates Collagen-Induced Arthritis in Rats through Vasoactive Intestinal Peptide Signalling-Dependent Re-Establishment of the Regulatory T Cell/T-Helper 17 Cell Balance. Acupuncture in Medicine, 2015, 33, 305-311.	1.0	24
9	microRNA-622 acts as a tumor suppressor in hepatocellular carcinoma. Cancer Biology and Therapy, 2015, 16, 1754-1763.	3.4	38
10	Panax Notoginseng flower saponins (PNFS) inhibit LPS-stimulated NO overproduction and iNOS gene overexpression via the suppression of TLR4-mediated MAPK/NF-kappa B signaling pathways in RAW264.7 macrophages. Chinese Medicine, 2015, 10, 15.	4.0	34
11	Short hairpin RNA-mediated down-regulation of CENP-A attenuates the aggressive phenotype of lung adenocarcinoma cells. Cellular Oncology (Dordrecht), 2014, 37, 399-407.	4.4	21
12	Expression and prognostic relevance of centromere protein A in primary osteosarcoma. Pathology Research and Practice, 2014, 210, 228-233.	2.3	35
13	Upregulation of miR-194 contributes to tumor growth and progression in pancreatic ductal adenocarcinoma. Oncology Reports, 2014, 31, 1157-1164.	2.6	70
14	Expression and prognostic significance of MAP4K4 in lung adenocarcinoma. Pathology Research and Practice, 2012, 208, 541-548.	2.3	41
15	Clinicopathologic significance and function of S-phase kinase-associated protein 2 overexpression in hepatocellular carcinoma. Human Pathology, 2012, 43, 1084-1093.	2.0	4
16	Expression and prognostic significance of centromere protein A in human lung adenocarcinoma. Lung Cancer, 2012, 77, 407-414.	2.0	96
17	ShRNA-Targeted MAP4K4 Inhibits Hepatocellular Carcinoma Growth. Clinical Cancer Research, 2011, 17, 710-720.	7.0	86
18	Intrahepatic cholangiocarcinoma arising in multiple bile duct hamartomas: report of two cases and review of the literature. European Journal of Gastroenterology and Hepatology, 2009, 21, 580-584.	1.6	62

Shu-Hui Zhang

#	Article	IF	CITATIONS
19	Malignant angiomyolipoma in the liver: A case report with pathological and molecular analysis. Pathology Research and Practice, 2008, 204, 911-918.	2.3	65
20	Clinicopathologic significance of mitotic arrest defective protein 2 overexpression in hepatocellular carcinoma. Human Pathology, 2008, 39, 1827-1834.	2.0	36
21	Downregulated expression of metallothionein and its clinicopathological significance in hepatocellular carcinoma. Hepatology Research, 2007, 37, 820-827.	3.4	49
22	Coexistence of splenic marginal zone lymphoma with hepatocellular carcinoma: a case report. Diagnostic Pathology, 2007, 2, 5.	2.0	6
23	Pathological and molecular analysis of sporadic hepatic angiomyolipoma. Human Pathology, 2006, 37, 735-741.	2.0	45
24	Expression of aspartyl beta-hydroxylase and its clinicopathological significance in hepatocellular carcinoma. Modern Pathology, 2006, 19, 280-286.	5.5	24
25	Clinicopathological significance of loss of heterozygosity and microsatellite instability in hepatocellular carcinoma in China. World Journal of Gastroenterology, 2005, 11, 3034.	3.3	36
26	Genomic instability in hepatocellular carcinoma revealed by using the random amplified polymorphic DNA method. Journal of Cancer Research and Clinical Oncology, 2004, 130, 757-761.	2.5	13
27	Genomic instability of murine hepatocellular carcinomas with low and high metastatic capacities. World Journal of Gastroenterology, 2004, 10, 521.	3.3	5
28	Cytomorphological and immunohistochemical features of pancreatic ductal adenocarcinoma in serous fluids. Diagnostic Cytopathology, 0, , .	1.0	1