

# Abdelghani Sghir

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/959851/publications.pdf>

Version: 2024-02-01

36  
papers

3,376  
citations

236925

25  
h-index

330143

37  
g-index

38  
all docs

38  
docs citations

38  
times ranked

4014  
citing authors

#	ARTICLE	IF	CITATIONS
1	Colonization kinetics and implantation follow-up of the sewage microbiome in an urban wastewater treatment plant. <i>Scientific Reports</i> , 2020, 10, 11634.	3.3	17
2	Environmental, Economic, and Ethical Assessment of the Treated Wastewater and Sewage Sludge Valorization in Agriculture. <i>Handbook of Environmental Chemistry</i> , 2020, , 49-78.	0.4	0
3	Molecular analysis of methanogen populations and their interactions within anaerobic sludge digesters. <i>Environmental Technology (United Kingdom)</i> , 2019, 40, 2864-2879.	2.2	6
4	Eukaryotic molecular diversity at different steps of the wastewater treatment plant process reveals more phylogenetic novel lineages. <i>World Journal of Microbiology and Biotechnology</i> , 2017, 33, 44.	3.6	23
5	Microbial community structure associated with the high loading anaerobic codigestion of olive mill and abattoir wastewaters. <i>Bioresource Technology</i> , 2016, 201, 337-346.	9.6	30
6	Microbial Analysis and Efficiency of Biofiltration Packing Systems for Hydrogen Sulfide Removal from Wastewater Off Gas. <i>Environmental Engineering Science</i> , 2015, 32, 121-128.	1.6	19
7	Co-occurrence of Crenarchaeota, Thermoplasmata and methanogens in anaerobic sludge digesters. <i>World Journal of Microbiology and Biotechnology</i> , 2015, 31, 805-812.	3.6	27
8	Members of the uncultured bacterial candidate division <sc>WWE</sc> 1 are implicated in anaerobic digestion of cellulose. <i>MicrobiologyOpen</i> , 2014, 3, 157-167.	3.0	114
9	Bacterial structure and spatiotemporal distribution in a horizontal subsurface flow constructed wetland. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 3191-3203.	3.6	30
10	Characterization of rhizosphere prokaryotic diversity in a horizontal subsurface flow constructed wetland using a PCR cloning-sequencing based approach. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 4221-4231.	3.6	18
11	The structure and spatio-temporal distribution of the Archaea in a horizontal subsurface flow constructed wetland. <i>Science of the Total Environment</i> , 2012, 435-436, 465-471.	8.0	17
12	Molecular community analysis of magnesium-rich bittern brine recovered from a Tunisian solar saltern. <i>Canadian Journal of Microbiology</i> , 2011, 57, 975-981.	1.7	15
13	Isolation and Characterization of Moderately Halophilic Bacteria from Tunisian Solar Saltern. <i>Current Microbiology</i> , 2010, 60, 157-161.	2.2	54
14	Molecular Analyses of the Microbial Community Composition of an Anoxic Basin of a Municipal Wastewater Treatment Plant Reveal a Novel Lineage of Proteobacteria. <i>Microbial Ecology</i> , 2010, 60, 272-281.	2.8	30
15	Microbial community of salt crystals processed from Mediterranean seawater based on 16S rRNA analysis. <i>Canadian Journal of Microbiology</i> , 2010, 56, 44-51.	1.7	30
16	Novel prokaryotic diversity in sediments of Tunisian multipond solar saltern. <i>Research in Microbiology</i> , 2010, 161, 573-582.	2.1	50
17	Detection of WWE2-related <i>Lentisphaerae</i> by 16S rRNA gene sequencing and fluorescence in situ hybridization in landfill leachate. <i>Canadian Journal of Microbiology</i> , 2010, 56, 846-852.	1.7	11
18	Molecular diversity analysis and bacterial population dynamics of an adapted seawater microbiota during the degradation of Tunisian zarzatine oil. <i>Biodegradation</i> , 2009, 20, 467-486.	3.0	31

#	ARTICLE	IF	CITATIONS
19	Towards the definition of a core of microorganisms involved in anaerobic digestion of sludge. ISME Journal, 2009, 3, 700-714.	9.8	728
20	Insights into networks of functional microbes catalysing methanization of cellulose under mesophilic conditions. Environmental Microbiology, 2009, 11, 889-904.	3.8	105
21	Broad-range PCR, cloning and sequencing of the full 16S rRNA gene for detection of bacterial DNA in synovial fluid samples of Tunisian patients with reactive and undifferentiated arthritis. Arthritis Research and Therapy, 2009, 11, R102.	3.5	39
22	Prokaryotic diversity of a Tunisian multipond solar saltern. Extremophiles, 2008, 12, 505-518.	2.3	93
23	Discovery and characterization of a new bacterial candidate division by an anaerobic sludge digester metagenomic approach. Environmental Microbiology, 2008, 10, 2111-2123.	3.8	27
24	Analysis of bacterial DNA in synovial tissue of Tunisian patients with reactive and undifferentiated arthritis by broad-range PCR, cloning and sequencing. Arthritis Research and Therapy, 2008, 10, R40.	3.5	46
25	â€œ <i>Candidatus</i> Cloacamonas Acidaminovoransâ€: Genome Sequence Reconstruction Provides a First Glimpse of a New Bacterial Division. Journal of Bacteriology, 2008, 190, 2572-2579.	2.2	363
26	Cloacibacillus evryensis gen. nov., sp. nov., a novel asaccharolytic, mesophilic, amino-acid-degrading bacterium within the phylum 'Synergistetes', isolated from an anaerobic sludge digester. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2003-2012.	1.7	75
27	Novel predominant archaeal and bacterial groups revealed by molecular analysis of an anaerobic sludge digester. Environmental Microbiology, 2005, 7, 1104-1115.	3.8	252
28	Novel Major Bacterial Candidate Division within a Municipal Anaerobic Sludge Digester. Applied and Environmental Microbiology, 2005, 71, 2145-2153.	3.1	107
29	Biodegradation of hydrocarbon cuts used for diesel oil formulation. Applied Microbiology and Biotechnology, 2004, 66, 40-47.	3.6	27
30	Molecular Evidence for Novel Planctomycete Diversity in a Municipal Wastewater Treatment Plant. Applied and Environmental Microbiology, 2003, 69, 7354-7363.	3.1	138
31	Fusobacterium prausnitzii and Related Species Represent a Dominant Group Within the Human Fecal Flora. Systematic and Applied Microbiology, 2001, 24, 139-145.	2.8	171
32	Quantification of Bacterial Groups within Human Fecal Flora by Oligonucleotide Probe Hybridization. Applied and Environmental Microbiology, 2000, 66, 2263-2266.	3.1	446
33	Design and Evaluation of a 16S rRNA-Targeted Oligonucleotide Probe for Specific Detection and Quantitation of Human Faecal Bacteroides Populations. Systematic and Applied Microbiology, 1998, 21, 65-71.	2.8	156
34	Design and Evaluation of a Lactobacillus Group-specific Ribosomal RNA-targeted Hybridization Probe and its Application to the Study of Intestinal Microecology in Pigs. Systematic and Applied Microbiology, 1998, 21, 291-296.	2.8	56
35	Immunological comparisons of major cortical cytoskeletal proteins in four entodiniomorphid ciliates. European Journal of Protistology, 1995, 31, 16-23.	1.5	4
36	Proteins of the plasma membrane skeleton in entodiniomorphid ciliates: An immunological study using monoclonal antibodies. European Journal of Protistology, 1991, 27, 365-370.	1.5	7