

Hugues de Lavallade

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9599036/publications.pdf>

Version: 2024-02-01

28
papers

524
citations

933447

10
h-index

713466

21
g-index

28
all docs

28
docs citations

28
times ranked

1105
citing authors

#	ARTICLE	IF	CITATIONS
1	Repeated vaccination is required to optimize seroprotection against H1N1 in the immunocompromised host. <i>Haematologica</i> , 2011, 96, 307-314.	3.5	113
2	Tyrosine kinase inhibitors impair B-cell immune responses in CML through off-target inhibition of kinases important for cell signaling. <i>Blood</i> , 2013, 122, 227-238.	1.4	97
3	Autoimmune Hemolytic Anemia after Allogeneic Hematopoietic Stem Cell Transplantation: Analysis of 533 Adult Patients Who Underwent Transplantation at King's College Hospital. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 60-66.	2.0	62
4	Single dose of BNT162b2 mRNA vaccine against severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2) induces neutralising antibody and polyfunctional T-cell responses in patients with chronic myeloid leukaemia. <i>British Journal of Haematology</i> , 2021, 194, 999-1006.	2.5	55
5	Effect of low-level BCR-ABL1 kinase domain mutations identified by next-generation sequencing in patients with chronic myeloid leukaemia: a population-based study. <i>Lancet Haematology</i> , 2019, 6, e276-e284.	4.6	46
6	Single dose of BNT162b2 mRNA vaccine against SARS-CoV-2 induces high frequency of neutralising antibody and polyfunctional T-cell responses in patients with myeloproliferative neoplasms. <i>Leukemia</i> , 2021, 35, 3573-3577.	7.2	41
7	Repeated vaccination against SARS-CoV-2 elicits robust polyfunctional T-cell response in allogeneic stem cell transplantation recipients. <i>Cancer Cell</i> , 2021, 39, 1448-1449.	16.8	29
8	The Role of Early Molecular Response in the Management of Chronic Phase CML. <i>Current Hematologic Malignancy Reports</i> , 2017, 12, 79-84.	2.3	15
9	Evidence of robust memory T-cell responses in patients with chronic myeloproliferative neoplasms following infection with severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2). <i>British Journal of Haematology</i> , 2021, 193, 692-696.	2.5	13
10	Long Term Adherence to Imatinib Therapy Is the Critical Factor for Achieving Molecular Responses in Chronic Myeloid Leukemia Patients.. <i>Blood</i> , 2009, 114, 3290-3290.	1.4	10
11	Impact of Finding of Low Level Kinase Domain Mutations Using Ultra Deep Next Generation Sequencing in Patients with Chronic Phase CML. <i>Blood</i> , 2015, 126, 347-347.	1.4	7
12	Impaired humoral and T cell response to vaccination against SARS-CoV-2 in chronic myeloproliferative neoplasm patients treated with ruxolitinib. <i>Blood Cancer Journal</i> , 2022, 12, 73.	6.2	7
13	Poor Adherence Is the Main Reason for Loss of CCyR and Imatinib Failure for CML Patients On Long Term Imatinib Therapy.. <i>Blood</i> , 2010, 116, 3414-3414.	1.4	6
14	For CML Patients in Chronic Phase Who Achieve a Cytogenetic Response to Imatinib the Finding of a BCR-ABL Mutation Predicts for Progression to Advanced Phase but It Has No Such Significance in Primary Resistance.. <i>Blood</i> , 2007, 110, 323-323.	1.4	6
15	Inhibition of Immune Cell Subsets Is Differentially Affected By Dasatinib Dosage in Patients with Chronic Phase CML. <i>Blood</i> , 2020, 136, 51-53.	1.4	5
16	Prospective Evaluation of ABL Kinase Domain Mutational Analysis By Next-Generation-Sequencing in Newly Diagnosed CP CML Patients Undergoing First-Line Treatment with Nilotinib Alone or Nilotinib + Pegylated Interferon- α 2a in a Prospective Phase III Trial. <i>Blood</i> , 2019, 134, 664-664.	1.4	4
17	Pleural Effusions Associated with Use of Dasatinib in Chronic Myeloid Leukemia May Have an Auto-Immune Pathogenesis.. <i>Blood</i> , 2007, 110, 2945-2945.	1.4	3
18	Long Term Durability of Major Molecular Responses for Patients Treated with Imatinib after Failure of Interferon-Alfa Is Equivalent to That of Patients Achieving Major Molecular Responses to Imatinib as Primary Therapy.. <i>Blood</i> , 2007, 110, 1037-1037.	1.4	2

#	ARTICLE	IF	CITATIONS
19	Mechanistic Insights into the Inhibition of T Regulatory Cells By Dasatinib May Predict Immunostimulatory Effects in CML Patients. Blood, 2019, 134, 1635-1635.	1.4	1
20	Outcome, Prognostic Factors and Long-Term Follow-Up in 207 Chronic Phase CML Patients Receiving Front-Line Imatinib 400 mg at a Single Institution.. Blood, 2007, 110, 1045-1045.	1.4	1
21	Efficacy of Tyrosine Kinase Inhibitors (TKIs) as Third Line Therapy In Patients with Chronic Myeloid Leukaemia In Chronic Phase Who Have Failed Two Prior TKIs. Blood, 2010, 116, 2274-2274.	1.4	1
22	BCR-ABL1 Oncogene Down-regulates the Expression of OCT1 in CML.. Blood, 2009, 114, 3248-3248.	1.4	0
23	T-Cell and B-Cell Responses After Vaccination against Influenza Virus and Pneumococcus in Chronic Phase CML Patients Treated with Tyrosine Kinase Inhibitors.. Blood, 2009, 114, 2214-2214.	1.4	0
24	Presence of the Killer Immunoglobulin-Like Gene KIR3DS1 Is Associated with Poor Progression Free and Overall Survival Following Autologous Stem Cell Transplantation in Patients with Myeloma.. Blood, 2009, 114, 2840-2840.	1.4	0
25	KIR2DS1 Genotype Predicts for Cytogenetic Response, Progression-Free Survival and Overall Survival In Patients with Chronic Phase CML on Imatinib. Blood, 2010, 116, 888-888.	1.4	0
26	2009 Pandemic Influenza A H1N1 Vaccination In the Patients with Hematologic Malignancies: Requirement for Repeated Dosing to Optimize Seroprotection. Blood, 2010, 116, 677-677.	1.4	0
27	A Distinct Signature of Natural Killer Cell KIR Gene Frequencies In Secondary AML Compared with De Novo AML and Normal Controls. Blood, 2010, 116, 1697-1697.	1.4	0
28	Chronic Myeloid Leukemia Patients on Tyrosine Kinase Inhibitor Have Normal T Cell Responses to Vaccination but An Impaired IgM Humoral Response Associated with Loss of Discrete Memory B Cell Subsets.. Blood, 2011, 118, 3753-3753.	1.4	0