

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9600053/publications.pdf Version: 2024-02-01

196 papers	83 g-index
papers	g-index
	0
211	9078
all docs	citing authors

#	Article	IF	CITATIONS
1	The Epidemiology of At-Risk and Binge Drinking Among Middle-Aged and Elderly Community Adults: National Survey on Drug Use and Health. American Journal of Psychiatry, 2009, 166, 1162-1169.	7.2	283
2	Treatment utilization among persons with opioid use disorder in the United States. Drug and Alcohol Dependence, 2016, 169, 117-127.	3.2	278
3	E-cigarette prevalence and correlates of use among adolescents versus adults: A review and comparison. Journal of Psychiatric Research, 2014, 54, 43-54.	3.1	253
4	Tobacco smoking and depressed mood in late childhood and early adolescence American Journal of Public Health, 1999, 89, 1837-1840.	2.7	242
5	Psychiatric symptoms and substance use disorders in a nationally representative sample of American adolescents involved with foster care. Journal of Adolescent Health, 2006, 38, 351-358.	2.5	223
6	Illicit and Nonmedical Drug Use Among Older Adults: A Review. Journal of Aging and Health, 2011, 23, 481-504.	1.7	214
7	The Epidemiology of Substance Use and Disorders Among Middle Aged and Elderly Community Adults: National Survey on Drug Use and Health. American Journal of Geriatric Psychiatry, 2009, 17, 237-245.	1.2	204
8	Racial/Ethnic Variations in Substance-Related Disorders Among Adolescents in the United States. Archives of General Psychiatry, 2011, 68, 1176.	12.3	177
9	Trends in Drug Use–Associated Infective Endocarditis and Heart Valve Surgery, 2007 to 2017. Annals of Internal Medicine, 2019, 170, 31.	3.9	175
10	Performance of the Tobacco, Alcohol, Prescription Medication, and Other Substance Use (TAPS) Tool for Substance Use Screening in Primary Care Patients. Annals of Internal Medicine, 2016, 165, 690.	3.9	174
11	Influence of Comorbid Alcohol and Psychiatric Disorders on Utilization of Mental Health Services in the National Comorbidity Survey. American Journal of Psychiatry, 1999, 156, 1230-1236.	7.2	159
12	Concurrent use of methamphetamine, MDMA, LSD, ketamine, GHB, and flunitrazepam among American youths. Drug and Alcohol Dependence, 2006, 84, 102-113.	3.2	145
13	Substance abuse among individuals with intellectual disabilities. Research in Developmental Disabilities, 2012, 33, 1147-1156.	2.2	138
14	Non-prescribed use of pain relievers among adolescents in the United States. Drug and Alcohol Dependence, 2008, 94, 1-11.	3.2	132
15	Prevalence, reasons, perceived effects, and correlates of medical marijuana use: A review. Drug and Alcohol Dependence, 2017, 177, 1-13.	3.2	122
16	Trends in cannabis use disorders among racial/ethnic population groups in the United States. Drug and Alcohol Dependence, 2016, 165, 181-190.	3.2	120
17	Alcohol Use Disorders and the Use of Treatment Services Among College-Age Young Adults. Psychiatric Services, 2007, 58, 192-200.	2.0	119
18	Substance use disorders and psychiatric comorbidity in mid and later life: a review. International Journal of Epidemiology, 2014, 43, 304-317.	1.9	116

#	Article	IF	CITATIONS
19	Inhalant Abuse and Dependence Among Adolescents in the United States. Journal of the American Academy of Child and Adolescent Psychiatry, 2004, 43, 1206-1214.	0.5	114
20	Use of Substance Abuse Treatment Services by Persons With Mental Health and Substance Use Problems. Psychiatric Services, 2003, 54, 363-369.	2.0	109
21	Trends and correlates of cocaine use and cocaine use disorder in the United States from 2011 to 2015. Drug and Alcohol Dependence, 2017, 180, 376-384.	3.2	105
22	Screening instruments for substance use and brief interventions targeting adolescents in primary care: A literature review. Addictive Behaviors, 2013, 38, 2146-2153.	3.0	99
23	The relationship between employment and substance use among students aged 12 to 17*1. Journal of Adolescent Health, 2003, 32, 5-15.	2.5	98
24	Multicomorbidity of chronic diseases and substance use disorders and their association with hospitalization: Results from electronic health records data. Drug and Alcohol Dependence, 2018, 192, 316-323.	3.2	98
25	How Do Prescription Opioid Users Differ From Users of Heroin or Other Drugs in Psychopathology: Results From the National Epidemiologic Survey on Alcohol and Related Conditions. Journal of Addiction Medicine, 2011, 5, 28-35.	2.6	95
26	The Epidemiology of Alcohol Use Disorders and Subthreshold Dependence in a Middle-Aged and Elderly Community Sample. American Journal of Geriatric Psychiatry, 2011, 19, 685-694.	1.2	93
27	Postpartum Substance Use and Depressive Symptoms: A Review. Women and Health, 2013, 53, 479-503.	1.0	92
28	Inhalant use among incarcerated adolescents in the United States: Prevalence, characteristics, and correlates of use. Drug and Alcohol Dependence, 2008, 93, 197-209.	3.2	87
29	Psychiatric disorders in inhalant users: Results from The National Epidemiologic Survey on Alcohol and Related Conditions. Drug and Alcohol Dependence, 2007, 88, 146-155.	3.2	86
30	Nonprescription Use of Pain Relievers by Middleâ€Aged and Elderly Communityâ€Living Adults: National Survey on Drug Use and Health. Journal of the American Geriatrics Society, 2009, 57, 1252-1257.	2.6	80
31	Prevalence and correlates of treatment utilization among adults with cannabis use disorder in the United States. Drug and Alcohol Dependence, 2017, 177, 153-162.	3.2	80
32	Screening for alcohol and drug use disorders among adults in primary care: a review. Substance Abuse and Rehabilitation, 2012, 3, 25.	4.8	78
33	Trends and Correlates of Cannabis-involved Emergency Department Visits: 2004 to 2011. Journal of Addiction Medicine, 2016, 10, 429-436.	2.6	74
34	Substance use after bariatric surgery: A review. Journal of Psychiatric Research, 2016, 76, 16-29.	3.1	72
35	Substance Use and Suicide in Pacific Islander, American Indian, and Multiracial Youth. American Journal of Preventive Medicine, 2018, 54, 795-805.	3.0	72
36	Psychotic experiences and risk of death in the general population: 24–27 year follow-up of the Epidemiologic Catchment Area study. British Journal of Psychiatry, 2015, 207, 30-36.	2.8	71

#	Article	IF	CITATIONS
37	Alcohol Use Disorders and the Use of Treatment Services Among College-Age Young Adults. Psychiatric Services, 2007, 58, 192-200.	2.0	71
38	Alcohol Dependence and Use of Treatment Services Among Women in the Community. American Journal of Psychiatry, 2004, 161, 1790-1797.	7.2	70
39	Substance Use, Dependence, and Service Utilization Among the US Uninsured Nonelderly Population. American Journal of Public Health, 2003, 93, 2079-2085.	2.7	66
40	Misuse of methamphetamine and prescription stimulants among youths and young adults in the community. Drug and Alcohol Dependence, 2007, 89, 195-205.	3.2	66
41	Treatment use and barriers among adolescents with prescription opioid use disorders. Addictive Behaviors, 2011, 36, 1233-1239.	3.0	66
42	Perceived cannabis use norms and cannabis use among adolescents in the United States. Journal of Psychiatric Research, 2015, 64, 79-87.	3.1	64
43	Prevalence, patterns, and correlates of multiple substance use disorders among adult primary care patients. Drug and Alcohol Dependence, 2018, 187, 79-87.	3.2	64
44	Alcohol and Drug Use Disorders Among Adults in Emergency Department Settings in the United States. Annals of Emergency Medicine, 2012, 60, 172-180.e5.	0.6	63
45	Inhalant use and disorders among adults in the United States. Drug and Alcohol Dependence, 2006, 85, 1-11.	3.2	62
46	Smoking cessation interventions for adults aged 50 or older: A systematic review and meta-analysis. Drug and Alcohol Dependence, 2015, 154, 14-24.	3.2	61
47	Prescription Pain Reliever Abuse and Dependence Among Adolescents: A Nationally Representative Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 1020-1029.	0.5	60
48	Subtypes of nonmedical opioid users: Results from the national epidemiologic survey on alcohol and related conditions. Drug and Alcohol Dependence, 2010, 112, 69-80.	3.2	60
49	The impact of the CONSORT statement on reporting of randomized clinical trials in psychiatry. Contemporary Clinical Trials, 2009, 30, 116-122.	1.8	58
50	Substance use disorders and comorbid Axis I and II psychiatric disorders among young psychiatric patients: Findings from a large electronic health records database. Journal of Psychiatric Research, 2011, 45, 1453-1462.	3.1	58
51	Panic Attacks and Suicide Attempts in Mid-Adolescence. American Journal of Psychiatry, 1999, 156, 1545-1549.	7.2	57
52	Correlates of Handgun Carrying Among Adolescents in the United States. Journal of Interpersonal Violence, 2012, 27, 2003-2021.	2.0	57
53	Cannabis use disorders are comparatively prevalent among nonwhite racial/ethnic groups and adolescents: A national study. Journal of Psychiatric Research, 2014, 50, 26-35.	3.1	56
54	Electronic health records: essential tools in integrating substance abuse treatment with primary care. Substance Abuse and Rehabilitation, 2012, 3, 1.	4.8	55

#	Article	IF	CITATIONS
55	Alcohol Dependence and Use of Treatment Services Among Women in the Community. American Journal of Psychiatry, 2004, 161, 1790-1797.	7.2	55
56	Use of nitrite inhalants ("poppersâ€) among American youth. Journal of Adolescent Health, 2005, 37, 52-60.	2.5	53
57	Substance abuse, treatment needs and access among female sex workers and non-sex workers in Pretoria, South Africa. Substance Abuse Treatment, Prevention, and Policy, 2009, 4, 11.	2.2	50
58	Patterns of tobacco use and tobacco-related psychiatric morbidity and substance use among middle-aged and older adults in the United States. Aging and Mental Health, 2012, 16, 296-304.	2.8	50
59	The Relationship of Mental and Behavioral Disorders to All-Cause Mortality in a 27-Year Follow-up of 4 Epidemiologic Catchment Area Samples. American Journal of Epidemiology, 2013, 178, 1366-1377.	3.4	50
60	Pharmacists' Attitudes toward Dispensing Naloxone and Medications for Opioid Use Disorder: A Scoping Review of the Literature. Substance Abuse, 2019, 40, 476-483.	2.3	50
61	Cardiometabolic Risk Factors among Severely Obese Children and Adolescents in the United States, 1999–2012. Childhood Obesity, 2016, 12, 12-19.	1.5	48
62	Substance use among adolescent mothers: A review. Children and Youth Services Review, 2013, 35, 806-815.	1.9	46
63	Is inhalant use a risk factor for heroin and injection drug use among adolescents in the United States?. Addictive Behaviors, 2007, 32, 265-281.	3.0	45
64	Conducting Research with Racial/Ethnic Minorities: Methodological Lessons from the NIDA Clinical Trials Network. American Journal of Drug and Alcohol Abuse, 2011, 37, 324-332.	2.1	45
65	The estimated rate of depressed mood in US adults: recent evidence for a peak in later life. Journal of Affective Disorders, 2000, 60, 159-171.	4.1	44
66	Substance use and mental diagnoses among adults with and without type 2 diabetes: Results from electronic health records data. Drug and Alcohol Dependence, 2015, 156, 162-169.	3.2	44
67	Chronic non-cancer pain among adults with substance use disorders: Prevalence, characteristics, and association with opioid overdose and healthcare utilization. Drug and Alcohol Dependence, 2020, 209, 107902.	3.2	44
68	Heterogeneity of Stimulant Dependence: A National Drug Abuse Treatment Clinical Trials Network Study. American Journal on Addictions, 2009, 18, 206-218.	1.4	43
69	Suicidal ideation and substance use among adolescents and young adults: A bidirectional relation?. Drug and Alcohol Dependence, 2014, 142, 63-73.	3.2	43
70	CLINICAL STUDY: Very low dose naltrexone addition in opioid detoxification: a randomized, controlled trial. Addiction Biology, 2009, 14, 204-213.	2.6	42
71	Depressive Symptoms, Substance Use, and HIV-Related High-Risk Behaviors Among Opioid-Dependent Individuals: Results From the Clinical Trials Network. Substance Use and Misuse, 2011, 46, 1716-1725.	1.4	42
72	High prevalence of substance use disorders among adolescents who use marijuana and inhalants. Drug and Alcohol Dependence, 2005, 78, 23-32.	3.2	41

#	Article	IF	CITATIONS
73	Substance use disorders among inhalant users: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. Addictive Behaviors, 2008, 33, 968-973.	3.0	41
74	Extended release naltrexone injection is performed in the majority of opioid dependent patients receiving outpatient induction: A very low dose naltrexone and buprenorphine open label trial. Drug and Alcohol Dependence, 2014, 138, 83-88.	3.2	41
75	Validation of the TAPS-1: A Four-Item Screening Tool to Identify Unhealthy Substance Use in Primary Care. Journal of General Internal Medicine, 2017, 32, 990-996.	2.6	41
76	Substance use disorders and co-morbidities among Asian Americans and Native Hawaiians/Pacific Islanders. Psychological Medicine, 2015, 45, 481-494.	4.5	40
77	The Variety of Ecstasy/MDMA Users: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. American Journal on Addictions, 2009, 18, 452-461.	1.4	38
78	Gender and racial/ethnic differences in addiction severity, HIV risk, and quality of life among adults in opioid detoxification: results from the National Drug Abuse Treatment Clinical Trials Network. Substance Abuse and Rehabilitation, 2010, 2010, 13.	4.8	38
79	Use of item response theory and latent class analysis to link poly-substance use disorders with addiction severity, HIV risk, and quality of life among opioid-dependent patients in the Clinical Trials Network. Drug and Alcohol Dependence, 2011, 118, 186-193.	3.2	38
80	Recent national trends in Salvia divinorum use and substance-use disorders among recent and former Salvia divinorum users compared with nonusers. Substance Abuse and Rehabilitation, 2011, 2011, 53.	4.8	37
81	The construct and measurement equivalence of cocaine and opioid dependences: A National Drug Abuse Treatment Clinical Trials Network (CTN) study. Drug and Alcohol Dependence, 2009, 103, 114-123.	3.2	36
82	An Item Response Theory Modeling of Alcohol and Marijuana Dependences: A National Drug Abuse Treatment Clinical Trials Network Study. Journal of Studies on Alcohol and Drugs, 2009, 70, 414-425.	1.0	36
83	Sexual risk behaviors and HIV risk among Americans aged 50 years or older: a review. Substance Abuse and Rehabilitation, 2015, 6, 51.	4.8	36
84	DSM-5 substance use disorders among adult primary care patients: Results from a multisite study. Drug and Alcohol Dependence, 2017, 179, 42-46.	3.2	35
85	Psychostimulant Dependence in a Community Sample. Substance Use and Misuse, 2003, 38, 221-248.	1.4	34
86	The Treatment Effectiveness Assessment (TEA): an efficient, patient-centered instrument for evaluating progress in recovery from addiction. Substance Abuse and Rehabilitation, 2012, 3, 129.	4.8	34
87	Differences in onset and abuse/dependence episodes between prescription opioids and heroin: results from the National Epidemiologic Survey on Alcohol and Related Conditions. Substance Abuse and Rehabilitation, 2011, 2011, 77.	4.8	33
88	Use of Salvia divinorum in a Nationally Representative Sample. American Journal of Drug and Alcohol Abuse, 2012, 38, 108-113.	2.1	33
89	Design of the NIDA clinical trials network validation study of tobacco, alcohol, prescription medications, and substance use/misuse (TAPS) tool. Contemporary Clinical Trials, 2016, 50, 90-97.	1.8	33
90	Sex Differences in Cannabis Use Disorder Diagnosis Involved Hospitalizations in the United States. Journal of Addiction Medicine, 2017, 11, 357-367.	2.6	32

#	Article	IF	CITATIONS
91	Illicit and nonmedical drug use among Asian Americans, Native Hawaiians/Pacific Islanders, and mixed-race individuals. Drug and Alcohol Dependence, 2013, 133, 360-367.	3.2	31
92	Smoking and Opioid Detoxification: Behavioral Changes and Response to Treatment. Nicotine and Tobacco Research, 2013, 15, 1705-1713.	2.6	31
93	Use of Substance Abuse Services by Young Uninsured American Adults. Psychiatric Services, 2005, 56, 946-953.	2.0	30
94	Survey of methadone-drug interactions among patients of methadone maintenance treatment program in Taiwan. Substance Abuse Treatment, Prevention, and Policy, 2012, 7, 11.	2.2	30
95	Substance use disorders and medical comorbidities among high-need, high-risk patients with diabetes. Drug and Alcohol Dependence, 2018, 186, 86-93.	3.2	30
96	Buprenorphine physician–pharmacist collaboration in the management of patients with opioid use disorder: results from a multisite study of the National Drug Abuse Treatment Clinical Trials Network. Addiction, 2021, 116, 1805-1816.	3.3	30
97	Abuse and dependence on prescription opioids in adults: a mixture categorical and dimensional approach to diagnostic classification. Psychological Medicine, 2011, 41, 653-664.	4.5	29
98	Cocaine Use and the Occurrence of Panic Attacks in the Community: A Case-Crossover Approach. Substance Use and Misuse, 2005, 40, 285-297.	1.4	28
99	Alcohol limits in older people. Addiction, 2012, 107, 1541-1543.	3.3	28
100	Comorbid substance use disorders with other Axis I and II mental disorders among treatment-seeking Asian Americans, Native Hawaiians/Pacific Islanders, and mixed-race people. Journal of Psychiatric Research, 2013, 47, 1940-1948.	3.1	28
101	Associations Between Cigarette Smoking and Pain Among Veterans. Epidemiologic Reviews, 2015, 37, 86-102.	3.5	28
102	National trends and characteristics of inpatient detoxification for drug use disorders in the United States. BMC Public Health, 2018, 18, 1073.	2.9	28
103	Buprenorphine-Mediated Transition from Opioid Agonist to Antagonist Treatment: State of the Art and New Perspectives. Current Drug Abuse Reviews, 2012, 5, 52-63.	3.4	27
104	Prevalence and Health Characteristics of Prescription Opioid Use, Misuse, and Use Disorders Among U.S. Adolescents. Journal of Adolescent Health, 2020, 66, 536-544.	2.5	27
105	Use of Alcohol Treatment and Mental Health Services Among Adolescents With Alcohol Use Disorders. Psychiatric Services, 2006, 57, 84-92.	2.0	26
106	Risk profiles among adolescent nonmedical opioid users in the United States. Addictive Behaviors, 2012, 37, 974-977.	3.0	26
107	Integrating substance abuse care with community diabetes care: implications for research and clinical practice. Substance Abuse and Rehabilitation, 2013, 4, 3.	4.8	26
108	Prevalence and patterns of opioid misuse and opioid use disorder among primary care patients who use tobacco. Drug and Alcohol Dependence, 2019, 194, 468-475.	3.2	25

#	Article	IF	CITATIONS
109	Pharmacological enhancement of naltrexone treatment for opioid dependence: a review. Substance Abuse and Rehabilitation, 2011, 2011, 113.	4.8	24
110	Using electronic health records data to assess comorbidities of substance use and psychiatric diagnoses and treatment settings among adults. Journal of Psychiatric Research, 2013, 47, 555-563.	3.1	24
111	Suicide and substance use among female veterans: A need for research. Drug and Alcohol Dependence, 2014, 136, 1-10.	3.2	24
112	Association of MDMA/ecstasy and other substance use with self-reported sexually transmitted diseases among college-aged adults: A national study. Public Health, 2009, 123, 557-564.	2.9	23
113	Construct and Differential Item Functioning in the Assessment of Prescription Opioid Use Disorders Among American Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2009, 48, 563-572.	0.5	23
114	Marijuana use and sex with multiple partners among lesbian, gay and bisexual youth: results from a national sample. BMC Public Health, 2017, 17, 19.	2.9	23
115	Hallucinogen-related disorders in a national sample of adolescents: The influence of ecstasy/MDMA use. Drug and Alcohol Dependence, 2009, 104, 156-166.	3.2	22
116	Mortality among heroin users and users of other internationally regulated drugs: A 27-year follow-up of users in the Epidemiologic Catchment Area Program household samples. Drug and Alcohol Dependence, 2015, 156, 104-111.	3.2	22
117	Interpretation and integration of the federal substance use privacy protection rule in integrated health systems: A qualitative analysis. Journal of Substance Abuse Treatment, 2019, 97, 41-46.	2.8	22
118	Article Commentary: Research Priorities for Expanding access to Methadone Treatment for Opioid use Disorder in the United States: A National Institute on Drug Abuse Clinical Trials Network Task Force Report. Substance Abuse, 2021, 42, 245-254.	2.3	22
119	Early Outcomes Following Low Dose Naltrexone Enhancement of Opioid Detoxification. American Journal on Addictions, 2009, 18, 109-116.	1.4	21
120	Association Between Substance Use and Gun-Related Behaviors. Epidemiologic Reviews, 2016, 38, mxv013.	3.5	21
121	Electronic self-administered screening for substance use in adult primary care patients: feasibility and acceptability of the tobacco, alcohol, prescription medication, and other substance use (myTAPS) screening tool. Addiction Science & amp; Clinical Practice, 2019, 14, 39.	2.6	21
122	Hallucinogen Use Disorders Among Adult Users of MDMA and Other Hallucinogens. American Journal on Addictions, 2008, 17, 354-363.	1.4	20
123	Co-occurring amphetamine use and associated medical and psychiatric comorbidity among opioid-dependent adults: results from the Clinical Trials Network. Substance Abuse and Rehabilitation, 2011, 2, 133.	4.8	20
124	Tobacco use among Asian Americans, Native Hawaiians/Pacific Islanders, and mixed-race individuals: 2002–2010. Drug and Alcohol Dependence, 2013, 132, 87-94.	3.2	20
125	The high prevalence of substance use disorders among recent MDMA users compared with other drug users: Implications for intervention. Addictive Behaviors, 2009, 34, 654-661.	3.0	19
126	Substance abuse and rehabilitation: responding to the global burden of diseases attributable to substance abuse. Substance Abuse and Rehabilitation, 2010, 2010, 5.	4.8	18

#	Article	IF	CITATIONS
127	A dimensional approach to understanding severity estimates and risk correlates of marijuana abuse and dependence in adults. International Journal of Methods in Psychiatric Research, 2012, 21, 117-133.	2.1	18
128	Alcohol and drug dependence symptom items as brief screeners for substance use disorders: Results from the Clinical Trials Network. Journal of Psychiatric Research, 2012, 46, 360-369.	3.1	18
129	Problem alcohol use and healthcare utilization among persons with cannabis use disorder in the United States. Drug and Alcohol Dependence, 2017, 178, 477-484.	3.2	17
130	The opioid overdose epidemic: opportunities for pharmacists. Substance Abuse and Rehabilitation, 2017, Volume 8, 53-55.	4.8	17
131	The Use of the Case-Crossover Design in Studying Illicit Drug Use. Substance Use and Misuse, 2000, 35, 1035-1050.	1.4	16
132	Using a latent variable approach to inform gender and racial/ethnic differences in cocaine dependence: A National Drug Abuse Treatment Clinical Trials Network study. Journal of Substance Abuse Treatment, 2010, 38, S70-S79.	2.8	16
133	Sources of Misused Prescription Opioids and Their Association with Prescription Opioid Use Disorder in the United States: Sex and Age Differences. Substance Use and Misuse, 2020, 55, 928-936.	1.4	16
134	Psychiatric Correlates of Snuff and Chewing Tobacco Use. PLoS ONE, 2014, 9, e113196.	2.5	15
135	Identifying substance misuse in primary care: TAPS Tool compared to the WHO ASSIST. Journal of Substance Abuse Treatment, 2017, 76, 69-76.	2.8	15
136	Opioid treatment program and community pharmacy collaboration for methadone maintenance treatment: results from a feasibility clinical trial. Addiction, 2022, 117, 444-456.	3.3	15
137	Effectiveness of Low-Dose Naltrexone in the Post-Detoxification Treatment of Opioid Dependence. Journal of Clinical Psychopharmacology, 2007, 27, 468-474.	1.4	14
138	Infrequent Illicit Methadone Use Among Stimulant-Using Patients in Methadone Maintenance Treatment Programs: A National Drug Abuse Treatment Clinical Trials Network Study. American Journal on Addictions, 2008, 17, 304-311.	1.4	14
139	The prevalence and clinical significance of inhalant withdrawal symptoms among a national sample. Substance Abuse and Rehabilitation, 2011, 2011, 69.	4.8	14
140	The Combination Very Low-Dose Naltrexone–Clonidine in the Management of Opioid Withdrawal. American Journal of Drug and Alcohol Abuse, 2012, 38, 200-205.	2.1	14
141	Trends and correlates of driving under the influence of alcohol among different types of adult substance users in the United States: a national survey study. BMC Public Health, 2019, 19, 509.	2.9	13
142	Nonmedical Opioid Pain Relievers and All-Cause Mortality: A 27-Year Follow-Up From the Epidemiologic Catchment Area Study. American Journal of Public Health, 2016, 106, 509-516.	2.7	12
143	An item response theory analysis of DSM-IV criteria for hallucinogen abuse and dependence in adolescents. Addictive Behaviors, 2010, 35, 273-277.	3.0	11
144	Advances in Opioid Antagonist Treatment for Opioid Addiction. Psychiatric Clinics of North America, 2012, 35, 297-308.	1.3	11

#	Article	IF	CITATIONS
145	Using electronic health record data for substance use Screening, Brief Intervention, and Referral to Treatment among adults with type 2 diabetes: Design of a National Drug Abuse Treatment Clinical Trials Network study. Contemporary Clinical Trials, 2016, 46, 30-38.	1.8	11
146	Age of first drunkenness and risks for all-cause mortality: A 27-year follow-up from the epidemiologic catchment area study. Drug and Alcohol Dependence, 2017, 176, 148-153.	3.2	11
147	Discharge against medical advice from hospitalizations for substance use disorders: The potential impact of the Affordable Care Act. Drug and Alcohol Dependence, 2019, 197, 115-119.	3.2	10
148	Electronic Cigarette Use and Associated Risk Factors in U.SDwelling Pacific Islander Young Adults. Substance Use and Misuse, 2020, 55, 1702-1708.	1.4	10
149	Relationship between Smoking and Abdominal Aorta Calcification on Computed Tomography. Korean Journal of Family Medicine, 2019, 40, 248-253.	1.2	10
150	The opioid use disorder core outcomes set (OUD–COS) for treatment research: findings from a Delphi consensus study. Addiction, 2022, 117, 2438-2447.	3.3	10
151	Injection Drug Use Among Stimulant Users in a National Sample. American Journal of Drug and Alcohol Abuse, 2004, 30, 61-83.	2.1	9
152	Trends in nonheroin opioid abuse admissions: 1992-2004. Journal of Opioid Management, 2007, 3, 215-223.	0.5	9
153	Buprenorphine for Prescription Opioid Addiction in a Patient With Depression and Alcohol Dependence. American Journal of Psychiatry, 2011, 168, 675-679.	7.2	8
154	Referring heroin users from compulsory detoxification centers to community methadone maintenance treatment: a comparison of three models. BMC Public Health, 2013, 13, 747.	2.9	8
155	Evaluating brief screeners to discriminate between drug use disorders in a sample of treatment-seeking adults. General Hospital Psychiatry, 2013, 35, 74-82.	2.4	8
156	The National Drug Abuse Treatment Clinical Trials Network Data Share project: Website design, usage, challenges, and future directions. Clinical Trials, 2013, 10, 977-986.	1.6	8
157	Nonmedical stimulant use among young Asian-Americans, Native Hawaiians/Pacific Islanders, and mixed-race individuals aged 12–34 years in the United States. Journal of Psychiatric Research, 2014, 59, 189-199.	3.1	8
158	Multiple drug use disorder diagnoses among drug-involved hospitalizations in the United States: Results from the 2016 National Inpatient Sample. Drug and Alcohol Dependence, 2020, 213, 108113.	3.2	8
159	Hazardous drinking, alcohol use disorders, and need for treatment among Pacific Islander young adults American Journal of Orthopsychiatry, 2020, 90, 557-566.	1.5	8
160	Private Health Insurance Coverage for Substance Abuse and Mental Health Services, 1995 to 1998. Psychiatric Services, 2004, 55, 180-182.	2.0	7
161	Primary care for opioid use disorder. Substance Abuse and Rehabilitation, 2016, Volume 7, 107-109.	4.8	7
162	Differences in behavioral health disorders and unmet treatment needs between medical marijuana users and recreational marijuana users: Results from a national adult sample. Drug and Alcohol Dependence, 2017, 180, 311-318.	3.2	7

LI-TZY Wu

#	Article	IF	CITATIONS
163	Sex differences in the prevalence and correlates of emergency department utilization among adults with prescription opioid use disorder. Substance Use and Misuse, 2019, 54, 1178-1190.	1.4	7
164	Comparison of timeline follow-back self-report and oral fluid testing to detect substance use in adult primary care patients. Drug and Alcohol Dependence, 2020, 209, 107939.	3.2	7
165	Relationship of the serotonin transporter with prolactin response to meta-chlorophenylpiperazine in cocaine dependence. Journal of Psychiatric Research, 2008, 42, 1213-1219.	3.1	6
166	Problem Drinking and Low-Dose Naltrexone-Assisted Opioid Detoxification. Journal of Studies on Alcohol and Drugs, 2011, 72, 507-513.	1.0	6
167	Core outcomes set for research on the treatment of opioid use disorder (COS-OUD): the National Institute on Drug Abuse Clinical Trials Network protocol for an e-Delphi consensus study. Trials, 2021, 22, 102.	1.6	6
168	Predictive model of multiple emergency department visits among adults: analysis of the data from the National Survey of Drug Use and Health (NSDUH). BMC Health Services Research, 2021, 21, 280.	2.2	6
169	Tobacco Smoking and Other Suspected Antecedents of Nonmedical Psychostimulant Use in the United States, 1995. Substance Use and Misuse, 1999, 34, 1243-1259.	1.4	5
170	Reduced Cannabis Use After Low-Dose Naltrexone Addition to Opioid Detoxification. Journal of Clinical Psychopharmacology, 2010, 30, 476-478.	1.4	5
171	Reference periods in retrospective behavioral self-report: A qualitative investigation. American Journal on Addictions, 2015, 24, 744-747.	1.4	5
172	Using a health information technology survey to explore the availability of addiction treatment data in the electronic health records: A National Drug Abuse Treatment Clinical Trials Network study. Journal of Substance Abuse Treatment, 2020, 112, 56-62.	2.8	5
173	Opioid treatment program prescribing of methadone with community pharmacy dispensing: Pilot study of feasibility and acceptability. , 2022, 3, 100067.		5
174	Withdrawal severity and early response to treatment in the outpatient transition from opioid use to extended release naltrexone. American Journal on Addictions, 2018, 27, 471-476.	1.4	4
175	Comorbid Substance Use Disorder Profiles and Receipt of Substance Use Disorder Treatment Services: A National Study. Journal of Studies on Alcohol and Drugs, 2021, 82, 246-256.	1.0	4
176	Clinical Workflow and Substance Use Screening, Brief Intervention, and Referral to Treatment Data in the Electronic Health Records: A National Drug Abuse Treatment Clinical Trials Network Study. EGEMS (Washington, DC), 2019, 7, 35.	2.0	4
177	The Association of Gasoline Prices With Hospital Utilization and Costs for Motorcycle and Nonmotorcycle Motor Vehicle Injuries in the United States. Medical Care, 2016, 54, 837-844.	2.4	3
178	Implementation of mandatory opioid prescribing limits in North Carolina: healthcare administrator and prescriber perspectives. BMC Health Services Research, 2021, 21, 1191.	2.2	3
179	Food, Class, and Health: The Role of the Perceived Body in the Social Reproduction of Health. Health Communication, 2013, 28, 341-350.	3.1	2
180	Alcohol Use Disorder Risk and Protective Factors and Associated Harms Among Pacific Islander Young Adults. Journal of Racial and Ethnic Health Disparities, 2021, , 1.	3.2	2

#	Article	IF	CITATIONS
181	Datapoints: Use of Medications and Counseling for Depression by Asian and Multiple-Race Adolescents Aged 12–17 Years. Psychiatric Services, 2012, 63, 850-850.	2.0	1
182	Prescription drug overdose: between patients and their doctors. Substance Abuse and Rehabilitation, 2013, 4, 1.	4.8	1
183	The Treatment Effectiveness Assessment (TEA). Substance Abuse and Rehabilitation, 2013, 4, 73.	4.8	1
184	Commentary on Winhusen <i>et al</i> . (2019): Substance use disorders, chronic diseases, and electronic health records—a paradigm for screening and intervention. Addiction, 2019, 114, 1471-1472.	3.3	1
185	Opioid use disorder deaths and the effects of medication therapy. American Journal of Drug and Alcohol Abuse, 2019, 45, 227-229.	2.1	1
186	E-Cigarette Use Among Adult Primary Care Patients: Results from a Multisite Study. Journal of General Internal Medicine, 2020, 35, 268-275.	2.6	1
187	Substance Use and Misuse in Older Adults: A Need for Research and Intervention. Gerontologist, The, 2020, 60, 1184-1185.	3.9	1
188	Recent and active problematic substance use among primary care patients: Results from the alcohol, smoking, and substance involvement screening test in a multisite study. Substance Abuse, 2021, 42, 1-6.	2.3	1
189	The Epidemiology of Alcohol Use Disorders and Subthreshold Dependence in a Middle-Aged and Elderly Community Sample. American Journal of Geriatric Psychiatry, 2010, , 1.	1.2	1
190	Family substance use screening: less to hide, more to gain. Indian Journal of Medical Research, 2016, 143, 682.	1.0	1
191	Drs. Blazer and Wu Reply. American Journal of Psychiatry, 2010, 167, 106-106.	7.2	0
192	Inhalants. , 2013, , 723-732.		0
193	Clinical epidemiology of substance use disorders: Understanding patterns, sharing knowledge, planning interventions. Indian Journal of Medical Research, 2019, 149, 443.	1.0	0
194	Comorbid Substance Use Disorder Profiles and Receipt of Substance Use Disorder Treatment Services: A National Study. Journal of Studies on Alcohol and Drugs, 2021, 82, 246-256.	1.0	0
195	Association of chronic non-cancer pain status and buprenorphine treatment retention among individuals with opioid use disorder: Results from electronic health record data. , 2022, 3, 100048.		0
196	Mifepristone (RU-486®) as a Schedule IV Controlled Drug—Implications for a Misleading Drug Policy on Women's Health Care. International Journal of Environmental Research and Public Health, 2022, 19, 8363.	2.6	0