

# David L Roberts

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9601324/publications.pdf>

Version: 2024-02-01

44  
papers

3,282  
citations

304743

22  
h-index

276875

41  
g-index

44  
all docs

44  
docs citations

44  
times ranked

3046  
citing authors

#	ARTICLE	IF	CITATIONS
1	Social cognition and interaction training for recent-onset schizophrenia: A preliminary randomized trial. <i>Microbial Biotechnology</i> , 2021, 15, 206-212.	1.7	6
2	Suicidal Ideation Across Three Timepoints in Patients Discharged from Psychiatric Hospitalization. <i>Community Mental Health Journal</i> , 2021, , 1.	2.0	0
3	Effectiveness of cognitive remediation in the ultra-high risk state for psychosis. <i>World Psychiatry</i> , 2020, 19, 401-402.	10.4	18
4	Cognitive remediation plus standard treatment versus standard treatment alone for individuals at ultra-high risk of developing psychosis: Results of the FOCUS randomised clinical trial. <i>Schizophrenia Research</i> , 2020, 224, 151-158.	2.0	23
5	Integrative cognitive remediation for early psychosis: A 12-month follow-up. <i>Psychiatry Research</i> , 2020, 288, 112964.	3.3	5
6	Case Report: Successful Implementation of Integrative Cognitive Remediation for Early Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 624091.	2.6	1
7	The Feasibility and Efficacy of Social Cognition and Interaction Training for Outpatients With Schizophrenia in Japan: A Multicenter Randomized Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 589.	2.6	12
8	X-Aptamer Technology Identifies C4A and ApoB in Blood as Potential Markers for Schizophrenia. <i>Molecular Neuropsychiatry</i> , 2019, 5, 52-59.	2.9	14
9	Integrative cognitive remediation for early psychosis: Results from a randomized controlled trial. <i>Psychiatry Research</i> , 2019, 273, 690-698.	3.3	25
10	Social and non-social measures of cognition for predicting self-reported and informant-reported functional outcomes in early psychosis. <i>Scandinavian Journal of Psychology</i> , 2019, 60, 295-303.	1.5	7
11	Second generation antipsychotic-induced mitochondrial alterations: Implications for increased risk of metabolic syndrome in patients with schizophrenia. <i>European Neuropsychopharmacology</i> , 2018, 28, 369-380.	0.7	41
12	The Use of Access Groups for Engagement in Community Mental Health Post Hospitalization. <i>Community Mental Health Journal</i> , 2018, 54, 533-539.	2.0	1
13	Immune markers of social cognitive bias in schizophrenia. <i>Psychiatry Research</i> , 2017, 251, 319-324.	3.3	8
14	Leukocyte telomere length in Hispanic schizophrenia patients under treatment with olanzapine. <i>Journal of Psychiatric Research</i> , 2017, 90, 26-30.	3.1	10
15	A tablet-based intervention to manipulate social cognitive bias in schizophrenia. <i>American Journal of Psychiatric Rehabilitation</i> , 2017, 20, 143-155.	0.7	4
16	Understanding Social Situations (USS): A proof-of-concept social cognitive intervention targeting theory of mind and attributional bias in individuals with psychosis. <i>Psychiatric Rehabilitation Journal</i> , 2017, 40, 12-20.	1.1	16
17	Social cognition in patients at ultra-high risk for psychosis: What is the relation to social skills and functioning?. <i>Schizophrenia Research: Cognition</i> , 2016, 5, 21-27.	1.3	46
18	Following AACP Guidelines for Transitions in Care: The Transitional Care Clinic. <i>Psychiatric Services</i> , 2016, 67, 259-261.	2.0	4

#	ARTICLE	IF	CITATIONS
19	Social cognition in schizophrenia: factor structure, clinical and functional correlates. <i>Journal of Mental Health</i> , 2016, 25, 330-337.	1.9	60
20	The many faces of oxytocin: Implications for psychiatry. <i>Psychiatry Research</i> , 2015, 226, 31-37.	3.3	63
21	The FOCUS trial: cognitive remediation plus standard treatment versus standard treatment for patients at ultra-high risk for psychosis: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 25.	1.6	40
22	Observable Social Cognition "A Rating Scale: an interview-based assessment for schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2015, 20, 198-221.	1.3	40
23	Theory-of-mind use in remitted schizophrenia patients: The role of inhibition and perspective-switching. <i>Psychiatry Research</i> , 2015, 229, 332-339.	3.3	6
24	Is cognitive adaptation training (CAT) compensatory, restorative, or both?. <i>Schizophrenia Research</i> , 2015, 166, 290-296.	2.0	28
25	Theory-of-mind understanding and theory-of-mind use in unaffected first-degree relatives of schizophrenia and bipolar disorder. <i>Psychiatry Research</i> , 2015, 230, 735-737.	3.3	9
26	A randomized pilot study of MOTivation and Enhancement (MOVE) Training for negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2015, 165, 175-180.	2.0	65
27	A Randomized Controlled Trial Comparing Cognitive Behavior Therapy, Cognitive Adaptation Training, Their Combination and Treatment as Usual in Chronic Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 597-603.	4.3	22
28	Integrated Psychosocial Treatment for Negative Symptoms. <i>American Journal of Psychiatric Rehabilitation</i> , 2014, 17, 1-19.	0.7	24
29	Social Cognition and Interaction Training: Preliminary Results of an RCT in a Community Setting in Israel. <i>Psychiatric Services</i> , 2014, 65, 555-558.	2.0	34
30	Social Cognition and Interaction Training. , 2014, , 151-162.		4
31	Depressive Symptoms Among Help-Seeking Latinas in a Disadvantaged, Urban, Northeastern Community Mental Health Center. <i>Community Mental Health Journal</i> , 2014, 50, 331-335.	2.0	9
32	New instrument for measuring multiple domains of social cognition: Construct validity of the Social Cognition Screening Questionnaire (Japanese version). <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 701-711.	1.8	34
33	A randomized, controlled trial of Social Cognition and Interaction Training (SCIT) for outpatients with schizophrenia spectrum disorders. <i>British Journal of Clinical Psychology</i> , 2014, 53, 281-298.	3.5	118
34	Social cognition and interaction training for patients with stable schizophrenia in Chinese community settings. <i>Psychiatry Research</i> , 2013, 210, 751-755.	3.3	44
35	Differential correlations between plasma oxytocin and social cognitive capacity and bias in schizophrenia. <i>Schizophrenia Research</i> , 2013, 147, 387-392.	2.0	48
36	An Alternative to Generating Alternative Interpretations in Social Cognitive Therapy for Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2012, 40, 491-495.	1.2	15

#	ARTICLE	IF	CITATIONS
37	Can Social Functioning in Schizophrenia Be Improved through Targeted Social Cognitive Intervention?. <i>Rehabilitation Research and Practice</i> , 2012, 2012, 1-8.	0.6	27
38	Medication adherence in schizophrenia. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2011, 8, 11-15.	0.5	10
39	Transportability and Feasibility of Social Cognition and Interaction Training (SCIT) in Community Settings. <i>Behavioural and Cognitive Psychotherapy</i> , 2010, 38, 35-47.	1.2	72
40	Social cognition and interaction training (SCIT) for outpatients with schizophrenia: A preliminary study. <i>Psychiatry Research</i> , 2009, 166, 141-147.	3.3	248
41	Best Practices: The Development of the Social Cognition and Interaction Training Program for Schizophrenia Spectrum Disorders. <i>Psychiatric Services</i> , 2007, 58, 449-451.	2.0	214
42	Social Cognition in Schizophrenia: An Overview. <i>Schizophrenia Bulletin</i> , 2007, 34, 408-411.	4.3	432
43	Social Cognition and Interaction Training (SCIT) for inpatients with schizophrenia spectrum disorders: Preliminary findings. <i>Schizophrenia Research</i> , 2007, 91, 112-116.	2.0	300
44	The Functional Significance of Social Cognition in Schizophrenia: A Review. <i>Schizophrenia Bulletin</i> , 2006, 32, S44-S63.	4.3	1,075