

# Neil Thomas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/960151/publications.pdf>

Version: 2024-02-01

122  
papers

4,199  
citations

136950

32  
h-index

138484

58  
g-index

134  
all docs

134  
docs citations

134  
times ranked

4414  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017, 174, 216-229.                     | 7.2  | 685       |
| 2  | A New Phenomenological Survey of Auditory Hallucinations: Evidence for Subtypes and Implications for Theory and Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, 231-235.   | 4.3  | 209       |
| 3  | Emerging Perspectives From the Hearing Voices Movement: Implications for Research and Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, S285-S294.   | 4.3  | 176       |
| 4  | Psychological Therapies for Auditory Hallucinations (Voices): Current Status and Key Directions for Future Research. <i>Schizophrenia Bulletin</i> , 2014, 40, S202-S212.  | 4.3  | 153       |
| 5  | Ecological Momentary Assessment and Intervention in the Treatment of Psychotic Disorders: A Systematic Review. <i>Psychiatric Services</i> , 2017, 68, 1172-1181.  | 2.0  | 144       |
| 6  | Mindfulness- and acceptance-based interventions for psychosis: Our current understanding and a meta-analysis. <i>Schizophrenia Research</i> , 2018, 192, 57-63.  | 2.0  | 120       |
| 7  | A randomised controlled trial of acceptance-based cognitive behavioural therapy for command hallucinations in psychotic disorders. <i>Behaviour Research and Therapy</i> , 2012, 50, 110-121.  | 3.1  | 115       |
| 8  | What are the effects of group cognitive behaviour therapy for voices? A randomised control trial. <i>Schizophrenia Research</i> , 2005, 77, 201-210.   | 2.0  | 114       |
| 9  | Understanding How Virtual Reality Can Support Mindfulness Practice: Mixed Methods Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e16106.   | 4.3  | 97        |
| 10 | Relating Therapy for distressing auditory hallucinations: A pilot randomized controlled trial. <i>Schizophrenia Research</i> , 2017, 183, 137-142.   | 2.0  | 96        |
| 11 | Better Than Mermaids and Stray Dogs? Subtyping Auditory Verbal Hallucinations and Its Implications for Research and Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, S275-S284.   | 4.3  | 93        |
| 12 | Do trauma-focussed psychological interventions have an effect on psychotic symptoms? A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2018, 195, 13-22.  | 2.0  | 75        |
| 13 | Speech disturbances and quality of life in schizophrenia: Differential impacts on functioning and life satisfaction. <i>Comprehensive Psychiatry</i> , 2014, 55, 693-698.  | 3.1  | 73        |
| 14 | Auditory verbal hallucinations in bipolar disorder (BD) and major depressive disorder (MDD): A systematic review. <i>Journal of Affective Disorders</i> , 2015, 184, 18-28.  | 4.1  | 73        |
| 15 | Hallucinations Beyond Voices: A Conceptual Review of the Phenomenology of Altered Perception in Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, S67-S77.  | 4.3  | 66        |
| 16 | Review of the current empirical literature on using videoconferencing to deliver individual psychotherapies to adults with mental health problems. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 854-883. | 2.5  | 66        |
| 17 | What Role Can Avatars Play in e-Mental Health Interventions? Exploring New Models of Client-€"Therapist Interaction. <i>Frontiers in Psychiatry</i> , 2016, 7, 186.  | 2.6  | 65        |
| 18 | Towards recovery-oriented psychosocial interventions for bipolar disorder: Quality of life outcomes, stage-sensitive treatments, and mindfulness mechanisms. <i>Clinical Psychology Review</i> , 2017, 52, 148-163.                        | 11.4 | 64        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Acceptance and commitment therapy for psychosis: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 140-148.  | 2.8  | 64        |
| 20 | A pilot digital intervention targeting loneliness in young people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 877-889.  | 3.1  | 61        |
| 21 | Promoting Personal Recovery in People with Persisting Psychotic Disorders: Development and Pilot Study of a Novel Digital Intervention. <i>Frontiers in Psychiatry</i> , 2016, 7, 196.  | 2.6  | 58        |
| 22 | Recovery After Psychosis: Qualitative Study of Service User Experiences of Lived Experience Videos on a Recovery-Oriented Website. <i>JMIR Mental Health</i> , 2018, 5, e37.  | 3.3  | 58        |
| 23 | Online mindfulness-based intervention for late-stage bipolar disorder: pilot evidence for feasibility and effectiveness. <i>Journal of Affective Disorders</i> , 2015, 178, 46-51.  | 4.1  | 57        |
| 24 | The ice in voices: Understanding negative content in auditory-verbal hallucinations. <i>Clinical Psychology Review</i> , 2019, 67, 1-10.  | 11.4 | 54        |
| 25 | The Questionnaire for Psychotic Experiences: An Examination of the Validity and Reliability. <i>Schizophrenia Bulletin</i> , 2019, 45, S78-S87.   | 4.3  | 52        |
| 26 | Predicting engagement with an online psychosocial intervention for psychosis: Exploring individual- and intervention-level predictors. <i>Internet Interventions</i> , 2019, 18, 100266.  | 2.7  | 49        |
| 27 | What's really wrong with cognitive behavioral therapy for psychosis?. <i>Frontiers in Psychology</i> , 2015, 6, 323.  | 2.1  | 44        |
| 28 | Can we respond mindfully to distressing voices? A systematic review of evidence for engagement, acceptability, effectiveness and mechanisms of change for mindfulness-based interventions for people distressed by hearing voices. <i>Frontiers in Psychology</i> , 2015, 6, 1154.                    | 2.1  | 43        |
| 29 | Investigating the Lived Experience of Recovery in People Who Hear Voices. <i>Qualitative Health Research</i> , 2016, 26, 1409-1423.   | 2.1  | 43        |
| 30 | Beliefs about Voices and Schemas about Self and Others in Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 209-223.  | 1.2  | 42        |
| 31 | Are people with severe mental illness ready for online interventions? Access and use of the Internet in Australian mental health service users. <i>Australasian Psychiatry</i> , 2017, 25, 257-261.   | 0.7  | 42        |
| 32 | Clinical Psychology Students's Experiences of a Pilot Objective Structured Clinical Examination. <i>Australian Psychologist</i> , 2012, 47, 165-173.  | 1.6  | 41        |
| 33 | Pilot randomised controlled trial of a brief coping-focused intervention for hearing voices blended with smartphone-based ecological momentary assessment and intervention (SAVVy): Feasibility, acceptability and preliminary clinical outcomes. <i>Schizophrenia Research</i> , 2020, 216, 479-487. | 2.0  | 40        |
| 34 | Cognitive Behavioural Therapy for Auditory Hallucinations: Effectiveness and Predictors of Outcome in a Specialist Clinic. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 129-138.  | 1.2  | 39        |
| 35 | Developing Internet interventions to target the individual impact of stigma in health conditions. <i>Internet Interventions</i> , 2015, 2, 351-358.   | 2.7  | 34        |
| 36 | Randomised controlled trial of a digitally assisted low intensity intervention to promote personal recovery in persisting psychosis: SMART-Therapy study protocol. <i>BMC Psychiatry</i> , 2016, 16, 312.   | 2.6  | 34        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Rumination, Depressive Symptoms and Awareness of Illness in Schizophrenia. Behavioural and Cognitive Psychotherapy, 2014, 42, 143-155.   | 1.2 | 33        |
| 38 | Web-based intervention to improve quality of life in late stage bipolar disorder (ORBIT): randomised controlled trial protocol. BMC Psychiatry, 2018, 18, 221.   | 2.6 | 29        |
| 39 | A Review of Multimodal Hallucinations: Categorization, Assessment, Theoretical Perspectives, and Clinical Recommendations. Schizophrenia Bulletin, 2021, 47, 237-248.  | 4.3 | 29        |
| 40 | Smartphone-based ecological momentary assessment and intervention in a blended coping-focused therapy for distressing voices: Development and case illustration. Internet Interventions, 2018, 14, 18-25.                                  | 2.7 | 28        |
| 41 | Mental Health Service User and Worker Experiences of Psychosocial Support Via Telehealth Through the COVID-19 Pandemic: Qualitative Study. JMIR Mental Health, 2021, 8, e29671.  | 3.3 | 26        |
| 42 | Predictors of overall and mental health-related internet use in adults with psychosis. Psychiatry Research, 2019, 278, 12-18.  | 3.3 | 23        |
| 43 | A randomised controlled trial of acceptance and commitment therapy (ACT) for psychosis: study protocol. BMC Psychiatry, 2014, 14, 198.   | 2.6 | 22        |
| 44 | Mindfulness-based group therapy for in-patients with schizophrenia spectrum disorders â€œ Feasibility, acceptability, and preliminary outcomes of a rater-blinded randomized controlled trial. Schizophrenia Research, 2021, 228, 134-144. | 2.0 | 22        |
| 45 | Interpersonal complementarity in responses to auditory hallucinations in psychosis. British Journal of Clinical Psychology, 2009, 48, 411-424.   | 3.5 | 21        |
| 46 | Smartphone-based ecological momentary assessment and intervention in a coping-focused intervention for hearing voices (SAVVy): study protocol for a pilot randomised controlled trial. Trials, 2018, 19, 262.                              | 1.6 | 21        |
| 47 | Videoconferencing Psychotherapy in the Public Sector: Synthesis and Model for Implementation. JMIR Mental Health, 2020, 7, e14996.   | 3.3 | 21        |
| 48 | Beyond the omnipotence of voices: further developing a relational approach to auditory hallucinations. Psychosis, 2014, 6, 242-252.  | 0.8 | 20        |
| 49 | Internet-based interventions to support recovery and self-management: A scoping review of their use by mental health service users and providers together. BMC Psychiatry, 2019, 19, 191.  | 2.6 | 20        |
| 50 | Mindfulness-Based Interventions for In-Patients With Schizophrenia Spectrum Disordersâ€”A Qualitative Approach. Frontiers in Psychiatry, 2020, 11, 600.  | 2.6 | 20        |
| 51 | Acceptance and Commitment Therapy for Voices. , 0, , 95-111.   |     | 20        |
| 52 | Engaging With a Web-Based Psychosocial Intervention for Psychosis: Qualitative Study of User Experiences. JMIR Mental Health, 2020, 7, e16730.   | 3.3 | 20        |
| 53 | The Beliefs about Voices Questionnaire â€œ Revised: A factor structure from 450 participants. Psychiatry Research, 2018, 259, 95-103.  | 3.3 | 19        |
| 54 | Engagement with online psychosocial interventions for psychosis: A review and synthesis of relevant factors. Internet Interventions, 2021, 25, 100411.   | 2.7 | 19        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Intensive residential treatment for obsessive-compulsive disorder: Outcomes and predictors of patient adherence to cognitive-behavioural therapy. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2016, 9, 82-89.   | 1.5 | 18        |
| 56 | Potential Applications of Digital Technology in Assessment, Treatment, and Self-help for Hallucinations. <i>Schizophrenia Bulletin</i> , 2019, 45, S32-S42.  | 4.3 | 17        |
| 57 | Is loneliness a feasible treatment target in psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 901-906.  | 3.1 | 17        |
| 58 | Trauma-focused imaginal exposure for auditory hallucinations: A case series. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 408-425.   | 2.5 | 17        |
| 59 | Development of a Lived Experience-Based Digital Resource for a Digitally-Assisted Peer Support Program for Young People Experiencing Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 635.  | 2.6 | 16        |
| 60 | Childhood trauma, attachment and negative schemas in relation to negative auditory verbal hallucination (AVH) content. <i>Psychiatry Research</i> , 2020, 290, 112997.   | 3.3 | 16        |
| 61 | The Changing Face of Hallucination Research: The International Consortium on Hallucination Research (ICHR) 2015 Meeting Report: Table 1.. <i>Schizophrenia Bulletin</i> , 2016, 42, 891-895.   | 4.3 | 15        |
| 62 | The Acceptability, Feasibility and Potential Outcomes of an Individual Mindfulness-Based Intervention for Hearing Voices. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 200-216.  | 1.2 | 15        |
| 63 | Videoconferencing psychotherapy for couples and families: A systematic review. <i>Journal of Marital and Family Therapy</i> , 2021, 47, 259-288.   | 1.1 | 15        |
| 64 | Bringing the "self" into focus: conceptualising the role of self-experience for understanding and working with distressing voices. <i>Frontiers in Psychology</i> , 2015, 6, 1129.   | 2.1 | 14        |
| 65 | Can We Use an Interventionist-Causal Paradigm to Untangle the Relationship between Trauma, PTSD and Psychosis?. <i>Frontiers in Psychology</i> , 2017, 8, 306.   | 2.1 | 14        |
| 66 | Going Online Together: The Potential for Mental Health Workers to Integrate Recovery Oriented E-Mental Health Resources Into Their Practice. <i>Psychiatry (New York)</i> , 2018, 81, 116-129.   | 0.7 | 13        |
| 67 | The role of metacognitive beliefs in the proneness to hallucinations and delusions: An analysis across clinical and non-clinical populations. <i>British Journal of Clinical Psychology</i> , 2013, 52, 330-346.   | 3.5 | 12        |
| 68 | Cognitive and behavioural therapies for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 508-511.  | 2.3 | 11        |
| 69 | An examination of auditory processing and affective prosody in relatives of patients with auditory hallucinations. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 531.  | 2.0 | 11        |
| 70 | Impact of Jointly Using an "Mental Health Resource (Self-Management And Recovery Technology) on Interactions Between Service Users Experiencing Severe Mental Illness and Community Mental Health Workers: Grounded Theory Study. <i>JMIR Mental Health</i> , 2021, 8, e25998. | 3.3 | 11        |
| 71 | Verbal fluency, clustering, and switching in patients with psychosis following traumatic brain injury (PFTBI). <i>Psychiatry Research</i> , 2015, 227, 152-159.  | 3.3 | 10        |
| 72 | On the phenomenology of auditory verbal hallucinations in affective and non-affective psychosis. <i>Psychiatry Research</i> , 2020, 290, 113147.   | 3.3 | 10        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Characteristics of non-clinical hallucinations: A mixed-methods analysis of auditory, visual, tactile and olfactory hallucinations in a primary voice-hearing cohort. <i>Psychiatry Research</i> , 2020, 289, 112987.   | 3.3 | 10        |
| 74 | Is mindfulness for psychosis harmful? Deconstructing a myth. <i>British Journal of Psychiatry</i> , 2021, 218, 71-72.   | 2.8 | 10        |
| 75 | A brief neurocognitive assessment of patients with psychosis following traumatic brain injury (PFTBI): Use of the Repeatable battery for the Assessment of Neuropsychological Status (RBANS). <i>Psychiatry Research</i> , 2016, 237, 27-36.                                    | 3.3 | 9         |
| 76 | Auditory verbal hallucinations (AVHs) and related psychotic phenomena in mood disorders: analysis of the 2010 Survey of High Impact Psychosis (SHIP) data. <i>Psychiatry Research</i> , 2016, 243, 238-245.   | 3.3 | 9         |
| 77 | Client experiences of blending a coping-focused therapy for auditory verbal hallucinations with smartphone-based ecological momentary assessment and intervention. <i>Internet Interventions</i> , 2020, 19, 100299.  | 2.7 | 9         |
| 78 | Psilocybin-assisted therapy for depression: How do we advance the field?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 225-231.  | 2.3 | 9         |
| 79 | Moment-to-moment associations between posttraumatic stress symptoms and auditory hallucinations in the flow of daily life. <i>Psychiatry Research</i> , 2020, 285, 112838.  | 3.3 | 9         |
| 80 | The Feasibility, Acceptability, and Efficacy of Delivering Internet-Based Self-Help and Guided Self-Help Interventions for Generalized Anxiety Disorder to Indian University Students: Design of a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2015, 4, e136. | 1.0 | 9         |
| 81 | Does mindfulness help people adapt to the experience of hearing voices?. <i>Psychiatry Research</i> , 2018, 270, 329-334.   | 3.3 | 8         |
| 82 | Contact with recovered peers: buffering disempowering service experiences and promoting personal recovery in serious mental illness. <i>BJPsych Open</i> , 2019, 5, e98.  | 0.7 | 8         |
| 83 | Design Considerations for Supporting Mindfulness in Virtual Reality. <i>Frontiers in Virtual Reality</i> , 2022, 2, .   | 3.7 | 8         |
| 84 | Executive dysfunction in psychosis following traumatic brain injury (PFTBI). <i>Journal of Clinical and Experimental Neuropsychology</i> , 2015, 37, 917-930.   | 1.3 | 7         |
| 85 | Development and validation of a scale for self-efficacy for personal recovery in persisting mental illness. <i>Psychiatry Research</i> , 2018, 269, 354-360.  | 3.3 | 7         |
| 86 | Who "jumps to conclusions"? A comprehensive assessment of probabilistic reasoning in psychosis following traumatic brain injury (PFTBI), and comparison with TBI, schizophrenia, and nonclinical controls. <i>Cognitive Neuropsychiatry</i> , 2016, 21, 32-44.                  | 1.3 | 6         |
| 87 | Gender differences in weight-related and non-weight-related appearance concerns in a community sample. <i>Australian Journal of Psychology</i> , 2016, 68, 11-19.   | 2.8 | 6         |
| 88 | The Therapeutic Use of Digital Technologies in Psychosis. , 2020, , 637-662.  |     | 6         |
| 89 | Multimodal versus unimodal auditory hallucinations in clinical practice: Clinical characteristics and treatment outcomes. <i>Psychiatry Research</i> , 2021, 297, 113754.   | 3.3 | 6         |
| 90 | Responding to mental health's "mind-body" problem. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 973-973.   | 2.3 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | A Model for the Development of Acceptance- and Mindfulness- Based Therapies. , 2015, , 203-226.   |     | 5         |
| 92  | Changing from mixed-sex to all-male provision in acute psychiatric care: A case study of staff experiences. Journal of Mental Health, 2009, 18, 129-136.  | 1.9 | 4         |
| 93  | Dysmorphic concern is related to delusional proneness and negative affect in a community sample. Psychiatry Research, 2016, 240, 76-79.   | 3.3 | 4         |
| 94  | Helping people with a mental illness obtain work: the Health Optimisation Program for Employment. Australasian Psychiatry, 2016, 24, 337-341.   | 0.7 | 4         |
| 95  | The relationship between anxiety, depression, and subtypes of negative auditory verbal hallucination (AVH) content in affective and non-affective psychosis. Psychiatry Research, 2020, 294, 113500.                  | 3.3 | 4         |
| 96  | Understanding the role of self in auditory verbal hallucinations using a self-discrepancy paradigm. Psychology and Psychotherapy: Theory, Research and Practice, 2021, 94, 268-285.                                   | 2.5 | 4         |
| 97  | Mindfulness-based online intervention to improve quality of life in late-stage bipolar disorder: A randomized clinical trial.. Journal of Consulting and Clinical Psychology, 2021, 89, 830-844.                      | 2.0 | 4         |
| 98  | A tale of two outcomes: Remission and exacerbation in the use of trauma-focused imaginal exposure for trauma-related voice-hearing. Key learnings to guide future practice. Clinical Psychologist, 2020, 24, 195-205. | 0.8 | 3         |
| 99  | “Like jumping off a ledge into the water”: A qualitative study of trauma-focussed imaginal exposure for hearing voices. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 277-294.               | 2.5 | 3         |
| 100 | Being a Scientist-Practitioner in the Field of Psychosis: Experiences From Voices Clinics. , 2020, , 615-635.   |     | 2         |
| 101 | The influence of gender on emotional aspects of auditory verbal hallucinations. Psychiatry Research, 2020, 284, 112642.   | 3.3 | 2         |
| 102 | Measuring recovery in Arabic countries: Translation of the self-efficacy for personal recovery scale. International Journal of Social Psychiatry, 2021, , 002076402110286.  | 3.1 | 1         |
| 103 | From core schemas about the self and others to voice phenomenology: Anxiety and depression affect voice hearers differently. Psychology and Psychotherapy: Theory, Research and Practice, 2022, , .                   | 2.5 | 1         |
| 104 | Poster #144 CAN NEUROPSYCHOLOGICAL PROFILE (RBANS) PREDICT CO-MORBID TRAUMATIC BRAIN INJURY AND PSYCHOSIS?. Schizophrenia Research, 2012, 136, S237.  | 2.0 | 0         |
| 105 | Poster #M99 AN EXAMINATION OF AUDITORY PROCESSING AND AFFECTIVE PROSODY IN RELATIVES OF PATIENTS WITH AUDITORY HALLUCINATIONS. Schizophrenia Research, 2014, 153, S225-S226.  | 2.0 | 0         |
| 106 | Predicting co-morbid traumatic brain injury and psychosis from neuropsychological profile. Schizophrenia Research, 2016, 172, 143-144.  | 2.0 | 0         |
| 107 | Theme Introduction: Advancing Our Understanding of Hallucinations. Schizophrenia Bulletin, 2016, 42, 1096-1097.   | 4.3 | 0         |
| 108 | SU111. A Comprehensive Phenomenological Examination of Auditory Verbal Hallucinations (AVHs): A Comparison of Mood vs Psychotic Disorders. Schizophrenia Bulletin, 2017, 43, S201-S201.                               | 4.3 | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | O2.7. CAN THEY HEAR IT? DO PATIENTS WITH AUDITORY VERBAL HALLUCINATIONS HAVE AUDITORY PROCESSING DEFICITS?. Schizophrenia Bulletin, 2018, 44, S78-S78.   | 4.3 | 0         |
| 110 | F104. A STANDARDISED EMPIRICAL INVESTIGATION OF THE CLINICAL PROFILE OF PSYCHOSIS FOLLOWING TRAUMATIC BRAIN INJURY (PFTBI). Schizophrenia Bulletin, 2018, 44, S260-S260.   | 4.3 | 0         |
| 111 | F208. COGNITION, POSITIVE SYMPTOMS, AND INTERNET USE FOR MENTAL HEALTH IN PEOPLE WITH PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S302-S302.  | 4.3 | 0         |
| 112 | Assessment of People with Psychotic and Bipolar Disorders. , 2019, , 360-370.  |     | 0         |
| 113 | S176. A PRELIMINARY INVESTIGATION OF COMT GENE INVOLVEMENT IN COGNITIVE FLEXIBILITY AND ATTENTION IN SCHIZOPHRENIA SPECTRUM DISORDERS. Schizophrenia Bulletin, 2020, 46, S104-S105.  | 4.3 | 0         |
| 114 | S60. A PRELIMINARY COMPARISON OF COGNITIVE CHANGE: MINDFULNESS MEDITATION V. COGNITIVE REMEDIATION. Schizophrenia Bulletin, 2020, 46, S56-S56.   | 4.3 | 0         |
| 115 | Sex differences in the phenomenology of auditory hallucinations and delusions in a transdiagnostic psychosis cohort. Asian Journal of Psychiatry, 2021, 55, 102469.  | 2.0 | 0         |
| 116 | Comparing Primary Voice-Hearers with and without Hallucinations in Other Sensory Modalities. Psychopathology, 2021, 54, 214-220.   | 1.5 | 0         |
| 117 | Reply to Clifford, G., Dalgleish, T. and Hitchcock, C., 2018. Prevalence of auditory pseudohallucinations in adult survivors of physical and sexual trauma with chronic post-traumatic stress disorder (PTSD). Behaviour research and therapy, 111, pp.113â€“118. Behaviour Research and Therapy, 2021, 137, 103789. | 3.1 | 0         |
| 118 | Who jumps to conclusions? A comprehensive assessment of probabilistic reasoning in psychosis following traumatic brain injury (PFTBI). Frontiers in Human Neuroscience, 0, 7, .  | 2.0 | 0         |
| 119 | Verbal fluency, clustering, and switching in PFTBI. Frontiers in Human Neuroscience, 0, 7, .   | 2.0 | 0         |
| 120 | MEG responses over right inferior frontal gyrus during stop-signal task performance. Frontiers in Human Neuroscience, 0, 9, .  | 2.0 | 0         |
| 121 | Who jumps to conclusions? A comprehensive assessment of probabilistic reasoning in psychosis following traumatic brain injury (PFTBI).. Frontiers in Human Neuroscience, 0, 9, .   | 2.0 | 0         |
| 122 | Executive dysfunction in psychosis following traumatic brain injury (PFTBI). Frontiers in Human Neuroscience, 0, 9, .  | 2.0 | 0         |