## Francis Piriou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9604858/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | 3-D Numerical Modeling of Claw-Pole Alternators With its Electrical Environment. IEEE Transactions on Magnetics, 2020, 56, 1-4.   | 2.1 | 3         |
| 2  | Two guaranteed equilibrated error estimators for Harmonic formulations in eddy current problems.<br>Computers and Mathematics With Applications, 2019, 77, 1549-1562.   | 2.7 | 8         |
| 3  | Comparison of Numerical Error Estimators for Eddy-Current Problems Solved by FEM. IEEE<br>Transactions on Magnetics, 2018, 54, 1-4.   | 2.1 | 2         |
| 4  | Canal lock variable speed hydropower turbine design and control. IET Renewable Power Generation, 2018, 12, 1698-1707.   | 3.1 | 10        |
| 5  | Waveform relaxation–Newton method to determine steady state of an electromagnetic structure.<br>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic<br>Engineering, 2017, 36, 729-740.                            | 0.9 | 4         |
| 6  | Canal lock variable speed hydropower turbine energy conversion system. , 2017, , .  |     | 0         |
| 7  | Quantitative Design of a High Performance Permanent Magnet Vernier Generator. IEEE Transactions on<br>Magnetics, 2017, 53, 1-4.   | 2.1 | 6         |
| 8  | Quantitative design of a high performance permanent magnet vernier generator. , 2017, , .   |     | 0         |
| 9  | A guaranteed equilibrated error estimator for the harmonic A — φ formulation in eddy current problems. , 2016, , .  |     | 0         |
| 10 | Numerical modeling of steady state of magnetostatic problems coupled with nonlinear electric circuit. , 2016, , .   |     | 0         |
| 11 | Time-Periodicity Condition of Nonlinear Magnetostatic Problem Coupled With Electric Circuit<br>Imposed by Waveform Relaxation Method. IEEE Transactions on Magnetics, 2016, 52, 1-4.  | 2.1 | 3         |
| 12 | Energetic Mesh-to-Mesh Projection of Magnetic Fields With Respect to Nonlinear B-H Curves. IEEE<br>Transactions on Magnetics, 2015, 51, 1-4.  | 2.1 | 1         |
| 13 | Space-Time Residual-Based <italic>a posteriori</italic> Estimator for the<br><inline-formula> <tex-math notation="LaTeX">\$A-varphi\$<br/></tex-math></inline-formula> Formulation in Eddy Current Problems. IEEE Transactions on<br>Magnetics 2015 51 1-5    | 2.1 | 1         |
| 14 | Finite Element Mesh Adaptation Strategy From Residual and Hierarchical Error Estimators in Eddy<br>Current Problems. IEEE Transactions on Magnetics, 2015, 51, 1-4.   | 2.1 | 3         |
| 15 | Residual <italic>a Posteriori</italic> Estimator for Magnetoharmonic Potential<br>Formulations With Global Quantities for the Source Terms. IEEE Transactions on Magnetics, 2015, 51,<br>1-4.   | 2.1 | 1         |
| 16 | <i>A posteriori</i> residual error estimators with mixed boundary conditions for quasi-static<br>electromagnetic problems. COMPEL - the International Journal for Computation and Mathematics in<br>Electrical and Electronic Engineering, 2015, 34, 724-739. | 0.9 | 1         |
| 17 | Comparison of implementation techniques for Galerkin projection between different meshes.<br>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2014, 27,<br>517-526.   | 1.9 | 4         |
| 18 | Comparison of Residual and Hierarchical Finite Element Error Estimators in Eddy Current Problems.<br>IEEE Transactions on Magnetics, 2014, 50, 501-504.   | 2.1 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Energetic Galerkin Projection of Electromagnetic Fields Between Different Meshes. IEEE Transactions<br>on Magnetics, 2014, 50, 613-616.  | 2.1 | 4         |
| 20 | Residual Based a Posteriori Error Estimators for Harmonic \${f A}/varphi\$ and \${f T}/Omega\$<br>Formulations in Eddy Current Problems. IEEE Transactions on Magnetics, 2013, 49, 1721-1724.                          | 2.1 | 6         |
| 21 | Electromagnetic Field Projection on Finite Element Overlapping Domains. IEEE Transactions on Magnetics, 2013, 49, 1290-1298.   | 2.1 | 8         |
| 22 | Residual and equilibrated error estimators for magnetostatic problems solved by finite element method. IEEE Transactions on Magnetics, 2013, 49, 5715-5723.  | 2.1 | 23        |
| 23 | A posteriori error estimator for harmonic Aâ€í† formulation. COMPEL - the International Journal for<br>Computation and Mathematics in Electrical and Electronic Engineering, 2013, 32, 1219-1229.                      | 0.9 | 5         |
| 24 | RESIDUAL-BASED <i>A POSTERIORI</i> ESTIMATORS FOR THE A - φ MAGNETODYNAMIC HARMONIC FORMULATION OF THE MAXWELL SYSTEM. Mathematical Models and Methods in Applied Sciences, 2012, 22, 1150028.                         | 3.3 | 20        |
| 25 | Interlaminar short circuit detection: modeling and measurement. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2012, 31, 1448-1457.                      | 0.9 | 2         |
| 26 | Mortar Method Using Bi-Orthogonal Nodal Functions Applied to \${m A}hbox{-}varphi\$<br>Formulation. IEEE Transactions on Magnetics, 2012, 48, 491-494.   | 2.1 | 5         |
| 27 | An Approach to Determine the Circulation of Magnetic Field in FEM Computation Code With Vector Potential Formulation. IEEE Transactions on Magnetics, 2011, 47, 1354-1357.   | 2.1 | 5         |
| 28 | Parallel direct solver for the finite integration technique in electromagnetics. COMPEL - the<br>International Journal for Computation and Mathematics in Electrical and Electronic Engineering,<br>2010, 29, 941-949. | 0.9 | 0         |
| 29 | Parallel Direct Solver for the Finite Integration Technique in Electrokinetic Problems. IEEE<br>Transactions on Magnetics, 2010, 46, 3269-3272.  | 2.1 | Ο         |
| 30 | Hysteresis Phenomenon Implementation in FIT: Validation With Measurements. IEEE Transactions on Magnetics, 2010, 46, 3285-3288.  | 2.1 | 4         |
| 31 | Periodic and Anti-Periodic Boundary Conditions With the Lagrange Multipliers in the FEM. IEEE Transactions on Magnetics, 2010, 46, 3417-3420.  | 2.1 | 14        |
| 32 | Reduction of force ripples in PM planar actuator. , 2010, , .  |     | 1         |
| 33 | An approach to determine the circulation of magnetic field in FEM computation code with vector potential formulation. , 2010, , .  |     | 0         |
| 34 | Preconditioner for Mortar method applied to the FEM. , 2010, , .   |     | 0         |
| 35 | Accurate Projection Method of Source Quantities in Coupled Finite-Element Problems. IEEE<br>Transactions on Magnetics, 2009, 45, 1132-1135.  | 2.1 | 8         |
| 36 | Method to Connect Nonconforming Mesh in 3-D With the Overlapping Method. IEEE Transactions on Magnetics, 2009, 45, 1420-1423.  | 2.1 | 6         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Iterative Solvers for Singular Symmetric Linear Systems in Low Frequency Electromagnetics. IEEE<br>Transactions on Magnetics, 2009, 45, 1428-1431.   | 2.1 | 2         |
| 38 | Analytical Calculation of Interaction Force Between Orthogonally Magnetized Permanent Magnets.<br>Sensor Letters, 2009, 7, 442-445.  | 0.4 | 31        |
| 39 | Discrete finite element characterizations of source fields for volume and boundary constraints in electromagnetic problems. Journal of Computational and Applied Mathematics, 2008, 215, 438-447.  | 2.0 | 9         |
| 40 | Implementation of an Anisotropic Vector Hysteresis Model in a 3-D Finite-Element Code. IEEE<br>Transactions on Magnetics, 2008, 44, 918-921.   | 2.1 | 10        |
| 41 | Comparison Between the Mortar Element Method and the Polynomial Interpolation Method to Model<br>Movement in the Finite Element Method. IEEE Transactions on Magnetics, 2008, 44, 1314-1317.   | 2.1 | 13        |
| 42 | Using a Galerkin Projection Method for Coupled Problems. IEEE Transactions on Magnetics, 2008, 44, 830-833.  | 2.1 | 13        |
| 43 | Numerical solutions in primal and dual meshes of magnetostatic problems solved with the finite integration technique. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2008, 27, 47-55.        | 0.9 | 5         |
| 44 | Modeling of A Linear and Rotary Permanent Magnet Actuator. IEEE Transactions on Magnetics, 2008, 44, 4357-4360.  | 2.1 | 71        |
| 45 | Analysis of a rotational single sheet tester using 3D finite element model taking into account hysteresis effect. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2007, 26, 1037-1048.        | 0.9 | 4         |
| 46 | Computation of the magnetic flux in the finite elements method. EPJ Applied Physics, 2007, 39, 119-128.  | 0.7 | 0         |
| 47 | Design and study of a linear actuator using an analytical approach and the 3D FEM. COMPEL - the<br>International Journal for Computation and Mathematics in Electrical and Electronic Engineering,<br>2007, 26, 1005-1016.                                 | 0.9 | 7         |
| 48 | Source Field Computation in NDT Applications. IEEE Transactions on Magnetics, 2007, 43, 1785-1788.   | 2.1 | 16        |
| 49 | Study of a Stator Current Excited Vernier Reluctance Machine. IEEE Transactions on Energy Conversion, 2006, 21, 823-831.   | 5.2 | 46        |
| 50 | Comparison of slip surface and moving band techniques for modelling movement in 3D with FEM.<br>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic<br>Engineering, 2006, 25, 17-30.                           | 0.9 | 15        |
| 51 | Determination of the magnetic parameters at noâ€load of a variable reluctance machine excited by DC<br>and AC currents. COMPEL - the International Journal for Computation and Mathematics in Electrical<br>and Electronic Engineering, 2006, 25, 102-116. | 0.9 | 0         |
| 52 | Calculation of extra copper losses with imposed current magnetodynamic formulations. IEEE<br>Transactions on Magnetics, 2006, 42, 767-770.   | 2.1 | 13        |
| 53 | Design and study of a multiphase axial-flux machine. IEEE Transactions on Magnetics, 2006, 42, 1427-1430.  | 2.1 | 38        |
| 54 | Consideration of the coupling of the magnetic and electric equations with Finite Integration Technique (FIT). EPJ Applied Physics, 2005, 30, 17-21.  | 0.7 | 2         |

4

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Dual finite element formulations for lumped reluctances coupling. IEEE Transactions on Magnetics, 2005, 41, 1396-1399.   | 2.1 | 24        |
| 56 | Estimation of Numerical Errors Due to Time and Space Discretizations. IEEE Transactions on Magnetics, 2004, 40, 1061-1064.   | 2.1 | 0         |
| 57 | 3-D Approaches to Determine the End Winding Inductances of a Permanent-Magnet Linear Synchronous<br>Motor. IEEE Transactions on Magnetics, 2004, 40, 758-761.  | 2.1 | 9         |
| 58 | Comparison of the Preisach and Jilesâ€Atherton models to take hysteresis phenomenon into account in<br>finite element analysis. COMPEL - the International Journal for Computation and Mathematics in<br>Electrical and Electronic Engineering, 2004, 23, 825-834. | 0.9 | 8         |
| 59 | Comparison of 3D magnetodynamic formulations in terms of potentials with imposed electric global quantities. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2004, 23, 885-893.                       | 0.9 | 4         |
| 60 | Comparison of Preisach and Jiles–Atherton models to take into account hysteresis phenomenon for<br>finite element analysis. Journal of Magnetism and Magnetic Materials, 2003, 261, 139-160.   | 2.3 | 97        |
| 61 | Machines à réluctance vernier : conditions de fonctionnement. Revue Internationale De Génie<br>électrique, 2003, 6, 637-664.   | 0.0 | 2         |
| 62 | A non linear analytical model of switched reluctance machines. EPJ Applied Physics, 2002, 18, 163-172.   | 0.7 | 5         |
| 63 | Study of head winding effects in a switched reluctance machine. IEEE Transactions on Magnetics, 2002, 38, 989-992.   | 2.1 | 3         |
| 64 | Determination of losses' local distribution for transformer optimal designing. COMPEL - the<br>International Journal for Computation and Mathematics in Electrical and Electronic Engineering,<br>2001, 20, 187-204.   | 0.9 | 7         |
| 65 | Numerical modelling of an unbalanced short shunt induction generator using finite element method.<br>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic<br>Engineering, 2000, 19, 787-804.                            | 0.9 | 3         |
| 66 | Adaptive meshing in 3D multi-static problem with variable sources. EPJ Applied Physics, 2000, 12, 187-193.   | 0.7 | 1         |
| 67 | 3D computation of a claw pole permanent magnet machine using a scalar potential formulation. EPJ<br>Applied Physics, 2000, 11, 175-182.  | 0.7 | 0         |
| 68 | 3D compatible magnetostatic potential formulations coupled with electrical circuits. COMPEL - the<br>International Journal for Computation and Mathematics in Electrical and Electronic Engineering,<br>2000, 19, 776-786.   | 0.9 | 1         |
| 69 | A direct identification method of the hysteresis model for the design of SMC transformers. IEEE<br>Transactions on Magnetics, 2000, 36, 3466-3469.   | 2.1 | 4         |
| 70 | Calculation of complementary solutions in 2D finite element method application to error estimation.<br>IEEE Transactions on Magnetics, 2000, 36, 1583-1587.  | 2.1 | 11        |
| 71 | Numerical model to discretize source fields in the 3D finite element method. IEEE Transactions on Magnetics, 2000, 36, 676-679.  | 2.1 | 31        |
| 72 | Comparison between two approaches to model induction machines with skewed slots. IEEE<br>Transactions on Magnetics, 2000, 36, 1453-1457.   | 2.1 | 37        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Error estimators in 3D linear magnetostatics. IEEE Transactions on Magnetics, 2000, 36, 1588-1591.   | 2.1 | 7         |
| 74 | A time-stepped 2D-3D finite element method for induction motors with skewed slots modeling. IEEE<br>Transactions on Magnetics, 1999, 35, 1262-1265.  | 2.1 | 26        |
| 75 | Characterisation and modelling of hysteresis phenomenon. Mathematics and Computers in Simulation, 1998, 46, 301-311.   | 4.4 | 5         |
| 76 | Error estimation of finite element solution in nonlinear magnetostatic 2D problems. IEEE<br>Transactions on Magnetics, 1998, 34, 3268-3271.  | 2.1 | 13        |
| 77 | Determination and utilization of the source field in 3D magnetostatic problems. IEEE Transactions on Magnetics, 1998, 34, 2509-2512.   | 2.1 | 48        |
| 78 | Numerical models for rotor cage induction machines using finite element method. IEEE Transactions on Magnetics, 1998, 34, 3202-3205.   | 2.1 | 23        |
| 79 | Design and optimization of an excited reluctance generator using field computation. IEEE<br>Transactions on Magnetics, 1998, 34, 3491-3494.  | 2.1 | 3         |
| 80 | Modélisation 3D du circuit électrique et du mouvement : application à la machine asynchrone. EPJ<br>Applied Physics, 1998, 1, 67-71.   | 0.7 | 2         |
| 81 | Error estimator in linear magnetostatic 2D. EPJ Applied Physics, 1998, 1, 203-209.   | 0.7 | 3         |
| 82 | Comparison between finite element method and magnetic equivalent scheme to model an induction<br>machine. COMPEL - the International Journal for Computation and Mathematics in Electrical and<br>Electronic Engineering, 1996, 15, 82-87. | 0.9 | 3         |
| 83 | Hybrid formulation A-Ω with finite element method to model in 3D electromagnetic systems. IEEE<br>Transactions on Magnetics, 1996, 32, 659-662.  | 2.1 | 6         |
| 84 | Comparison of Potential Dual Formulations Developed with Different Elements. , 1995, , 111-114.  |     | 1         |
| 85 | Study of 3D formulations to model electromagnetic devices. IEEE Transactions on Magnetics, 1994, 30, 3228-3231.  | 2.1 | 20        |
| 86 | Comparison between two formulations in terms of potential for the coupling of magnetic and electric circuit equations. IET Science, Measurement and Technology, 1994, 141, 486-490.  | 0.7 | 5         |
| 87 | Numerical simulation of a power transformer using 3D finite element method coupled to circuit equation. IEEE Transactions on Magnetics, 1994, 30, 3224-3227.   | 2.1 | 38        |
| 88 | COUPLING OF ELECTRIC AND MAGNETIC EQUATIONS IN ELECTROMAGNETIC DEVICES WITH FINITE ELEMENT METHOD. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 1994, 13, 75-78.           | 0.9 | 1         |
| 89 | Finite element analysis in electromagnetic systems-accounting for electric circuits. IEEE Transactions on Magnetics, 1993, 29, 1669-1675.  | 2.1 | 83        |
| 90 | NUMERICAL SIMULATION OF SYNCHRONOUS GENERATOR ON STEADY STATE. Electric Power Components and Systems, 1993, 21, 507-518.   | 0.1 | 2         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | A non-linear coupled 3D model for magnetic field and electric circuit equations. IEEE Transactions on<br>Magnetics, 1992, 28, 1295-1298.  | 2.1 | 42        |
| 92  | A model for coupled magnetic-electric circuits in electric machines with skewed slots. IEEE<br>Transactions on Magnetics, 1990, 26, 1096-1100.  | 2.1 | 71        |
| 93  | Numerical simulation of a nonconventional alternator connected to a rectifier. IEEE Transactions on Energy Conversion, 1990, 5, 512-518.  | 5.2 | 22        |
| 94  | Simulation of electromagnetic systems by coupling of magnetic and electric equations. Mathematics and Computers in Simulation, 1989, 31, 189-194.   | 4.4 | 15        |
| 95  | AN ADAPTED CHOLESKY DECOMPOSITION METHOD FOR THE SOLUTION OF COUPLED MAGNETICâ€ELECTRIC EQUATIONS. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 1989, 8, 203-208. | 0.9 | 4         |
| 96  | Coupling of saturated electromagnetic systems to non-linear power electronic devices. IEEE<br>Transactions on Magnetics, 1988, 24, 274-277.   | 2.1 | 56        |
| 97  | Complete Study For The Performance Of Self Controlled Permanent Magnet Synchronous Motor. ,<br>1987, 0854, 438.   |     | 0         |
| 98  | Calculation of saturated inductances for numerical simulation of synchronous machines. IEEE<br>Transactions on Magnetics, 1983, 19, 2628-2631.  | 2.1 | 24        |
| 99  | A NUMERICAL MODEL FOR SATURATED INDUCTANCES IN SYNCHRONOUS MACHINES. Electric Power Components and Systems, 1983, 8, 215-224.   | 0.1 | 2         |
| 100 | Parallelization of a 3D magnetostatic code using High Performance Fortran. , 0, , .   |     | 0         |
| 101 | A hybrid movement method to model electrical machines with end winding in 3D Finite Element<br>Method. , 0, , .   |     | 0         |
| 102 | Source Field Computation in NDT Applications. , 0, , .  |     | 1         |
| 103 | Influence of the Source Potential Distribution on FEM Potential Formulations in Magnetostatics. , 0, ,  |     | Ο         |