## Aree Tanavalee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/960670/publications.pdf

Version: 2024-02-01

42 papers 670 citations

567281 15 h-index 610901 24 g-index

44 all docs

44 docs citations

44 times ranked 842 citing authors

#	Article	IF	CITATIONS
1	Vitamin D Supplementation Improves Quality of Life and Physical Performance in Osteoarthritis Patients. Nutrients, 2017, 9, 799.	4.1	80
2	Plasma and synovial fluid inflammatory cytokine profiles in primary knee osteoarthritis. Biomarkers, 2016, 21, 639-644.	1.9	50
3	Opioid-Sparing Analgesia and Enhanced Recovery After Total Knee Arthroplasty Using Combined Triple Nerve Blocks With Local Infiltration Analgesia. Journal of Arthroplasty, 2019, 34, 295-302.	3.1	48
4	Motor-sparing effect of iPACK (interspace between the popliteal artery and capsule of the posterior) Tj ETQq0 0 0 Regional Anesthesia and Pain Medicine, 2020, 45, 267-276.	rgBT /Ove 2.3	rlock 10 Tf 5 46
5	Adductor Canal Block Combined With iPACK (Interspace Between the Popliteal Artery and the Capsule) Tj ETQq1 Randomized Noninferiority Trial. Journal of Arthroplasty, 2021, 36, 122-129.e1.	1 0.78431 3.1	4 rgBT /O <mark>ve</mark> i 39
6	Progressive Quadriceps Incision During Minimally Invasive Surgery for Total Knee Arthroplasty. Journal of Arthroplasty, 2007, 22, 1013-1018.	3.1	29
7	The early results of gender-specific total knee arthroplasty in Thai patients. Knee, 2011, 18, 483-487.	1.6	29
8	Immune Mediators in Osteoarthritis: Infrapatellar Fat Pad-Infiltrating CD8+ T Cells Are Increased in Osteoarthritic Patients with Higher Clinical Radiographic Grading. International Journal of Rheumatology, 2016, 2016, 1-8.	1.6	26
9	Analgesic efficacy of infiltration between the popliteal artery and capsule of the knee (iPACK) block added to local infiltration analgesia and continuous adductor canal block after total knee arthroplasty: a randomized clinical trial. Regional Anesthesia and Pain Medicine, 2020, 45, 872-879.	2.3	25
10	Does Adductor Canal Block Have a Synergistic Effect with Local Infiltration Analgesia for Enhancing Ambulation and Improving Analgesia after Total Knee Arthroplasty?. Knee Surgery and Related Research, 2018, 30, 133-141.	4.2	25
11	Elevated serum leptin levels are associated with low vitamin D, sarcopenic obesity, poor muscle strength, and physical performance in knee osteoarthritis. Biomarkers, 2017, 22, 723-730.	1.9	24
12	Effect of vitamin E on oxidative stress level in blood, synovial fluid, and synovial tissue in severe knee osteoarthritis: a randomized controlled study. BMC Musculoskeletal Disorders, 2017, 18, 281.	1.9	24
13	Plasma and synovial fluid sclerostin are inversely associated with radiographic severity of knee osteoarthritis. Clinical Biochemistry, 2014, 47, 547-551.	1.9	23
14	Association between leukocyte telomere length and angiogenic cytokines in knee osteoarthritis. International Journal of Rheumatic Diseases, 2018, 21, 118-125.	1.9	22
15	Optimal location of local anesthetic injection in the interspace between the popliteal artery and posterior capsule of the knee (iPACK) for posterior knee pain after total knee arthroplasty: an anatomical and clinical study. Korean Journal of Anesthesiology, 2019, 72, 486-494.	2.5	22
16	Cytokine Profiling and Intra-Articular Injection of Autologous Platelet-Rich Plasma in Knee Osteoarthritis. International Journal of Molecular Sciences, 2022, 23, 890.	4.1	17
17	Area of Skin Numbness After Total Knee Arthroplasty: Does Minimally Invasive Approach Make Any Difference From Standard Approach?. Journal of Arthroplasty, 2016, 31, 2499-2503.	3.1	10
18	Relationships between blood leukocyte mitochondrial DNA copy number and inflammatory cytokines in knee osteoarthritis. Journal of Zhejiang University: Science B, 2020, 21, 42-52.	2.8	10

#	Article	IF	CITATIONS
19	Telomere shortening is associated with poor physical performance in knee osteoarthritis. Biomedical Reports, 2020, 13, 27.	2.0	10
20	Spontaneous Acetabular Periprosthetic Fracture in a Patient Continuously Having Zoledronic Acid. Clinics in Orthopedic Surgery, 2014, 6, 358.	2.2	9
21	Asia-Pacific venous thromboembolism consensus in knee and hip arthroplasty and hip fracture surgery: Part 2. Mechanical venous thromboembolism prophylaxis. Knee Surgery and Related Research, 2021, 33, 20.	4.2	9
22	Blood leukocyte LINE-1 hypomethylation and oxidative stress in knee osteoarthritis. Heliyon, 2019, 5, e01774.	3.2	8
23	Functional and T Cell Receptor Repertoire Analyses of Peripheral Blood and Infrapatellar Fat Pad T Cells in Knee Osteoarthritis. Journal of Rheumatology, 2019, 46, 309-317.	2.0	8
24	Decreased Serum Adiponectin Reflects Low Vitamin D, High Interleukin 6, and Poor Physical Performance in Knee Osteoarthritis. Archivum Immunologiae Et Therapiae Experimentalis, 2020, 68, 16.	2.3	8
25	2019 revised algorithm for the management of knee osteoarthritis: the Southeast Asian viewpoint. Aging Clinical and Experimental Research, 2021, 33, 1149-1156.	2.9	8
26	Association of adiponectin gene polymorphisms with knee osteoarthritis. World Journal of Orthopedics, 2017, 8, 719.	1.8	8
27	Association of adiponectin +276G/T polymorphism with knee osteoarthritis. Biomedical Reports, 2014, 2, 229-232.	2.0	7
28	Effect of ultrasound-guided selective sensory nerve blockade of the knee on pain management compared with periarticular injection for patients undergoing total knee arthroplasty: A prospective randomized controlled trial. Knee, 2021, 33, 1-10.	1.6	7
29	Circulating and Synovial Fluid Heat Shock Protein 70 Are Correlated with Severity in Knee Osteoarthritis. Cartilage, 2020, 11, 323-328.	2.7	6
30	Results of the 136 consecutive minimally invasive total knee arthroplasties. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2005, 88 Suppl 4, S74-8.	0.1	5
31	Does the intramedullary femoral canal plug reduce blood loss during total knee arthroplasty?. Knee Surgery and Related Research, 2022, 34, .	4.2	5
32	Plasma and Joint Fluid Glypican-3 Are Inversely Correlated with the Severity of Knee Osteoarthritis. Cartilage, 2021, 12, 505-511.	2.7	4
33	The infrapatellar fat pad produces interleukinâ€6â€secreting T cells in response to a proteoglycan aggrecan peptide and provides dominant soluble mediators different from that present in synovial fluid. International Journal of Rheumatic Diseases, 2021, 24, 834-846.	1.9	4
34	The analgesic efficacy of anterior femoral cutaneous nerve block in combination with femoral triangle block in total knee arthroplasty: a randomized controlled trial. Korean Journal of Anesthesiology, 2021, 74, 496-505.	2.5	4
35	Upregulation of antigen presentation function and inflammation in chondrocytes by induction of proteoglycan aggrecan peptides (P16-31 and P263-280). Clinical and Experimental Rheumatology, 2022, 40, 596-607.	0.8	3
36	The effect of knee flexion during tourniquet inflation, fat pad excision and lateral tibial release on patellar subluxation during MIS TKA. Knee, 2009, 16, 125-129.	1.6	2

#	Article	IF	CITATIONS
37	Rapid ambulation and range of motion after minimally invasive total knee arthroplasty. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2004, 87 Suppl 2, S195-201.	0.1	2
38	Multimodal pain management following minimally invasive total knee arthroplasty: an experience in 3-dose parecoxib. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2009, 92 Suppl 6, S11-8.	0.1	1
39	Response to Letter to the Editor on "Opioid-Sparing Analgesia and Enhanced Recovery After Total Knee Arthroplasty Using Combined Triple Nerve Blocks With Local Infiltration Analgesia― Journal of Arthroplasty, 2019, 34, 1297-1298.	3.1	O
40	Clinical report. Atypical acetabular bone loss in chronic septic total hip arthroplasty loosening. Asian Biomedicine, 2011, 5, 549-552.	0.3	0
41	Contralateral total knee arthroplasty after unilateral surgery in bilateral varus gonathrosis. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2004, 87, 902-9.	0.1	O
42	Upregulation of antigen presentation function and inflammation in chondrocytes by induction of proteoglycan aggrecan peptides (P16-31 and P263-280). Clinical and Experimental Rheumatology, 2021, , .	0.8	0