

James G Granneman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/963530/publications.pdf>

Version: 2024-02-01

91
papers

7,494
citations

61984

43
h-index

56724

83
g-index

114
all docs

114
docs citations

114
times ranked

8945
citing authors

#	ARTICLE	IF	CITATIONS
1	In Vivo Identification of Bipotential Adipocyte Progenitors Recruited by β^2 -Adrenoceptor Activation and High-Fat Feeding. <i>Cell Metabolism</i> , 2012, 15, 480-491.	16.2	570
2	PER2 Controls Lipid Metabolism by Direct Regulation of PPAR β . <i>Cell Metabolism</i> , 2010, 12, 509-520.	16.2	400
3	Perilipin Controls Lipolysis by Regulating the Interactions of AB-hydrolase Containing 5 (Abhd5) and Adipose Triglyceride Lipase (Atgl). <i>Journal of Biological Chemistry</i> , 2009, 284, 34538-34544.	3.4	306
4	Metabolic and cellular plasticity in white adipose tissue I: effects of β^2 -adrenergic receptor activation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 289, E608-E616.	3.5	263
5	Lack of Adipocyte AMPK Exacerbates Insulin Resistance and Hepatic Steatosis through Brown and Beige Adipose Tissue Function. <i>Cell Metabolism</i> , 2016, 24, 118-129.	16.2	259
6	Analysis of Lipolytic Protein Trafficking and Interactions in Adipocytes. <i>Journal of Biological Chemistry</i> , 2007, 282, 5726-5735.	3.4	255
7	Deconstructing Adipogenesis Induced by β^2 -Adrenergic Receptor Activation with Single-Cell Expression Profiling. <i>Cell Metabolism</i> , 2018, 28, 300-309.e4.	16.2	250
8	Cellular origins of cold-induced brown adipocytes in adult mice. <i>FASEB Journal</i> , 2015, 29, 286-299.	0.5	242
9	Coupling of lipolysis and de novo lipogenesis in brown, beige, and white adipose tissues during chronic β^2 -adrenergic receptor activation. <i>Journal of Lipid Research</i> , 2014, 55, 2276-2286.	4.2	230
10	Identification of an Adipogenic Niche for Adipose Tissue Remodeling and Restoration. <i>Cell Metabolism</i> , 2013, 18, 355-367.	16.2	229
11	¹⁵ O PET Measurement of Blood Flow and Oxygen Consumption in Cold-Activated Human Brown Fat. <i>Journal of Nuclear Medicine</i> , 2013, 54, 523-531.	5.0	221
12	Nurr1 enhances transcription of the human dopamine transporter gene through a novel mechanism. <i>Journal of Neurochemistry</i> , 2001, 76, 1565-1572.	3.9	189
13	PPAR γ agonists stimulate oligodendrocyte differentiation in tissue culture. <i>Glia</i> , 2001, 33, 191-204.	4.9	180
14	Interactions of Perilipin-5 (Plin5) with Adipose Triglyceride Lipase. <i>Journal of Biological Chemistry</i> , 2011, 286, 5126-5135.	3.4	170
15	Lipolytic Products Activate Peroxisome Proliferator-activated Receptor (PPAR) α and δ in Brown Adipocytes to Match Fatty Acid Oxidation with Supply. <i>Journal of Biological Chemistry</i> , 2012, 287, 25038-25048.	3.4	168
16	Adipose tissue plasticity from WAT to BAT and in between. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 358-369.	3.8	166
17	Metabolic and cellular plasticity in white adipose tissue II: role of peroxisome proliferator-activated receptor- α . <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 289, E617-E626.	3.5	124
18	Analysis and correction of crosstalk effects in pathway analysis. <i>Genome Research</i> , 2013, 23, 1885-1893.	5.5	123

#	ARTICLE	IF	CITATIONS
19	Functional Interactions between Mldp (LSDP5) and Abhd5 in the Control of Intracellular Lipid Accumulation. <i>Journal of Biological Chemistry</i> , 2009, 284, 3049-3057.	3.4	120
20	Perilipin Targets a Novel Pool of Lipid Droplets for Lipolytic Attack by Hormone-sensitive Lipase. <i>Journal of Biological Chemistry</i> , 2005, 280, 43109-43120.	3.4	110
21	Location, location: protein trafficking and lipolysis in adipocytes. <i>Trends in Endocrinology and Metabolism</i> , 2008, 19, 3-9.	7.1	110
22	Assessment of Oxidative Metabolism in Brown Fat Using PET Imaging. <i>Frontiers in Endocrinology</i> , 2012, 3, 15.	3.5	105
23	Characterization of the 5' flanking region of the human dopamine transporter gene. <i>Molecular Brain Research</i> , 1999, 74, 167-174.	2.3	101
24	The putative β_4 -adrenergic receptor is a novel state of the β_1 -adrenergic receptor. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 280, E199-E202.	3.5	101
25	Differential interaction of β_1 - and β_3 -adrenergic receptors with Gi in rat adipocytes. <i>Cellular Signalling</i> , 1994, 6, 457-465.	3.6	99
26	Decreased expression of the transcription factor NURR1 in dopamine neurons of cocaine abusers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 6382-6385.	7.1	97
27	Sex differences in sympathetic innervation and browning of white adipose tissue of mice. <i>Biology of Sex Differences</i> , 2016, 7, 67.	4.1	95
28	Member of the peroxisome proliferator-activated receptor family of transcription factors is differentially expressed by oligodendrocytes. , 1998, 51, 563-573.		94
29	Deciphering the Role of Lipid Droplets in Cardiovascular Disease. <i>Circulation</i> , 2018, 138, 305-315.	1.6	89
30	Endogenous and Synthetic ABHD5 Ligands Regulate ABHD5-Perilipin Interactions and Lipolysis in Fat and Muscle. <i>Cell Metabolism</i> , 2015, 22, 851-860.	16.2	87
31	Regulators of G Protein Signaling: Rapid Changes in mRNA Abundance in Response to Amphetamine. <i>Journal of Neurochemistry</i> , 1998, 70, 2216-2219.	3.9	85
32	RGS mRNA Expression in Rat Striatum. <i>Journal of Neurochemistry</i> , 2001, 72, 1529-1533.	3.9	79
33	Dynamic interactions of ABHD5 with PNPLA3 regulate triacylglycerol metabolism in brown adipocytes. <i>Nature Metabolism</i> , 2019, 1, 560-569.	11.9	79
34	Adipogenic role of alternatively activated macrophages in β_2 -adrenergic remodeling of white adipose tissue. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 310, R55-R65.	1.8	77
35	Regulation of RGS mRNAs by cAMP in PC12 Cells. <i>Biochemical and Biophysical Research Communications</i> , 1998, 243, 52-55.	2.1	74
36	Lipolysis drives expression of the constitutively active receptor GPR3 to induce adipose thermogenesis. <i>Cell</i> , 2021, 184, 3502-3518.e33.	28.9	68

#	ARTICLE	IF	CITATIONS
37	Inducible brown adipocytes in subcutaneous inguinal white fat: the role of continuous sympathetic stimulation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 307, E793-E799.	3.5	67
38	Adipocyte Lipolysis-stimulated Interleukin-6 Production Requires Sphingosine Kinase 1 Activity. <i>Journal of Biological Chemistry</i> , 2014, 289, 32178-32185.	3.4	60
39	Adrenergic regulation of cellular plasticity in brown, beige/brite and white adipose tissues. <i>Adipocyte</i> , 2016, 5, 119-129.	2.8	58
40	Single cell approaches to address adipose tissue stromal cell heterogeneity. <i>Biochemical Journal</i> , 2020, 477, 583-600.	3.7	58
41	The Mr 35,000 β -Adrenergic Receptor mRNA-binding Protein Binds Transcripts of G-protein-linked Receptors Which Undergo Agonist-induced Destabilization. <i>Journal of Biological Chemistry</i> , 1995, 270, 12787-12793.	3.4	56
42	Metabolic heterogeneity of activated beige/brite adipocytes in inguinal adipose tissue. <i>Scientific Reports</i> , 2017, 7, 39794.	3.3	53
43	Lipid droplet biology and evolution illuminated by the characterization of a novel perilipin in teleost fish. <i>ELife</i> , 2017, 6, .	6.0	47
44	Dopamine and β -aminobutyric acid transporters: Differential regulation by agents that promote phosphorylation. <i>Neuroscience Letters</i> , 1994, 173, 143-146.	2.1	46
45	Connexin 43 is required for the maintenance of mitochondrial integrity in brown adipose tissue. <i>Scientific Reports</i> , 2017, 7, 7159.	3.3	46
46	Why do adipocytes make the β 3 adrenergic receptor?. <i>Cellular Signalling</i> , 1995, 7, 9-15.	3.6	44
47	Jak-TGF β 2 cross-talk links transient adipose tissue inflammation to beige adipogenesis. <i>Science Signaling</i> , 2018, 11, .	3.6	41
48	FGF21 does not require adipocyte AMP-activated protein kinase (AMPK) or the phosphorylation of acetyl-CoA carboxylase (ACC) to mediate improvements in whole-body glucose homeostasis. <i>Molecular Metabolism</i> , 2017, 6, 471-481.	6.5	40
49	MicroRNA-10a-5p regulates macrophage polarization and promotes therapeutic adipose tissue remodeling. <i>Molecular Metabolism</i> , 2019, 29, 86-98.	6.5	40
50	Sympathetic Innervation of Cold-Activated Brown and White Fat in Lean Young Adults. <i>Journal of Nuclear Medicine</i> , 2017, 58, 799-806.	5.0	39
51	Seeing the trees in the forest: selective electroporation of adipocytes within adipose tissue. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 287, E574-E582.	3.5	38
52	Exploring the activated adipogenic niche: Interactions of macrophages and adipocyte progenitors. <i>Cell Cycle</i> , 2014, 13, 184-190.	2.6	37
53	Characterization of Eicosanoids Produced by Adipocyte Lipolysis. <i>Journal of Biological Chemistry</i> , 2016, 291, 16001-16010.	3.4	37
54	Adipocyte-specific Beclin1 deletion impairs lipolysis and mitochondrial integrity in adipose tissue. <i>Molecular Metabolism</i> , 2020, 39, 101005.	6.5	34

#	ARTICLE	IF	CITATIONS
55	Prostate Tumor Cell-Derived IL1 β Induces an Inflammatory Phenotype in Bone Marrow Adipocytes and Reduces Sensitivity to Docetaxel via Lipolysis-Dependent Mechanisms. <i>Molecular Cancer Research</i> , 2019, 17, 2508-2521.	3.4	32
56	Developmental Expression of Goin Neuronal Cultures from Rat Mesencephalon and Hypothalamus. <i>Journal of Neurochemistry</i> , 1990, 54, 1995-2001.	3.9	31
57	Effect of sucrose overfeeding on brown adipose tissue lipogenesis and lipoprotein lipase activity in rats. <i>Metabolism: Clinical and Experimental</i> , 1983, 32, 202-207.	3.4	30
58	Loss of ABHD5 promotes the aggressiveness of prostate cancer cells. <i>Scientific Reports</i> , 2017, 7, 13021.	3.3	29
59	Adipocyte lipolysis affects Perilipin 5 and cristae organization at the cardiac lipid droplet-mitochondrial interface. <i>Scientific Reports</i> , 2019, 9, 4734.	3.3	29
60	Deconstructing tumor heterogeneity: the stromal perspective. <i>Oncotarget</i> , 2020, 11, 3621-3632.	1.8	29
61	Selective Up-Regulation of β 1-Adrenergic Receptor Protein and mRNA in Brown Adipose Tissue by Neural and β 3-Adrenergic Stimulation. <i>Molecular Pharmacology</i> , 1997, 51, 644-650.	2.3	27
62	STK3/STK4 signalling in adipocytes regulates mitophagy and energy expenditure. <i>Nature Metabolism</i> , 2021, 3, 428-441.	11.9	27
63	Dopamine transporter binding in rat striatum and nucleus accumbens is unaltered following chronic changes in dopamine levels. <i>Neuroscience Letters</i> , 1996, 217, 55-57.	2.1	26
64	Vacuolar protein sorting 13C is a novel lipid droplet protein that inhibits lipolysis in brown adipocytes. <i>Molecular Metabolism</i> , 2018, 7, 57-70.	6.5	24
65	Effects of sucrose feeding and denervation on lipogenesis in brown adipose tissue. <i>Metabolism: Clinical and Experimental</i> , 1984, 33, 257-261.	3.4	23
66	Novel Pharmacological Probes Reveal ABHD5 as a Locus of Lipolysis Control in White and Brown Adipocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017, 363, 367-376.	2.5	23
67	Perilipin 5 S155 phosphorylation by PKA is required for the control of hepatic lipid metabolism and glycemic control. <i>Journal of Lipid Research</i> , 2021, 62, 100016.	4.2	23
68	The secretion and biological function of tumor suppressor maspin as an exosome cargo protein. <i>Oncotarget</i> , 2017, 8, 8043-8056.	1.8	22
69	Seeking the source of adipocytes in adult white adipose tissues. <i>Adipocyte</i> , 2012, 1, 230-236.	2.8	21
70	SERCA2b Cycles Its Way to UCP1-Independent Thermogenesis in Beige Fat. <i>Cell Metabolism</i> , 2018, 27, 7-9.	16.2	21
71	Deconstructing cold-induced brown adipocyte neogenesis in mice. <i>ELife</i> , 0, 11, .	6.0	20
72	Relationship between Gs α -Messenger Ribonucleic Acid Splice Variants and the Molecular Forms of Gsa Protein in Rat Brown Adipose Tissue*. <i>Endocrinology</i> , 1990, 127, 1596-1601.	2.8	18

#	ARTICLE	IF	CITATIONS
73	Splicing Pattern of Gs? mRNA in Human and Rat Brain. <i>Journal of Neurochemistry</i> , 1991, 57, 1019-1023.	3.9	16
74	Lipolysis regulates major transcriptional programs in brown adipocytes. <i>Nature Communications</i> , 2022, 13, .	12.8	16
75	ABHD5 suppresses cancer cell anabolism through lipolysis-dependent activation of the AMPK/mTORC1 pathway. <i>Journal of Biological Chemistry</i> , 2021, 296, 100104.	3.4	14
76	Single cell functional genomics reveals plasticity of subcutaneous white adipose tissue (WAT) during early postnatal development. <i>Molecular Metabolism</i> , 2021, 53, 101307.	6.5	14
77	Effects of photoperiod and castration on post-fast food intake and body weight gain in golden hamsters. <i>Physiology and Behavior</i> , 1982, 28, 847-850.	2.1	12
78	Adipocyte lysoplasmalogenase TMEM86A regulates plasmalogen homeostasis and protein kinase A-dependent energy metabolism. <i>Nature Communications</i> , 2022, 13, .	12.8	12
79	Genetically-encoded sensors to detect fatty acid production and trafficking. <i>Molecular Metabolism</i> , 2019, 29, 55-64.	6.5	11
80	Leucine zipper transcription factor-like 1 (LZTFL1), an intraflagellar transporter protein 27 (IFT27) associated protein, is required for normal sperm function and male fertility. <i>Developmental Biology</i> , 2021, 477, 164-176.	2.0	11
81	REEP6 knockout leads to defective Î²-adrenergic signaling in adipocytes and promotes obesity-related metabolic dysfunction.. <i>Metabolism: Clinical and Experimental</i> , 2022, 130, 155159.	3.4	11
82	Effect of hepatic vagotomy and/or coeliac ganglionectomy on the delayed eating response to insulin and 2DG injection in rats. <i>Physiology and Behavior</i> , 1984, 33, 495-497.	2.1	8
83	Structural and functional insights into ABHD5, a ligand-regulated lipase co-activator. <i>Scientific Reports</i> , 2022, 12, 2565.	3.3	8
84	A unique mechanism of desensitization to lipolysis mediated by Î²₃-adrenoceptor in rats with thermal injury. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 277, E316-E324.	3.5	5
85	Delivery of DNA into Adipocytes within Adipose Tissue. <i>Methods in Molecular Biology</i> , 2008, 423, 191-195.	0.9	5
86	Characterization of the distribution of G?o in rat striatal synaptosomes and its colocalization with tyrosine hydroxylase. <i>Synapse</i> , 1991, 9, 66-74.	1.2	4
87	Molecular Modeling of ABHD5 Structure and Ligand Recognition. <i>Frontiers in Molecular Biosciences</i> , 0, 9, .	3.5	4
88	Use of Fluorescence Microscopy to Probe Intracellular Lipolysis. <i>Methods in Enzymology</i> , 2014, 538, 263-278.	1.0	3
89	Subcellular distribution of adenylyl cyclase and GsÎ± in rat brown adipose tissue. <i>Metabolism: Clinical and Experimental</i> , 1991, 40, 432-437.	3.4	2
90	PPAR Î´ agonists stimulate oligodendrocyte differentiation in tissue culture. , 2001, 33, 191.		2

#	ARTICLE	IF	CITATIONS
91	Fluorescent and Luminescent Methods to Detect Lipolysis. <i>Methods in Molecular Biology</i> , 2022, 2448, 97-106.	0.9	1