

# Letizia Polito

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/964189/publications.pdf>

Version: 2024-02-01

36  
papers

1,251  
citations

430874

18  
h-index

361022

35  
g-index

36  
all docs

36  
docs citations

36  
times ranked

2572  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Conformation Variant of p53 Combined with Machine Learning Identifies Alzheimer Disease in Preclinical and Prodromal Stages. <i>Journal of Personalized Medicine</i> , 2021, 11, 14.	2.5	19
2	Apathy and depressive symptoms in older people and incident myocardial infarction, stroke, and mortality: a systematic review and meta-analysis of individual participant data. <i>Clinical Epidemiology</i> , 2018, Volume 10, 363-379.	3.0	49
3	Comparison of $\tau$ 2-microglobulin serum level between Alzheimer's™ patients, cognitive healthy and mild cognitive impaired individuals. <i>Biomarkers</i> , 2018, 23, 603-608.	1.9	20
4	Subthreshold Depression and Clinically Significant Depression in an Italian Population of 70-74-Year-Olds: Prevalence and Association with Perceptions of Self. <i>BioMed Research International</i> , 2017, 2017, 1-8.	1.9	22
5	High homocysteine and epistasis between MTHFR and APOE: association with cognitive performance in the elderly. <i>Experimental Gerontology</i> , 2016, 76, 9-16.	2.8	20
6	Influence of socio-demographic features and apolipoprotein E epsilon 4 expression on the prevalence of dementia and cognitive impairment in a population of 70-74-year olds: The InveCe.Ab study. <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 334-343.	3.0	25
7	Serotonin transporter polymorphism modifies the association between depressive symptoms and sleep onset latency complaint in elderly people: results from the InveCe.Ab™ study. <i>Journal of Sleep Research</i> , 2015, 24, 215-222.	3.2	10
8	Cognitive stimulation in cognitively impaired individuals and cognitively healthy individuals with a family history of dementia: short-term results from the AllenaMente™ randomized controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 631-638.	2.7	17
9	Immunostimulatory effects of RACK1 pseudosubstrate in human leukocytes obtained from young and old donors. <i>Oncotarget</i> , 2015, 6, 6524-6534.	1.8	6
10	Influence of Serotonin Transporter Gene Polymorphisms and Adverse Life Events on Depressive Symptoms in the Elderly: A Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0143395.	2.5	3
11	Environmental Enrichment Lessens Cognitive Decline in APP23 Mice Without Affecting Brain Sirtuin Expression. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 851-864.	2.6	30
12	Association between Sirtuin 2 gene rs10410544 polymorphism and depression in Alzheimer's™ disease in two independent European samples. <i>Journal of Neural Transmission</i> , 2013, 120, 1709-1715.	2.8	30
13	Brain aging and dementia during the transition from late adulthood to old age: design and methodology of the Invece.Ab™ population-based study. <i>BMC Geriatrics</i> , 2013, 13, 98.	2.7	39
14	The SIRT2 polymorphism rs10410544 and risk of Alzheimer's disease in two Caucasian case-control cohorts. <i>Alzheimer's and Dementia</i> , 2013, 9, 392-399.	0.8	40
15	Effects of SORL1 Gene on Alzheimer's Disease. Focus on Gender, Neuropsychiatric Symptoms and Pro-Inflammatory Cytokines. <i>Current Alzheimer Research</i> , 2013, 10, 154-164.	1.4	12
16	Association of SORL1 Alleles with Late-Onset Alzheimer's Disease. Findings from the GIGAS_LOAD Study and Mega-Analysis. <i>Current Alzheimer Research</i> , 2012, 9, 491-499.	1.4	13
17	Interleukin-1 $\beta$ , interleukin-1 $\beta$ and tumor necrosis factor- $\beta$ genetic variants and risk of dementia in the very old: evidence from the Monzino 80-plus™ prospective study. <i>Age</i> , 2012, 34, 519-526.	3.0	6
18	Insulin-like growth factor 1 receptor polymorphism rs2229765 and circulating interleukin-6 level affect male longevity in a population-based prospective study (Treviso Longeva™ TRELONG). <i>Aging Male</i> , 2011, 14, 257-264.	1.9	14

#	ARTICLE	IF	CITATIONS
19	A Novel Study and Meta-Analysis of the Genetic Variation of the Serotonin Transporter Promoter in the Italian Population Do Not Support a Large Effect on Alzheimer's Disease Risk. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-7.	2.0	5
20	Vitamin B12 Levels in Alzheimer's Disease: Association with Clinical Features and Cytokine Production. <i>Journal of Alzheimer's Disease</i> , 2010, 19, 481-488.	2.6	39
21	Neuroprotective properties of resveratrol in different neurodegenerative disorders. <i>BioFactors</i> , 2010, 36, 370-376.	5.4	153
22	APOE epsilon $\epsilon$ 4 allele and cytokine production in Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 338-344.	2.7	33
23	Sirtuins as Novel Targets for Alzheimer's Disease and Other Neurodegenerative Disorders: Experimental and Genetic Evidence. <i>Journal of Alzheimer's Disease</i> , 2010, 19, 11-26.	2.6	112
24	The molecular genetics of sirtuins: association with human longevity and age-related diseases. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010, 1, 214-25.	0.4	22
25	Epistasis between IL1A, IL1B, TNF, HTR2A, 5-HTTLPR and TPH2 Variations Does Not Impact Alcohol Dependence Disorder Features. <i>International Journal of Environmental Research and Public Health</i> , 2009, 6, 1980-1990.	2.6	10
26	Serotonin Transporter Gene Polymorphic Element $\epsilon$ 5-HTTLPR $\epsilon$ Increases the Risk of Sporadic Parkinson's Disease in Italy. <i>European Neurology</i> , 2009, 62, 120-123.	1.4	15
27	Interleukin-6 plasma level increases with age in an Italian elderly population (The Treviso) Tj ETQq1 1 0.784314 rgBT /Overlock 10 155-162.	3.0	28
28	A polymorphic variant of the insulin-like growth factor 1 (IGF-1) receptor correlates with male longevity in the Italian population: a genetic study and evaluation of circulating IGF-1 from the "Treviso Longeva (TRELONG)" study. <i>BMC Geriatrics</i> , 2009, 9, 19.	2.7	28
29	The SIRT1 activator resveratrol protects SK $\epsilon$ NE $\epsilon$ BE cells from oxidative stress and against toxicity caused by $\epsilon$ synuclein or amyloid $\epsilon$ 2 (1 $\epsilon$ 42) peptide. <i>Journal of Neurochemistry</i> , 2009, 110, 1445-1456.	3.9	241
30	TPH2 gene variants and anxiety during alcohol detoxification outcome. <i>Psychiatry Research</i> , 2009, 167, 106-114.	3.3	10
31	Lack of Association between Interleukin-1 alpha rs1800587 Polymorphism and Alzheimer's Disease in Two Independent European Samples. <i>Journal of Alzheimer's Disease</i> , 2009, 16, 181-187.	2.6	24
32	Association study to evaluate the serotonin transporter and apolipoprotein E genes in frontotemporal lobar degeneration in Italy. <i>Journal of Human Genetics</i> , 2008, 53, 1029-1033.	2.3	8
33	Early-Onset Alzheimer Disease in an Italian Family With Presenilin-1 Double Mutation E318G and G394V. <i>Alzheimer Disease and Associated Disorders</i> , 2008, 22, 184-187.	1.3	15
34	DJ-1 Modulates $\epsilon$ -Synuclein Aggregation State in a Cellular Model of Oxidative Stress: Relevance for Parkinson's Disease and Involvement of HSP70. <i>PLoS ONE</i> , 2008, 3, e1884.	2.5	116
35	A novel PSENEN mutation in a patient with complaints of memory loss and a family history of dementia. <i>Alzheimer's and Dementia</i> , 2007, 3, 235-238.	0.8	8
36	The urokinase-type plasminogen activator polymorphism PLAU_1 is a risk factor for APOE- $\epsilon$ 4 non-carriers in the Italian Alzheimer's disease population and does not affect the plasma A $\epsilon$ 2(1 $\epsilon$ 42) level. <i>Neurobiology of Disease</i> , 2007, 25, 609-613.	4.4	9