Daniela Rotin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/96528/publications.pdf

Version: 2024-02-01

88 papers

7,676 citations

41344 49 h-index 86 g-index

90 all docs 90 docs citations

90 times ranked 8240 citing authors

#	Article	IF	CITATIONS
1	Elevated intracellular Na ⁺ and osmolarity stimulate catalytic activity of the ubiquitin ligase Nedd4-2. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	8
2	Inhibition of eEF2K synergizes with glutaminase inhibitors or 4EBP1 depletion to suppress growth of triple-negative breast cancer cells. Scientific Reports, 2021, 11, 9181.	3.3	6
3	Function and Regulation of the Epithelial Na ⁺ Channel <scp>ENaC</scp> ., 2021, 11, 2017-2045.		36
4	Split chloramphenicol acetyl-transferase assay reveals self-ubiquitylation-dependent regulation of UBE3B. Journal of Molecular Biology, 2021, 433, 167276.	4.2	3
5	High-Throughput Functional Analysis of CFTR and Other Apically Localized Proteins in iPSC-Derived Human Intestinal Organoids. Cells, 2021, 10, 3419.	4.1	6
6	Phosphorylation of the Chaperone-Like HspB5 Rescues Trafficking and Function of F508del-CFTR. International Journal of Molecular Sciences, 2020, 21, 4844.	4.1	5
7	Conditional deletion of Nedd4-2 in lung epithelial cells causes progressive pulmonary fibrosis in adult mice. Nature Communications, 2020, 11, 2012.	12.8	52
8	The Ion Transporter NKCC1 Links Cell Volume to Cell Mass Regulation by Suppressing mTORC1. Cell Reports, 2019, 27, 1886-1896.e6.	6.4	39
9	Regulation of SH3PX1 by dNedd4-long at the Drosophila neuromuscular junction. Journal of Biological Chemistry, 2019, 294, 1739-1752.	3.4	6
10	Dynamin inhibitors block mTORC1 activation by amino acids independently of dynamin. Journal of Cell Science, 2018, 131, .	2.0	23
11	Ubiquitylationâ€dependent oligomerization regulates activity of Nedd4 ligases. EMBO Journal, 2017, 36, 425-440.	7.8	51
12	The Ubiquitin Ligase Nedd4L Regulates the Na/K/2Cl Co-transporter NKCC1/SLC12A2 in the Colon. Journal of Biological Chemistry, 2017, 292, 3137-3145.	3.4	26
13	Inhaled ENaC antisense oligonucleotide ameliorates cystic fibrosis-like lung disease in mice. Journal of Cystic Fibrosis, 2017, 16, 671-680.	0.7	74
14	Drosophila Nedd4-long reduces Amphiphysin levels in muscles and leads to impaired T-tubule formation. Molecular Biology of the Cell, 2016, 27, 907-918.	2.1	4
15	System-Wide Modulation of HECT E3 Ligases with Selective Ubiquitin Variant Probes. Molecular Cell, 2016, 62, 121-136.	9.7	142
16	LAPTM4b recruits the LAT1-4F2hc Leu transporter to lysosomes and promotes mTORC1 activation. Nature Communications, 2015, 6, 7250.	12.8	156
17	RNA Interference Screen to Identify Kinases That Suppress Rescue of ΔF508-CFTR*. Molecular and Cellular Proteomics, 2015, 14, 1569-1583.	3.8	24
18	Ibuprofen rescues mutant cystic fibrosis transmembrane conductance regulator trafficking. Journal of Cystic Fibrosis, 2015, 14, 16-25.	0.7	44

#	Article	IF	Citations
19	Protein tyrosine phosphatase if targets apical junction complex proteins in the intestine and regulates epithelial permeability. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 693-698.	7.1	53
20	Tyrosine phosphorylation of NEDD4 activates its ubiquitin ligase activity. Science Signaling, 2014, 7, ra95.	3.6	76
21	Rsp5/Nedd4 is the main ubiquitin ligase that targets cytosolic misfolded proteins following heat stress. Nature Cell Biology, 2014, 16, 1227-1237.	10.3	161
22	Ubiquitin E3 ligase Nedd4-1 acts as a downstream target of PI3K/PTEN-mTORC1 signaling to promote neurite growth. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 13205-13210.	7.1	110
23	A Strategy for Modulation of Enzymes in the Ubiquitin System. Science, 2013, 339, 590-595.	12.6	257
24	Ubiquitylation-dependent localization of PLK1 in mitosis. Nature Cell Biology, 2013, 15, 430-439.	10.3	91
25	Nedd4-2 and the Regulation of Epithelial Sodium Transport. Frontiers in Physiology, 2012, 3, 212.	2.8	73
26	LAPTM5 Protein Is a Positive Regulator of Proinflammatory Signaling Pathways in Macrophages. Journal of Biological Chemistry, 2012, 287, 27691-27702.	3.4	65
27	Use of Kinase Inhibitors to Correct ΔF508-CFTR Function. Molecular and Cellular Proteomics, 2012, 11, 745-757.	3.8	31
28	The Ubiquitin Ligase Nedd4-1 Participates in Denervation-Induced Skeletal Muscle Atrophy in Mice. PLoS ONE, 2012, 7, e46427.	2.5	63
29	Deletion of the ubiquitin ligase Nedd4L in lung epithelia causes cystic fibrosis-like disease. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 3216-3221.	7.1	97
30	A Role for the Ubiquitin Ligase Nedd4 in Membrane Sorting of LAPTM4 Proteins. PLoS ONE, 2011, 6, e27478.	2.5	29
31	Role of the ubiquitin system in regulating ion transport. Pflugers Archiv European Journal of Physiology, 2011, 461, 1-21.	2.8	92
32	Nedd4-1 binds and ubiquitylates activated FGFR1 to control its endocytosis and function. EMBO Journal, 2011, 30, 3259-3273.	7.8	70
33	Use of Proteome Arrays to Globally Identify Substrates for E3 Ubiquitin Ligases. Methods in Molecular Biology, 2011, 759, 215-224.	0.9	7
34	A Splice Isoform of DNedd4, DNedd4-Long, Negatively Regulates Neuromuscular Synaptogenesis and Viability in Drosophila. PLoS ONE, 2011, 6, e27007.	2.5	10
35	Correction of the ΔPhe508 Cystic Fibrosis Transmembrane Conductance Regulator Trafficking Defect by the Bioavailable Compound Glafenine. Molecular Pharmacology, 2010, 77, 922-930.	2.3	86
36	The Ubiquitin Ligase Nedd4-1 Is Required for Heart Development and Is a Suppressor of Thrombospondin-1. Journal of Biological Chemistry, 2010, 285, 6770-6780.	3.4	65

#	Article	IF	CITATIONS
37	Technical Note: The Use of RNA-interference as a Tool to Find Proteins Involved in Melanosome Formation or Transport. Nature Precedings, 2009, , .	0.1	О
38	Comparison of substrate specificity of the ubiquitin ligases Nedd4 and Nedd4â€2 using proteome arrays. Molecular Systems Biology, 2009, 5, 333.	7.2	128
39	High-content Functional Screen to Identify Proteins that Correct F508del-CFTR Function. Molecular and Cellular Proteomics, 2009, 8, 780-790.	3.8	45
40	Physiological functions of the HECT family of ubiquitin ligases. Nature Reviews Molecular Cell Biology, 2009, 10, 398-409.	37.0	888
41	Functional Rescue of DeltaF508-CFTR by Peptides Designed to Mimic Sorting Motifs. Chemistry and Biology, 2009, 16, 520-530.	6.0	19
42	Role of the UPS in Liddle syndrome. BMC Biochemistry, 2008, 9, S5.	4.4	33
43	The ubiquitin ligase Nedd4-1 is dispensable for the regulation of PTEN stability and localization. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 8585-8590.	7.1	160
44	Apical junction complex proteins and ulcerative colitis: a focus on the <i>PTPRS </i> gene. Expert Review of Molecular Diagnostics, 2008, 8, 465-477.	3.1	7
45	ENaC and Its Regulatory Proteins as Drug Targets for Blood Pressure Control. Current Drug Targets, 2008, 9, 709-716.	2.1	40
46	Regulation of Nedd4-2 self-ubiquitination and stability by a PY motif located within its HECT-domain. Biochemical Journal, 2008, 415, 155-163.	3.7	87
47	Regulation of Commissureless by the Ubiquitin Ligase DNedd4 Is Required for Neuromuscular Synaptogenesis in Drosophila melanogaster. Molecular and Cellular Biology, 2007, 27, 481-496.	2.3	34
48	N-Cadherin Is an In Vivo Substrate for Protein Tyrosine Phosphatase Sigma (PTP $\parallel f$) and Participates in PTP $\parallel f$ -Mediated Inhibition of Axon Growth. Molecular and Cellular Biology, 2007, 27, 208-219.	2.3	53
49	Ubiquitination screen using protein microarrays for comprehensive identification of Rsp5 substrates in yeast. Molecular Systems Biology, 2007, 3, 116.	7.2	145
50	Autoinhibition of the HECT-Type Ubiquitin Ligase Smurf2 through Its C2 Domain. Cell, 2007, 130, 651-662.	28.9	237
51	The PY Motif of ENaC, Mutated in Liddle Syndrome, Regulates Channel Internalization, Sorting and Mobilization from Subapical Pool. Traffic, 2007, 8, 1246-1264.	2.7	110
52	Protein-Tyrosine Phosphatase Sigma Is Associated with Ulcerative Colitis. Current Biology, 2007, 17, 1212-1218.	3.9	53
53	Structural Determinants for High-Affinity Binding in a Nedd4 WW3â^— Domain-Comm PY Motif Complex. Structure, 2006, 14, 543-553.	3.3	77
54	Role of Ubiquitylation in Cellular Membrane Transport. Physiological Reviews, 2006, 86, 669-707.	28.8	193

#	Article	IF	CITATIONS
55	The Guanine Nucleotide Exchange Factor CNrasGEF Regulates Melanogenesis and Cell Survival in Melanoma Cells*. Journal of Biological Chemistry, 2006, 281, 121-128.	3.4	28
56	Transport of LAPTM5 to lysosomes requires association with the ubiquitin ligase Nedd4, but not LAPTM5 ubiquitination. Journal of Cell Biology, 2006, 175, 631-645.	5.2	89
57	A High Throughput Screen to Identify Substrates for the Ubiquitin Ligase Rsp5. Journal of Biological Chemistry, 2005, 280, 29470-29478.	3.4	37
58	Molecular determinants of voltage-gated sodium channel regulation by the Nedd4/Nedd4-like proteins. American Journal of Physiology - Cell Physiology, 2005, 288, C692-C701.	4.6	121
59	Problems with Co-Funding in Canada. Science, 2005, 308, 1867b-1867b.	12.6	6
60	The Grb10/Nedd4 Complex Regulates Ligand-Induced Ubiquitination and Stability of the Insulin-Like Growth Factor I Receptor. Molecular and Cellular Biology, 2003, 23, 3363-3372.	2.3	245
61	Regulation of the Epithelial Na+ Channel by Cytosolic ATP. Journal of Biological Chemistry, 2003, 278, 38276-38286.	3.4	14
62	Affinity and Specificity of Interactions between Nedd4 Isoforms and the Epithelial Na+ Channel. Journal of Biological Chemistry, 2003, 278, 20019-20028.	3.4	80
63	Pituitary, Pancreatic and Gut Neuroendocrine Defects in Protein Tyrosine Phosphatase- Sigma-Deficient Mice. Molecular Endocrinology, 2002, 16, 155-169.	3.7	31
64	Direct Binding of the \hat{I}^21 Adrenergic Receptor to the Cyclic AMP-Dependent Guanine Nucleotide Exchange Factor CNrasGEF Leads to Ras Activation. Molecular and Cellular Biology, 2002, 22, 7942-7952.	2.3	61
65	Trafficking and Cell Surface Stability of the Epithelial Na+ Channel Expressed in Epithelial Madin-Darby Canine Kidney Cells. Journal of Biological Chemistry, 2002, 277, 9772-9779.	3.4	121
66	Overexpression of Protein-Tyrosine Phosphatase PTP If Is Linked to Impaired Glucose-Induced Insulin Secretion in Hereditary Diabetic Goto-Kakizaki Rats. Biochemical and Biophysical Research Communications, 2002, 291, 945-950.	2.1	49
67	Drosophila Nedd4, a Ubiquitin Ligase, Is Recruited by Commissureless to Control Cell Surface Levels of the Roundabout Receptor. Neuron, 2002, 35, 447-459.	8.1	158
68	Protein tyrosine phosphatase?-deficient mice show aberrant cytoarchitecture and structural abnormalities in the central nervous system. Journal of Neuroscience Research, 2002, 70, 24-35.	2.9	62
69	Enhanced Rate of Nerve Regeneration and Directional Errors After Sciatic Nerve Injury in Receptor Protein Tyrosine Phosphatase I, Knock-Out Mice. Journal of Neuroscience, 2002, 22, 5481-5491.	3.6	90
70	Trafficking and cell surface stability of ENaC. American Journal of Physiology - Renal Physiology, 2001, 281, F391-F399.	2.7	112
71	Solution structure of a Nedd4 WW domain-ENaC peptide complex. Nature Structural Biology, 2001, 8, 407-412.	9.7	202
72	Nedd4 Regulates Ubiquitination and Stability of the Guanine-Nucleotide Exchange Factor CNrasGEF. Journal of Biological Chemistry, 2001, 276, 46995-47003.	3.4	41

#	Article	IF	CITATIONS
73	Regulation of the epithelial sodium channel (ENaC) by accessory proteins. Current Opinion in Nephrology and Hypertension, 2000, 9, 529-534.	2.0	45
74	Regulation of the epithelial Na+ channel by Nedd4 and ubiquitination. Kidney International, 2000, 57, 809-815.	5.2	190
75	Sequential assignment of proline-rich regions in proteins: application to modular binding domain complexes. Journal of Biomolecular NMR, 2000, 16, 253-259.	2.8	74
76	Apical Membrane Targeting of Nedd4 Is Mediated by an Association of Its C2 Domain with Annexin Xiiib. Journal of Cell Biology, 2000, 149, 1473-1484.	5.2	135
77	Latent Membrane Protein 2A of Epstein-Barr Virus Binds WW Domain E3 Protein-Ubiquitin Ligases That Ubiquitinate B-Cell Tyrosine Kinases. Molecular and Cellular Biology, 2000, 20, 8526-8535.	2.3	152
78	mGrb10 Interacts with Nedd4. Journal of Biological Chemistry, 1999, 274, 24094-24099.	3.4	93
79	Proline-rich Motifs of the Na+/H+Exchanger 2 Isoform. Journal of Biological Chemistry, 1999, 274, 10481-10488.	3.4	25
80	Defective regulation of the epithelial Na+ channel by Nedd4 in Liddle's syndrome. Journal of Clinical Investigation, 1999, 103, 667-673.	8.2	331
81	Electrophysiological Characterization of the Rat Epithelial Na+ Channel (rENaC) Expressed in MDCK Cells. Journal of General Physiology, 1998, 111, 825-846.	1.9	129
82	The Second Catalytic Domain of Protein Tyrosine Phosphatase δ (PTPδ) Binds to and Inhibits the First Catalytic Domain of PTPÏ,. Molecular and Cellular Biology, 1998, 18, 2608-2616.	2.3	94
83	The C2 Domain of the Ubiquitin Protein Ligase Nedd4 Mediates Ca2+-dependent Plasma Membrane Localization. Journal of Biological Chemistry, 1997, 272, 32329-32336.	3.4	176
84	Regulation of ion transport by protein–protein interaction domains. Current Opinion in Nephrology and Hypertension, 1997, 6, 447-454.	2.0	19
85	WW domains. Structure, 1996, 4, 495-499.	3.3	90
86	Drosophila larval foraging behavior. II. Selection in the sibling species, D. melanogaster and D. simulans. Behavior Genetics, 1983, 13, 169-177.	2.1	58
87	The possible role of juvenile hormone esterase in the regulation of juvenile hormone titre in the female cockroach Diploptera punctata. Canadian Journal of Biochemistry and Cell Biology, 1983, 61, 811-817.	1.3	10
88	Synthesis and degradation of C16 juvenile hormone (JH III) during the final two stadia of the cockroach, Diploptera punctata. General and Comparative Endocrinology, 1982, 48, 25-32.	1.8	53