

Marc Foretz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/965592/publications.pdf>

Version: 2024-02-01

173
papers

21,354
citations

9775

73
h-index

9854

141
g-index

197
all docs

197
docs citations

197
times ranked

28009
citing authors

#	ARTICLE	IF	CITATIONS
1	Cellular and molecular mechanisms of metformin: an overview. <i>Clinical Science</i> , 2012, 122, 253-270.	1.8	1,337
2	Metformin: From Mechanisms of Action to Therapies. <i>Cell Metabolism</i> , 2014, 20, 953-966.	7.2	1,019
3	Metformin inhibits hepatic gluconeogenesis in mice independently of the LKB1/AMPK pathway via a decrease in hepatic energy state. <i>Journal of Clinical Investigation</i> , 2010, 120, 2355-2369.	3.9	1,001
4	Biguanides suppress hepatic glucagon signalling by decreasing production of cyclic AMP. <i>Nature</i> , 2013, 494, 256-260.	13.7	707
5	Sterol regulatory element binding protein-1c is a major mediator of insulin action on the hepatic expression of glucokinase and lipogenesis-related genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 12737-12742.	3.3	641
6	AMP-Activated Protein Kinase-Deficient Mice Are Resistant to the Metabolic Effects of Resveratrol. <i>Diabetes</i> , 2010, 59, 554-563.	0.3	595
7	Anti-Inflammatory Effects of Metformin Irrespective of Diabetes Status. <i>Circulation Research</i> , 2016, 119, 652-665.	2.0	498
8	Mitochondrial fission and remodelling contributes to muscle atrophy. <i>EMBO Journal</i> , 2010, 29, 1774-1785.	3.5	494
9	ADD1/SREBP-1c Is Required in the Activation of Hepatic Lipogenic Gene Expression by Glucose. <i>Molecular and Cellular Biology</i> , 1999, 19, 3760-3768.	1.1	491
10	Activation of AMP-activated protein kinase in the liver: a new strategy for the management of metabolic hepatic disorders. <i>Journal of Physiology</i> , 2006, 574, 41-53.	1.3	457
11	AMP-activated protein kinase in the regulation of hepatic energy metabolism: from physiology to therapeutic perspectives. <i>Acta Physiologica</i> , 2009, 196, 81-98.	1.8	401
12	5 α -AMP-Activated Protein Kinase (AMPK) Is Induced by Low-Oxygen and Glucose Deprivation Conditions Found in Solid-Tumor Microenvironments. <i>Molecular and Cellular Biology</i> , 2006, 26, 5336-5347.	1.1	395
13	Understanding the glucoregulatory mechanisms of metformin in type 2 diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2019, 15, 569-589.	4.3	391
14	Characterization of the Role of AMP-Activated Protein Kinase in the Regulation of Glucose-Activated Gene Expression Using Constitutively Active and Dominant Negative Forms of the Kinase. <i>Molecular and Cellular Biology</i> , 2000, 20, 6704-6711.	1.1	376
15	Mechanism of Action of A-769662, a Valuable Tool for Activation of AMP-activated Protein Kinase. <i>Journal of Biological Chemistry</i> , 2007, 282, 32549-32560.	1.6	376
16	AMPK β 1 Regulates Macrophage Skewing at the Time of Resolution of Inflammation during Skeletal Muscle Regeneration. <i>Cell Metabolism</i> , 2013, 18, 251-264.	7.2	375
17	Short-Term Overexpression of a Constitutively Active Form of AMP-Activated Protein Kinase in the Liver Leads to Mild Hypoglycemia and Fatty Liver. <i>Diabetes</i> , 2005, 54, 1331-1339.	0.3	346
18	AMPK inhibition in health and disease. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2010, 45, 276-295.	2.3	330

#	ARTICLE	IF	CITATIONS
19	AMPK in skeletal muscle function and metabolism. <i>FASEB Journal</i> , 2018, 32, 1741-1777.	0.2	289
20	Intestinal Gluconeogenesis Is a Key Factor for Early Metabolic Changes after Gastric Bypass but Not after Gastric Lap-Band in Mice. <i>Cell Metabolism</i> , 2008, 8, 201-211.	7.2	270
21	A role for AMP-activated protein kinase in diabetes-induced renal hypertrophy. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F617-F627.	1.3	253
22	AMPK: Lessons from transgenic and knockout animals. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 19.	3.0	248
23	Maintenance of Metabolic Homeostasis by Sestrin2 and Sestrin3. <i>Cell Metabolism</i> , 2012, 16, 311-321.	7.2	242
24	Insulin effects on sterol regulatory-element-binding protein-1c (SREBP-1c) transcriptional activity in rat hepatocytes. <i>Biochemical Journal</i> , 2000, 350, 389-393.	1.7	236
25	Targeting the AMPK pathway for the treatment of Type 2 diabetes. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 3380.	3.0	227
26	Metformin activates AMP-activated protein kinase in primary human hepatocytes by decreasing cellular energy status. <i>Diabetologia</i> , 2011, 54, 3101-3110.	2.9	226
27	AMP-activated Protein Kinase Inhibits the Glucose-activated Expression of Fatty Acid Synthase Gene in Rat Hepatocytes. <i>Journal of Biological Chemistry</i> , 1998, 273, 14767-14771.	1.6	217
28	Liver Adenosine Monophosphate-Activated Kinase- α 2 Catalytic Subunit Is a Key Target for the Control of Hepatic Glucose Production by Adiponectin and Leptin But Not Insulin. <i>Endocrinology</i> , 2006, 147, 2432-2441.	1.4	216
29	Activation of 5'-AMP-activated Kinase with Diabetes Drug Metformin Induces Casein Kinase I ϵ (CKI ϵ)-dependent Degradation of Clock Protein mPer2. <i>Journal of Biological Chemistry</i> , 2007, 282, 20794-20798.	1.6	212
30	Activation of Skeletal Muscle AMPK Promotes Glucose Disposal and Glucose Lowering in Non-human Primates and Mice. <i>Cell Metabolism</i> , 2017, 25, 1147-1159.e10.	7.2	205
31	Regulation of glucagon secretion by glucose transporter type 2 (glut2) and astrocyte-dependent glucose sensors. <i>Journal of Clinical Investigation</i> , 2005, 115, 3545-3553.	3.9	203
32	AMPK α 1: A glucose sensor that controls CD α 8 T cell memory. <i>European Journal of Immunology</i> , 2013, 43, 889-896.	1.6	201
33	AMPK α -Ketoglutarate Axis Dynamically Mediates DNA Demethylation in the Prdm16 Promoter and Brown Adipogenesis. <i>Cell Metabolism</i> , 2016, 24, 542-554.	7.2	195
34	AMPK controls exercise endurance, mitochondrial oxidative capacity, and skeletal muscle integrity. <i>FASEB Journal</i> , 2014, 28, 3211-3224.	0.2	182
35	The LKB1/AMPK signaling pathway has tumor suppressor activity in acute myeloid leukemia through the repression of mTOR-dependent oncogenic mRNA translation. <i>Blood</i> , 2010, 116, 4262-4273.	0.6	173
36	5-Aminoimidazole-4-Carboxamide-1- β -D-Ribofuranoside and Metformin Inhibit Hepatic Glucose Phosphorylation by an AMP-Activated Protein Kinase-Independent Effect on Glucokinase Translocation. <i>Diabetes</i> , 2006, 55, 865-874.	0.3	171

#	ARTICLE	IF	CITATIONS
37	S6 Kinase Deletion Suppresses Muscle Growth Adaptations to Nutrient Availability by Activating AMP Kinase. <i>Cell Metabolism</i> , 2007, 5, 476-487.	7.2	163
38	Targeting AMP-activated protein kinase as a novel therapeutic approach for the treatment of metabolic disorders. <i>Diabetes and Metabolism</i> , 2007, 33, 395-402.	1.4	156
39	Adiponectin suppresses gluconeogenic gene expression in mouse hepatocytes independent of LKB1-AMPK signaling. <i>Journal of Clinical Investigation</i> , 2011, 121, 2518-2528.	3.9	147
40	Activation of AMPK in adipocytes is essential for nicotine-induced insulin resistance in vivo. <i>Nature Medicine</i> , 2015, 21, 373-382.	15.2	143
41	Motif affinity and mass spectrometry proteomic approach for the discovery of cellular AMPK targets: Identification of mitochondrial fission factor as a new AMPK substrate. <i>Cellular Signalling</i> , 2015, 27, 978-988.	1.7	143
42	Enhanced Muscle Insulin Sensitivity After Contraction/Exercise Is Mediated by AMPK. <i>Diabetes</i> , 2017, 66, 598-612.	0.3	137
43	AMPK Re-Activation Suppresses Hepatic Steatosis but its Downregulation Does Not Promote Fatty Liver Development. <i>EBioMedicine</i> , 2018, 28, 194-209.	2.7	136
44	The LKB1-salt-inducible kinase pathway functions as a key gluconeogenic suppressor in the liver. <i>Nature Communications</i> , 2014, 5, 4535.	5.8	131
45	PPAR β contributes to PKM2 and HK2 expression in fatty liver. <i>Nature Communications</i> , 2012, 3, 672.	5.8	127
46	Obesity Impairs Skeletal Muscle Regeneration Through Inhibition of AMPK. <i>Diabetes</i> , 2016, 65, 188-200.	0.3	127
47	SIKs control osteocyte responses to parathyroid hormone. <i>Nature Communications</i> , 2016, 7, 13176.	5.8	124
48	Hepatic glucose sensing is required to preserve β cell glucose competence. <i>Journal of Clinical Investigation</i> , 2013, 123, 1662-1676.	3.9	118
49	Evidence From Glut2-Null Mice That Glucose Is a Critical Physiological Regulator of Feeding. <i>Diabetes</i> , 2006, 55, 988-995.	0.3	117
50	AMPK antagonizes hepatic glucagon-stimulated cyclic AMP signalling via phosphorylation-induced activation of cyclic nucleotide phosphodiesterase 4B. <i>Nature Communications</i> , 2016, 7, 10856.	5.8	117
51	AMP-activated Protein Kinase Inhibits Transforming Growth Factor- β -induced Smad3-dependent Transcription and Myofibroblast Transdifferentiation. <i>Journal of Biological Chemistry</i> , 2008, 283, 10461-10469.	1.6	115
52	AMPK Regulates Circadian Rhythms in a Tissue- and Isoform-Specific Manner. <i>PLoS ONE</i> , 2011, 6, e18450.	1.1	113
53	AMPK Activation by Oncogenesis Is Required to Maintain Cancer Cell Proliferation in Astrocytic Tumors. <i>Cancer Research</i> , 2013, 73, 2628-2638.	0.4	112
54	Expanding roles for AMPK in skeletal muscle plasticity. <i>Trends in Endocrinology and Metabolism</i> , 2015, 26, 275-286.	3.1	111

#	ARTICLE	IF	CITATIONS
55	Important role for AMPK \pm 1 in limiting skeletal muscle cell hypertrophy. <i>FASEB Journal</i> , 2009, 23, 2264-2273.	0.2	106
56	LKB1 and AMPK regulate synaptic remodeling in old age. <i>Nature Neuroscience</i> , 2014, 17, 1190-1197.	7.1	106
57	Mechanism of Action of Compound-13: An \pm 1-Selective Small Molecule Activator of AMPK. <i>Chemistry and Biology</i> , 2014, 21, 866-879.	6.2	103
58	AMP-activated protein kinase-independent inhibition of hepatic mitochondrial oxidative phosphorylation by AICA riboside. <i>Biochemical Journal</i> , 2007, 404, 499-507.	1.7	100
59	TIM-4 Glycoprotein-Mediated Degradation of Dying Tumor Cells by Autophagy Leads to Reduced Antigen Presentation and Increased Immune Tolerance. <i>Immunity</i> , 2013, 39, 1070-1081.	6.6	100
60	Metabolic and Innate Immune Cues Merge into a Specific Inflammatory Response via the UPR. <i>Cell</i> , 2019, 177, 1201-1216.e19.	13.5	100
61	AMP-activated protein kinase phosphorylates and inactivates liver glycogen synthase. <i>Biochemical Journal</i> , 2012, 443, 193-203.	1.7	98
62	AMPK Activation Reduces Hepatic Lipid Content by Increasing Fat Oxidation In Vivo. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2826.	1.8	98
63	<i>Leishmania infantum</i> Modulates Host Macrophage Mitochondrial Metabolism by Hijacking the SIRT1-AMPK Axis. <i>PLoS Pathogens</i> , 2015, 11, e1004684.	2.1	96
64	<scp>AMPK</scp> \pm 1 \hat{c} <scp>LDH</scp> pathway regulates muscle stem cell self \hat{c} renewal by controlling metabolic homeostasis. <i>EMBO Journal</i> , 2017, 36, 1946-1962.	3.5	95
65	Co-activation of AMPK and mTORC1 Induces Cytotoxicity in Acute Myeloid Leukemia. <i>Cell Reports</i> , 2015, 11, 1446-1457.	2.9	93
66	Salt-Inducible Kinases: Physiology, Regulation by cAMP, and Therapeutic Potential. <i>Trends in Endocrinology and Metabolism</i> , 2018, 29, 723-735.	3.1	92
67	Intramyocellular lipid accumulation is associated with permanent relocation ex vivo and in vitro of fatty acid translocase (FAT)/CD36 in obese patients. <i>Diabetologia</i> , 2010, 53, 1151-1163.	2.9	90
68	Regulation of hepatic metabolism by AMPK. <i>Journal of Hepatology</i> , 2011, 54, 827-829.	1.8	90
69	Coordinated maintenance of muscle cell size control by AMP \hat{c} activated protein kinase. <i>FASEB Journal</i> , 2010, 24, 3555-3561.	0.2	88
70	The PRKAA1/AMPK \pm 1 pathway triggers autophagy during CSF1-induced human monocyte differentiation and is a potential target in CMML. <i>Autophagy</i> , 2015, 11, 1114-1129.	4.3	86
71	Sterol Regulatory Element-binding Protein-1c Mimics the Negative Effect of Insulin on Phosphoenolpyruvate Carboxykinase (GTP) Gene Transcription. <i>Journal of Biological Chemistry</i> , 2001, 276, 34816-34823.	1.6	85
72	Stimulation of AMP-Activated Protein Kinase Is Essential for the Induction of Drug Metabolizing Enzymes by Phenobarbital in Human and Mouse Liver. <i>Molecular Pharmacology</i> , 2006, 70, 1925-1934.	1.0	84

#	ARTICLE	IF	CITATIONS
73	Induction of fatty acid synthase and S14 gene expression by glucose, xylitol and dihydroxyacetone in cultured rat hepatocytes is closely correlated with glucose 6-phosphate concentrations. <i>Biochemical Journal</i> , 1997, 326, 345-349.	1.7	80
74	Inactivation of AMPK α 1 Induces Asthenozoospermia and Alters Spermatozoa Morphology. <i>Endocrinology</i> , 2012, 153, 3468-3481.	1.4	78
75	Antagonistic control of muscle cell size by AMPK and mTORC1. <i>Cell Cycle</i> , 2011, 10, 2640-2646.	1.3	75
76	Peroxisome Proliferator-Activated Receptor- α -Null Mice Have Increased White Adipose Tissue Glucose Utilization, GLUT4, and Fat Mass: Role in Liver and Brain. <i>Endocrinology</i> , 2006, 147, 4067-4078.	1.4	73
77	Salt-inducible kinase 2 regulates CRTCs, HDAC4 and glucose uptake in adipocytes. <i>Journal of Cell Science</i> , 2015, 128, 472-86.	1.2	71
78	A small-molecule benzimidazole derivative that potently activates AMPK to increase glucose transport in skeletal muscle: comparison with effects of contraction and other AMPK activators. <i>Biochemical Journal</i> , 2014, 460, 363-375.	1.7	71
79	Glut2-dependent glucose sensing controls thermoregulation by enhancing the leptin sensitivity of NPY and POMC neurons. <i>FASEB Journal</i> , 2010, 24, 1747-1758.	0.2	69
80	Insulin effects on sterol regulatory-element-binding protein-1c (SREBP-1c) transcriptional activity in rat hepatocytes. <i>Biochemical Journal</i> , 2000, 350, 389.	1.7	67
81	AMPK and TBC1D1 Regulate Muscle Glucose Uptake After, but Not During, Exercise and Contraction. <i>Diabetes</i> , 2019, 68, 1427-1440.	0.3	67
82	α 1AMP-Activated Protein Kinase Preserves Endothelial Function During Chronic Angiotensin II Treatment by Limiting Nox2 Upregulation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 560-566.	1.1	65
83	Promise and challenges for direct small molecule AMPK activators. <i>Biochemical Pharmacology</i> , 2018, 153, 147-158.	2.0	63
84	Nervous glucose sensing regulates postnatal β 2 cell proliferation and glucose homeostasis. <i>Journal of Clinical Investigation</i> , 2014, 124, 413-424.	3.9	62
85	5-Aminoimidazole-4-carboxamide-1- β -D-ribofuranoside (AICAR) Effect on Glucose Production, but Not Energy Metabolism, Is Independent of Hepatic AMPK in Vivo. <i>Journal of Biological Chemistry</i> , 2014, 289, 5950-5959.	1.6	60
86	Exercise-induced molecular mechanisms promoting glycogen supercompensation in human skeletal muscle. <i>Molecular Metabolism</i> , 2018, 16, 24-34.	3.0	58
87	Revisiting the mechanisms of metformin action in the liver. <i>Annales D'Endocrinologie</i> , 2013, 74, 123-129.	0.6	57
88	AMP-Activated Protein Kinase α 1 but Not α 2 Catalytic Subunit Potentiates Myogenin Expression and Myogenesis. <i>Molecular and Cellular Biology</i> , 2013, 33, 4517-4525.	1.1	57
89	AMPK promotes induction of the tumor suppressor FLCN through activation of TFEB independently of mTOR. <i>FASEB Journal</i> , 2019, 33, 12374-12391.	0.2	57
90	Phenformin, But Not Metformin, Delays Development of T Cell Acute Lymphoblastic Leukemia/Lymphoma via Cell-Autonomous AMPK Activation. <i>Cell Reports</i> , 2019, 27, 690-698.e4.	2.9	54

#	ARTICLE	IF	CITATIONS
91	AMP-activated Protein Kinase Phosphorylates R5/PTG, the Glycogen Targeting Subunit of the R5/PTG-Protein Phosphatase 1 Holoenzyme, and Accelerates Its Down-regulation by the Laforin-Malin Complex. <i>Journal of Biological Chemistry</i> , 2009, 284, 8247-8255.	1.6	53
92	Benzimidazole derivative small-molecule 991 enhances AMPK activity and glucose uptake induced by AICAR or contraction in skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016, 311, E706-E719.	1.8	53
93	AMP-activated Protein Kinase Suppresses Matrix Metalloproteinase-9 Expression in Mouse Embryonic Fibroblasts. <i>Journal of Biological Chemistry</i> , 2011, 286, 16030-16038.	1.6	50
94	Phosphatidylinositol 3-phosphate 5-kinase (PIKfyve) is an AMPK target participating in contraction-stimulated glucose uptake in skeletal muscle. <i>Biochemical Journal</i> , 2013, 455, 195-206.	1.7	50
95	Connection Between Cardiac Vascular Permeability, Myocardial Edema, and Inflammation During Sepsis. <i>Critical Care Medicine</i> , 2013, 41, e411-e422.	0.4	48
96	AMPK Activation through Mitochondrial Regulation Results in Increased Substrate Oxidation and Improved Metabolic Parameters in Models of Diabetes. <i>PLoS ONE</i> , 2013, 8, e81870.	1.1	48
97	Loss of hepatic AMP-activated protein kinase impedes the rate of glycogenolysis but not gluconeogenic fluxes in exercising mice. <i>Journal of Biological Chemistry</i> , 2017, 292, 20125-20140.	1.6	46
98	Impaired Glucose Homeostasis in Mice Lacking the β 1b-Adrenergic Receptor Subtype. <i>Journal of Biological Chemistry</i> , 2004, 279, 1108-1115.	1.6	43
99	AMP-activated Protein Kinase Deficiency Blocks the Hypoxic Ventilatory Response and Thus Precipitates Hypoventilation and Apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 193, 1032-1043.	2.5	41
100	AMP-Activated Protein Kinase β 1 Protects Against Diet-Induced Insulin Resistance and Obesity. <i>Diabetes</i> , 2012, 61, 3114-3125.	0.3	39
101	AMPK β 1 controls hepatocyte proliferation independently of energy balance by regulating Cyclin A2 expression. <i>Journal of Hepatology</i> , 2014, 60, 152-159.	1.8	38
102	AMPK Activation Promotes Tight Junction Assembly in Intestinal Epithelial Caco-2 Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5171.	1.8	38
103	AMP-activated protein kinase mediates myogenin expression and myogenesis via histone deacetylase 5. <i>American Journal of Physiology - Cell Physiology</i> , 2013, 305, C887-C895.	2.1	37
104	Direct AMPK Activation Corrects NASH in Rodents Through Metabolic Effects and Direct Action on Inflammation and Fibrogenesis. <i>Hepatology Communications</i> , 2022, 6, 101-119.	2.0	35
105	Increased FAT/CD36 Cycling and Lipid Accumulation in Myotubes Derived from Obese Type 2 Diabetic Patients. <i>PLoS ONE</i> , 2011, 6, e28981.	1.1	34
106	Specific deletion of AMP-activated protein kinase (β 1AMPK) in mouse Sertoli cells modifies germ cell quality. <i>Molecular and Cellular Endocrinology</i> , 2016, 423, 96-112.	1.6	34
107	The AMPK γ subunit plays an essential role in erythrocyte membrane elasticity, and its genetic inactivation induces splenomegaly and anemia. <i>FASEB Journal</i> , 2011, 25, 337-347.	0.2	33
108	The AMPK-SIRT signaling network regulates glucose tolerance under calorie restriction conditions. <i>Life Sciences</i> , 2014, 100, 55-60.	2.0	33

#	ARTICLE	IF	CITATIONS
109	Polyunsaturated fatty acids inhibit fatty acid synthase and spot-14-protein gene expression in cultured rat hepatocytes by a peroxidative mechanism. <i>Biochemical Journal</i> , 1999, 341, 371-376.	1.7	32
110	Endothelial $\hat{1}\pm$ AMPK modulates angiotensin II-mediated vascular inflammation and dysfunction. <i>Basic Research in Cardiology</i> , 2019, 114, 8.	2.5	32
111	Inducible deletion of skeletal muscle AMPK $\hat{1}\pm$ reveals that AMPK is required for nucleotide balance but dispensable for muscle glucose uptake and fat oxidation during exercise. <i>Molecular Metabolism</i> , 2020, 40, 101028.	3.0	32
112	The inhibitory effect of glucose on phosphoenolpyruvate carboxykinase gene expression in cultured hepatocytes is transcriptional and requires glucose metabolism. <i>FEBS Letters</i> , 1999, 460, 527-532.	1.3	31
113	Adenosine-Mono-Phosphate-Activated Protein Kinase-Independent Effects of Metformin in T Cells. <i>PLoS ONE</i> , 2014, 9, e106710.	1.1	31
114	PRKAA1/AMPK $\hat{1}\pm$ 1 is required for autophagy-dependent mitochondrial clearance during erythrocyte maturation. <i>Autophagy</i> , 2014, 10, 1522-1534.	4.3	31
115	Lipoprotein internalisation induced by oncogenic AMPK activation is essential to maintain glioblastoma cell growth. <i>European Journal of Cancer</i> , 2014, 50, 3187-3197.	1.3	28
116	Specific Deletion of AMP-Activated Protein Kinase ($\hat{1}\pm$ AMPK) in Murine Oocytes Alters Junctional Protein Expression and Mitochondrial Physiology. <i>PLoS ONE</i> , 2015, 10, e0119680.	1.1	28
117	AMPK $\hat{1}\pm$ is essential for acute exercise-induced gene responses but not for exercise training-induced adaptations in mouse skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 309, E900-E914.	1.8	28
118	Salt-inducible kinases dictate parathyroid hormone 1 receptor action in bone development and remodeling. <i>Journal of Clinical Investigation</i> , 2019, 129, 5187-5203.	3.9	28
119	AMP-activated Protein Kinase As a Target For Pathogens: Friends Or Foes?. <i>Current Drug Targets</i> , 2016, 17, 942-953.	1.0	28
120	The stress polarity signaling (SPS) pathway serves as a marker and a target in the leaky gut barrier: implications in aging and cancer. <i>Life Science Alliance</i> , 2020, 3, e201900481.	1.3	28
121	Sterol-regulatory-element-binding protein 1c mediates insulin action on hepatic gene expression. <i>Biochemical Society Transactions</i> , 2001, 29, 547-552.	1.6	27
122	Modifying the Dietary Carbohydrate-to-Protein Ratio Alters the Postprandial Macronutrient Oxidation Pattern in Liver of AMPK-Deficient Mice. <i>Journal of Nutrition</i> , 2017, 147, 1669-1676.	1.3	27
123	The LKB1 $\hat{1}\pm$ AMPK $\hat{1}\pm$ 1 signaling pathway triggers hypoxic pulmonary vasoconstriction downstream of mitochondria. <i>Science Signaling</i> , 2018, 11, .	1.6	27
124	Abnormal metabolism flexibility in response to high palmitate concentrations in myotubes derived from obese type 2 diabetic patients. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 423-430.	1.8	25
125	Maintenance of red blood cell integrity by AMP $\hat{1}\pm$ activated protein kinase $\hat{1}\pm$ 1 catalytic subunit. <i>FEBS Letters</i> , 2010, 584, 3667-3671.	1.3	24
126	LKB1 and AMPK $\hat{1}\pm$ 1 are required in pancreatic alpha cells for the normal regulation of glucagon secretion and responses to hypoglycemia. <i>Molecular Metabolism</i> , 2015, 4, 277-286.	3.0	23

#	ARTICLE	IF	CITATIONS
127	Myeloid-Restricted AMPK $\hat{1}$ Promotes Host Immunity and Protects against IL-12/23p40 $\hat{1}$ -Dependent Lung Injury during Hookworm Infection. <i>Journal of Immunology</i> , 2016, 196, 4632-4640.	0.4	23
128	LKB1 as a Gatekeeper of Hepatocyte Proliferation and Genomic Integrity during Liver Regeneration. <i>Cell Reports</i> , 2018, 22, 1994-2005.	2.9	23
129	$\hat{1}$ AMPK deletion in myelomonocytic cells induces a pro-inflammatory phenotype and enhances angiotensin II-induced vascular dysfunction. <i>Cardiovascular Research</i> , 2018, 114, 1883-1893.	1.8	22
130	Metformin lowers glucose 6-phosphate in hepatocytes by activation of glycolysis downstream of glucose phosphorylation. <i>Journal of Biological Chemistry</i> , 2020, 295, 3330-3346.	1.6	22
131	Lkb1 suppresses amino acid-driven gluconeogenesis in the liver. <i>Nature Communications</i> , 2020, 11, 6127.	5.8	21
132	Transcriptional block of AMPK-induced autophagy promotes glutamate excitotoxicity in nutrient-deprived SH-SY5Y neuroblastoma cells. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 3383-3399.	2.4	20
133	Liver AMP-Activated Protein Kinase Is Unnecessary for Gluconeogenesis but Protects Energy State during Nutrient Deprivation. <i>PLoS ONE</i> , 2017, 12, e0170382.	1.1	20
134	Hypoglycemia-Sensing Neurons of the Ventromedial Hypothalamus Require AMPK-Induced Txn2 Expression but Are Dispensable for Physiological Counterregulation. <i>Diabetes</i> , 2020, 69, 2253-2266.	0.3	19
135	Chemical genetic screen identifies Gapex-5/GAPVD1 and STBD1 as novel AMPK substrates. <i>Cellular Signalling</i> , 2019, 57, 45-57.	1.7	18
136	Deletion of intestinal epithelial AMP-activated protein kinase alters distal colon permeability but not glucose homeostasis. <i>Molecular Metabolism</i> , 2021, 47, 101183.	3.0	17
137	Polyunsaturated fatty acids inhibit fatty acid synthase and spot-14-protein gene expression in cultured rat hepatocytes by a peroxidative mechanism. <i>Biochemical Journal</i> , 1999, 341, 371.	1.7	16
138	Inhibition of mitochondrial complex 1 by the S6K1 inhibitor PF-4708671 partly contributes to its glucose metabolic effects in muscle and liver cells. <i>Journal of Biological Chemistry</i> , 2019, 294, 12250-12260.	1.6	16
139	Metformin reduces macrophage HIF1 $\hat{1}$ -dependent proinflammatory signaling to restore brown adipocyte function in vitro. <i>Redox Biology</i> , 2021, 48, 102171.	3.9	15
140	Overexpression of AMP-activated protein kinase or protein kinase D prevents lipid-induced insulin resistance in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 55, 165-173.	0.9	14
141	Metformin takes a new route to clinical efficacy. <i>Nature Reviews Endocrinology</i> , 2015, 11, 390-392.	4.3	14
142	Haptoglobin is degraded by iron in C57BL/6 mice: A possible link with endoplasmic reticulum stress. <i>Blood Cells, Molecules, and Diseases</i> , 2007, 39, 229-237.	0.6	13
143	Proglucagon Promoter Cre-Mediated AMPK Deletion in Mice Increases Circulating GLP-1 Levels and Oral Glucose Tolerance. <i>PLoS ONE</i> , 2016, 11, e0149549.	1.1	13
144	A functional role for AMPK in female fertility and endometrial regeneration. <i>Reproduction</i> , 2018, 156, 501-513.	1.1	13

#	ARTICLE	IF	CITATIONS
145	Intestinal Epithelial AMPK Deficiency Causes Delayed Colonic Epithelial Repair in DSS-Induced Colitis. <i>Cells</i> , 2022, 11, 590.	1.8	13
146	At the crossroads of fertility and metabolism: the importance of AMPK-dependent signaling in female infertility associated with hyperandrogenism. <i>Human Reproduction</i> , 2022, 37, 1207-1228.	0.4	13
147	Understanding the Molecular Basis of the Interaction between NDPK-A and AMPK $\hat{\pm}$ 1. <i>Molecular and Cellular Biology</i> , 2006, 26, 5921-5931.	1.1	12
148	Bypassing AMPK Phosphorylation. <i>Chemistry and Biology</i> , 2014, 21, 567-569.	6.2	12
149	AMPK is not required for the effect of metformin on the inhibition of BMP6-induced hepcidin gene expression in hepatocytes. <i>Scientific Reports</i> , 2017, 7, 12679.	1.6	12
150	Transgenic Mice Expressing Human Proteinase 3 Exhibit Sustained Neutrophil-Associated Peritonitis. <i>Journal of Immunology</i> , 2017, 199, 3914-3924.	0.4	12
151	Dual targeting of salt inducible kinases and CSF1R uncouples bone formation and bone resorption. <i>ELife</i> , 2021, 10, .	2.8	12
152	Endospanin1 affects oppositely body weight regulation and glucose homeostasis by differentially regulating central leptin signaling. <i>Molecular Metabolism</i> , 2017, 6, 159-172.	3.0	11
153	Reciprocity Between Skeletal Muscle AMPK Deletion and Insulin Action in Diet-Induced Obese Mice. <i>Diabetes</i> , 2020, 69, 1636-1649.	0.3	11
154	Glucose availability but not changes in pancreatic hormones sensitizes hepatic AMPK activity during nutritional transition in rodents. <i>Journal of Biological Chemistry</i> , 2020, 295, 5836-5849.	1.6	11
155	AMPK Signaling Involvement for the Repression of the IL-1 $\hat{\beta}$ -Induced Group IIA Secretory Phospholipase A2 Expression in VSMCs. <i>PLoS ONE</i> , 2015, 10, e0132498.	1.1	11
156	Inactivation of AMPK Leads to Attenuation of Antigen Presentation and Immune Evasion in Lung Adenocarcinoma. <i>Clinical Cancer Research</i> , 2022, 28, 227-237.	3.2	11
157	Expression of Uncoupling Protein 3 and GLUT4 Gene in Skeletal Muscle of Preterm Newborns: Possible Control by AMP-Activated Protein Kinase. <i>Pediatric Research</i> , 2006, 60, 569-575.	1.1	10
158	Gain-of-function Prolactin Receptor Variants Are Not Associated With Breast Cancer and Multiple Fibroadenoma Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4449-4460.	1.8	10
159	Investigation of salicylate hepatic responses in comparison with chemical analogues of the drug. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 1412-1422.	1.8	8
160	Finely-tuned regulation of AMP-activated protein kinase is crucial for human adult erythropoiesis. <i>Haematologica</i> , 2019, 104, 907-918.	1.7	8
161	Role of Cardiac AMP-Activated Protein Kinase in a Non-pathological Setting: Evidence From Cardiomyocyte-Specific, Inducible AMP-Activated Protein Kinase $\hat{\pm}$ 1 $\hat{\pm}$ 2-Knockout Mice. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 731015.	1.8	7
162	Myeloid deletion and therapeutic activation of AMPK do not alter atherosclerosis in male or female mice. <i>Journal of Lipid Research</i> , 2020, 61, 1697-1706.	2.0	6

#	ARTICLE	IF	CITATIONS
163	Activation of Adenosine Monophosphate-Activated Protein Kinase Reduces the Onset of Diet-Induced Hepatocellular Carcinoma in Mice. <i>Hepatology Communications</i> , 2020, 4, 1056-1072.	2.0	6
164	Atrial AMP-activated protein kinase is critical for prevention of dysregulation of electrical excitability and atrial fibrillation. <i>JCI Insight</i> , 2022, 7, .	2.3	6
165	Animal Models to Study AMPK. <i>Exs</i> , 2016, 107, 441-469.	1.4	5
166	Activation of AMPK for a Break in Hepatic Lipid Accumulation and Circulating Cholesterol. <i>EBioMedicine</i> , 2018, 31, 15-16.	2.7	5
167	The facilitative glucose transporter 2: pathophysiological role in mouse and human. , 2003, , 175-190.		4
168	Lack of Endothelial β 1AMPK Reverses the Vascular Protective Effects of Exercise by Causing eNOS Uncoupling. <i>Antioxidants</i> , 2021, 10, 1974.	2.2	4
169	Acetyl-CoA Carboxylase Inhibitor CP640.186 Increases Tubulin Acetylation and Impairs Thrombin-Induced Platelet Aggregation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13129.	1.8	4
170	Measurement of AMPK-Induced Inhibition of Lipid Synthesis Flux in Cultured Cells. <i>Methods in Molecular Biology</i> , 2018, 1732, 363-371.	0.4	3
171	Hepatic Peroxisome Proliferator-Activated Receptor β 3 Coactivator 1 α and Hepcidin Are Coregulated in Fasted/Refed States in Mice. <i>Clinical Chemistry</i> , 2012, 58, 1487-1488.	1.5	2
172	Macrophage AMPK β 1 is necessary for the resolution of inflammation during skeletal muscle regeneration. <i>FASEB Journal</i> , 2012, 26, 1078.5.	0.2	0
173	Co-Activation of AMPK and mTORC1 Is Synthetically Lethal in Acute Myeloid Leukemia. <i>Blood</i> , 2014, 124, 616-616.	0.6	0