Mike Slade

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/966773/publications.pdf

Version: 2024-02-01

262 papers 17,235 citations

65 h-index 19749 117 g-index

301 all docs

301 docs citations

301 times ranked

9406 citing authors

#	Article	IF	CITATIONS
1	Conceptual framework for personal recovery in mental health: systematic review and narrative synthesis. British Journal of Psychiatry, 2011, 199, 445-452.	2.8	1,900
2	The Camberwell Assessment of Need: The Validity and Reliability of an Instrument to Assess the Needs of People with Severe Mental Illness. British Journal of Psychiatry, 1995, 167, 589-595.	2.8	739
3	Uses and abuses of recovery: implementing recovery-oriented practices in mental health systems. World Psychiatry, 2014, 13, 12-20.	10.4	649
4	A selfâ€report Insight Scale for psychosis: reliability, validity and sensitivity to change. Acta Psychiatrica Scandinavica, 1994, 89, 62-67.	4.5	568
5	Mental illness and well-being: the central importance of positive psychology and recovery approaches. BMC Health Services Research, 2010, 10, 26.	2.2	419
6	Social Factors and Recovery from Mental Health Difficulties: A Review of the Evidence. British Journal of Social Work, 2012, 42, 443-460.	1.4	389
7	What Does Recovery Mean in Practice? A Qualitative Analysis of International Recovery-Oriented Practice Guidance. Psychiatric Services, 2011, 62, 1470-1476.	2.0	329
8	Experiences of mental illness stigma, prejudice and discrimination: a review of measures. BMC Health Services Research, 2010, 10, 80.	2.2	320
9	Recovery: an international perspective. Epidemiologia E Psichiatria Sociale, 2008, 17, 128-137.	0.9	302
10	Systematic review of beliefs, behaviours and influencing factors associated with disclosure of a mental health problem in the workplace. BMC Psychiatry, 2012, 12, 11.	2.6	274
11	The importance of relationships in mental health care: A qualitative study of service users' experiences of psychiatric hospital admission in the UK. BMC Health Services Research, 2008, 8, 92.	2.2	272
12	Implementing shared decision making in routine mental health care. World Psychiatry, 2017, 16, 146-153.	10.4	271
13	International differences in understanding recovery: systematic review. Epidemiology and Psychiatric Sciences, 2012, 21, 353-364.	3.9	258
14	The Camberwell Assessment of Need (CAN): comparison of assessments by staff and patients of the needs of the severely mentally ill. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 109-113.	3.1	187
15	Measures of Personal Recovery: A Systematic Review. Psychiatric Services, 2013, 64, 974-980.	2.0	179
16	Fit for purpose? Validation of a conceptual framework for personal recovery with current mental health consumers. Australian and New Zealand Journal of Psychiatry, 2014, 48, 644-653.	2.3	177
17	Help-seeking behaviour and adolescent self-harm: A systematic review. Australian and New Zealand Journal of Psychiatry, 2014, 48, 1083-1095.	2.3	169
18	A comparison of needs assessed by staff and by an epidemiologically representative sample of patients with psychosis. Psychological Medicine, 1998, 28, 543-550.	4.5	166

#	Article	IF	Citations
19	Patient-rated mental health needs and quality of life improvement. British Journal of Psychiatry, 2005, 187, 256-261.	2.8	164
20	Empirical evidence about recovery and mental health. BMC Psychiatry, 2015, 15, 285.	2.6	164
21	Hope in psychiatry: a review of the literature. Acta Psychiatrica Scandinavica, 2008, 118, 421-433.	4.5	159
22	The feasibility of routine outcome measures in mental health. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 243-249.	3.1	155
23	Mass media interventions for reducing mental health-related stigma. The Cochrane Library, 2013, 2013, CD009453.	2.8	148
24	Development and psychometric evaluation of the Discrimination and Stigma Scale (DISC). Psychiatry Research, 2013, 208, 33-40.	3.3	145
25	Determinants, self-management strategies and interventions for hope in people with mental disorders: Systematic search and narrative review. Social Science and Medicine, 2012, 74, 554-564.	3.8	135
26	Recovery in psychiatry. Psychiatric Bulletin, 2007, 31, 321-325.	0.3	130
27	Characteristics of mental health recovery narratives: Systematic review and narrative synthesis. PLoS ONE, 2019, 14, e0214678.	2.5	125
28	Uses of strength-based interventions for people with serious mental illness: A critical review. International Journal of Social Psychiatry, 2016, 62, 281-291.	3.1	124
29	Use of standardised outcome measures in adult mental health services. British Journal of Psychiatry, 2006, 189, 330-336.	2.8	121
30	Does Meeting Needs Improve Quality of Life?. Psychotherapy and Psychosomatics, 2004, 73, 183-189.	8.8	120
31	Who decides what evidence is? Developing a multiple perspectives paradigm in mental health. Acta Psychiatrica Scandinavica, 2006, 113, 109-114.	4.5	119
32	A systematic review of influences on implementation of peer support work for adults with mental health problems. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 285-293.	3.1	116
33	Recovery: Past progress and future challenges. International Review of Psychiatry, 2012, 24, 1-4.	2.8	112
34	Measures of the recovery orientation of mental health services: systematic review. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1827-1835.	3.1	107
35	Routine outcome assessment in mental health services. Psychological Medicine, 2002, 32, 1339-1343.	4.5	106
36	Best practice framework for Patient and Public Involvement (PPI) in collaborative data analysis of qualitative mental health research: methodology development and refinement. BMC Psychiatry, 2018, 18, 213.	2.6	106

#	Article	IF	Citations
37	User perspective on needs and satisfaction with mental health services. British Journal of Psychiatry, 1998, 173, 409-415.	2.8	105
38	Routine clinical outcome measures for patients with severe mental illness: CANSAS and HoNOS. British Journal of Psychiatry, 1999, 174, 404-408.	2.8	104
39	The association between needs and quality of life in an epidemiologically representative sample of people with psychosis. Acta Psychiatrica Scandinavica, 1999, 100, 149-157.	4.5	104
40	Evaluation of a positive psychotherapy group intervention for people with psychosis: pilot randomised controlled trial. Epidemiology and Psychiatric Sciences, 2016, 25, 235-246.	3.9	104
41	Evaluation of functional outcome measures for the hemiparetic upper limb: A systematic review. Journal of Rehabilitation Medicine, 2008, 40, 787-795.	1.1	103
42	Threshold Assessment Grid (TAG): the development of a valid and brief scale to assess the severity of mental illness. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 78-85.	3.1	101
43	Resource-oriented therapeutic models in psychiatry: conceptual review. British Journal of Psychiatry, 2014, 204, 256-261.	2.8	100
44	Supporting recovery in patients with psychosis through care by community-based adult mental health teams (REFOCUS): a multisite, cluster, randomised, controlled trial. Lancet Psychiatry,the, 2015, 2, 503-514.	7.4	99
45	Needs Assessment. British Journal of Psychiatry, 1994, 165, 293-296.	2.8	98
46	Are randomised controlled trials the only gold that glitters?. British Journal of Psychiatry, 2001, 179, 286-287.	2.8	97
47	Staff understanding of recovery-orientated mental health practice: a systematic review and narrative synthesis. Implementation Science, 2015, 10, 87.	6.9	94
48	Recovery grows up. Journal of Mental Health, 2012, 21, 99-103.	1.9	92
49	New trends in assessing the outcomes of mental health interventions. World Psychiatry, 2014, 13, 118-124.	10.4	92
50	Development and evaluation of the INSPIRE measure of staff support for personal recovery. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 777-786.	3.1	92
51	What Outcomes to Measure in Routine Mental Health Services, and How to Assess Them: A Systematic Review. Australian and New Zealand Journal of Psychiatry, 2002, 36, 743-753.	2.3	88
52	Factors influencing subjective quality of life in patients with schizophrenia and other mental disorders: A pooled analysis. Schizophrenia Research, 2010, 121, 251-258.	2.0	87
53	Routine use of mental health outcome assessments: choosing the measure. British Journal of Psychiatry, 2005, 186, 146-152.	2.8	84
54	Recovery in England: Transforming statutory services?. International Review of Psychiatry, 2012, 24, 29-39.	2.8	81

#	Article	IF	CITATIONS
55	Development of a framework for recovery in older people with mental disorder. International Journal of Geriatric Psychiatry, 2013, 28, 522-529.	2.7	80
56	Competing Priorities: Staff Perspectives on Supporting Recovery. Administration and Policy in Mental Health and Mental Health Services Research, 2015, 42, 429-438.	2.1	80
57	Recovery, psychosis and psychiatry: research is better than rhetoric. Acta Psychiatrica Scandinavica, 2007, 116, 81-83.	4.5	79
58	Promoting recovery-oriented practice in mental health services: a quasi-experimental mixed-methods study. BMC Psychiatry, 2013, 13, 167.	2.6	78
59	Reliability and validity of the CANDID – a needs assessment instrument for adults with learning disabilities and mental health problems. British Journal of Psychiatry, 2000, 176, 473-478.	2.8	77
60	The contribution of mental health services to recovery. Journal of Mental Health, 2009, 18, 367-371.	1.9	76
61	Staff and patient perspectives on unmet need and therapeutic alliance in community mental health services. British Journal of Psychiatry, 2007, 191, 543-547.	2.8	75
62	Development and Evaluation of a Patient-rated Version Of the Camberwell Assessment of Need Short Appraisal Schedule (CANSAS-P). Community Mental Health Journal, 2008, 44, 113-124.	2.0	73
63	Association between symptoms and quality of life in patients with schizophrenia: A pooled analysis of changes over time. Schizophrenia Research, 2011, 133, 17-21.	2.0	73
64	REFOCUS Trial: protocol for a cluster randomised controlled trial of a pro-recovery intervention within community based mental health teams. BMC Psychiatry, 2011, 11, 185.	2.6	70
65	The reliability and validity of the forensic Camberwell Assessment of Need (CANFOR): a needs assessment for forensic mental health service users. International Journal of Methods in Psychiatric Research, 2008, 17, 111-120.	2.1	69
66	Residential alternatives to acute psychiatric hospital admission: systematic review. British Journal of Psychiatry, 2009, 195, 109-117.	2.8	68
67	Decision aid on disclosure of mental health status to an employer: feasibility and outcomes of a randomised controlled trial. British Journal of Psychiatry, 2013, 203, 350-357.	2.8	66
68	The Relationship between Therapeutic Alliance and Service User Satisfaction in Mental Health Inpatient Wards and Crisis House Alternatives: A Cross-Sectional Study. PLoS ONE, 2014, 9, e100153.	2.5	66
69	The relationship between clinical and recovery dimensions of outcome in mental health. Schizophrenia Research, 2016, 175, 142-147.	2.0	66
70	The art of recovery: outcomes from participatory arts activities for people using mental health services. Journal of Mental Health, 2018, 27, 367-373.	1.9	64
71	In-patient and residential alternatives to standard acute psychiatric wards in England. British Journal of Psychiatry, 2009, 194, 456-463.	2.8	60
72	The Development and Psychometric Properties of the Humanitarian Emergency Settings Perceived Needs (HESPER) Scale. American Journal of Public Health, 2012, 102, e55-e63.	2.7	60

#	Article	IF	CITATIONS
73	Everyday Solutions for Everyday Problems: How Mental Health Systems Can Support Recovery. Psychiatric Services, 2012, 63, 702-704.	2.0	60
74	Conceptualising and measuring the well-being of people with psychosis: Systematic review and narrative synthesis. Social Science and Medicine, 2013, 92, 9-21.	3.8	59
75	An exploratory study of assertive community treatment for people with intellectual disability and psychiatric disorders: conceptual, clinical, and service issues. Journal of Intellectual Disability Research, 2005, 49, 516-524.	2.0	56
76	Joint crisis plans for people with borderline personality disorder: feasibility and outcomes in a randomised controlled trial. British Journal of Psychiatry, 2013, 202, 357-364.	2.8	55
77	Disclosure of a mental health problem in the employment context: qualitative study of beliefs and experiences. Epidemiology and Psychiatric Sciences, 2014, 23, 289-300.	3.9	55
78	Post-traumatic growth in mental health recovery: qualitative study of narratives. BMJ Open, 2019, 9, e029342.	1.9	55
79	Using Peer Support in Developing Empowering Mental Health Services (UPSIDES): Background, Rationale and Methodology. Annals of Global Health, 2019, 85, .	2.0	54
80	Assessing violence risk in general adult psychiatry. Psychiatric Bulletin, 2005, 29, 131-133.	0.3	53
81	Psychometric evaluation of the Questionnaire about the Process of Recovery (QPR). British Journal of Psychiatry, 2015, 207, 551-555.	2.8	53
82	Clinical decision making and outcome in the routine care of people with severe mental illness across Europe (CEDAR). Epidemiology and Psychiatric Sciences, 2016, 25, 69-79.	3.9	53
83	Conceptual framework for social connectedness in mental disorders: Systematic review and narrative synthesis. Journal of Affective Disorders, 2019, 245, 188-199.	4.1	53
84	Current approaches to identifying the severely mentally ill. Social Psychiatry and Psychiatric Epidemiology, 1997, 32, 177-184.	3.1	50
85	Evaluating the feasibility of complex interventions in mental health services: standardised measure and reporting guidelines. British Journal of Psychiatry, 2014, 204, 316-321.	2.8	50
86	Mental Health Recovery Narratives and Their Impact on Recipients: Systematic Review and Narrative Synthesis. Canadian Journal of Psychiatry, 2019, 64, 070674371984610.	1.9	50
87	Initial psychometric evaluation of the Arm Activity Measure (ArmA): a measure of activity in the hemiparetic arm. Clinical Rehabilitation, 2013, 27, 728-740.	2.2	47
88	Staff and patient assessments of need in an epidemiologically representative sample of patients with psychosis. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 662-667.	3.1	45
89	Demographic, clinical, social and service variables associated with higher needs for care in community psychiatric service patients. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 60-68.	3.1	45
90	Service users' experiences of residential alternatives to standard acute wards: qualitative study of similarities and differences. British Journal of Psychiatry, 2010, 197, s26-s31.	2.8	45

#	Article	IF	Citations
91	Best practice when service users do not consent to sharing information with carers. British Journal of Psychiatry, 2007, 190, 148-155.	2.8	44
92	The impact of mental health recovery narratives on recipients experiencing mental health problems: Qualitative analysis and change model. PLoS ONE, 2019, 14, e0226201.	2.5	44
93	REFOCUS-PULSAR recovery-oriented practice training in specialist mental health care: a stepped-wedge cluster randomised controlled trial. Lancet Psychiatry,the, 2019, 6, 103-114.	7.4	44
94	Recovery practice in community mental health teams: national survey. British Journal of Psychiatry, 2016, 209, 340-346.	2.8	43
95	Assessing the strengths of mental health consumers: A systematic review Psychological Assessment, 2012, 24, 1024-1033.	1.5	42
96	Mechanisms of Action and Outcomes for Students in Recovery Colleges. Psychiatric Services, 2018, 69, 1222-1229.	2.0	42
97	The experiences of spirituality among adults with mental health difficulties: a qualitative systematic review. Epidemiology and Psychiatric Sciences, 2020, 29, e34.	3.9	41
98	Personality Disorders and Unmet Needs Among Psychiatric Inpatients. Psychiatric Services, 2006, 57, 538-543.	2.0	40
99	Development of the REFOCUS intervention to increase mental health team support for personal recovery. British Journal of Psychiatry, 2015, 207, 544-550.	2.8	40
100	Recovery colleges as a mental health innovation. World Psychiatry, 2019, 18, 141-142.	10.4	40
101	Clinical Decision Making and Outcome in Routine Care for People with Severe Mental Illness (CEDAR): Study protocol. BMC Psychiatry, 2010, 10, 90.	2.6	38
102	A UK validation of the Stages of Recovery Instrument. International Journal of Social Psychiatry, 2011, 57, 446-454.	3.1	38
103	Conceptualisation and development of the arm activity measure (ArmA) for assessment of activity in the hemiparetic arm. Disability and Rehabilitation, 2013, 35, 1513-1518.	1.8	38
104	Personal Recovery in People With a Psychotic Disorder: A Systematic Review and Meta-Analysis of Associated Factors. Frontiers in Psychiatry, 2021, 12, 622628.	2.6	38
105	Residential alternatives to acute in-patient care in England: satisfaction, ward atmosphere and service user experiences. British Journal of Psychiatry, 2010, 197, s41-s45.	2.8	35
106	A conceptual framework for improving well-being in people with a diagnosis of psychosis. Epidemiology and Psychiatric Sciences, 2014, 23, 377-387.	3.9	35
107	Peer support for people with severe mental illness versus usual care in high-, middle- and low-income countries: study protocol for a pragmatic, multicentre, randomised controlled trial (UPSIDES-RCT). Trials, 2020, 21, 371.	1.6	34
108	How Should we Implement Psychiatric Advance Directives? Views of Consumers, Caregivers, Mental Health Providers and Researchers. Administration and Policy in Mental Health and Mental Health Services Research, 2010, 37, 447-458.	2.1	33

#	Article	IF	CITATIONS
109	Development and psychometric properties of a five-language multiperspective instrument to assess clinical decision making style in the treatment of people with severe mental illness (CDMS). BMC Psychiatry, 2013, 13, 48.	2.6	33
110	Reliability of the Camberwell assessment of need (Chinese version) for patients with schizophrenia at a daycare center of Taiwan. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 75-80.	3.1	32
111	Assessing the needs of pregnant women and mothers with severe mental illness: the psychometric properties of the Camberwell Assessment of Need $\hat{a} \in M$ Mothers (CAN $\hat{a} \in M$). International Journal of Methods in Psychiatric Research, 2007, 16, 177-185.	2.1	32
112	The contribution of advisory committees and public involvement to large studies: case study. BMC Health Services Research, 2010, 10, 323.	2.2	32
113	A qualitative study of referral to community mental health teams in the UK: exploring the rhetoric and the reality. BMC Health Services Research, 2007, 7, 117.	2.2	30
114	Outcome, Costs and Patient Engagement for Group and Individual CBT for Depression: A Naturalistic Clinical Study. Behavioural and Cognitive Psychotherapy, 2011, 39, 355-358.	1.2	30
115	Routine outcome monitoring: An international endeavour. International Review of Psychiatry, 2015, 27, 257-260.	2.8	30
116	Positive psychology: an approach to supporting recovery in mental illness. East Asian Archives of Psychiatry, 2014, 24, 95-103.	0.4	30
117	Alternatives to standard acute in-patient care in England: short-term clinical outcomes and cost-effectiveness. British Journal of Psychiatry, 2010, 197, s14-s19.	2.8	29
118	Personal growth in psychosis. World Psychiatry, 2019, 18, 29-30.	10.4	29
119	Development and Evaluation of a Recovery College Fidelity Measure. Canadian Journal of Psychiatry, 2019, 64, 405-414.	1.9	29
120	Impact of receiving recorded mental health recovery narratives on quality of life in people experiencing psychosis, people experiencing other mental health problems and for informal carers: Narrative Experiences Online (NEON) study protocol for three randomised controlled trials. Trials, 2020, 21, 661.	1.6	29
121	Recorded Mental Health Recovery Narratives as a Resource for People Affected by Mental Health Problems: Development of the Narrative Experiences Online (NEON) Intervention. JMIR Formative Research, 2021, 5, e24417.	1.4	29
122	Implementing a Complex Intervention to Support Personal Recovery: A Qualitative Study Nested within a Cluster Randomised Controlled Trial. PLoS ONE, 2014, 9, e97091.	2.5	29
123	Pre-morbid IQ and response to routine outcome assessment. Psychological Medicine, 2006, 36, 1183-1191.	4.5	28
124	Assessing the content of mental health services: a review of measures. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 673-682.	3.1	28
125	Empowerment and satisfaction in a multinational study of routine clinical practice. Acta Psychiatrica Scandinavica, 2015, 131, 369-378.	4.5	28
126	The utility of patientâ€reported outcome measures in mental health. World Psychiatry, 2022, 21, 56-57.	10.4	28

#	Article	IF	CITATIONS
127	Clinical Characteristics of Community Forensic Mental Health Services. Psychiatric Services, 2004, 55, 1294-1298.	2.0	27
128	Failure to improve appropriateness of referrals to adult community mental health services-lessons from a multi-site cluster randomized controlled trial. Family Practice, 2008, 25, 181-190.	1.9	27
129	An evidence-based approach to routine outcome assessment. Advances in Psychiatric Treatment, 2012, 18, 180-182.	0.5	27
130	WELLFOCUS PPT – modified positive psychotherapy to improve well-being in psychosis: study protocol for a pilot randomised controlled trial. Trials, 2014, 15, 203.	1.6	27
131	WELLFOCUS PPT: Modifying positive psychotherapy for psychosis Psychotherapy, 2016, 53, 68-77.	1.2	27
132	Development and preliminary evaluation of a decision aid for disclosure of mental illness to employers. Patient Education and Counseling, 2014, 94, 238-242.	2.2	26
133	The impact of Recovery Colleges on mental health staff, services and society. Epidemiology and Psychiatric Sciences, 2019, 28, 481-488.	3.9	26
134	The development and evaluation of a five-language multi-perspective standardised measure: clinical decision-making involvement and satisfaction (CDIS). BMC Health Services Research, 2014, 14, 323.	2.2	24
135	Participation in medical decision-making across Europe: An international longitudinal multicenter study. European Psychiatry, 2016, 35, 39-46.	0.2	24
136	The mechanisms and processes of connection: developing a causal chain model capturing impacts of receiving recorded mental health recovery narratives. BMC Psychiatry, 2019, 19, 413.	2.6	24
137	Loss of doctor-to-doctor communication: Lessons from the reconfiguration of mental health services in England. Journal of Health Services Research and Policy, 2008, 13, 6-12.	1.7	23
138	A National Survey of Psychiatric Mother and Baby Units in England. Psychiatric Services, 2009, 60, 629-633.	2.0	23
139	Alternatives to standard acute in-patient care in England: readmissions, service use and cost after discharge. British Journal of Psychiatry, 2010, 197, s20-s25.	2.8	23
140	From objectivity to subjectivity: conceptualization and measurement of well-being in mental health. Neuropsychiatry, 2013, 3, 525-534.	0.4	23
141	Need for information in a representative sample of outpatients with schizophrenia disorders. International Journal of Social Psychiatry, 2018, 64, 476-481.	3.1	23
142	Not the story you want? Assessing the fit of a conceptual framework characterising mental health recovery narratives. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 295-308.	3.1	23
143	Are routine outcome measures feasible in mental health?. Quality in Health Care: QHC, 2000, 9, 84-84.	1.2	22
144	From research to practice. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 276-281.	3.1	22

#	Article	IF	Citations
145	Alternatives to standard acute in-patient care in England: differences in content of care and staff–patient contact. British Journal of Psychiatry, 2010, 197, s46-s51.	2.8	22
146	Meaning in Life and Wellbeing., 0,, 75-85.		22
147	Physical health care for people with severe mental illness: The role of the general practitioner (GP). Journal of Mental Health, 2001, 10, 53-61.	1.9	22
148	The International Journal of Social Psychiatry. International Journal of Social Psychiatry, 1996, 42, 1-9.	3.1	21
149	Service user experiences of REFOCUS: a process evaluation of a pro-recovery complex intervention. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1275-1284.	3.1	21
150	Recovery and decision-making involvement in people with severe mental illness from six countries: a prospective observational study. BMC Psychiatry, 2017, 17, 38.	2.6	21
151	Institutional injustice: Implications for system transformation emerging from the mental health recovery narratives of people experiencing marginalisation. PLoS ONE, 2021, 16, e0250367.	2.5	21
152	Post-traumatic growth in psychosis: a systematic review and narrative synthesis. BMC Psychiatry, 2021, 21, 607.	2.6	21
153	A decision aid to assist decisions on disclosure of mental health status to an employer: protocol for the CORAL exploratory randomised controlled trial. BMC Psychiatry, 2012, 12, 133.	2.6	20
154	Mental Health Service User Experience of Positive Psychotherapy. Journal of Clinical Psychology, 2015, 71, 85-92.	1.9	20
155	Web-Based Decision Aid to Assist Help-Seeking Choices for Young People Who Self-Harm: Outcomes From a Randomized Controlled Feasibility Trial. JMIR Mental Health, 2018, 5, e10.	3.3	20
156	Comparing needs assessed by staff and by service users: paternalism or partnership in mental health?. Epidemiologia E Psichiatria Sociale, 2002, 11, 186-191.	0.9	19
157	Alternatives to standard acute in-patient care in England: roles and populations served. British Journal of Psychiatry, 2010, 197, s6-s13.	2.8	19
158	Rethinking the concept of insight. World Psychiatry, 2020, 19, 389-390.	10.4	19
159	Curation of Mental Health Recovery Narrative Collections: Systematic Review and Qualitative Synthesis. JMIR Mental Health, 2019, 6, e14233.	3.3	18
160	Threshold 3: the feasibility of the Threshold Assessment Grid (TAG) for routine assessment of the severity of mental health problems. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 516-521.	3.1	17
161	Clinical assessment of risk decision support (CARDS): The development and evaluation of a feasible violence risk assessment for routine psychiatric practice. Journal of Mental Health, 2004, 13, 569-581.	1.9	17
162	Desire for information of people with severe mental illness. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1883-1891.	3.1	17

#	Article	IF	Citations
163	Collaborative Recovery Model. , 0, , 99-110.		17
164	The effectiveness of joint crisis plans for people with borderline personality disorder: protocol for an exploratory randomised controlled trial. Trials, 2010, 11, 18.	1.6	16
165	Typology of modifications to peer support work for adults with mental health problems: systematic review. British Journal of Psychiatry, 2020, 216, 301-307.	2.8	16
166	Initial Training for Mental Health Peer Support Workers: Systematized Review and International Delphi Consultation. JMIR Mental Health, 2021, 8, e25528.	3.3	16
167	Uses and Misuses of Recorded Mental Health Lived Experience Narratives in Healthcare and Community Settings: Systematic Review. Schizophrenia Bulletin, 2022, 48, 134-144.	4.3	16
168	Personality Disorders and Unmet Needs Among Psychiatric Inpatients. Psychiatric Services, 2006, 57, 538-543.	2.0	16
169	Measuring recovery in mental health services. Israel Journal of Psychiatry, 2010, 47, 206-12.	0.2	16
170	Acute in-patient psychiatry: residential alternatives to hospital admission. Psychiatric Bulletin, 2007, 31, 262-264.	0.3	15
171	An Evaluation of New Services for Personality-Disordered Offenders: Staff and Service User Perspectives. International Journal of Social Psychiatry, 2010, 56, 186-195.	3.1	15
172	Arm Activity measure (ArmA) application for recording functional gain following focal spasticity treatment. International Journal of Therapy and Rehabilitation, 2014, 21, 10-17.	0.3	15
173	Conceptual framework for personal recovery in mental health among children and adolescents: a systematic review and narrative synthesis protocol. BMJ Open, 2019, 9, e029300.	1.9	15
174	Skills development and family interventions in an early psychosis service. Journal of Mental Health, 2003, 12, 405-415.	1.9	14
175	Recovery and Mental Health., 0,, 24-34.		14
176	Positive Psychotherapy for Psychosis., 0,,.		14
177	Evidence in Mental Health Care., 0, , .		13
178	Multidisciplinary Mental Health Teams. International Journal of Social Psychiatry, 1995, 41, 180-189.	3.1	12
179	Threshold 2: the reliability, validity and sensitivity to change of the Threshold Assessment Grid (TAG). Acta Psychiatrica Scandinavica, 2002, 106, 453-460.	4.5	12
180	Clinical and economic outcomes from the UK pilot psychiatric services for personality-disordered offenders. International Review of Psychiatry, 2011, 23, 61-69.	2.8	12

#	Article	IF	Citations
181	Effects of Clinical Decision Topic on Patients' Involvement in and Satisfaction With Decisions and Their Subsequent Implementation. Psychiatric Services, 2016, 67, 658-663.	2.0	12
182	Opportunities, Enablers, and Barriers to the Use of Recorded Recovery Narratives in Clinical Settings. Frontiers in Psychiatry, 2020, 11, 589731.	2.6	12
183	Factors Associated with Changing Patient Needs in an Assertive Outreach Team. International Journal of Social Psychiatry, 2007, 53, 389-396.	3.1	11
184	Implementing successful residential alternatives to acute in-patient psychiatric services: lessons from a multi-centre study of alternatives in England. Epidemiology and Psychiatric Sciences, 2012, 21, 175-185.	3.9	11
185	Clinical Decision Making and Mental Health Service Use Among Persons With Severe Mental Illness Across Europe. Psychiatric Services, 2017, 68, 970-974.	2.0	11
186	Peer support and skills training through an eating club for people with psychotic disorders: A feasibility study. Journal of Behavior Therapy and Experimental Psychiatry, 2019, 64, 80-86.	1.2	11
187	The relationships between user, carer and staff perceptions of need in an assertive outreach team. Journal of Mental Health, 2008, 17, 452-461.	1.9	10
188	Global priorities of civil society for mental health services: findings from a 53 country survey. World Psychiatry, 2014, 13, 198-200.	10.4	10
189	The feasibility of implementing recovery, psychosocial and pharmacological interventions for psychosis: comparison study. Implementation Science, 2015, 10, 73.	6.9	10
190	Health and social needs of the long-term mentally ill. Current Opinion in Psychiatry, 1995, 8, 126-129.	6.3	10
191	Uptake of welfare benefits by psychiatric patients. Psychiatric Bulletin, 1995, 19, 411-413.	0.3	10
192	The VOICES Typology of Curatorial Decisions in Narrative Collections of the Lived Experiences of Mental Health Service Use, Recovery, or Madness: Qualitative Study. JMIR Mental Health, 2020, 7, e16290.	3.3	10
193	The use of patient-level outcomes to inform treatment. Epidemiologia E Psichiatria Sociale, 2002, 11, 20-27.	0.9	9
194	Where next with residential alternatives to admission?. British Journal of Psychiatry, 2010, 197, s52-s54.	2.8	9
195	Recovery research: the empirical evidence from England. World Psychiatry, 2012, 11, 162-163.	10.4	9
196	Staff views on wellbeing for themselves and for service users. Journal of Mental Health, 2015, 24, 48-53.	1.9	9
197	Relationship between satisfaction with mental health services, personal recovery and quality of life among service users with psychosis: a cross-sectional study. BMC Health Services Research, 2021, 21, 439.	2.2	9
198	A multi-national peer support intervention: the UPSIDES pilot phase. Advances in Mental Health, 2022, 20, 2-14.	0.7	9

#	Article	IF	CITATIONS
199	Impact of receiving recorded mental health recovery narratives on quality of life in people experiencing non-psychosis mental health problems (NEON-O Trial): updated randomised controlled trial protocol. Trials, 2022, 23, 90.	1.6	9
200	Decisional support for young people who self-harm: protocol for a feasibility trial. BMJ Open, 2016, 6, e012161.	1.9	8
201	Subjective distress in a representative sample of outpatients with psychotic disorders. Journal of Affective Disorders, 2016, 189, 220-223.	4.1	8
202	The PULSAR Specialist Care protocol: a stepped-wedge cluster randomized control trial of a training intervention for community mental health teams in recovery-oriented practice. BMC Psychiatry, 2017, 17, 172.	2.6	8
203	When does shared decision making is adopted in psychiatric clinical practice? Results from a European multicentric study. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 645-653.	3.2	8
204	Perspectives on mental health recovery from Egyptian mental health professionals: A qualitative study. Journal of Psychiatric and Mental Health Nursing, 2022, 29, 484-492.	2.1	8
205	How do recorded mental health recovery narratives create connection and improve hopefulness?. Journal of Mental Health, 2022, 31, 273-280.	1.9	8
206	Typology of content warnings and trigger warnings: Systematic review. PLoS ONE, 2022, 17, e0266722.	2.5	8
207	The validity of patient- and clinician-rated measures of needs and the therapeutic relationship in psychosis: A pooled analysis. Psychiatry Research, 2013, 209, 711-720.	3.3	7
208	Development and evaluation of an Individualized Outcome Measure (IOM) for randomized controlled trials in mental health. International Journal of Methods in Psychiatric Research, 2015, 24, 257-265.	2.1	7
209	Mental health services research methodology. International Review of Psychiatry, 2002, 14, 12-18.	2.8	6
210	Courses of helping alliance in the treatment of people with severe mental illness in Europe: a latent class analytic approach. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 363-370.	3.1	6
211	Content and implementation of clinical decisions in the routine care of people with severe mental illness. Journal of Mental Health, 2015, 24, 15-19.	1.9	6
212	Developing involvement during a programme of recovery research. Journal of Mental Health Training, Education and Practice, 2016, 11, 244-255.	0.7	6
213	The development of an occupational therapy intervention for adults with a diagnosed psychotic disorder following discharge from hospital. Pilot and Feasibility Studies, 2018, 4, 81.	1.2	6
214	The Importance of Personal Recovery and Perceived Recovery Support Among Service Users With Psychosis. Psychiatric Services, 2021, 72, 661-668.	2.0	6
215	Posttraumatic growth and recovery among a sample of Egyptian mental health service users: a phenomenological study. BMC Psychiatry, 2022, 22, 255.	2.6	6
216	Commissioning Outcomeâ€focused Mental Health Services. Mental Health Review Journal, 2006, 11, 31-36.	0.7	5

#	Article	IF	Citations
217	Developing and comparing methods for measuring the content of care in mental health services. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 219-229.	3.1	5
218	Living with Psychosis without Mental Health Services: A Narrative Interview Study. BMJ Open, 2021, 11, e045661.	1.9	5
219	A National Survey of Psychiatric Mother and Baby Units in England. Psychiatric Services, 2009, 60, .	2.0	5
220	Mental health recovery for survivors of modern slavery: grounded theory study protocol. BMJ Open, 2020, 10, e038583.	1.9	5
221	Impact of clinical decision-making participation and satisfaction on outcomes in mental health practice: results from the CEDAR European longitudinal study. International Review of Psychiatry, 2022, 34, 848-860.	2.8	5
222	The unmet needs of people suffering from schizophrenia., 2000, , 197-217.		4
223	The Use of Carers' and Users' Expectations of Services (CUES) in an Epidemiological Survey of Need. International Journal of Social Psychiatry, 2005, 51, 35-43.	3.1	4
224	Wellbeing in Non-Western Cultures. , 0, , 194-206.		4
225	A feasibility study of the effects of implementing a staff-level recovery-oriented training intervention in older people's mental health services. Aging and Mental Health, 2020, 24, 1926-1934.	2.8	4
226	Conceptual Framework for Personal Recovery in Patients With Acute Myocardial Infarction. Journal of the American Heart Association, 2021, 10, e022354.	3.7	4
227	Risk factors for tenancy breakdown for mentally ill people. Journal of Mental Health, 1999, 8, 361-371.	1.9	3
228	Social connectedness in adults with mental disorders: ecological validation of a conceptual framework for novel complex interventions. Journal of Mental Health, 2021, 30, 333-340.	1.9	3
229	Management of a High-Performing Mental Health Recovery Research Group. International Journal of Environmental Research and Public Health, 2021, 18, 4007.	2.6	3
230	Associations between personal recovery and service user-rated versus clinician-rated clinical recovery, a cross-sectional study. BMC Psychiatry, 2022, 22, 42.	2.6	3
231	Outcome measurement in England. , 0, , 32-39.		2
232	Helping Alliance and Unmet Needs in Routine Care of People With Severe Mental Illness Across Europe. Journal of Nervous and Mental Disease, 2017, 205, 329-333.	1.0	2
233	Recovery Colleges and Co-production. , 0, , 181-193.		2
234	REFOCUS-PULSAR Recovery-Oriented Practice Training in Adult Primary Mental Health Care: Exploratory Findings Including From a Pretest–Posttest Evaluation. Frontiers in Psychiatry, 2021, 12, 625408.	2.6	2

#	Article	IF	CITATIONS
235	Discrepancy between experience and importance of recovery components in the symptomatic and recovery perceptions of peopleÂwith severe mental disorders. BMC Psychiatry, 2021, 21, 277.	2.6	2
236	Assessment: from theory to practice. British Journal of Psychiatry, 2000, 176, 394-395.	2.8	2
237	Mental health services on Lower North Shore, Sydney. Psychiatric Bulletin, 1995, 19, 108-110.	0.3	2
238	Positive psychotherapy for psychosis in Hong Kong: A randomized controlled trial. Schizophrenia Research, 2022, 240, 175-183.	2.0	2
239	Proportionate translation of study materials and measures in a multinational global health trial: methodology development and implementation. BMJ Open, 2022, 12, e058083.	1.9	2
240	Character Strength–Focused Positive Psychotherapy on Acute Psychiatric Wards: A Feasibility and Acceptability Study. Psychiatric Services, 2022, 73, 1051-1055.	2.0	2
241	Conceptual Framework for Wellbeing in Psychosis. , 0, , 59-74.		1
242	Why Wellbeing and Recovery?., 0,, 1-6.		1
243	Measuring recovery in Arabic countries: Translation of the self-efficacy for personal recovery scale. International Journal of Social Psychiatry, 2021, , 002076402110286.	3.1	1
244	INCRESE: Development of an Inventory to Characterize Recorded Mental Health Recovery Narratives, 2020, 3, 25-44.		1
245	The Influence of Curator Goals on Collections of Lived Experience Narratives: A Qualitative Study, 2021, 4, 16-28.		1
246	Cognitive-behavioural techniques in practice. British Journal of Psychiatry, 2001, 178, 180-180.	2.8	0
247	Using Process and Outcome Information to Inform Mental Health Care. Clinical Science, 2003, 104, 42P-43P.	0.0	0
248	Assessing the needs of pregnant women and mothers with severe mental illness. European Psychiatry, 2007, 22, S87-S88.	0.2	0
249	WELLFOCUS PPT for Psychosis., 0,, 133-146.		0
250	Development of the Camberwell Assessment of Need (CAN). , 2020, , 4-5.		0
251	Camberwell Assessment of Need – Clinical (CAN-C), 2nd Edition. , 2020, , 22-26.		0
252	Camberwell Assessment of Need – Research (CAN-R), 2nd Edition. , 2020, , 27-32.		0

#	Article	IF	Citations
253	Training Programme for the Camberwell Assessment of Need (CAN). , 2020, , 33-38.		0
254	Camberwell Assessment of Need Short Appraisal Schedule – Patient (CANSAS-P), 2nd Edition. , 2020, , 18-21.		0
255	Introduction to the Camberwell Assessment of Need (CAN), 2nd Edition., 2020, , 1-3.		O
256	Frequently Asked Questions About the Camberwell Assessment of Need (CAN)., 2020,, 39-45.		0
257	Camberwell Assessment of Need Short Appraisal Schedule (CANSAS), 2nd Edition., 2020, , 14-17.		O
258	Research and Practice Using the CAN: Evidence Review. , 2020, , 6-13.		0
259	The Samaritans: 40 years of listening. Psychiatric Bulletin, 1994, 18, 49-49.	0.3	O
260	Dimensions of Community Mental Health Care. Edited by M. P. I. Weller and M. Muijen London: Saunders. 1993. 338 pp. A£15.95 British Journal of Psychiatry, 1995, 166, 271-271.	2.8	0
261	Mental health recovery for survivors of modern slavery: grounded theory study protocol. BMJ Open, 2020, 10, e038583.	1.9	0
262	User-friendly assessment of need. Nursing Times, 1999, 95, 52-3.	0.2	0