Mike Slade

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/966773/publications.pdf

Version: 2024-02-01

262 papers 17,235 citations

65 h-index 19749 117 g-index

301 all docs

301 docs citations

301 times ranked

9406 citing authors

#	Article	IF	Citations
1	Perspectives on mental health recovery from Egyptian mental health professionals: A qualitative study. Journal of Psychiatric and Mental Health Nursing, 2022, 29, 484-492.	2.1	8
2	Uses and Misuses of Recorded Mental Health Lived Experience Narratives in Healthcare and Community Settings: Systematic Review. Schizophrenia Bulletin, 2022, 48, 134-144.	4.3	16
3	Positive psychotherapy for psychosis in Hong Kong: A randomized controlled trial. Schizophrenia Research, 2022, 240, 175-183.	2.0	2
4	The utility of patientâ€reported outcome measures in mental health. World Psychiatry, 2022, 21, 56-57.	10.4	28
5	How do recorded mental health recovery narratives create connection and improve hopefulness?. Journal of Mental Health, 2022, 31, 273-280.	1.9	8
6	A multi-national peer support intervention: the UPSIDES pilot phase. Advances in Mental Health, 2022, 20, 2-14.	0.7	9
7	Associations between personal recovery and service user-rated versus clinician-rated clinical recovery, a cross-sectional study. BMC Psychiatry, 2022, 22, 42.	2.6	3
8	Impact of receiving recorded mental health recovery narratives on quality of life in people experiencing non-psychosis mental health problems (NEON-O Trial): updated randomised controlled trial protocol. Trials, 2022, 23, 90.	1.6	9
9	Proportionate translation of study materials and measures in a multinational global health trial: methodology development and implementation. BMJ Open, 2022, 12, e058083.	1.9	2
10	Character Strength–Focused Positive Psychotherapy on Acute Psychiatric Wards: A Feasibility and Acceptability Study. Psychiatric Services, 2022, 73, 1051-1055.	2.0	2
11	Posttraumatic growth and recovery among a sample of Egyptian mental health service users: a phenomenological study. BMC Psychiatry, 2022, 22, 255.	2.6	6
12	Typology of content warnings and trigger warnings: Systematic review. PLoS ONE, 2022, 17, e0266722.	2.5	8
13	Impact of clinical decision-making participation and satisfaction on outcomes in mental health practice: results from the CEDAR European longitudinal study. International Review of Psychiatry, 2022, 34, 848-860.	2.8	5
14	Personal Recovery in People With a Psychotic Disorder: A Systematic Review and Meta-Analysis of Associated Factors. Frontiers in Psychiatry, 2021, 12, 622628.	2.6	38
15	Social connectedness in adults with mental disorders: ecological validation of a conceptual framework for novel complex interventions. Journal of Mental Health, 2021, 30, 333-340.	1.9	3
16	REFOCUS-PULSAR Recovery-Oriented Practice Training in Adult Primary Mental Health Care: Exploratory Findings Including From a Pretest–Posttest Evaluation. Frontiers in Psychiatry, 2021, 12, 625408.	2.6	2
17	Institutional injustice: Implications for system transformation emerging from the mental health recovery narratives of people experiencing marginalisation. PLoS ONE, 2021, 16, e0250367.	2.5	21
18	Management of a High-Performing Mental Health Recovery Research Group. International Journal of Environmental Research and Public Health, 2021, 18, 4007.	2.6	3

#	Article	IF	CITATIONS
19	Initial Training for Mental Health Peer Support Workers: Systematized Review and International Delphi Consultation. JMIR Mental Health, 2021, 8, e25528.	3.3	16
20	Discrepancy between experience and importance of recovery components in the symptomatic and recovery perceptions of peopleÂwith severe mental disorders. BMC Psychiatry, 2021, 21, 277.	2.6	2
21	Relationship between satisfaction with mental health services, personal recovery and quality of life among service users with psychosis: a cross-sectional study. BMC Health Services Research, 2021, 21, 439.	2.2	9
22	Recorded Mental Health Recovery Narratives as a Resource for People Affected by Mental Health Problems: Development of the Narrative Experiences Online (NEON) Intervention. JMIR Formative Research, 2021, 5, e24417.	1.4	29
23	The Importance of Personal Recovery and Perceived Recovery Support Among Service Users With Psychosis. Psychiatric Services, 2021, 72, 661-668.	2.0	6
24	Measuring recovery in Arabic countries: Translation of the self-efficacy for personal recovery scale. International Journal of Social Psychiatry, 2021, , 002076402110286.	3.1	1
25	Living with Psychosis without Mental Health Services: A Narrative Interview Study. BMJ Open, 2021, 11, e045661.	1.9	5
26	Conceptual Framework for Personal Recovery in Patients With Acute Myocardial Infarction. Journal of the American Heart Association, 2021, 10, e022354.	3.7	4
27	Post-traumatic growth in psychosis: a systematic review and narrative synthesis. BMC Psychiatry, 2021, 21, 607.	2.6	21
28	The Influence of Curator Goals on Collections of Lived Experience Narratives: A Qualitative Study , $2021, 4, 16-28$.		1
29	When does shared decision making is adopted in psychiatric clinical practice? Results from a European multicentric study. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 645-653.	3.2	8
30	A systematic review of influences on implementation of peer support work for adults with mental health problems. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 285-293.	3.1	116
31	The experiences of spirituality among adults with mental health difficulties: a qualitative systematic review. Epidemiology and Psychiatric Sciences, 2020, 29, e34.	3.9	41
32	A feasibility study of the effects of implementing a staff-level recovery-oriented training intervention in older people's mental health services. Aging and Mental Health, 2020, 24, 1926-1934.	2.8	4
33	Not the story you want? Assessing the fit of a conceptual framework characterising mental health recovery narratives. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 295-308.	3.1	23
34	Development of the Camberwell Assessment of Need (CAN)., 2020,, 4-5.		0
35	Camberwell Assessment of Need – Clinical (CAN-C), 2nd Edition. , 2020, , 22-26.		0
36	Camberwell Assessment of Need – Research (CAN-R), 2nd Edition. , 2020, , 27-32.		0

#	Article	IF	CITATIONS
37	Training Programme for the Camberwell Assessment of Need (CAN). , 2020, , 33-38.		O
38	Impact of receiving recorded mental health recovery narratives on quality of life in people experiencing psychosis, people experiencing other mental health problems and for informal carers: Narrative Experiences Online (NEON) study protocol for three randomised controlled trials. Trials, 2020, 21, 661.	1.6	29
39	Camberwell Assessment of Need Short Appraisal Schedule – Patient (CANSAS-P), 2nd Edition. , 2020, , 18-21.		O
40	Rethinking the concept of insight. World Psychiatry, 2020, 19, 389-390.	10.4	19
41	Introduction to the Camberwell Assessment of Need (CAN), 2nd Edition. , 2020, , 1-3.		0
42	Frequently Asked Questions About the Camberwell Assessment of Need (CAN)., 2020,, 39-45.		0
43	Opportunities, Enablers, and Barriers to the Use of Recorded Recovery Narratives in Clinical Settings. Frontiers in Psychiatry, 2020, 11, 589731.	2.6	12
44	Peer support for people with severe mental illness versus usual care in high-, middle- and low-income countries: study protocol for a pragmatic, multicentre, randomised controlled trial (UPSIDES-RCT). Trials, 2020, 21, 371.	1.6	34
45	Camberwell Assessment of Need Short Appraisal Schedule (CANSAS), 2nd Edition., 2020, , 14-17.		0
46	Research and Practice Using the CAN: Evidence Review. , 2020, , 6-13.		0
47	Typology of modifications to peer support work for adults with mental health problems: systematic review. British Journal of Psychiatry, 2020, 216, 301-307.	2.8	16
48	The VOICES Typology of Curatorial Decisions in Narrative Collections of the Lived Experiences of Mental Health Service Use, Recovery, or Madness: Qualitative Study. JMIR Mental Health, 2020, 7, e16290.	3.3	10
49	Mental health recovery for survivors of modern slavery: grounded theory study protocol. BMJ Open, 2020, 10, e038583.	1.9	0
50	Mental health recovery for survivors of modern slavery: grounded theory study protocol. BMJ Open, 2020, 10, e038583.	1.9	5
51	INCRESE: Development of an Inventory to Characterize Recorded Mental Health Recovery Narratives, 2020, 3, 25-44.		1
52	Post-traumatic growth in mental health recovery: qualitative study of narratives. BMJ Open, 2019, 9, e029342.	1.9	55
53	Recovery colleges as a mental health innovation. World Psychiatry, 2019, 18, 141-142.	10.4	40
54	Mental Health Recovery Narratives and Their Impact on Recipients: Systematic Review and Narrative Synthesis. Canadian Journal of Psychiatry, 2019, 64, 070674371984610.	1.9	50

#	Article	IF	CITATIONS
55	Peer support and skills training through an eating club for people with psychotic disorders: A feasibility study. Journal of Behavior Therapy and Experimental Psychiatry, 2019, 64, 80-86.	1.2	11
56	Characteristics of mental health recovery narratives: Systematic review and narrative synthesis. PLoS ONE, 2019, 14, e0214678.	2.5	125
57	Personal growth in psychosis. World Psychiatry, 2019, 18, 29-30.	10.4	29
58	Conceptual framework for personal recovery in mental health among children and adolescents: a systematic review and narrative synthesis protocol. BMJ Open, 2019, 9, e029300.	1.9	15
59	The mechanisms and processes of connection: developing a causal chain model capturing impacts of receiving recorded mental health recovery narratives. BMC Psychiatry, 2019, 19, 413.	2.6	24
60	The impact of mental health recovery narratives on recipients experiencing mental health problems: Qualitative analysis and change model. PLoS ONE, 2019, 14, e0226201.	2.5	44
61	Development and Evaluation of a Recovery College Fidelity Measure. Canadian Journal of Psychiatry, 2019, 64, 405-414.	1.9	29
62	REFOCUS-PULSAR recovery-oriented practice training in specialist mental health care: a stepped-wedge cluster randomised controlled trial. Lancet Psychiatry,the, 2019, 6, 103-114.	7.4	44
63	The impact of Recovery Colleges on mental health staff, services and society. Epidemiology and Psychiatric Sciences, 2019, 28, 481-488.	3.9	26
64	Conceptual framework for social connectedness in mental disorders: Systematic review and narrative synthesis. Journal of Affective Disorders, 2019, 245, 188-199.	4.1	53
65	Curation of Mental Health Recovery Narrative Collections: Systematic Review and Qualitative Synthesis. JMIR Mental Health, 2019, 6, e14233.	3.3	18
66	Using Peer Support in Developing Empowering Mental Health Services (UPSIDES): Background, Rationale and Methodology. Annals of Global Health, 2019, 85, .	2.0	54
67	The art of recovery: outcomes from participatory arts activities for people using mental health services. Journal of Mental Health, 2018, 27, 367-373.	1.9	64
68	The development of an occupational therapy intervention for adults with a diagnosed psychotic disorder following discharge from hospital. Pilot and Feasibility Studies, 2018, 4, 81.	1.2	6
69	Mechanisms of Action and Outcomes for Students in Recovery Colleges. Psychiatric Services, 2018, 69, 1222-1229.	2.0	42
70	Need for information in a representative sample of outpatients with schizophrenia disorders. International Journal of Social Psychiatry, 2018, 64, 476-481.	3.1	23
71	Best practice framework for Patient and Public Involvement (PPI) in collaborative data analysis of qualitative mental health research: methodology development and refinement. BMC Psychiatry, 2018, 18, 213.	2.6	106
72	Web-Based Decision Aid to Assist Help-Seeking Choices for Young People Who Self-Harm: Outcomes From a Randomized Controlled Feasibility Trial. JMIR Mental Health, 2018, 5, e10.	3.3	20

#	Article	IF	CITATIONS
73	The PULSAR Specialist Care protocol: a stepped-wedge cluster randomized control trial of a training intervention for community mental health teams in recovery-oriented practice. BMC Psychiatry, 2017, 17, 172.	2.6	8
74	Clinical Decision Making and Mental Health Service Use Among Persons With Severe Mental Illness Across Europe. Psychiatric Services, 2017, 68, 970-974.	2.0	11
75	Implementing shared decision making in routine mental health care. World Psychiatry, 2017, 16, 146-153.	10.4	271
76	Helping Alliance and Unmet Needs in Routine Care of People With Severe Mental Illness Across Europe. Journal of Nervous and Mental Disease, 2017, 205, 329-333.	1.0	2
77	Recovery and decision-making involvement in people with severe mental illness from six countries: a prospective observational study. BMC Psychiatry, 2017, 17, 38.	2.6	21
78	Evaluation of a positive psychotherapy group intervention for people with psychosis: pilot randomised controlled trial. Epidemiology and Psychiatric Sciences, 2016, 25, 235-246.	3.9	104
79	Developing involvement during a programme of recovery research. Journal of Mental Health Training, Education and Practice, 2016, 11, 244-255.	0.7	6
80	Recovery practice in community mental health teams: national survey. British Journal of Psychiatry, 2016, 209, 340-346.	2.8	43
81	Uses of strength-based interventions for people with serious mental illness: A critical review. International Journal of Social Psychiatry, 2016, 62, 281-291.	3.1	124
82	Participation in medical decision-making across Europe: An international longitudinal multicenter study. European Psychiatry, 2016, 35, 39-46.	0.2	24
83	WELLFOCUS PPT: Modifying positive psychotherapy for psychosis Psychotherapy, 2016, 53, 68-77.	1.2	27
84	Service user experiences of REFOCUS: a process evaluation of a pro-recovery complex intervention. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1275-1284.	3.1	21
85	Decisional support for young people who self-harm: protocol for a feasibility trial. BMJ Open, 2016, 6, e012161.	1.9	8
86	Clinical decision making and outcome in the routine care of people with severe mental illness across Europe (CEDAR). Epidemiology and Psychiatric Sciences, 2016, 25, 69-79.	3.9	53
87	Effects of Clinical Decision Topic on Patients' Involvement in and Satisfaction With Decisions and Their Subsequent Implementation. Psychiatric Services, 2016, 67, 658-663.	2.0	12
88	The relationship between clinical and recovery dimensions of outcome in mental health. Schizophrenia Research, 2016, 175, 142-147.	2.0	66
89	Subjective distress in a representative sample of outpatients with psychotic disorders. Journal of Affective Disorders, 2016, 189, 220-223.	4.1	8
90	Empirical evidence about recovery and mental health. BMC Psychiatry, 2015, 15, 285.	2.6	164

#	Article	IF	CITATIONS
91	The feasibility of implementing recovery, psychosocial and pharmacological interventions for psychosis: comparison study. Implementation Science, 2015, 10, 73.	6.9	10
92	Staff understanding of recovery-orientated mental health practice: a systematic review and narrative synthesis. Implementation Science, 2015, 10, 87.	6.9	94
93	Mental Health Service User Experience of Positive Psychotherapy. Journal of Clinical Psychology, 2015, 71, 85-92.	1.9	20
94	Development and evaluation of an Individualized Outcome Measure (IOM) for randomized controlled trials in mental health. International Journal of Methods in Psychiatric Research, 2015, 24, 257-265.	2.1	7
95	Development of the REFOCUS intervention to increase mental health team support for personal recovery. British Journal of Psychiatry, 2015, 207, 544-550.	2.8	40
96	Psychometric evaluation of the Questionnaire about the Process of Recovery (QPR). British Journal of Psychiatry, 2015, 207, 551-555.	2.8	53
97	Competing Priorities: Staff Perspectives on Supporting Recovery. Administration and Policy in Mental Health and Mental Health Services Research, 2015, 42, 429-438.	2.1	80
98	Development and evaluation of the INSPIRE measure of staff support for personal recovery. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 777-786.	3.1	92
99	Courses of helping alliance in the treatment of people with severe mental illness in Europe: a latent class analytic approach. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 363-370.	3.1	6
100	Content and implementation of clinical decisions in the routine care of people with severe mental illness. Journal of Mental Health, 2015, 24, 15-19.	1.9	6
101	Supporting recovery in patients with psychosis through care by community-based adult mental health teams (REFOCUS): a multisite, cluster, randomised, controlled trial. Lancet Psychiatry,the, 2015, 2, 503-514.	7.4	99
102	Routine outcome monitoring: An international endeavour. International Review of Psychiatry, 2015, 27, 257-260.	2.8	30
103	Staff views on wellbeing for themselves and for service users. Journal of Mental Health, 2015, 24, 48-53.	1.9	9
104	Empowerment and satisfaction in a multinational study of routine clinical practice. Acta Psychiatrica Scandinavica, 2015, 131, 369-378.	4.5	28
105	The Relationship between Therapeutic Alliance and Service User Satisfaction in Mental Health Inpatient Wards and Crisis House Alternatives: A Cross-Sectional Study. PLoS ONE, 2014, 9, e100153.	2.5	66
106	Arm Activity measure (ArmA) application for recording functional gain following focal spasticity treatment. International Journal of Therapy and Rehabilitation, 2014, 21, 10-17.	0.3	15
107	Evaluating the feasibility of complex interventions in mental health services: standardised measure and reporting guidelines. British Journal of Psychiatry, 2014, 204, 316-321.	2.8	50
108	A conceptual framework for improving well-being in people with a diagnosis of psychosis. Epidemiology and Psychiatric Sciences, 2014, 23, 377-387.	3.9	35

#	Article	IF	Citations
109	Uses and abuses of recovery: implementing recovery-oriented practices in mental health systems. World Psychiatry, 2014, 13, 12-20.	10.4	649
110	New trends in assessing the outcomes of mental health interventions. World Psychiatry, 2014, 13, 118-124.	10.4	92
111	Global priorities of civil society for mental health services: findings from a 53 country survey. World Psychiatry, 2014, 13, 198-200.	10.4	10
112	Disclosure of a mental health problem in the employment context: qualitative study of beliefs and experiences. Epidemiology and Psychiatric Sciences, 2014, 23, 289-300.	3.9	55
113	Help-seeking behaviour and adolescent self-harm: A systematic review. Australian and New Zealand Journal of Psychiatry, 2014, 48, 1083-1095.	2.3	169
114	Development and preliminary evaluation of a decision aid for disclosure of mental illness to employers. Patient Education and Counseling, 2014, 94, 238-242.	2.2	26
115	Fit for purpose? Validation of a conceptual framework for personal recovery with current mental health consumers. Australian and New Zealand Journal of Psychiatry, 2014, 48, 644-653.	2.3	177
116	Resource-oriented therapeutic models in psychiatry: conceptual review. British Journal of Psychiatry, 2014, 204, 256-261.	2.8	100
117	The development and evaluation of a five-language multi-perspective standardised measure: clinical decision-making involvement and satisfaction (CDIS). BMC Health Services Research, 2014, 14, 323.	2.2	24
118	Desire for information of people with severe mental illness. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1883-1891.	3.1	17
119	WELLFOCUS PPT – modified positive psychotherapy to improve well-being in psychosis: study protocol for a pilot randomised controlled trial. Trials, 2014, 15, 203.	1.6	27
120	Implementing a Complex Intervention to Support Personal Recovery: A Qualitative Study Nested within a Cluster Randomised Controlled Trial. PLoS ONE, 2014, 9, e97091.	2.5	29
121	Positive psychology: an approach to supporting recovery in mental illness. East Asian Archives of Psychiatry, 2014, 24, 95-103.	0.4	30
122	Development of a framework for recovery in older people with mental disorder. International Journal of Geriatric Psychiatry, 2013, 28, 522-529.	2.7	80
123	Promoting recovery-oriented practice in mental health services: a quasi-experimental mixed-methods study. BMC Psychiatry, 2013, 13, 167.	2.6	78
124	Development and psychometric properties of a five-language multiperspective instrument to assess clinical decision making style in the treatment of people with severe mental illness (CDMS). BMC Psychiatry, 2013, 13, 48.	2.6	33
125	Mass media interventions for reducing mental health-related stigma. The Cochrane Library, 2013, 2013, CD009453.	2.8	148
126	Development and psychometric evaluation of the Discrimination and Stigma Scale (DISC). Psychiatry Research, 2013, 208, 33-40.	3.3	145

#	Article	IF	Citations
127	Conceptualisation and development of the arm activity measure (ArmA) for assessment of activity in the hemiparetic arm. Disability and Rehabilitation, 2013, 35, 1513-1518.	1.8	38
128	Conceptualising and measuring the well-being of people with psychosis: Systematic review and narrative synthesis. Social Science and Medicine, 2013, 92, 9-21.	3.8	59
129	The validity of patient- and clinician-rated measures of needs and the therapeutic relationship in psychosis: A pooled analysis. Psychiatry Research, 2013, 209, 711-720.	3.3	7
130	From objectivity to subjectivity: conceptualization and measurement of well-being in mental health. Neuropsychiatry, 2013, 3, 525-534.	0.4	23
131	Initial psychometric evaluation of the Arm Activity Measure (ArmA): a measure of activity in the hemiparetic arm. Clinical Rehabilitation, 2013, 27, 728-740.	2.2	47
132	Measures of Personal Recovery: A Systematic Review. Psychiatric Services, 2013, 64, 974-980.	2.0	179
133	Joint crisis plans for people with borderline personality disorder: feasibility and outcomes in a randomised controlled trial. British Journal of Psychiatry, 2013, 202, 357-364.	2.8	55
134	Decision aid on disclosure of mental health status to an employer: feasibility and outcomes of a randomised controlled trial. British Journal of Psychiatry, 2013, 203, 350-357.	2.8	66
135	Assessing the strengths of mental health consumers: A systematic review Psychological Assessment, 2012, 24, 1024-1033.	1.5	42
136	Recovery: Past progress and future challenges. International Review of Psychiatry, 2012, 24, 1-4.	2.8	112
137	Social Factors and Recovery from Mental Health Difficulties: A Review of the Evidence. British Journal of Social Work, 2012, 42, 443-460.	1.4	389
138	International differences in understanding recovery: systematic review. Epidemiology and Psychiatric Sciences, 2012, 21, 353-364.	3.9	258
139	Recovery research: the empirical evidence from England. World Psychiatry, 2012, 11, 162-163.	10.4	9
140	Implementing successful residential alternatives to acute in-patient psychiatric services: lessons from a multi-centre study of alternatives in England. Epidemiology and Psychiatric Sciences, 2012, 21, 175-185.	3.9	11
141	Recovery in England: Transforming statutory services?. International Review of Psychiatry, 2012, 24, 29-39.	2.8	81
142	The Development and Psychometric Properties of the Humanitarian Emergency Settings Perceived Needs (HESPER) Scale. American Journal of Public Health, 2012, 102, e55-e63.	2.7	60
143	Everyday Solutions for Everyday Problems: How Mental Health Systems Can Support Recovery. Psychiatric Services, 2012, 63, 702-704.	2.0	60
144	Measures of the recovery orientation of mental health services: systematic review. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1827-1835.	3.1	107

#	Article	IF	CITATIONS
145	Recovery grows up. Journal of Mental Health, 2012, 21, 99-103.	1.9	92
146	A decision aid to assist decisions on disclosure of mental health status to an employer: protocol for the CORAL exploratory randomised controlled trial. BMC Psychiatry, 2012, 12, 133.	2.6	20
147	An evidence-based approach to routine outcome assessment. Advances in Psychiatric Treatment, 2012, 18, 180-182.	0.5	27
148	Determinants, self-management strategies and interventions for hope in people with mental disorders: Systematic search and narrative review. Social Science and Medicine, 2012, 74, 554-564.	3.8	135
149	Systematic review of beliefs, behaviours and influencing factors associated with disclosure of a mental health problem in the workplace. BMC Psychiatry, 2012, 12, 11.	2.6	274
150	A UK validation of the Stages of Recovery Instrument. International Journal of Social Psychiatry, 2011, 57, 446-454.	3.1	38
151	Association between symptoms and quality of life in patients with schizophrenia: A pooled analysis of changes over time. Schizophrenia Research, 2011, 133, 17-21.	2.0	73
152	Conceptual framework for personal recovery in mental health: systematic review and narrative synthesis. British Journal of Psychiatry, 2011, 199, 445-452.	2.8	1,900
153	Developing and comparing methods for measuring the content of care in mental health services. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 219-229.	3.1	5
154	REFOCUS Trial: protocol for a cluster randomised controlled trial of a pro-recovery intervention within community based mental health teams. BMC Psychiatry, 2011, 11, 185.	2.6	70
155	What Does Recovery Mean in Practice? A Qualitative Analysis of International Recovery-Oriented Practice Guidance. Psychiatric Services, 2011, 62, 1470-1476.	2.0	329
156	Outcome, Costs and Patient Engagement for Group and Individual CBT for Depression: A Naturalistic Clinical Study. Behavioural and Cognitive Psychotherapy, 2011, 39, 355-358.	1.2	30
157	Clinical and economic outcomes from the UK pilot psychiatric services for personality-disordered offenders. International Review of Psychiatry, 2011, 23, 61-69.	2.8	12
158	Alternatives to standard acute in-patient care in England: roles and populations served. British Journal of Psychiatry, 2010, 197, s6-s13.	2.8	19
159	Alternatives to standard acute in-patient care in England: short-term clinical outcomes and cost-effectiveness. British Journal of Psychiatry, 2010, 197, s14-s19.	2.8	29
160	Where next with residential alternatives to admission?. British Journal of Psychiatry, 2010, 197, s52-s54.	2.8	9
161	Alternatives to standard acute in-patient care in England: differences in content of care and staff–patient contact. British Journal of Psychiatry, 2010, 197, s46-s51.	2.8	22
162	Service users' experiences of residential alternatives to standard acute wards: qualitative study of similarities and differences. British Journal of Psychiatry, 2010, 197, s26-s31.	2.8	45

#	Article	IF	CITATIONS
163	Alternatives to standard acute in-patient care in England: readmissions, service use and cost after discharge. British Journal of Psychiatry, 2010, 197, s20-s25.	2.8	23
164	How Should we Implement Psychiatric Advance Directives? Views of Consumers, Caregivers, Mental Health Providers and Researchers. Administration and Policy in Mental Health and Mental Health Services Research, 2010, 37, 447-458.	2.1	33
165	Mental illness and well-being: the central importance of positive psychology and recovery approaches. BMC Health Services Research, 2010, 10, 26.	2.2	419
166	The contribution of advisory committees and public involvement to large studies: case study. BMC Health Services Research, 2010, 10, 323.	2.2	32
167	Experiences of mental illness stigma, prejudice and discrimination: a review of measures. BMC Health Services Research, 2010, 10, 80.	2.2	320
168	Clinical Decision Making and Outcome in Routine Care for People with Severe Mental Illness (CEDAR): Study protocol. BMC Psychiatry, 2010, 10, 90.	2.6	38
169	The effectiveness of joint crisis plans for people with borderline personality disorder: protocol for an exploratory randomised controlled trial. Trials, 2010, 11, 18.	1.6	16
170	An Evaluation of New Services for Personality-Disordered Offenders: Staff and Service User Perspectives. International Journal of Social Psychiatry, 2010, 56, 186-195.	3.1	15
171	Residential alternatives to acute in-patient care in England: satisfaction, ward atmosphere and service user experiences. British Journal of Psychiatry, 2010, 197, s41-s45.	2.8	35
172	Factors influencing subjective quality of life in patients with schizophrenia and other mental disorders: A pooled analysis. Schizophrenia Research, 2010, 121, 251-258.	2.0	87
173	Measuring recovery in mental health services. Israel Journal of Psychiatry, 2010, 47, 206-12.	0.2	16
174	Residential alternatives to acute psychiatric hospital admission: systematic review. British Journal of Psychiatry, 2009, 195, 109-117.	2.8	68
175	The contribution of mental health services to recovery. Journal of Mental Health, 2009, 18, 367-371.	1.9	76
176	A National Survey of Psychiatric Mother and Baby Units in England. Psychiatric Services, 2009, 60, 629-633.	2.0	23
177	In-patient and residential alternatives to standard acute psychiatric wards in England. British Journal of Psychiatry, 2009, 194, 456-463.	2.8	60
178	A National Survey of Psychiatric Mother and Baby Units in England. Psychiatric Services, 2009, 60, .	2.0	5
179	Development and Evaluation of a Patient-rated Version Of the Camberwell Assessment of Need Short Appraisal Schedule (CANSAS-P). Community Mental Health Journal, 2008, 44, 113-124.	2.0	73
180	The reliability and validity of the forensic Camberwell Assessment of Need (CANFOR): a needs assessment for forensic mental health service users. International Journal of Methods in Psychiatric Research, 2008, 17, 111-120.	2.1	69

#	Article	IF	Citations
181	Hope in psychiatry: a review of the literature. Acta Psychiatrica Scandinavica, 2008, 118, 421-433.	4.5	159
182	The importance of relationships in mental health care: A qualitative study of service users' experiences of psychiatric hospital admission in the UK. BMC Health Services Research, 2008, 8, 92.	2.2	272
183	The relationships between user, carer and staff perceptions of need in an assertive outreach team. Journal of Mental Health, 2008, 17, 452-461.	1.9	10
184	Loss of doctor-to-doctor communication: Lessons from the reconfiguration of mental health services in England. Journal of Health Services Research and Policy, 2008, 13, 6-12.	1.7	23
185	Evaluation of functional outcome measures for the hemiparetic upper limb: A systematic review. Journal of Rehabilitation Medicine, 2008, 40, 787-795.	1.1	103
186	Failure to improve appropriateness of referrals to adult community mental health services-lessons from a multi-site cluster randomized controlled trial. Family Practice, 2008, 25, 181-190.	1.9	27
187	Recovery: an international perspective. Epidemiologia E Psichiatria Sociale, 2008, 17, 128-137.	0.9	302
188	Factors Associated with Changing Patient Needs in an Assertive Outreach Team. International Journal of Social Psychiatry, 2007, 53, 389-396.	3.1	11
189	Best practice when service users do not consent to sharing information with carers. British Journal of Psychiatry, 2007, 190, 148-155.	2.8	44
190	Recovery in psychiatry. Psychiatric Bulletin, 2007, 31, 321-325.	0.3	130
191	Assessing the needs of pregnant women and mothers with severe mental illness. European Psychiatry, 2007, 22, S87-S88.	0.2	0
192	Acute in-patient psychiatry: residential alternatives to hospital admission. Psychiatric Bulletin, 2007, 31, 262-264.	0.3	15
193	Staff and patient perspectives on unmet need and therapeutic alliance in community mental health services. British Journal of Psychiatry, 2007, 191, 543-547.	2.8	75
194	Assessing the needs of pregnant women and mothers with severe mental illness: the psychometric properties of the Camberwell Assessment of Need $\hat{a} \in M$ Mothers (CAN $\hat{a} \in M$). International Journal of Methods in Psychiatric Research, 2007, 16, 177-185.	2.1	32
195	Recovery, psychosis and psychiatry: research is better than rhetoric. Acta Psychiatrica Scandinavica, 2007, 116, 81-83.	4.5	79
196	A qualitative study of referral to community mental health teams in the UK: exploring the rhetoric and the reality. BMC Health Services Research, 2007, 7, 117.	2,2	30
197	Assessing the content of mental health services: a review of measures. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 673-682.	3.1	28
198	Personality Disorders and Unmet Needs Among Psychiatric Inpatients. Psychiatric Services, 2006, 57, 538-543.	2.0	40

#	Article	IF	CITATIONS
199	Commissioning Outcomeâ€focused Mental Health Services. Mental Health Review Journal, 2006, 11, 31-36.	0.7	5
200	Pre-morbid IQ and response to routine outcome assessment. Psychological Medicine, 2006, 36, 1183-1191.	4.5	28
201	Who decides what evidence is? Developing a multiple perspectives paradigm in mental health. Acta Psychiatrica Scandinavica, 2006, 113, 109-114.	4.5	119
202	Reliability of the Camberwell assessment of need (Chinese version) for patients with schizophrenia at a daycare center of Taiwan. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 75-80.	3.1	32
203	Use of standardised outcome measures in adult mental health services. British Journal of Psychiatry, 2006, 189, 330-336.	2.8	121
204	Personality Disorders and Unmet Needs Among Psychiatric Inpatients. Psychiatric Services, 2006, 57, 538-543.	2.0	16
205	Routine use of mental health outcome assessments: choosing the measure. British Journal of Psychiatry, 2005, 186, 146-152.	2.8	84
206	An exploratory study of assertive community treatment for people with intellectual disability and psychiatric disorders: conceptual, clinical, and service issues. Journal of Intellectual Disability Research, 2005, 49, 516-524.	2.0	56
207	Assessing violence risk in general adult psychiatry. Psychiatric Bulletin, 2005, 29, 131-133.	0.3	53
208	The Use of Carers' and Users' Expectations of Services (CUES) in an Epidemiological Survey of Need. International Journal of Social Psychiatry, 2005, 51, 35-43.	3.1	4
209	Patient-rated mental health needs and quality of life improvement. British Journal of Psychiatry, 2005, 187, 256-261.	2.8	164
210	Clinical Characteristics of Community Forensic Mental Health Services. Psychiatric Services, 2004, 55, 1294-1298.	2.0	27
211	Does Meeting Needs Improve Quality of Life?. Psychotherapy and Psychosomatics, 2004, 73, 183-189.	8.8	120
212	Clinical assessment of risk decision support (CARDS): The development and evaluation of a feasible violence risk assessment for routine psychiatric practice. Journal of Mental Health, 2004, 13, 569-581.	1.9	17
213	Demographic, clinical, social and service variables associated with higher needs for care in community psychiatric service patients. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 60-68.	3.1	45
214	From research to practice. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 276-281.	3.1	22
215	Staff and patient assessments of need in an epidemiologically representative sample of patients with psychosis. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 662-667.	3.1	45
216	Skills development and family interventions in an early psychosis service. Journal of Mental Health, 2003, 12, 405-415.	1.9	14

#	Article	IF	Citations
217	Using Process and Outcome Information to Inform Mental Health Care. Clinical Science, 2003, 104, 42P-43P.	0.0	0
218	Mental health services research methodology. International Review of Psychiatry, 2002, 14, 12-18.	2.8	6
219	The use of patient-level outcomes to inform treatment. Epidemiologia E Psichiatria Sociale, 2002, 11, 20-27.	0.9	9
220	Comparing needs assessed by staff and by service users: paternalism or partnership in mental health?. Epidemiologia E Psichiatria Sociale, 2002, 11, 186-191.	0.9	19
221	Routine outcome assessment in mental health services. Psychological Medicine, 2002, 32, 1339-1343.	4.5	106
222	Threshold 2: the reliability, validity and sensitivity to change of the Threshold Assessment Grid (TAG). Acta Psychiatrica Scandinavica, 2002, 106, 453-460.	4.5	12
223	What Outcomes to Measure in Routine Mental Health Services, and How to Assess Them: A Systematic Review. Australian and New Zealand Journal of Psychiatry, 2002, 36, 743-753.	2.3	88
224	Cognitive-behavioural techniques in practice. British Journal of Psychiatry, 2001, 178, 180-180.	2.8	0
225	Are randomised controlled trials the only gold that glitters?. British Journal of Psychiatry, 2001, 179, 286-287.	2.8	97
226	Threshold 3: the feasibility of the Threshold Assessment Grid (TAG) for routine assessment of the severity of mental health problems. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 516-521.	3.1	17
227	Physical health care for people with severe mental illness: The role of the general practitioner (GP). Journal of Mental Health, 2001, 10, 53-61.	1.9	22
228	Threshold Assessment Grid (TAG): the development of a valid and brief scale to assess the severity of mental illness. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 78-85.	3.1	101
229	Reliability and validity of the CANDID – a needs assessment instrument for adults with learning disabilities and mental health problems. British Journal of Psychiatry, 2000, 176, 473-478.	2.8	77
230	The unmet needs of people suffering from schizophrenia., 2000,, 197-217.		4
231	Are routine outcome measures feasible in mental health?. Quality in Health Care: QHC, 2000, 9, 84-84.	1.2	22
232	Assessment: from theory to practice. British Journal of Psychiatry, 2000, 176, 394-395.	2.8	2
233	Routine clinical outcome measures for patients with severe mental illness: CANSAS and HoNOS. British Journal of Psychiatry, 1999, 174, 404-408.	2.8	104
234	The feasibility of routine outcome measures in mental health. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 243-249.	3.1	155

#	Article	IF	CITATIONS
235	The association between needs and quality of life in an epidemiologically representative sample of people with psychosis. Acta Psychiatrica Scandinavica, 1999, 100, 149-157.	4.5	104
236	Risk factors for tenancy breakdown for mentally ill people. Journal of Mental Health, 1999, 8, 361-371.	1.9	3
237	User-friendly assessment of need. Nursing Times, 1999, 95, 52-3.	0.2	0
238	User perspective on needs and satisfaction with mental health services. British Journal of Psychiatry, 1998, 173, 409-415.	2.8	105
239	A comparison of needs assessed by staff and by an epidemiologically representative sample of patients with psychosis. Psychological Medicine, 1998, 28, 543-550.	4.5	166
240	Current approaches to identifying the severely mentally ill. Social Psychiatry and Psychiatric Epidemiology, 1997, 32, 177-184.	3.1	50
241	The Camberwell Assessment of Need (CAN): comparison of assessments by staff and patients of the needs of the severely mentally ill. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 109-113.	3.1	187
242	The International Journal of Social Psychiatry. International Journal of Social Psychiatry, 1996, 42, 1-9.	3.1	21
243	The Camberwell Assessment of Need: The Validity and Reliability of an Instrument to Assess the Needs of People with Severe Mental Illness. British Journal of Psychiatry, 1995, 167, 589-595.	2.8	739
244	Multidisciplinary Mental Health Teams. International Journal of Social Psychiatry, 1995, 41, 180-189.	3.1	12
245	Health and social needs of the long-term mentally ill. Current Opinion in Psychiatry, 1995, 8, 126-129.	6.3	10
246	Mental health services on Lower North Shore, Sydney. Psychiatric Bulletin, 1995, 19, 108-110.	0.3	2
247	Uptake of welfare benefits by psychiatric patients. Psychiatric Bulletin, 1995, 19, 411-413.	0.3	10
248	Dimensions of Community Mental Health Care. Edited by M. P. I. Weller and M. Muijen London: Saunders. 1993. 338 pp. ţ15.95 British Journal of Psychiatry, 1995, 166, 271-271.	2.8	0
249	Needs Assessment. British Journal of Psychiatry, 1994, 165, 293-296.	2.8	98
250	A selfâ€report Insight Scale for psychosis: reliability, validity and sensitivity to change. Acta Psychiatrica Scandinavica, 1994, 89, 62-67.	4.5	568
251	The Samaritans: 40 years of listening. Psychiatric Bulletin, 1994, 18, 49-49.	0.3	0
252	Outcome measurement in England. , 0, , 32-39.		2

#	Article	IF	Citations
253	Recovery and Mental Health. , 0, , 24-34.		14
254	Recovery Colleges and Co-production. , 0, , 181-193.		2
255	Collaborative Recovery Model. , 0, , 99-110.		17
256	Wellbeing in Non-Western Cultures. , 0, , 194-206.		4
257	Meaning in Life and Wellbeing. , 0, , 75-85.		22
258	Conceptual Framework for Wellbeing in Psychosis. , 0, , 59-74.		1
259	WELLFOCUS PPT for Psychosis. , 0, , 133-146.		0
260	Why Wellbeing and Recovery?., 0,, 1-6.		1
261	Evidence in Mental Health Care. , 0, , .		13
262	Positive Psychotherapy for Psychosis., 0,,.		14