
Xudong Fu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/968569/publications.pdf Version: 2024-02-01



XUDONC FU

#	Article	lF	CITATIONS
1	Improved Sensitivity of Flexible Conductive Composites Throughout the Working Strain Range Based on Bioinspired Strain Redistribution. ACS Applied Polymer Materials, 2022, 4, 1608-1616.	4.4	1
2	Enhanced Specific Capacitance and Stability of Polyaniline by Nafion Doping. ChemElectroChem, 2022, 9, .	3.4	2
3	Polypyrrole nanowires as a cathode microporous layer for direct methanol fuel cell to enhance oxygen transport. International Journal of Energy Research, 2021, 45, 3375-3384.	4.5	9
4	Cell cycle heterogeneity directs spontaneous 2C state entry and exit in mouse embryonic stem cells. Stem Cell Reports, 2021, 16, 2659-2673.	4.8	10
5	Metabolic remodelling during early mouse embryo development. Nature Metabolism, 2021, 3, 1372-1384.	11.9	45
6	Hydrophilic PDMS with a sandwich-like structure and no loss of mechanical properties and optical transparency. Applied Surface Science, 2020, 503, 144126.	6.1	14
7	The chromatin remodeler Snf2h is essential for oocyte meiotic cell cycle progression. Genes and Development, 2020, 34, 166-178.	5.9	21
8	Designing high electrochemical surface area between polyaniline and hydrogel polymer electrolyte for flexible supercapacitors. Applied Surface Science, 2020, 507, 145135.	6.1	60
9	FeVO4â‹nH2O@rGO nanocomposite as high performance cathode materials for aqueous Zn-ion batteries. Journal of Alloys and Compounds, 2020, 818, 153372.	5.5	46
10	Facile one-step preparation of laminated PDMS based flexible strain sensors with high conductivity and sensitivity via filler sedimentation. Composites Science and Technology, 2020, 186, 107933.	7.8	33
11	Micelle-template synthesis of a 3D porous FeNi alloy and nitrogen-codoped carbon material as a bifunctional oxygen electrocatalyst. Electrochimica Acta, 2020, 331, 135375.	5.2	28
12	A Modified Fourâ€Probe Method to Separate Ionic Conductance from Composite Conductors. ChemElectroChem, 2020, 7, 3535-3538.	3.4	1
13	Polyaniline Nanorod Arrays as a Cathode Material for High-Rate Zinc-Ion Batteries. ACS Applied Energy Materials, 2020, 3, 12360-12367.	5.1	32
14	In situ synthesis of star copolymers consisting of a <scp>polyhedral oligomeric silsesquioxane</scp> core and poly(2,5â€benzimidazole) arms for highâ€ŧemperature proton exchange membrane fuel cells. International Journal of Energy Research, 2020, 44, 8769-8780.	4.5	6
15	A transcriptional roadmap for 2C-like–to–pluripotent state transition. Science Advances, 2020, 6, eaay5181.	10.3	44
16	Epigenetic regulation of mouse preimplantation embryo development. Current Opinion in Genetics and Development, 2020, 64, 13-20.	3.3	32
17	Myc and Dnmt1 impede the pluripotent to totipotent state transition in embryonic stem cells. Nature Cell Biology, 2019, 21, 835-844.	10.3	82
18	Stimulation of Hair Growth by Small Molecules that Activate Autophagy. Cell Reports, 2019, 27, 3413-3421.e3.	6.4	83

Xudong Fu

#	Article	IF	CITATIONS
19	Design of sepiolite-supported ionogel-embedded composite membranes without proton carrier wastage for wide-temperature-range operation of proton exchange membrane fuel cells. Journal of Materials Chemistry A, 2019, 7, 15288-15301.	10.3	54
20	Preparation and properties of flexible conductive polydimethylsiloxane composites containing hybrid fillers. Polymer Bulletin, 2019, 76, 6487-6501.	3.3	13
21	Advanced coal fly ash modification by using corrosive microorganisms as alternative filler-reinforcing fluororubbers. Materials Letters, 2019, 246, 32-35.	2.6	6
22	Poly(2,5-benzimidazole)/sulfonated sepiolite composite membranes with low phosphoric acid doping levels for PEMFC applications in a wide temperature range. Journal of Membrane Science, 2019, 574, 282-298.	8.2	57
23	Highly flexible strain sensors based on polydimethylsiloxane/carbon nanotubes (CNTs) prepared by a swelling/permeating method and enhanced sensitivity by CNTs surface modification. Composites Science and Technology, 2019, 171, 218-225.	7.8	62
24	Chemical Foaming Coupled Self-Etching: A Multiscale Processing Strategy for Ultrahigh-Surface-Area Carbon Aerogels. ACS Applied Materials & Interfaces, 2018, 10, 2819-2827.	8.0	5
25	A Self-Charging Hybrid Electric Power Device with High Specific Energy and Power. ACS Energy Letters, 2018, 3, 2425-2432.	17.4	30
26	Hierarchically ordered arrays with platinum coated PANI nanowires for highly efficient fuel cell electrodes. Journal of Materials Chemistry A, 2017, 5, 15260-15265.	10.3	25
27	Hybrid polymer matrix composite containing polyaniline and Nafion as novel precursor of the enhanced catalyst for oxygen reduction reaction. RSC Advances, 2016, 6, 59961-59969.	3.6	3
28	Aligned polyaniline nanorods in situ grown on gas diffusion layer and their application in polymer electrolyte membrane fuel cells. International Journal of Hydrogen Energy, 2016, 41, 3655-3663.	7.1	28
29	M1 of Murine Gamma-Herpesvirus 68 Induces Endoplasmic Reticulum Chaperone Production. Scientific Reports, 2015, 5, 17228.	3.3	4
30	Bio-inspired Construction of Advanced Fuel Cell Cathode with Pt Anchored in Ordered Hybrid Polymer Matrix. Scientific Reports, 2015, 5, 16100.	3.3	48
31	2-Hydroxyglutarate Inhibits ATP Synthase and mTOR Signaling. Cell Metabolism, 2015, 22, 508-515.	16.2	190
32	The metabolite α-ketoglutarate extends lifespan by inhibiting ATP synthase and TOR. Nature, 2014, 510, 397-401.	27.8	485
33	A novel method for effective diffusion coefficient measurement in gas diffusion media of polymer electrolyte fuel cells. Journal of Power Sources, 2014, 257, 80-83.	7.8	3
34	Repletion of Nicotinamide adenine dinucleotide restores adult stem cell function and extends lifespan in mice. AME Medical Journal, 0, 2, 96-96.	0.4	0
35	Hair Regeneration by Small Molecules That Activate Autophagy. SSRN Electronic Journal, 0, , .	0.4	0
36	Zfp281 Inhibits the Pluripotent-to-Totipotent State Transition in Mouse Embryonic Stem Cells. Frontiers in Cell and Developmental Biology, 0, 10, .	3.7	4