

Renato C Monteiro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/96969/publications.pdf>

Version: 2024-02-01

141
papers

9,643
citations

28274

55
h-index

40979

93
g-index

151
all docs

151
docs citations

151
times ranked

9316
citing authors

#	ARTICLE	IF	CITATIONS
1	Specific immune biomarker monitoring in two children with severe IgA nephropathy and successful therapy with immunoadsorption in a rapidly progressive case. <i>Pediatric Nephrology</i> , 2022, 37, 1597-1603.	1.7	1
2	Erythrocytosis associated with IgA nephropathy. <i>EBioMedicine</i> , 2022, 75, 103785.	6.1	2
3	Clinical phenotype and cytokine profile of adult IgA vasculitis with joint involvement. <i>Clinical Rheumatology</i> , 2022, 41, 1483-1491.	2.2	6
4	Is There a Role for Gut Microbiome Dysbiosis in IgA Nephropathy?. <i>Microorganisms</i> , 2022, 10, 683.	3.6	5
5	New therapeutic perspectives for IgA nephropathy in children. <i>Pediatric Nephrology</i> , 2021, 36, 497-506.	1.7	12
6	High levels of gut-homing immunoglobulin A+ B lymphocytes support the pathogenic role of intestinal mucosal hyperresponsiveness in immunoglobulin A nephropathy patients. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 452-464.	0.7	30
7	Outcome of SARS-CoV-2 infection is linked to MAIT cell activation and cytotoxicity. <i>Nature Immunology</i> , 2021, 22, 322-335.	14.5	145
8	Rifaximin as a Potential Treatment for IgA Nephropathy in a Humanized Mice Model. <i>Journal of Personalized Medicine</i> , 2021, 11, 309.	2.5	15
9	The Phenotypic Difference of IgA Nephropathy and its Race/Gender-dependent Molecular Mechanisms. <i>Kidney360</i> , 2021, 2, 1339-1348.	2.1	15
10	Rare Collagenous Heterozygote Variants in Children With IgA Nephropathy. <i>Kidney International Reports</i> , 2021, 6, 1326-1335.	0.8	5
11	Are there animal models of IgA nephropathy?. <i>Seminars in Immunopathology</i> , 2021, 43, 639-648.	6.1	10
12	Role of gut-kidney axis in renal diseases and IgA nephropathy. <i>Current Opinion in Gastroenterology</i> , 2021, 37, 565-571.	2.3	20
13	Is complement the main accomplice in IgA nephropathy? From initial observations to potential complement-targeted therapies. <i>Molecular Immunology</i> , 2021, 140, 1-11.	2.2	9
14	Fecal Microbiota Transplantation Modulates Renal Phenotype in the Humanized Mouse Model of IgA Nephropathy. <i>Frontiers in Immunology</i> , 2021, 12, 694787.	4.8	28
15	SOLUBLE CD89 IS A CRITICAL FACTOR FOR MESANGIAL PROLIFERATION IN CHILDHOOD IgA NEPHROPATHY. <i>Kidney International</i> , 2021, , .	5.2	8
16	Editorial: The Role of Inhibitory Receptors in Inflammation and Cancer. <i>Frontiers in Immunology</i> , 2020, 11, 633686.	4.8	7
17	Food antigens and Transglutaminase 2 in IgA nephropathy: Molecular links between gut and kidney. <i>Molecular Immunology</i> , 2020, 121, 1-6.	2.2	11
18	Vitamin D Receptor Controls Cell Stemness in Acute Myeloid Leukemia and in Normal Bone Marrow. <i>Cell Reports</i> , 2020, 30, 739-754.e4.	6.4	32

#	ARTICLE	IF	CITATIONS
19	LC3-associated phagocytosis protects against inflammation and liver fibrosis via immunoreceptor inhibitory signaling. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	48
20	Understanding Fc Receptor Involvement in Inflammatory Diseases: From Mechanisms to New Therapeutic Tools. <i>Frontiers in Immunology</i> , 2019, 10, 811.	4.8	179
21	CD89 Is a Potent Innate Receptor for Bacteria and Mediates Host Protection from Sepsis. <i>Cell Reports</i> , 2019, 27, 762-775.e5.	6.4	19
22	IgA nephropathy: "State of the art" a report from the 15th International Symposium on IgA Nephropathy celebrating the 50th anniversary of its first description. <i>Kidney International</i> , 2019, 95, 750-756.	5.2	17
23	Recruitment of CXCR3+ T cells into injured tissues in adult IgA vasculitis patients correlates with disease activity. <i>Journal of Autoimmunity</i> , 2019, 99, 73-80.	6.5	16
24	Modulation of the microbiota by oral antibiotics treats immunoglobulin A nephropathy in humanized mice. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1135-1144.	0.7	59
25	Autoantibodies against podocytic UCHL1 are associated with idiopathic nephrotic syndrome relapses and induce proteinuria in mice. <i>Journal of Autoimmunity</i> , 2018, 89, 149-161.	6.5	48
26	Recent advances in the physiopathology of IgA nephropathy. <i>Nephrologie Et Therapeutique</i> , 2018, 14, S1-S8.	0.5	30
27	Type I interferon signaling in systemic immune cells from patients with alcoholic cirrhosis and its association with outcome. <i>Journal of Hepatology</i> , 2017, 66, 930-941.	3.7	26
28	New insights in the pathogenesis of immunoglobulin A vasculitis (Henoch-Schönlein purpura). <i>Autoimmunity Reviews</i> , 2017, 16, 1246-1253.	5.8	228
29	NOX5 and p22phox are 2 novel regulators of human monocytic differentiation into dendritic cells. <i>Blood</i> , 2017, 130, 1734-1745.	1.4	49
30	Lyn and Fyn function as molecular switches that control immunoreceptors to direct homeostasis or inflammation. <i>Nature Communications</i> , 2017, 8, 246.	12.8	87
31	Serum Iron Protects from Renal Postischemic Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3605-3615.	6.1	25
32	Value of biomarkers for predicting immunoglobulin A vasculitis nephritis outcome in an adult prospective cohort. <i>Nephrology Dialysis Transplantation</i> , 2017, 33, 1579-1590.	0.7	37
33	Biomarkers of IgA vasculitis nephritis in children. <i>PLoS ONE</i> , 2017, 12, e0188718.	2.5	63
34	Gluten, Transglutaminase, Celiac Disease and IgA Nephropathy. <i>Journal of Clinical & Cellular Immunology</i> , 2017, 08, .	1.5	6
35	Phospholipid scramblase 1 amplifies anaphylactic reactions in vivo. <i>PLoS ONE</i> , 2017, 12, e0173815.	2.5	8
36	Negative regulation of bacterial killing and inflammation by two novel CD16 ligands. <i>European Journal of Immunology</i> , 2016, 46, 1926-1935.	2.9	7

#	ARTICLE	IF	CITATIONS
37	IgA1 Protease Treatment Reverses Mesangial Deposits and Hematuria in a Model of IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2622-2629.	6.1	44
38	Protective role of mouse IgG1 in cryoglobulinaemia; insights from an animal model and relevance to human pathology. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1235-1242.	0.7	12
39	Role of IgA receptors in the pathogenesis of IgA nephropathy. <i>Journal of Nephrology</i> , 2016, 29, 5-11.	2.0	27
40	Fc Gamma Receptor IIA (CD32A) R131 Polymorphism as a Marker of Genetic Susceptibility to Sepsis. <i>Inflammation</i> , 2016, 39, 518-525.	3.8	21
41	Reversal of Arthritis by Human Monomeric IgA Through the Receptorâ€Mediated SH2 Domainâ€Containing Phosphatase 1 Inhibitory Pathway. <i>Arthritis and Rheumatology</i> , 2015, 67, 1766-1777.	5.6	44
42	Recurrent IgA nephropathy is predicted by altered glycosylated IgA, autoantibodies and soluble CD89 complexes. <i>Kidney International</i> , 2015, 88, 815-822.	5.2	94
43	Gluten exacerbates IgA nephropathy in humanized mice through gliadinâ€CD89 interaction. <i>Kidney International</i> , 2015, 88, 276-285.	5.2	79
44	Toll-like receptor 3 expression and function in childhood idiopathic nephrotic syndrome. <i>Clinical and Experimental Immunology</i> , 2015, 182, 332-345.	2.6	8
45	Molecular Insights into the Pathogenesis of IgA Nephropathy. <i>Trends in Molecular Medicine</i> , 2015, 21, 762-775.	6.7	72
46	The Function of Mast Cells in Autoimmune Glomerulonephritis. <i>Methods in Molecular Biology</i> , 2015, 1220, 487-496.	0.9	0
47	IgA, IgA Receptors, and Their Anti-inflammatory Properties. <i>Current Topics in Microbiology and Immunology</i> , 2014, 382, 221-235.	1.1	90
48	Mast cells aggravate sepsis by inhibiting peritoneal macrophage phagocytosis. <i>Journal of Clinical Investigation</i> , 2014, 124, 4577-4589.	8.2	111
49	Immunoglobulin A as an anti-inflammatory agent. <i>Clinical and Experimental Immunology</i> , 2014, 178, 108-110.	2.6	27
50	Selective Antibody Intervention of Toll-like Receptor 4 Activation through FcÎ³ Receptor Tethering. <i>Journal of Biological Chemistry</i> , 2014, 289, 15309-15318.	3.4	33
51	The balance of kinin receptors in the progression of experimental focal and segmental glomerulosclerosis. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 701-10.	2.4	11
52	Role of FcÎ³RIIIA (CD16) in IVIg-Mediated Anti-Inflammatory Function. <i>Journal of Clinical Immunology</i> , 2014, 34, 46-50.	3.8	16
53	Shifting FcÎ³RIIA-ITAM from activation to inhibitory configuration ameliorates arthritis. <i>Journal of Clinical Investigation</i> , 2014, 124, 3945-3959.	8.2	77
54	Regulation of the Tyrosine Phosphorylation of Phospholipid Scramblase 1 in Mast Cells That Are Stimulated through the High-Affinity IgE Receptor. <i>PLoS ONE</i> , 2014, 9, e109800.	2.5	8

#	ARTICLE	IF	CITATIONS
55	Gene- and exon-expression profiling reveals an extensive LPS-induced response in immune cells in patients with cirrhosis. <i>Journal of Hepatology</i> , 2013, 58, 936-948.	3.7	66
56	L35. Fc receptors and cell activation. <i>Presse Medicale</i> , 2013, 42, 598-599.	1.9	1
57	Anti-inflammatory role of the IgA Fc receptor (CD89): From autoimmunity to therapeutic perspectives. <i>Autoimmunity Reviews</i> , 2013, 12, 666-669.	5.8	69
58	Cyclosporine A Impairs Nucleotide Binding Oligomerization Domain (Nod1)-Mediated Innate Antibacterial Renal Defenses in Mice and Human Transplant Recipients. <i>PLoS Pathogens</i> , 2013, 9, e1003152.	4.7	45
59	Secretory IgA Induces Tolerogenic Dendritic Cells through SIGNR1 Dampening Autoimmunity in Mice. <i>Journal of Immunology</i> , 2013, 191, 2335-2343.	0.8	66
60	Airway Fungal Colonization Compromises the Immune System Allowing Bacterial Pneumonia to Prevail. <i>Critical Care Medicine</i> , 2013, 41, e191-e199.	0.9	54
61	Deferasirox and Vitamin D Improves Overall Survival in Elderly Patients with Acute Myeloid Leukemia after Demethylating Agents Failure. <i>PLoS ONE</i> , 2013, 8, e65998.	2.5	33
62	Transglutaminase is essential for IgA nephropathy development acting through IgA receptors. <i>Journal of Experimental Medicine</i> , 2012, 209, 793-806.	8.5	145
63	Gluten induces coeliac-like disease in sensitised mice involving IgA, CD71 and transglutaminase 2 interactions that are prevented by probiotics. <i>Laboratory Investigation</i> , 2012, 92, 625-635.	3.7	66
64	The IgA1 immune complex-mediated activation of the MAPK/ERK kinase pathway in mesangial cells is associated with glomerular damage in IgA nephropathy. <i>Kidney International</i> , 2012, 82, 1284-1296.	5.2	75
65	IgG1 and IVIg induce inhibitory ITAM signaling through Fcγ3R1II controlling inflammatory responses. <i>Blood</i> , 2012, 119, 3084-3096.	1.4	84
66	The TRPM4 Channel Controls Monocyte and Macrophage, but Not Neutrophil, Function for Survival in Sepsis. <i>Journal of Immunology</i> , 2012, 189, 3689-3699.	0.8	71
67	Interactions Among Secretory Immunoglobulin A, CD71, and Transglutaminase-2 Affect Permeability of Intestinal Epithelial Cells to Gliadin Peptides. <i>Gastroenterology</i> , 2012, 143, 698-707.e4.	1.3	94
68	Inhibitory ITAM Signaling Traps Activating Receptors with the Phosphatase SHP-1 to Form Polarized Inhibisome Clusters. <i>Science Signaling</i> , 2011, 4, ra24.	3.6	67
69	Dysfunctions of the Iga system: a common link between intestinal and renal diseases. <i>Cellular and Molecular Immunology</i> , 2011, 8, 126-134.	10.5	31
70	The interaction between a non-pathogenic and a pathogenic strain synergistically enhances extra-intestinal virulence in <i>Escherichia coli</i> . <i>Microbiology (United Kingdom)</i> , 2011, 157, 774-785.	1.8	11
71	Polymeric IgA1 controls erythroblast proliferation and accelerates erythropoiesis recovery in anemia. <i>Nature Medicine</i> , 2011, 17, 1456-1465.	30.7	62
72	Jean Berger (1930-2011). <i>Kidney International</i> , 2011, 80, 437-438.	5.2	2

#	ARTICLE	IF	CITATIONS
73	Both IgA nephropathy and alcoholic cirrhosis feature abnormally glycosylated IgA1 and soluble CD89â€“IgA and IgGâ€“IgA complexes: common mechanisms for distinct diseases. <i>Kidney International</i> , 2011, 80, 1352-1363.	5.2	69
74	Role of IgA and IgA Fc Receptors in Inflammation. <i>Journal of Clinical Immunology</i> , 2010, 30, 1-9.	3.8	70
75	The Role of IgA and IgA Fc Receptors as Anti-Inflammatory Agents. <i>Journal of Clinical Immunology</i> , 2010, 30, 61-64.	3.8	29
76	Breast milk immune complexes are potent inducers of oral tolerance in neonates and prevent asthma development. <i>Mucosal Immunology</i> , 2010, 3, 461-474.	6.0	192
77	Mouse Mast Cell Protease-4 Deteriorates Renal Function by Contributing to Inflammation and Fibrosis in Immune Complex-Mediated Glomerulonephritis. <i>Journal of Immunology</i> , 2010, 185, 624-633.	0.8	64
78	Targeting iron homeostasis induces cellular differentiation and synergizes with differentiating agents in acute myeloid leukemia. <i>Journal of Experimental Medicine</i> , 2010, 207, 731-750.	8.5	169
79	The Phospholipid Scramblases 1 and 4 Are Cellular Receptors for the Secretory Leukocyte Protease Inhibitor and Interact with CD4 at the Plasma Membrane. <i>PLoS ONE</i> , 2009, 4, e5006.	2.5	65
80	Natural antibodies, intravenous immunoglobulin and their role in autoimmunity, cancer and inflammation. <i>Clinical and Experimental Immunology</i> , 2009, 158, 43-50.	2.6	122
81	Inhibitory ITAMs as novel regulators of immunity. <i>Immunological Reviews</i> , 2009, 232, 59-71.	6.0	151
82	IgA Receptors and Mesangial IgA Deposition. , 2009, , 211-224.		0
83	Autoimmunity in IgA Deficiency: Revisiting the Role of IgA as a Silent Housekeeper. <i>Journal of Clinical Immunology</i> , 2008, 28, 56-61.	3.8	135
84	The calcium-activated nonselective cation channel TRPM4 is essential for the migration but not the maturation of dendritic cells. <i>Nature Immunology</i> , 2008, 9, 1148-1156.	14.5	200
85	Recent advances in adult T-cell leukemia therapy: focus on a new anti-transferrin receptor monoclonal antibody. <i>Leukemia</i> , 2008, 22, 42-48.	7.2	53
86	Inhibitory ITAMs: a matter of life and death. <i>Trends in Immunology</i> , 2008, 29, 366-373.	6.8	51
87	The Glomerular Response to IgA Deposition in IgA Nephropathy. <i>Seminars in Nephrology</i> , 2008, 28, 88-95.	1.6	56
88	Inhibitory ITAM Signaling by FcÎ±RI-FcRÎ³ Chain Controls Multiple Activating Responses and Prevents Renal Inflammation. <i>Journal of Immunology</i> , 2008, 180, 2669-2678.	0.8	80
89	Phospholipid Scramblase 1 Modulates a Selected Set of IgE Receptor-mediated Mast Cell Responses through LAT-dependent Pathway. <i>Journal of Biological Chemistry</i> , 2008, 283, 25514-25523.	3.4	34
90	Secretory IgA mediates retrotranscytosis of intact gliadin peptides via the transferrin receptor in celiac disease. <i>Journal of Experimental Medicine</i> , 2008, 205, 143-154.	8.5	257

#	ARTICLE	IF	CITATIONS
91	Secretory IgA mediates retrotranscytosis of intact gliadin peptides via the transferrin receptor in celiac disease. <i>Journal of Cell Biology</i> , 2008, 180, i1-i1.	5.2	2
92	Prevention of Mantle Lymphoma Tumor Establishment by Routing Transferrin Receptor toward Lysosomal Compartments. <i>Cancer Research</i> , 2007, 67, 1145-1154.	0.9	32
93	A Humanized Mouse Model of Idiopathic Nephrotic Syndrome Suggests a Pathogenic Role for Immature Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2732-2739.	6.1	80
94	IgA Fc Receptor I Is a Molecular Switch that Determines IgA Activating or Inhibitory Functions. <i>Contributions To Nephrology</i> , 2007, 157, 148-152.	1.1	12
95	IgA Fc receptor I signals apoptosis through the Fc γ RI ³ ITAM and affects tumor growth. <i>Blood</i> , 2007, 109, 203-211.	1.4	27
96	Transferrin Receptor Engagement by Polymeric IgA1 Induces Receptor Expression and Mesangial Cell Proliferation: Role in IgA Nephropathy. , 2007, 157, 144-147.		20
97	Pathogenic Role of IgA Receptors in IgA Nephropathy. , 2007, 157, 64-69.		15
98	Fc γ RI \pm receptor I activation induces leukocyte recruitment and promotes aggravation of glomerulonephritis through the Fc γ RI ³ adaptor. <i>European Journal of Immunology</i> , 2007, 37, 1116-1128.	2.9	48
99	CD16 promotes Escherichia coli sepsis through an Fc γ RI ³ inhibitory pathway that prevents phagocytosis and facilitates inflammation. <i>Nature Medicine</i> , 2007, 13, 1368-1374.	30.7	118
100	Chimeric Fc Receptors Identify Ligand Binding Regions in Human Glycoprotein VI. <i>Journal of Molecular Biology</i> , 2006, 361, 877-887.	4.2	14
101	B LYMPHOCYTES UNDERGO APOPTOSIS BECAUSE OF Fc γ RIIb stress response to infection: A novel mechanism of cell death in sepsis. <i>Shock</i> , 2006, 25, 61-65.	2.1	9
102	Mast Cell-Mediated Remodeling and Fibrinolytic Activity Protect against Fatal Glomerulonephritis. <i>Journal of Immunology</i> , 2006, 176, 5607-5615.	0.8	62
103	Engagement of Transferrin Receptor by Polymeric IgA1: Evidence for a Positive Feedback Loop Involving Increased Receptor Expression and Mesangial Cell Proliferation in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2667-2676.	6.1	90
104	Fc γ RIIIa-131R allele and Fc γ RIIIa-176V/V genotype are risk factors for progression of IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2439-2445.	0.7	26
105	Identification of Fc γ RI as an Inhibitory Receptor that Controls Inflammation. <i>Immunity</i> , 2005, 22, 31-42.	14.3	314
106	Fc Receptor γ 3 Chain Residues at the Interface of the Cytoplasmic and Transmembrane Domains Affect Association with Fc γ RI, Surface Expression, and Function. <i>Journal of Biological Chemistry</i> , 2004, 279, 26339-26345.	3.4	20
107	Differential expression and function of IgA receptors (CD89 and CD71) during maturation of dendritic cells. <i>Journal of Leukocyte Biology</i> , 2004, 76, 1134-1141.	3.3	28
108	Glycosylation and Size of IgA1 Are Essential for Interaction with Mesangial Transferrin Receptor in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 622-634.	6.1	160

#	ARTICLE	IF	CITATIONS
109	FcγRIIIa polymorphism: a susceptibility factor for immune complex-mediated lupus nephritis in Brazilian patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1427-1431.	0.7	27
110	p28, a Novel IgE Receptor-associated Protein, Is a Sensor of Receptor Occupation by Its Ligand in Mast Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 12312-12318.	3.4	13
111	A Direct Role for NKG2D/MICA Interaction in Villous Atrophy during Celiac Disease. <i>Immunity</i> , 2004, 21, 367-377.	14.3	660
112	A neutralizing monoclonal antibody (mAb A24) directed against the transferrin receptor induces apoptosis of tumor T lymphocytes from ATL patients. <i>Blood</i> , 2004, 103, 1838-1845.	1.4	101
113	IgA Fc Receptors. <i>Annual Review of Immunology</i> , 2003, 21, 177-204.	21.8	489
114	Enhanced Expression of the CD71 Mesangial IgA1 Receptor in Berger Disease and Henoch-Schönlein Nephritis: Association between CD71 Expression and IgA Deposits. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 327-337.	6.1	88
115	Potential Role of NKG2D/MHC Class I-Related Chain A Interaction in Intrathymic Maturation of Single-Positive CD8 T Cells. <i>Journal of Immunology</i> , 2003, 171, 1909-1917.	0.8	48
116	Effect of IgA on Respiratory Burst and Cytokine Release by Human Alveolar Macrophages. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2002, 26, 315-332.	2.9	37
117	Pathogenic significance of IgA receptor interactions in IgA nephropathy. <i>Trends in Molecular Medicine</i> , 2002, 8, 464-468.	6.7	58
118	Phospholipid scramblase, a new effector of FcμRI signaling in mast cells. <i>Molecular Immunology</i> , 2002, 38, 1235-1238.	2.2	14
119	Identification of the Transferrin Receptor as a Novel Immunoglobulin (Ig)α1 Receptor and Its Enhanced Expression on Mesangial Cells in IgA Nephropathy. <i>Journal of Experimental Medicine</i> , 2001, 194, 417-426.	8.5	262
120	ENHANCED EXPRESSION OF Fcγ RECEPTOR I ON BLOOD PHAGOCYTES OF PATIENTS WITH GRAM-NEGATIVE BACTEREMIA IS ASSOCIATED WITH TYROSINE PHOSPHORYLATION OF THE FcR-β3 SUBUNIT. <i>Shock</i> , 2001, 16, 344-348.	2.1	17
121	A Subset of Human Dendritic Cells Expresses IgA Fc Receptor (CD89), Which Mediates Internalization and Activation Upon Cross-Linking by IgA Complexes. <i>Journal of Immunology</i> , 2001, 166, 346-352.	0.8	141
122	IgE Receptor Type I-dependent Tyrosine Phosphorylation of Phospholipid Scramblase. <i>Journal of Biological Chemistry</i> , 2001, 276, 20407-20412.	3.4	38
123	Fcγ Receptor (Cd89) Mediates the Development of Immunoglobulin a (Iga) Nephropathy (Berger's) Tj ETQq1 1 0.784314 rgBT/Overl	8.5	220
124	Alternative Endocytic Pathway for Immunoglobulin A Fc Receptors (CD89) Depends on the Lack of FcRβ3 Association and Protects against Degradation of Bound Ligand. <i>Journal of Biological Chemistry</i> , 1999, 274, 7216-7225.	3.4	79
125	Elevation of serum IgA in spondyloarthropathies and IgA nephropathy and its pathogenic role. <i>Current Opinion in Rheumatology</i> , 1999, 11, 265-272.	4.3	38
126	Down-regulation of Fcγ receptors on blood cells of IgA nephropathy patients: Evidence for a negative regulatory role of serum IgA. <i>Kidney International</i> , 1998, 53, 1321-1335.	5.2	97

#	ARTICLE	IF	CITATIONS
127	IgA Fc receptor (CD89) activation enables coupling to syk and Btk tyrosine kinase pathways: differential signaling after IFN- γ or phorbol ester stimulation. <i>Journal of Leukocyte Biology</i> , 1998, 63, 636-642.	3.3	48
128	Overexpression of Natural Killer T Cells Protects β 281 Transgenic Nonobese Diabetic Mice against Diabetes. <i>Journal of Experimental Medicine</i> , 1998, 188, 1831-1839.	8.5	370
129	Impaired Fc α receptor expression is linked to increased immunoglobulin A levels and disease progression in HIV-1-infected patients. <i>Aids</i> , 1995, 9, 229-234.	2.2	26
130	Dysfunctions of Fc α Receptors by Blood Phagocytic Cells in IgA Nephropathy1. <i>Contributions To Nephrology</i> , 1995, 111, 116-122.	1.1	22
131	T cell activation through Thy-1 is associated with the expression of a surface protein(p100) on a subset of CD4 cells. <i>International Immunology</i> , 1995, 7, 607-616.	4.0	13
132	Detection of antilineage specific leucocyte antibodies by a quantitative immunocytometry method in sera from candidates for renal allografts. <i>Transplant Immunology</i> , 1995, 3, 356-362.	1.2	0
133	Expression of surrogate light chain receptors is restricted to a late stage in pre-B cell differentiation. <i>Cell</i> , 1993, 73, 73-86.	28.9	167
134	Recombinant soluble IgA Fc receptor: generation, biochemical characterization, and functional analysis of the recombinant protein. <i>Journal of Leukocyte Biology</i> , 1993, 53, 223-232.	3.3	13
135	Identification of a surface protein (p100) associated with two glycosyl-phosphatidylinositol-linked molecules (Thy-1 and ThB) by natural anti-lymphocyte autoantibodies. <i>European Journal of Immunology</i> , 1992, 22, 2373-2380.	2.9	11
136	Immune complex-mediated glomerulopathy in experimental Chagas' disease. <i>Clinical Immunology and Immunopathology</i> , 1991, 58, 102-114.	2.0	26
137	Cellular distribution, regulation, and biochemical nature of an Fc alpha receptor in humans.. <i>Journal of Experimental Medicine</i> , 1990, 171, 597-613.	8.5	231
138	Glomerular and serum immunoglobulin G subclasses in IgA nephropathy. <i>Clinical Immunology and Immunopathology</i> , 1989, 51, 338-347.	2.0	30
139	Glomerular and serum immunoglobulin G subclasses in membranous nephropathy and anti-glomerular basement membrane nephritis. <i>Clinical Immunology and Immunopathology</i> , 1988, 46, 186-194.	2.0	73
140	Hashimoto's Thyroiditis With a Monoclonal Antithyroglobulin Autoantibody: Disappearance of the Monoclonal Antibody After Thyroidectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1988, 66, 880-884.	3.6	6
141	Charge and size of mesangial IgA in IgA nephropathy. <i>Kidney International</i> , 1985, 28, 666-671.	5.2	151