

# Yasuhisa Matsui

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/969822/publications.pdf>

Version: 2024-02-01

98  
papers

9,154  
citations

94433

37  
h-index

39675

94  
g-index

104  
all docs

104  
docs citations

104  
times ranked

7720  
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolic pathways regulating the development and non-genomic heritable traits of germ cells. <i>Journal of Reproduction and Development</i> , 2022, 68, 96-103.	1.4	3
2	Metabolic Control of Germline Formation and Differentiation in Mammals. <i>Sexual Development</i> , 2022, 16, 388-403.	2.0	11
3	Paternal age affects offspring via an epigenetic mechanism involving REST/NRSF. <i>EMBO Reports</i> , 2021, 22, e51524.	4.5	38
4	Abnormal early folliculogenesis due to impeded pyruvate metabolism in mouse oocytes. <i>Biology of Reproduction</i> , 2021, 105, 64-75.	2.7	7
5	Epi-mutations for spermatogenic defects by maternal exposure to di(2-ethylhexyl) phthalate. <i>ELife</i> , 2021, 10, .	6.0	6
6	Proteomic and metabolomic analyses uncover sex-specific regulatory pathways in mouse fetal germline differentiation. <i>Biology of Reproduction</i> , 2020, 103, 717-735.	2.7	7
7	Sex-specific histone modifications in mouse fetal and neonatal germ cells. <i>Epigenomics</i> , 2019, 11, 543-561.	2.1	15
8	Identification of the X-linked germ cell specific miRNAs (XmiRs) and their functions. <i>PLoS ONE</i> , 2019, 14, e0211739.	2.5	20
9	Comprehensive Analysis of Mouse Cancer/Testis Antigen Functions in Cancer Cells and Roles of TEK5 in Cancer Cells and Testicular Germ Cells. <i>Molecular and Cellular Biology</i> , 2019, 39, .	2.3	7
10	Shortened G1 phase of cell cycle and decreased histone H3K27 methylation are associated with AKT-induced enhancement of primordial germ cell reprogramming. <i>Development Growth and Differentiation</i> , 2019, 61, 357-364.	1.5	4
11	Transcriptomic analysis reveals differences in the regulation of amino acid metabolism in asexual and sexual planarians. <i>Scientific Reports</i> , 2019, 9, 6132.	3.3	12
12	Derivation of pluripotent stem cells from nascent undifferentiated teratoma. <i>Developmental Biology</i> , 2019, 446, 43-55.	2.0	3
13	SETDB1 is essential for mouse primordial germ cell fate determination by ensuring BMP signaling. <i>Development (Cambridge)</i> , 2018, 145, .	2.5	17
14	DNMTs and SETDB1 function as co-repressors in MAX-mediated repression of germ cell-related genes in mouse embryonic stem cells. <i>PLoS ONE</i> , 2018, 13, e0205969.	2.5	16
15	Identification of KLF9 and BCL3 as transcription factors that enhance reprogramming of primordial germ cells. <i>PLoS ONE</i> , 2018, 13, e0205004.	2.5	3
16	Repression of Somatic Genes by Selective Recruitment of HDAC3 by BLIMP1 Is Essential for Mouse Primordial Germ Cell Fate Determination. <i>Cell Reports</i> , 2018, 24, 2682-2693.e6.	6.4	14
17	Dnd1-mediated epigenetic control of teratoma formation in mouse. <i>Biology Open</i> , 2018, 7, .	1.2	15
18	Metabolomic and Proteomic Analyses of Mouse Primordial Germ Cells. <i>Methods in Molecular Biology</i> , 2018, 2045, 259-269.	0.9	2

#	ARTICLE	IF	CITATIONS
19	Distinct requirements for energy metabolism in mouse primordial germ cells and their reprogramming to embryonic germ cells. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 8289-8294.	7.1	59
20	DNA methylation of the Fthl17 5'™-upstream region regulates differential Fthl17 expression in lung cancer cells and germline stem cells. PLoS ONE, 2017, 12, e0172219.	2.5	4
21	Selective de-repression of germ cell-specific genes in mouse embryonic fibroblasts in a permissive epigenetic environment. Scientific Reports, 2016, 6, 32932.	3.3	4
22	Targeted disruption of the mouse protein phosphatase <i>ppm1l</i> gene leads to structural abnormalities in the brain. FEBS Letters, 2016, 590, 3606-3615.	2.8	3
23	Loss of MAX results in meiotic entry in mouse embryonic and germline stem cells. Nature Communications, 2016, 7, 11056.	12.8	68
24	Transgenic expression of <i>Telomerase reverse transcriptase</i> ( <i>Tert</i> ) improves cell proliferation of primary cells and enhances reprogramming efficiency into the induced pluripotent stem cell. Bioscience, Biotechnology and Biochemistry, 2016, 80, 1925-1933.	1.3	8
25	The protein phosphatase 6 catalytic subunit ( <i>Ppp6c</i> ) is indispensable for proper post-implantation embryogenesis. Mechanisms of Development, 2016, 139, 1-9.	1.7	23
26	Sex Specification and Heterogeneity of Primordial Germ Cells in Mice. PLoS ONE, 2015, 10, e0144836.	2.5	17
27	Novel sex-dependent differentially methylated regions are demethylated in adult male mouse livers. Biochemical and Biophysical Research Communications, 2015, 462, 332-338.	2.1	13
28	Mice doubly deficient in the Arf GAPs SMAP1 and SMAP2 exhibit embryonic lethality. FEBS Letters, 2015, 589, 2754-2762.	2.8	6
29	Sall4 Is Essential for Mouse Primordial Germ Cell Specification by Suppressing Somatic Cell Program Genes. Stem Cells, 2015, 33, 289-300.	3.2	32
30	A current view of the epigenome in mouse primordial germ cells. Molecular Reproduction and Development, 2014, 81, 160-170.	2.0	33
31	The majority of early primordial germ cells acquire pluripotency by AKT activation. Development (Cambridge), 2014, 141, 4457-4467.	2.5	18
32	The ADP-ribosylation factor 1 gene is indispensable for mouse embryonic development after implantation. Biochemical and Biophysical Research Communications, 2014, 453, 748-753.	2.1	16
33	On the fate of primordial germ cells injected into early mouse embryos. Developmental Biology, 2014, 385, 155-159.	2.0	24
34	High-resolution DNA methylome analysis of primordial germ cells identifies gender-specific reprogramming in mice. Genome Research, 2013, 23, 616-627.	5.5	239
35	Max is a repressor of germ cell-related gene expression in mouse embryonic stem cells. Nature Communications, 2013, 4, 1754.	12.8	66
36	Interallelic and Intergenic Incompatibilities of the Prdm9 ( <i>Hst1</i> ) Gene in Mouse Hybrid Sterility. PLoS Genetics, 2012, 8, e1003044.	3.5	68

#	ARTICLE	IF	CITATIONS
37	Cell cycle gene-specific control of transcription has a critical role in proliferation of primordial germ cells. <i>Genes and Development</i> , 2012, 26, 2477-2482.	5.9	28
38	REST and its downstream molecule Mek5 regulate survival of primordial germ cells. <i>Developmental Biology</i> , 2012, 372, 190-202.	2.0	13
39	Implication of DNA Demethylation and Bivalent Histone Modification for Selective Gene Regulation in Mouse Primordial Germ Cells. <i>PLoS ONE</i> , 2012, 7, e46036.	2.5	27
40	Epigenetic profiles in primordial germ cells: Global modulation and fine tuning of the epigenome for acquisition of totipotency. <i>Development Growth and Differentiation</i> , 2010, 52, 517-525.	1.5	31
41	The Molecular Mechanisms Regulating Germ Cell Development and Potential. <i>Journal of Andrology</i> , 2010, 31, 61-65.	2.0	23
42	In vitro assay system for primordial germ cell development. <i>Cell Research</i> , 2009, 19, 1125-1126.	12.0	0
43	Heterogeneity of mouse primordial germ cells reflecting the distinct status of their differentiation, proliferation and apoptosis can be classified by the expression of cell surface proteins integrin $\alpha 6$ and c-Kit. <i>Development Growth and Differentiation</i> , 2009, 51, 567-583.	1.5	20
44	Primordial germ cells contain subpopulations that have greater ability to develop into pluripotential stem cells. <i>Development Growth and Differentiation</i> , 2009, 51, 657-667.	1.5	24
45	Single Nucleotide Polymorphisms of the <i>PRDM9</i> ( <i>MEIS2</i> ) Gene in Patients With Nonobstructive Azoospermia. <i>Journal of Andrology</i> , 2009, 30, 426-431.	2.0	51
46	Epigenetic events in mammalian germ-cell development: reprogramming and beyond. <i>Nature Reviews Genetics</i> , 2008, 9, 129-140.	16.3	752
47	Requirement of Oct3/4 function for germ cell specification. <i>Developmental Biology</i> , 2008, 317, 576-584.	2.0	53
48	Mistaken Identity of Widely Used Esophageal Adenocarcinoma Cell Line TE-7. <i>Cancer Research</i> , 2007, 67, 7996-8001.	0.9	46
49	A comparison study in the proteomic signatures of multipotent germline stem cells, embryonic stem cells, and germline stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 353, 259-267.	2.1	12
50	Cellular dynamics associated with the genome-wide epigenetic reprogramming in migrating primordial germ cells in mice. <i>Development (Cambridge)</i> , 2007, 134, 2627-2638.	2.5	388
51	Epigenetic regulation for the induction of meiosis. <i>Cellular and Molecular Life Sciences</i> , 2007, 64, 257-262.	5.4	16
52	Stage-specific Importin13 activity influences meiosis of germ cells in the mouse. <i>Developmental Biology</i> , 2006, 297, 350-360.	2.0	32
53	Expression of low density lipoprotein receptor-related protein 4 (Lrp4) gene in the mouse germ cells. <i>Gene Expression Patterns</i> , 2006, 6, 607-612.	0.8	17
54	Meisetz, A Novel Histone Tri-Methyltransferase, Regulates Meiosis-Specific Epigenesis. <i>Cell Cycle</i> , 2006, 5, 615-620.	2.6	43

#	ARTICLE	IF	CITATIONS
55	Discordant developmental waves of angioblasts and hemangioblasts in the early gastrulating mouse embryo. <i>Development (Cambridge)</i> , 2006, 133, 2771-2779.	2.5	44
56	Mouse epiblasts change responsiveness to BMP4 signal required for PGC formation through functions of extraembryonic ectoderm. <i>Molecular Reproduction and Development</i> , 2005, 70, 20-29.	2.0	42
57	A histone H3 methyltransferase controls epigenetic events required for meiotic prophase. <i>Nature</i> , 2005, 438, 374-378.	27.8	444
58	Birth of mice produced by germ cell nuclear transfer. <i>Genesis</i> , 2005, 41, 81-86.	1.6	52
59	Mechanisms of germ-cell specification in mouse embryos. <i>BioEssays</i> , 2005, 27, 136-143.	2.5	41
60	Canonical Wnt Signaling and Its Antagonist Regulate Anterior-Posterior Axis Polarization by Guiding Cell Migration in Mouse Visceral Endoderm. <i>Developmental Cell</i> , 2005, 9, 639-650.	7.0	163
61	Extensive and orderly reprogramming of genome-wide chromatin modifications associated with specification and early development of germ cells in mice. <i>Developmental Biology</i> , 2005, 278, 440-458.	2.0	484
62	Regulation of expression of mouse interferon-induced transmembrane protein like gene-3, <i>Ifitm3</i> (mil-1). <i>Trends in Cell Biology</i> , 2004, 14, 68-74.	1.8	68
63	Hrp48, a <i>Drosophila</i> hnRNPA/B Homolog, Binds and Regulates Translation of <i>oskar</i> mRNA. <i>Developmental Cell</i> , 2004, 6, 637-648.	7.0	112
64	Erasure of methylation imprinting of <i>Igf2r</i> during mouse primordial germ cell development. <i>Molecular Reproduction and Development</i> , 2003, 65, 41-50.	2.0	87
65	Cadherin-mediated cell interaction regulates germ cell determination in mice. <i>Development (Cambridge)</i> , 2003, 130, 6423-6430.	2.5	64
66	Impaired colonization of the gonads by primordial germ cells in mice lacking a chemokine, stromal cell-derived factor-1 (SDF-1). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 5319-5323.	7.1	295
67	Testis-specific expression of a novel mouse defensin-like gene, <i>Tdl</i> . <i>Mechanisms of Development</i> , 2002, 116, 217-221.	1.7	19
68	SMAD1 signaling is critical for initial commitment of germ cell lineage from mouse epiblast. <i>Mechanisms of Development</i> , 2002, 118, 99-109.	1.7	144
69	Developmentally regulated expression of <i>mil-1</i> and <i>mil-2</i> , mouse interferon-induced transmembrane protein like genes, during formation and differentiation of primordial germ cells. <i>Mechanisms of Development</i> , 2002, 119, S261-S267.	1.7	81
70	Introduction and expression of foreign genes in cultured mouse embryonic gonads by electroporation. <i>Reproduction, Fertility and Development</i> , 2002, 14, 259.	0.4	15
71	Bcl-2 inhibits apoptosis of spermatogonia and growth of spermatogonial stem cells in a cell-intrinsic manner. <i>Molecular Reproduction and Development</i> , 2001, 58, 30-38.	2.0	18
72	Apoptosis of fetal testicular cells is regulated by both p53-dependent and independent mechanisms. <i>Development</i> , 2000, 127, 399-405.		20

#	ARTICLE	IF	CITATIONS
73	Expression and intracellular localization of mouse Vasa-homologue protein during germ cell development. <i>Mechanisms of Development</i> , 2000, 93, 139-149.	1.7	498
74	Germline-specific expression of the Oct-4/green fluorescent protein (GFP) transgene in mice. <i>Development Growth and Differentiation</i> , 1999, 41, 675-684.	1.5	369
75	Hematopoietic Development of Primordial Germ Cell-Derived Mouse Embryonic Germ Cells in Culture. <i>Biochemical and Biophysical Research Communications</i> , 1999, 260, 475-482.	2.1	35
76	Members of the ErbB Receptor Tyrosine Kinases Are Involved in Germ Cell Development in Fetal Mouse Gonads. <i>Developmental Biology</i> , 1999, 215, 399-406.	2.0	24
77	Regulation of germ cell death in mammalian gonads. <i>Apmis</i> , 1998, 106, 142-148.	2.0	43
78	Cloning and characterization of developmental endothelial locus-1: An embryonic endothelial cell protein that binds the $\alpha_5\beta_3$ integrin receptor. <i>Genes and Development</i> , 1998, 12, 21-33.	5.9	216
79	Assignment of the Murine Protein Kinase Gene <i>DLK1</i> to Chromosome 15 in the Vicinity of the <i>tbp1/Koa</i> Locus by Genetic Linkage Analysis. <i>Genomics</i> , 1997, 40, 375-376.	2.9	2
80	A Receptor Tyrosine Kinase, Sky, and Its Ligand Gas 6 Are Expressed in Gonads and Support Primordial Germ Cell Growth or Survival in Culture. <i>Developmental Biology</i> , 1996, 180, 499-510.	2.0	33
81	A novel serine/threonine kinase gene, <i>Gek1</i> , is expressed in meiotic testicular germ cells and primordial germ cells. <i>Molecular Reproduction and Development</i> , 1996, 45, 411-420.	2.0	11
82	Murine polo like kinase 1 gene is expressed in meiotic testicular germ cells and oocytes. <i>Molecular Reproduction and Development</i> , 1995, 41, 407-415.	2.0	24
83	Molecular Cloning and Expression of Mouse $Mg^{2+}$ -Dependent Protein Phosphatase $\hat{2}$ -4 (Type 2 $\hat{C}^2$ -4). <i>Archives of Biochemistry and Biophysics</i> , 1995, 318, 387-393.	3.0	32
84	Structural Organization of the Mouse Glycophorin A Gene. <i>Journal of Biochemistry</i> , 1994, 116, 1105-1110.	1.7	14
85	Inhibition of mammary duct development but not alveolar outgrowth during pregnancy in transgenic mice expressing active TGF-beta 1. <i>Genes and Development</i> , 1993, 7, 2308-2317.	5.9	226
86	Derivation of Pluripotential Embryonic Stem Cells from Murine Primordial Germ Cells in Culture. <i>Proceedings of the Japanese Society of Animal Models for Human Diseases</i> , 1993, 9, 9-14.	0.0	6
87	Characterization of the factors binding to a PEPCK gene upstream hypersensitive site with LCR activity. <i>Nucleic Acids Research</i> , 1992, 20, 3427-3433.	14.5	17
88	Derivation of pluripotential embryonic stem cells from murine primordial germ cells in culture. <i>Cell</i> , 1992, 70, 841-847.	28.9	1,203
89	c-Myc Interferes with the Commitment to Differentiation of Murine Erythroleukemia Cells at a Reversible Point. <i>Japanese Journal of Cancer Research</i> , 1992, 83, 61-65.	1.7	7
90	Effect of Steel factor and leukaemia inhibitory factor on murine primordial germ cells in culture. <i>Nature</i> , 1991, 353, 750-752.	27.8	447

#	ARTICLE	IF	CITATIONS
91	The isolation and characterization of a novel cDNA demonstrating an altered mRNA level in nontumorigenic Wilms' microcell hybrid cells. <i>Nucleic Acids Research</i> , 1991, 19, 5763-5769.	14.5	107
92	Embryonic expression of a haematopoietic growth factor encoded by the Sl locus and the ligand for c-kit. <i>Nature</i> , 1990, 347, 667-669.	27.8	512
93	Antisense RNA of the latent period gene (MER5) inhibits the differentiation of murine erythroleukemia cells. <i>Gene</i> , 1990, 91, 261-265.	2.2	41
94	Development of mammary hyperplasia and neoplasia in MMTV-TGF $\beta$ transgenic mice. <i>Cell</i> , 1990, 61, 1147-1155.	28.9	426
95	Complementary DNA Cloning of the Murine Transforming Growth Factor- $\beta$ 23 (TGF $\beta$ 23) Precursor and the Comparative Expression of TGF $\beta$ 23 and TGF $\beta$ 21 Messenger RNA in Murine Embryos and Adult Tissues. <i>Molecular Endocrinology</i> , 1989, 3, 1926-1934.	3.7	174
96	Different signalling pathways are used in the commitment of murine erythroleukemia cells (TSA 8) to differentiate, and in the erythropoietin action on progenitor cells.. <i>Cell Structure and Function</i> , 1989, 14, 231-239.	1.1	0
97	Stage-specific gene expression in erythroid progenitor cells (CFU-E). <i>Cell Differentiation</i> , 1988, 22, 259-265.	0.4	4
98	Induction of glycoporphin gene expression in cultured murine erythroleukemia cells. <i>Differentiation</i> , 1985, 29, 268-274.	1.9	10