

Roland Wiest

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/971541/publications.pdf>

Version: 2024-02-01

206
papers

10,837
citations

61984

43
h-index

37204

96
g-index

216
all docs

216
docs citations

216
times ranked

13678
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The <sc>ENIGMAâ€Epilepsy</sc> working group: Mapping disease from large data sets. Human Brain Mapping, 2022, 43, 113-128. | 3.6 | 47 |
| 2 | Fear and discomfort of children and adolescents during MRI: ethical consideration on research MRIs in children. Pediatric Research, 2022, 91, 720-723. | 2.3 | 3 |
| 3 | Neurological Soft Signs Are Associated With Altered White Matter in Patients With Schizophrenia. Schizophrenia Bulletin, 2022, 48, 220-230. | 4.3 | 13 |
| 4 | Limbic links to paranoia: increased resting-state functional connectivity between amygdala, hippocampus and orbitofrontal cortex in schizophrenia patients with paranoia. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 1021-1032. | 3.2 | 17 |
| 5 | Clinical phenotype modulates brainâ€™s myelin and iron content in temporal lobe epilepsy. Brain Structure and Function, 2022, 227, 901-911. | 2.3 | 3 |
| 6 | Stationary EEG pattern relates to large-scale resting state networks â€“ An EEG-fMRI study connecting brain networks across time-scales. NeuroImage, 2022, 246, 118763. | 4.2 | 5 |
| 7 | Associations between anterior cingulate thickness, cingulum bundle microstructure, melancholia and depression severity in unipolar depression. Journal of Affective Disorders, 2022, 301, 437-444. | 4.1 | 16 |
| 8 | A Quantitative Imaging Biomarker Supporting Radiological Assessment of Hippocampal Sclerosis Derived From Deep Learning-Based Segmentation of T1w-MRI. Frontiers in Neurology, 2022, 13, 812432. | 2.4 | 5 |
| 9 | Do Hypertensive Men Spy With an Angry Little Eye? Anger Recognition in Men With Essential Hypertension - Cross-sectional and Prospective Findings. Annals of Behavioral Medicine, 2022, 56, 875-889. | 2.9 | 5 |
| 10 | Medical-Blocksâ€•A Platform for Exploration, Management, Analysis, and Sharing of Data in Biomedical Research: System Development and Integration Results. JMIR Formative Research, 2022, 6, e32287. | 1.4 | 2 |
| 11 | Cognitive outcome is related to functional thalamo-cortical connectivity after paediatric stroke. Brain Communications, 2022, 4, . | 3.3 | 2 |
| 12 | Eventâ€-based modeling in temporal lobe epilepsy demonstrates progressive atrophy from crossâ€-sectional data. Epilepsia, 2022, 63, 2081-2095. | 5.1 | 11 |
| 13 | Clinical neuroimaging in intracerebral haemorrhage related to cerebral small vessel disease: contemporary practice and emerging concepts. Expert Review of Neurotherapeutics, 2022, 22, 579-594. | 2.8 | 2 |
| 14 | Evaluation of diagnostic criteria and red flags of myelin oligodendrocyte glycoprotein encephalomyelitis in a clinical routine cohort. CNS Neuroscience and Therapeutics, 2021, 27, 426-438. | 3.9 | 6 |
| 15 | Analyzing magnetic resonance imaging data from glioma patients using deep learning. Computerized Medical Imaging and Graphics, 2021, 88, 101828. | 5.8 | 23 |
| 16 | Uncertainty-Driven Refinement of Tumor-Core Segmentation Using 3D-to-2D Networks with Label Uncertainty. Lecture Notes in Computer Science, 2021, , 401-411. | 1.3 | 8 |
| 17 | Effect of early sleep apnoea treatment with adaptive servo-ventilation in acute stroke patients on cerebral lesion evolution and neurological outcomes: study protocol for a multicentre, randomized controlled, rater-blinded, clinical trial (eSATIS: early Sleep Apnoea Treatment in Stroke). Trials, 2021, 22, 83. | 1.6 | 7 |
| 18 | Altered central pain processing in fibromyalgiaâ€•A multimodal neuroimaging case-control study using arterial spin labelling. PLoS ONE, 2021, 16, e0235879. | 2.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Functional connectivity and upper limb function in patients after pediatric arterial ischemic stroke with contralateral corticospinal tract wiring. <i>Scientific Reports</i> , 2021, 11, 5490. | 3.3 | 3 |
| 20 | Combining unsupervised and supervised learning for predicting the final stroke lesion. <i>Medical Image Analysis</i> , 2021, 69, 101888. | 11.6 | 14 |
| 21 | Structured Reporting of Acute Ischemic Stroke – Consensus-Based Reporting Templates for Non-Contrast Cranial Computed Tomography, CT Angiography, and CT Perfusion. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2021, 193, 1315-1317. | 1.3 | 1 |
| 22 | Acute Stress-Induced Blood Lipid Reactivity in Hypertensive and Normotensive Men and Prospective Associations with Future Cardiovascular Risk. <i>Journal of Clinical Medicine</i> , 2021, 10, 3400. | 2.4 | 5 |
| 23 | Predicting Infarct Core From Computed Tomography Perfusion in Acute Ischemia With Machine Learning: Lessons From the ISLES Challenge. <i>Stroke</i> , 2021, 52, 2328-2337. | 2.0 | 41 |
| 24 | Stent-Based Retrieval Techniques in Acute Ischemic Stroke Patients with and Without Susceptibility Vessel Sign. <i>Clinical Neuroradiology</i> , 2021, , 1. | 1.9 | 2 |
| 25 | Thalamic Influence on Slow Wave Slope Renormalization During Sleep. <i>Annals of Neurology</i> , 2021, 90, 821-833. | 5.3 | 10 |
| 26 | SWI Susceptibility Vessel Sign in Patients Undergoing Mechanical Thrombectomy for Acute Ischemic Stroke. <i>American Journal of Neuroradiology</i> , 2021, 42, 1949-1955. | 2.4 | 11 |
| 27 | Cerebral blood flow and cognitive outcome after pediatric stroke in the middle cerebral artery. <i>Scientific Reports</i> , 2021, 11, 19421. | 3.3 | 9 |
| 28 | Simultaneous lesion and brain segmentation in multiple sclerosis using deep neural networks. <i>Scientific Reports</i> , 2021, 11, 1087. | 3.3 | 51 |
| 29 | Risks of Undersizing Stent Retriever Length Relative to Thrombus Length in Patients with Acute Ischemic Stroke. <i>American Journal of Neuroradiology</i> , 2021, 42, 2181-2187. | 2.4 | 8 |
| 30 | Clinical Implementation of 7T MRI for the Identification of Incidental Intracranial Aneurysms versus Anatomic Variants. <i>American Journal of Neuroradiology</i> , 2021, 42, 2172-2174. | 2.4 | 13 |
| 31 | Prediction of Tissue Damage Using a User-Independent Machine Learning Algorithm vs. Tmax Threshold Maps. <i>Clinical and Translational Neuroscience</i> , 2021, 5, 21. | 0.9 | 0 |
| 32 | Automatic detection of lesion load change in Multiple Sclerosis using convolutional neural networks with segmentation confidence. <i>NeuroImage: Clinical</i> , 2020, 25, 102104. | 2.7 | 42 |
| 33 | Functional topography of the thalamo-cortical system during development and its relation to cognition. <i>NeuroImage</i> , 2020, 223, 117361. | 4.2 | 33 |
| 34 | No Effect of Anodal tDCS on Verbal Episodic Memory Performance and Neurotransmitter Levels in Young and Elderly Participants. <i>Neural Plasticity</i> , 2020, 2020, 1-15. | 2.2 | 9 |
| 35 | Sensing form - finger gating as key to tactile object exploration - a data glove analysis of a prototypical daily task. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2020, 17, 133. | 4.6 | 3 |
| 36 | Diagnosis of epilepsy after first seizure. Introducing the SWISS FIRST study. <i>Clinical and Translational Neuroscience</i> , 2020, 4, 2514183X2093944. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Imaging Neurovascular Uncoupling in Acute Migraine with Aura with Susceptibility Weighted Imaging. <i>Clinical Neuroradiology</i> , 2020, 31, 581-588. | 1.9 | 5 |
| 38 | Outcome prediction with resting-state functional connectivity after cardiac arrest. <i>Scientific Reports</i> , 2020, 10, 11695. | 3.3 | 18 |
| 39 | Direct cortical thickness estimation using deep learning-based anatomy segmentation and cortex parcellation. <i>Human Brain Mapping</i> , 2020, 41, 4804-4814. | 3.6 | 33 |
| 40 | Remodeling of brain morphology in temporal lobe epilepsy. <i>Brain and Behavior</i> , 2020, 10, e01825. | 2.2 | 3 |
| 41 | Radiomics for glioblastoma survival analysis in pre-operative MRI: exploring feature robustness, class boundaries, and machine learning techniques. <i>Cancer Imaging</i> , 2020, 20, 55. | 2.8 | 39 |
| 42 | Exploratory Analysis of Qualitative MR Imaging Features for the Differentiation of Glioblastoma and Brain Metastases. <i>Frontiers in Oncology</i> , 2020, 10, 581037. | 2.8 | 6 |
| 43 | Transcranial magnetic stimulation over the right temporoparietal junction influences the sense of agency in healthy humans. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 271-278. | 2.4 | 11 |
| 44 | Degeneration of the Ipsilateral Substantia Nigra and Red Nucleus as Well as Contralateral Dentate Nucleus after Middle Cerebral Artery Infarction. <i>Radiology</i> , 2020, 296, E14-E14. | 7.3 | 0 |
| 45 | The index vein pointing to the origin of the migraine aura symptom. <i>Neurology</i> , 2020, 94, e2577-e2580. | 1.1 | 10 |
| 46 | On the Interpretability of Artificial Intelligence in Radiology: Challenges and Opportunities. <i>Radiology: Artificial Intelligence</i> , 2020, 2, e190043. | 5.8 | 212 |
| 47 | Findings in susceptibility weighted imaging in pediatric patients with migraine with aura. <i>European Journal of Paediatric Neurology</i> , 2020, 28, 221-227. | 1.6 | 8 |
| 48 | Neural correlates of sense of agency in motor control: A neuroimaging meta-analysis. <i>PLoS ONE</i> , 2020, 15, e0234321. | 2.5 | 37 |
| 49 | The Influence of Various Cerebral and Extracerebral Pathologies on Apparent Diffusion Coefficient Values in the Fetal Brain. <i>Journal of Neuroimaging</i> , 2020, 30, 477-485. | 2.0 | 11 |
| 50 | Topography of MR lesions correlates with standardized EEG pattern in early comatose survivors after cardiac arrest. <i>Resuscitation</i> , 2020, 149, 217-224. | 3.0 | 11 |
| 51 | Symptomatic and asymptomatic intracranial atherosclerotic stenosis: 3 years' prospective study. <i>Journal of Neurology</i> , 2020, 267, 1687-1698. | 3.6 | 9 |
| 52 | Dysbalanced Resting-State Functional Connectivity Within the Praxis Network Is Linked to Gesture Deficits in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 905-915. | 4.3 | 16 |
| 53 | Striatal reactivity to reward under threat-of-shock and working memory load in adults at increased familial risk for major depression: A preliminary study. <i>NeuroImage: Clinical</i> , 2020, 26, 102193. | 2.7 | 9 |
| 54 | Brain SegNet: 3D local refinement network for brain lesion segmentation. <i>BMC Medical Imaging</i> , 2020, 20, 17. | 2.7 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Glucocorticoids and cortical decoding in the phobic brain. <i>Psychiatry Research - Neuroimaging</i> , 2020, 300, 111066. | 1.8 | 1 |
| 56 | Altered diffusion in motor white matter tracts in psychosis patients with catatonia. <i>Schizophrenia Research</i> , 2020, 220, 210-217. | 2.0 | 23 |
| 57 | The effect of optimistic expectancies on attention bias: Neural and behavioral correlates. <i>Scientific Reports</i> , 2020, 10, 6495. | 3.3 | 12 |
| 58 | Brain Morphometry Estimation: From Hours to Seconds Using Deep Learning. <i>Frontiers in Neurology</i> , 2020, 11, 244. | 2.4 | 14 |
| 59 | Correction to: Interpretability of Machine Intelligence in Medical Image Computing and Multimodal Learning for Clinical Decision Support. <i>Lecture Notes in Computer Science</i> , 2020, , C1-C1. | 1.3 | 0 |
| 60 | Local thalamic atrophy associates with large-scale functional connectivity alterations of fronto-parietal cortices in genetic generalized epilepsies. <i>Clinical and Translational Neuroscience</i> , 2019, 3, 2514183X1985032. | 0.9 | 2 |
| 61 | Ultrasonic quantification of cerebral perfusion in acute anterior circulation occlusive strokeâ€”A comparative challenge of the refill- and the bolus-kinetics approach. <i>PLoS ONE</i> , 2019, 14, e0220171. | 2.5 | 6 |
| 62 | Cerebral blood flow imbalance is associated with motor outcome after pediatric arterial ischemic stroke. <i>PLoS ONE</i> , 2019, 14, e0223584. | 2.5 | 6 |
| 63 | Striatal responsiveness to reward under threatâ€”ofâ€”shock and working memory load: A preliminary study. <i>Brain and Behavior</i> , 2019, 9, e01397. | 2.2 | 15 |
| 64 | Increased structural connectivity of the medial forebrain bundle in schizophrenia spectrum disorders is associated with delusions of paranoid threat and grandiosity. <i>NeuroImage: Clinical</i> , 2019, 24, 102044. | 2.7 | 17 |
| 65 | Neural Networkâ€”derived Perfusion Maps for the Assessment of Lesions in Patients with Acute Ischemic Stroke. <i>Radiology: Artificial Intelligence</i> , 2019, 1, e190019. | 5.8 | 13 |
| 66 | Trajectories of brain remodeling in temporal lobe epilepsy. <i>Journal of Neurology</i> , 2019, 266, 3150-3159. | 3.6 | 3 |
| 67 | Analysis of metabolic abnormalities in highâ€”grade glioma using MRSI and convex NMF. <i>NMR in Biomedicine</i> , 2019, 32, e4109. | 2.8 | 6 |
| 68 | Directional stimulation of subthalamic nucleus sweet spot predicts clinical efficacy: Proof of concept. <i>Brain Stimulation</i> , 2019, 12, 1127-1134. | 1.6 | 43 |
| 69 | Early prediction of long-term tactile object recognition performance after sensorimotor stroke. <i>Cortex</i> , 2019, 115, 264-279. | 2.4 | 6 |
| 70 | Standardized Assessment of Automatic Segmentation of White Matter Hyperintensities and Results of the WMH Segmentation Challenge. <i>IEEE Transactions on Medical Imaging</i> , 2019, 38, 2556-2568. | 8.9 | 165 |
| 71 | Deep Learning Versus Classical Regression for Brain Tumor Patient Survival Prediction. <i>Lecture Notes in Computer Science</i> , 2019, , 429-440. | 1.3 | 16 |
| 72 | Prediction of conversion to multiple sclerosis using the 2017 McDonald and 2016 MAGNIMS criteria in patients with clinically isolated syndrome: a retrospective single-centre study. <i>Therapeutic Advances in Neurological Disorders</i> , 2019, 12, 175628641983565. | 3.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Is Asymmetry of the Pons Associated with Hand Function and Manual Ability after Arterial Ischemic Stroke in Children?. <i>Neuropediatrics</i> , 2019, 50, 138-145. | 0.6 | 4 |
| 74 | Targeting the posterior subthalamic area for essential tremor: proposal for MRI-based anatomical landmarks. <i>Journal of Neurosurgery</i> , 2019, 131, 820-827. | 1.6 | 19 |
| 75 | Divide and Conquer: Stratifying Training Data by Tumor Grade Improves Deep Learning-Based Brain Tumor Segmentation. <i>Frontiers in Neuroscience</i> , 2019, 13, 1182. | 2.8 | 13 |
| 76 | Langerhans cell histiocytosis with initial central nervous system presentation as a mimic of neurosarcoidosis. <i>Clinical and Translational Neuroscience</i> , 2019, 3, 2514183X1987506. | 0.9 | 1 |
| 77 | Recent developments in imaging of epilepsy. <i>Current Opinion in Neurology</i> , 2019, 32, 530-538. | 3.6 | 12 |
| 78 | Repetitive Computed Tomography Perfusion for Detection of Cerebral Vasospasm-Related Hypoperfusion in Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2019, 121, e739-e746. | 1.3 | 8 |
| 79 | Synthetic Perfusion Maps: Imaging Perfusion Deficits in DSC-MRI with Deep Learning. <i>Lecture Notes in Computer Science</i> , 2019, , 447-455. | 1.3 | 4 |
| 80 | Periodic limb movements during sleep in stroke/TIA. <i>Neurology</i> , 2018, 90, e1663-e1672. | 1.1 | 30 |
| 81 | Structural brain abnormalities in the common epilepsies assessed in a worldwide ENIGMA study. <i>Brain</i> , 2018, 141, 391-408. | 7.6 | 352 |
| 82 | Targeting Accuracy of the Subthalamic Nucleus in Deep Brain Stimulation Surgery: Comparison Between 3 T T2-Weighted Magnetic Resonance Imaging and Microelectrode Recording Results. <i>Operative Neurosurgery</i> , 2018, 15, 66-71. | 0.8 | 20 |
| 83 | Enhancing interpretability of automatically extracted machine learning features: application to a RBM-Random Forest system on brain lesion segmentation. <i>Medical Image Analysis</i> , 2018, 44, 228-244. | 11.6 | 76 |
| 84 | Cerebellar Hypoperfusion in Migraine Attack: Incidence and Significance. <i>American Journal of Neuroradiology</i> , 2018, 39, 435-440. | 2.4 | 25 |
| 85 | Cerebral microembolism in the critically ill with acute kidney injury (COMET-AKI trial): study protocol for a randomized controlled clinical trial. <i>Trials</i> , 2018, 19, 189. | 1.6 | 2 |
| 86 | The effect of a single dose of escitalopram on sensorimotor networks. <i>Brain and Behavior</i> , 2018, 8, e00975. | 2.2 | 3 |
| 87 | Variability of physiological brain perfusion in healthy subjects - A systematic review of modifiers. Considerations for multi-center ASL studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 1418-1437. | 4.3 | 84 |
| 88 | 3D-constructive interference into steady state (3D-CISS) labyrinth signal alteration in patients with vestibular schwannoma. <i>Auris Nasus Larynx</i> , 2018, 45, 702-710. | 1.2 | 7 |
| 89 | Automated diagnosis of temporal lobe epilepsy in the absence of interictal spikes. <i>NeuroImage: Clinical</i> , 2018, 17, 10-15. | 2.7 | 52 |
| 90 | Neural Correlates of Impaired Reward-Effort Integration in Remitted Bulimia Nervosa. <i>Neuropsychopharmacology</i> , 2018, 43, 868-876. | 5.4 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Resting-state connectivity and executive functions after pediatric arterial ischemic stroke. <i>NeuroImage: Clinical</i> , 2018, 17, 359-367. | 2.7 | 31 |
| 92 | Computer-aided radiological diagnostics improves the preoperative diagnoses of medulloblastoma, pilocytic astrocytoma, and ependymoma. <i>Clinical and Translational Neuroscience</i> , 2018, 2, 2514183X1878660. | 0.9 | 0 |
| 93 | Stroke Lesion Outcome Prediction Based on MRI Imaging Combined With Clinical Information. <i>Frontiers in Neurology</i> , 2018, 9, 1060. | 2.4 | 55 |
| 94 | Association of anemia and hemoglobin decrease during acute stroke treatment with infarct growth and clinical outcome. <i>PLoS ONE</i> , 2018, 13, e0203535. | 2.5 | 25 |
| 95 | Accuracy of different three-dimensional subcortical human brain atlases for DBS "lead localisation. <i>NeuroImage: Clinical</i> , 2018, 20, 868-874. | 2.7 | 37 |
| 96 | Predictors of Unexpected Early Reocclusion After Successful Mechanical Thrombectomy in Acute Ischemic Stroke Patients. <i>Stroke</i> , 2018, 49, 2643-2651. | 2.0 | 77 |
| 97 | On the Effect of Inter-observer Variability for a Reliable Estimation of Uncertainty of Medical Image Segmentation. <i>Lecture Notes in Computer Science</i> , 2018, , 682-690. | 1.3 | 35 |
| 98 | Physical activity is associated with left corticospinal tract microstructure in bipolar depression. <i>NeuroImage: Clinical</i> , 2018, 20, 939-945. | 2.7 | 16 |
| 99 | A Machine Learning Approach to Perfusion Imaging With Dynamic Susceptibility Contrast MR. <i>Frontiers in Neurology</i> , 2018, 9, 717. | 2.4 | 33 |
| 100 | Rebound After Fingolimod and a Single Daclizumab Injection in a Patient Retrospectively Diagnosed With NMO Spectrum Disorder" MRI Apparent Diffusion Coefficient Maps in Differential Diagnosis of Demyelinating CNS Disorders. <i>Frontiers in Neurology</i> , 2018, 9, 782. | 2.4 | 5 |
| 101 | Radiosurgery of vestibular schwannoma: prognostic factors for hearing outcome using 3D-constructive interference in steady state (3D-CISS). <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 1132-1143. | 2.0 | 7 |
| 102 | ISLES 2016 and 2017-Benchmarking Ischemic Stroke Lesion Outcome Prediction Based on Multispectral MRI. <i>Frontiers in Neurology</i> , 2018, 9, 679. | 2.4 | 117 |
| 103 | Glucocorticoid administration restores salience network activity in patients with spider phobia. <i>Depression and Anxiety</i> , 2018, 35, 925-934. | 4.1 | 10 |
| 104 | Limbic Interference During Social Action Planning in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 359-368. | 4.3 | 35 |
| 105 | Resting-State Hyperperfusion of the Supplementary Motor Area in Catatonia. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw140. | 4.3 | 74 |
| 106 | Automatic estimation of extent of resection and residual tumor volume of patients with glioblastoma. <i>Journal of Neurosurgery</i> , 2017, 127, 798-806. | 1.6 | 30 |
| 107 | Clinical evaluation of the iterative metal artefact reduction algorithm for post-operative CT examination after maxillofacial surgery. <i>Dentomaxillofacial Radiology</i> , 2017, 46, 20160355. | 2.7 | 15 |
| 108 | Pyogenic brain abscess with atypical features resembling glioblastoma in advanced MRI imaging. <i>Radiology Case Reports</i> , 2017, 12, 365-370. | 0.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Neural response to catecholamine depletion in remitted bulimia nervosa: Relation to depression and relapse. <i>European Neuropsychopharmacology</i> , 2017, 27, 633-646. | 0.7 | 8 |
| 110 | Specific cerebral perfusion patterns in three schizophrenia symptom dimensions. <i>Schizophrenia Research</i> , 2017, 190, 96-101. | 2.0 | 34 |
| 111 | Aberrant Hyperconnectivity in the Motor System at Rest Is Linked to Motor Abnormalities in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2017, 43, 982-992. | 4.3 | 112 |
| 112 | Comparison of perioperative automated versus manual two-dimensional tumor analysis in glioblastoma patients. <i>European Journal of Radiology</i> , 2017, 95, 75-81. | 2.6 | 9 |
| 113 | Personalized structural image analysis in patients with temporal lobe epilepsy. <i>Scientific Reports</i> , 2017, 7, 10883. | 3.3 | 10 |
| 114 | Deep Brain Stimulation for Tremor: Is There a Common Structure?. <i>Stereotactic and Functional Neurosurgery</i> , 2017, 95, 243-250. | 1.5 | 45 |
| 115 | Fully automated stroke tissue estimation using random forest classifiers (FASTER). <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 2728-2741. | 4.3 | 72 |
| 116 | Glucocorticoid Administration Improves Aberrant Fear-Processing Networks in Spider Phobia. <i>Neuropsychopharmacology</i> , 2017, 42, 485-494. | 5.4 | 27 |
| 117 | ISLES 2015 - A public evaluation benchmark for ischemic stroke lesion segmentation from multispectral MRI. <i>Medical Image Analysis</i> , 2017, 35, 250-269. | 11.6 | 360 |
| 118 | Is ultrasound perfusion imaging capable of detecting mismatch? A proof-of-concept study in acute stroke patients. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 1517-1526. | 4.3 | 12 |
| 119 | Model-Based Magnetization Transfer Imaging Markers to Characterize Patients and Asymptomatic Gene Carriers in Huntington's Disease. <i>Frontiers in Neurology</i> , 2017, 8, 465. | 2.4 | 2 |
| 120 | Relevance of the cerebral collateral circulation in ischaemic stroke: time is brain, but collaterals set the pace. <i>Swiss Medical Weekly</i> , 2017, 147, w14538. | 1.6 | 46 |
| 121 | Microstructure and Cerebral Blood Flow within White Matter of the Human Brain: A TBSS Analysis. <i>PLoS ONE</i> , 2016, 11, e0150657. | 2.5 | 29 |
| 122 | Fully Automated Enhanced Tumor Compartmentalization: Man vs. Machine Reloaded. <i>PLoS ONE</i> , 2016, 11, e0165302. | 2.5 | 22 |
| 123 | Altered directed functional connectivity in temporal lobe epilepsy in the absence of interictal spikes: A high density EEG study. <i>Epilepsia</i> , 2016, 57, 402-411. | 5.1 | 107 |
| 124 | Comparison of Routine Brain Imaging at 3 T and 7 T. <i>Investigative Radiology</i> , 2016, 51, 469-482. | 6.2 | 82 |
| 125 | Automatic quality control in clinical ¹ H MRSI of brain cancer. <i>NMR in Biomedicine</i> , 2016, 29, 563-575. | 2.8 | 28 |
| 126 | Epileptic networks are strongly connected with and without the effects of interictal discharges. <i>Epilepsia</i> , 2016, 57, 1086-1096. | 5.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Clinical Evaluation of a Fully-automatic Segmentation Method for Longitudinal Brain Tumor Volumetry. <i>Scientific Reports</i> , 2016, 6, 23376. | 3.3 | 89 |
| 128 | Higher macrophage superoxide anion production in coronary artery disease (CAD) patients with Type D personality. <i>Psychoneuroendocrinology</i> , 2016, 68, 186-193. | 2.7 | 21 |
| 129 | Cerebral white matter structure is associated with DSM-5 schizophrenia symptom dimensions. <i>NeuroImage: Clinical</i> , 2016, 12, 93-99. | 2.7 | 38 |
| 130 | T2-relaxometry predicts outcome of DBS in idiopathic Parkinson's disease. <i>NeuroImage: Clinical</i> , 2016, 12, 832-837. | 2.7 | 11 |
| 131 | <scp>CBT</scp> reduces <scp>CBF</scp>: cognitive–behavioral therapy reduces cerebral blood flow in fear–relevant brain regions in spider phobia. <i>Brain and Behavior</i> , 2016, 6, e00510. | 2.2 | 12 |
| 132 | Ictal time-irreversible intracranial EEG signals as markers of the epileptogenic zone. <i>Clinical Neurophysiology</i> , 2016, 127, 3051-3058. | 1.5 | 30 |
| 133 | Adult anaplastic pilocytic astrocytoma “ a diagnostic challenge? A case series and literature review. <i>Clinical Neurology and Neurosurgery</i> , 2016, 147, 98-104. | 1.4 | 8 |
| 134 | Mycoplasma-induced minimally conscious state. <i>SpringerPlus</i> , 2016, 5, 143. | 1.2 | 1 |
| 135 | Prestimulus default mode activity influences depth of processing and recognition in an emotional memory task. <i>Human Brain Mapping</i> , 2016, 37, 924-932. | 3.6 | 12 |
| 136 | Focal Epilepsy: MR Imaging of Nonhemodynamic Field Effects by Using a Phase-cycled Stimulus-induced Rotary Saturation Approach with Spin-Lock Preparation. <i>Radiology</i> , 2016, 280, 237-243. | 7.3 | 10 |
| 137 | Structural brain correlates of defective gesture performance in schizophrenia. <i>Cortex</i> , 2016, 78, 125-137. | 2.4 | 36 |
| 138 | Dancing Jaw and Dancing Eyes. <i>JAMA Neurology</i> , 2016, 73, 122. | 9.0 | 1 |
| 139 | No Routine Postoperative Head CT following Elective Craniotomy “ A Paradigm Shift?. <i>PLoS ONE</i> , 2016, 11, e0153499. | 2.5 | 20 |
| 140 | FISICO: Fast Image Segmentation CORrection. <i>PLoS ONE</i> , 2016, 11, e0156035. | 2.5 | 7 |
| 141 | Focal and Generalized Patterns of Cerebral Cortical Veins Due to Non-Convulsive Status Epilepticus or Prolonged Seizure Episode after Convulsive Status Epilepticus “ A MRI Study Using Susceptibility Weighted Imaging. <i>PLoS ONE</i> , 2016, 11, e0160495. | 2.5 | 15 |
| 142 | Fully automatic GBM segmentation in the TCGA-GBM dataset: Prognosis and correlation with VASARI features. <i>Scientific Reports</i> , 2015, 5, 16822. | 3.3 | 78 |
| 143 | Dynamic Changes of Intramural Hematoma in Patients with Acute Spontaneous Internal Carotid Artery Dissection. <i>International Journal of Stroke</i> , 2015, 10, 887-892. | 5.9 | 24 |
| 144 | A Thalamic-Fronto-Parietal Structural Covariance Network Emerging in the Course of Recovery from Hand Paresis after Ischemic Stroke. <i>Frontiers in Neurology</i> , 2015, 6, 211. | 2.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Editorial: Principles Underlying Post-Stroke Recovery of Upper Extremity Sensorimotor Function—A Neuroimaging Perspective. <i>Frontiers in Neurology</i> , 2015, 6, 267. | 2.4 | 3 |
| 146 | Significant Artifact Reduction at 1.5T and 3T MRI by the Use of a Cochlear Implant with Removable Magnet: An Experimental Human Cadaver Study. <i>PLoS ONE</i> , 2015, 10, e0132483. | 2.5 | 37 |
| 147 | Using MDEFT MRI Sequences to Target the GPI in DBS Surgery. <i>PLoS ONE</i> , 2015, 10, e0137868. | 2.5 | 23 |
| 148 | Resected Brain Tissue, Seizure Onset Zone and Quantitative EEG Measures: Towards Prediction of Post-Surgical Seizure Control. <i>PLoS ONE</i> , 2015, 10, e0141023. | 2.5 | 43 |
| 149 | Progressive multifocal leukoencephalopathy in common variable immunodeficiency: mitigated course under mirtazapine and mefloquine. <i>Journal of NeuroVirology</i> , 2015, 21, 694-701. | 2.1 | 22 |
| 150 | The Multimodal Brain Tumor Image Segmentation Benchmark (BRATS). <i>IEEE Transactions on Medical Imaging</i> , 2015, 34, 1993-2024. | 8.9 | 3,589 |
| 151 | Dynamic directed interictal connectivity in left and right temporal lobe epilepsy. <i>Epilepsia</i> , 2015, 56, 207-217. | 5.1 | 117 |
| 152 | Cortical reorganisation of cerebral networks after childhood stroke: impact on outcome. <i>BMC Neurology</i> , 2015, 15, 90. | 1.8 | 19 |
| 153 | Limbic white matter microstructure plasticity reflects recovery from depression. <i>Journal of Affective Disorders</i> , 2015, 170, 143-149. | 4.1 | 38 |
| 154 | Detecting Functional Hubs of Ictogenic Networks. <i>Brain Topography</i> , 2015, 28, 305-317. | 1.8 | 49 |
| 155 | Cognitive improvement in patients with carotid stenosis is independent of treatment type. <i>Swiss Medical Weekly</i> , 2015, 145, w14226. | 1.6 | 10 |
| 156 | Interhemispheric Cerebral Blood Flow Balance during Recovery of Motor Hand Function after Ischemic Stroke—A Longitudinal MRI Study Using Arterial Spin Labeling Perfusion. <i>PLoS ONE</i> , 2014, 9, e106327. | 2.5 | 26 |
| 157 | Sono-Electro-Magnetic Therapy for Treating Chronic Pelvic Pain Syndrome in Men: A Randomized, Placebo-Controlled, Double-Blind Trial. <i>PLoS ONE</i> , 2014, 9, e113368. | 2.5 | 25 |
| 158 | Focal hemodynamic patterns of status epilepticus detected by susceptibility weighted imaging (SWI). <i>European Radiology</i> , 2014, 24, 2980-2988. | 4.5 | 28 |
| 159 | Unconscious relational encoding depends on hippocampus. <i>Brain</i> , 2014, 137, 3355-3370. | 7.6 | 55 |
| 160 | Supplementary motor area (SMA) volume is associated with psychotic aberrant motor behaviour of patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014, 223, 49-51. | 1.8 | 43 |
| 161 | White matter pathway organization of the reward system is related to positive and negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2014, 153, 136-142. | 2.0 | 69 |
| 162 | Interactive segmentation of MR images from brain tumor patients. , 2014, , . | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Left posterior parietal theta burst stimulation affects gestural imitation regardless of semantic content. <i>Clinical Neurophysiology</i> , 2014, 125, 457-462. | 1.5 | 13 |
| 164 | White matter microstructure alterations of the medial forebrain bundle in melancholic depression. <i>Journal of Affective Disorders</i> , 2014, 155, 186-193. | 4.1 | 76 |
| 165 | Ventral striatum gray matter density reduction in patients with schizophrenia and psychotic emotional dysregulation. <i>NeuroImage: Clinical</i> , 2014, 4, 232-239. | 2.7 | 49 |
| 166 | Multi-Modal Glioblastoma Segmentation: Man versus Machine. <i>PLoS ONE</i> , 2014, 9, e96873. | 2.5 | 116 |
| 167 | Radiological Findings of Sexual Intercourse Related Emergency Department Admissions: A First Overview. <i>PLoS ONE</i> , 2014, 9, e104170. | 2.5 | 5 |
| 168 | Widespread grey matter changes and hemodynamic correlates to interictal epileptiform discharges in pharmaco-resistant mesial temporal epilepsy. <i>Journal of Neurology</i> , 2013, 260, 1601-1610. | 3.6 | 15 |
| 169 | Altered cortico-basal ganglia motor pathways reflect reduced volitional motor activity in schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 269-276. | 2.0 | 119 |
| 170 | Common mechanisms of auditory hallucinations—perfusion studies in epilepsy. <i>Psychiatry Research - Neuroimaging</i> , 2013, 211, 268-270. | 1.8 | 16 |
| 171 | Detecting subarachnoid hemorrhage: Comparison of combined FLAIR/SWI versus CT. <i>European Journal of Radiology</i> , 2013, 82, 1539-1545. | 2.6 | 112 |
| 172 | A Systems-Level Approach to Human Epileptic Seizures. <i>Neuroinformatics</i> , 2013, 11, 159-173. | 2.8 | 32 |
| 173 | Epileptogenic Developmental Venous Anomaly. <i>Clinical EEG and Neuroscience</i> , 2013, 44, 157-160. | 1.7 | 10 |
| 174 | Early Re-Do Surgery for Glioblastoma Is a Feasible and Safe Strategy to Achieve Complete Resection of Enhancing Tumor. <i>PLoS ONE</i> , 2013, 8, e79846. | 2.5 | 32 |
| 175 | Time Course Based Artifact Identification for Independent Components of Resting-State fMRI. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 214. | 2.0 | 41 |
| 176 | Reduced Cerebral Blood Flow Within the Default-Mode Network and Within Total Gray Matter in Major Depression. <i>Brain Connectivity</i> , 2012, 2, 303-310. | 1.7 | 44 |
| 177 | Semantic Network Disconnection in Formal Thought Disorder. <i>Neuropsychobiology</i> , 2012, 66, 14-23. | 1.9 | 41 |
| 178 | Possible dysregulation of cortical plasticity in auditory verbal hallucinations—A cortical thickness study in schizophrenia. <i>Journal of Psychiatric Research</i> , 2012, 46, 1015-1023. | 3.1 | 40 |
| 179 | Structural plasticity in the language system related to increased second language proficiency. <i>Cortex</i> , 2012, 48, 458-465. | 2.4 | 191 |
| 180 | Theta burst TMS increases cerebral blood flow in the primary motor cortex during motor performance as assessed by arterial spin labeling (ASL). <i>NeuroImage</i> , 2012, 61, 599-605. | 4.2 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Lesions to Primary Sensory and Posterior Parietal Cortices Impair Recovery from Hand Paresis after Stroke. PLoS ONE, 2012, 7, e31275. | 2.5 | 58 |
| 182 | Frontal white matter integrity is related to psychomotor retardation in major depression. Neurobiology of Disease, 2012, 47, 13-19. | 4.4 | 134 |
| 183 | Cortico-Cortical White Matter Motor Pathway Microstructure Is Related to Psychomotor Retardation in Major Depressive Disorder. PLoS ONE, 2012, 7, e52238. | 2.5 | 74 |
| 184 | Semantic memory involvement in the default mode network: A functional neuroimaging study using independent component analysis. NeuroImage, 2011, 54, 3057-3066. | 4.2 | 134 |
| 185 | Forbidden ordinal patterns of periictal intracranial EEG indicate deterministic dynamics in human epileptic seizures. Epilepsia, 2011, 52, 1771-1780. | 5.1 | 47 |
| 186 | Alterations of white matter integrity related to motor activity in schizophrenia. Neurobiology of Disease, 2011, 42, 276-283. | 4.4 | 138 |
| 187 | Resting state cerebral blood flow and objective motor activity reveal basal ganglia dysfunction in schizophrenia. Psychiatry Research - Neuroimaging, 2011, 192, 117-124. | 1.8 | 102 |
| 188 | Diffusion-weighted MR Imaging of the Placenta in Fetuses with Placental Insufficiency. Radiology, 2010, 257, 810-819. | 7.3 | 101 |
| 189 | White matter integrity associated with volitional motor activity. NeuroReport, 2010, 21, 381-385. | 1.2 | 24 |
| 190 | Gray matter volume differences specific to formal thought disorder in schizophrenia. Psychiatry Research - Neuroimaging, 2010, 182, 183-186. | 1.8 | 50 |
| 191 | An fMRI study on mental pain and suicidal behavior. Journal of Affective Disorders, 2010, 126, 321-325. | 4.1 | 145 |
| 192 | Structural and metabolic changes in language areas linked to formal thought disorder. British Journal of Psychiatry, 2009, 194, 130-138. | 2.8 | 108 |
| 193 | Reduced frontal activation with increasing 2nd language proficiency. Neuropsychologia, 2009, 47, 2712-2720. | 1.6 | 74 |
| 194 | Encoding deficit during face processing within the right fusiform face area in schizophrenia. Psychiatry Research - Neuroimaging, 2009, 172, 184-191. | 1.8 | 34 |
| 195 | Dissociation of epileptic and inflammatory activity in Rasmussen Encephalitis. Epilepsy Research, 2009, 83, 265-268. | 1.6 | 10 |
| 196 | Anterior Stafne's Bone Cavity Mimicking a Periapical Lesion of Endodontic Origin: Report of Two Cases. Journal of Endodontics, 2009, 35, 1598-1602. | 3.1 | 35 |
| 197 | Multi-parametric classification of Alzheimer's disease and mild cognitive impairment: The impact of quantitative magnetization transfer MR imaging. NeuroImage, 2009, 48, 657-667. | 4.2 | 35 |
| 198 | Theta burst transcranial magnetic stimulation is associated with increased EEG synchronization in the stimulated relative to unstimulated cerebral hemisphere. Neuroscience Letters, 2008, 436, 31-34. | 2.1 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | BOLD correlates of continuously fluctuating epileptic activity isolated by independent component analysis. <i>NeuroImage</i> , 2008, 42, 635-648. | 4.2 | 46 |
| 200 | Relationship between Perceived Sleep Problems and Thalamic Size in Patients with Chronic Fatigue Syndrome Compared to Non-Fatigued Controls: A Preliminary Study. <i>Clinical Medicine Insights Psychiatry</i> , 2008, 1, CMPsy.S704. | 0.7 | 0 |
| 201 | Examining the gateway to the limbic system with diffusion tensor imaging: The perforant pathway in dementia. <i>NeuroImage</i> , 2006, 30, 713-720. | 4.2 | 110 |
| 202 | Detection of regional blood perfusion changes in epileptic seizures with dynamic brain perfusion CT—A pilot study. <i>Epilepsy Research</i> , 2006, 72, 102-110. | 1.6 | 45 |
| 203 | Brain areas involved in medial temporal lobe seizures: A principal component analysis of ictal SPECT data. <i>Human Brain Mapping</i> , 2006, 27, 520-534. | 3.6 | 21 |
| 204 | The role of MRI in localisation of epileptogenic foci: how far have we come?. <i>Neuroradiology</i> , 2005, 47, 803-804. | 2.2 | 0 |
| 205 | The amygdala in schizophrenia: a trimodal magnetic resonance imaging study. <i>Neuroscience Letters</i> , 2005, 375, 151-156. | 2.1 | 41 |
| 206 | Robustness of Simultaneous Lesion and Neuroanatomy Segmentation in Multiple Sclerosis Using Deep Neural Networks. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 6 |