
Thomas J. Müller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9716998/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Alterations of white matter integrity related to motor activity in schizophrenia. Neurobiology of Disease, 2011, 42, 276-283.	4.4	138
2	Frontal white matter integrity is related to psychomotor retardation in major depression. Neurobiology of Disease, 2012, 47, 13-19.	4.4	134
3	The dendritic architecture of prefrontal pyramidal neurons in schizophrenic patients. NeuroReport, 2000, 11, 3621-3625.	1.2	128
4	Altered cortico-basal ganglia motor pathways reflect reduced volitional motor activity in schizophrenia. Schizophrenia Research, 2013, 143, 269-276.	2.0	119
5	Structural and metabolic changes in language areas linked to formal thought disorder. British Journal of Psychiatry, 2009, 194, 130-138.	2.8	108
6	White matter microstructure alterations of the medial forebrain bundle in melancholic depression. Journal of Affective Disorders, 2014, 155, 186-193.	4.1	76
7	Cortico-Cortical White Matter Motor Pathway Microstructure Is Related to Psychomotor Retardation in Major Depressive Disorder. PLoS ONE, 2012, 7, e52238.	2.5	74
8	White matter pathway organization of the reward system is related to positive and negative symptoms in schizophrenia. Schizophrenia Research, 2014, 153, 136-142.	2.0	69
9	Quantitative Motor Activity Differentiates Schizophrenia Subtypes. Neuropsychobiology, 2009, 60, 80-86.	1.9	61
10	Gray matter volume differences specific to formal thought disorder in schizophrenia. Psychiatry Research - Neuroimaging, 2010, 182, 183-186.	1.8	50
11	Ventral striatum gray matter density reduction in patients with schizophrenia and psychotic emotional dysregulation. NeuroImage: Clinical, 2014, 4, 232-239.	2.7	49
12	Measuring motor activity in major depression: The association between the Hamilton Depression Rating Scale and actigraphy. Psychiatry Research, 2011, 190, 212-216.	3.3	48
13	Electrophysiological signs of reduced prefrontal response control in schizophrenic patients. Psychiatry Research - Neuroimaging, 2001, 107, 19-28.	1.8	44
14	Reduced Cerebral Blood Flow Within the Default-Mode Network and Within Total Gray Matter in Major Depression. Brain Connectivity, 2012, 2, 303-310.	1.7	44
15	Supplementary motor area (SMA) volume is associated with psychotic aberrant motor behaviour of patients with schizophrenia. Psychiatry Research - Neuroimaging, 2014, 223, 49-51.	1.8	43
16	Semantic Network Disconnection in Formal Thought Disorder. Neuropsychobiology, 2012, 66, 14-23.	1.9	41
17	Physical Activity in Schizophrenia is Higher in the First Episode than in Subsequent Ones. Frontiers in Psychiatry, 2014, 5, 191.	2.6	39
18	Limbic white matter microstructure plasticity reflects recovery from depression. Journal of Affective Disorders, 2015, 170, 143-149.	4.1	38

Thomas J. Müller

#	Article	IF	CITATIONS
19	Cell-type specific alterations of cortical interneurons in schizophrenic patients. NeuroReport, 2002, 13, 713-717.	1.2	37
20	Psychomotor retardation is linked to frontal alpha asymmetry in major depression. Journal of Affective Disorders, 2015, 188, 167-172.	4.1	37
21	Technostress and Digital Competence Among Health Professionals in Swiss Psychiatric Hospitals: Cross-sectional Study. JMIR Mental Health, 2021, 8, e31408.	3.3	33
22	Rapid Tranquilization of Severely Agitated Patients With Schizophrenia Spectrum Disorders. Journal of Clinical Psychopharmacology, 2014, 34, 124-128.	1.4	32
23	The neurophysiological time pattern of illusionary visual perceptual transitions: a simultaneous EEG and fMRI study. International Journal of Psychophysiology, 2005, 55, 299-312.	1.0	29
24	Rescuers at Risk: Posttraumatic Stress Symptoms Among Police Officers, Fire Fighters, Ambulance Personnel, and Emergency and Psychiatric Nurses. Frontiers in Psychiatry, 2020, 11, 602064.	2.6	27
25	The Longitudinal Course of Gross Motor Activity in Schizophrenia ââ,¬â€œ Within and between Episodes. Frontiers in Psychiatry, 2015, 6, 10.	2.6	26
26	Ambient temperature and mental health hospitalizations in Bern, Switzerland: A 45-year time-series study. PLoS ONE, 2021, 16, e0258302.	2.5	25
27	White matter integrity associated with volitional motor activity. NeuroReport, 2010, 21, 381-385.	1.2	24
28	Increased motor activity in cycloid psychosis compared to schizophrenia. World Journal of Biological Psychiatry, 2009, 10, 746-751.	2.6	23
29	Multimorbidity in Adult Asylum Seekers: A First Overview. PLoS ONE, 2013, 8, e82671.	2.5	23
30	Cost-effectiveness of a Brief Structured Intervention Program Aimed at Preventing Repeat Suicide Attempts Among Those Who Previously Attempted Suicide. JAMA Network Open, 2018, 1, e183680.	5.9	21
31	Higher Motor Activity in Schizophrenia Patients Treated With Olanzapine Versus Risperidone. Journal of Clinical Psychopharmacology, 2010, 30, 181-184.	1.4	19
32	Performance during Face Processing Differentiates Schizophrenia Patients with Delusional Misidentifications. Psychopathology, 2010, 43, 127-136.	1.5	12
33	Prodromal schizophrenia in primary care: a randomised sensitisation study. British Journal of General Practice, 2010, 60, e353-e359.	1.4	9
34	Inferior frontal gyrus gray matter volume is associated with aggressive behavior in schizophrenia spectrum disorders. Psychiatry Research - Neuroimaging, 2019, 290, 14-21.	1.8	9
35	Sharp neck injuries in suicidal intention. European Archives of Oto-Rhino-Laryngology, 2015, 272, 3825-3831.	1.6	8
36	Dextromethorphan Abuse Among Opioid-Dependent Patients. Clinical Neuropharmacology, 2020, 43, 127-133.	0.7	5

#	Article	IF	CITATIONS
37	Emergency department admissions to a prison hospital: a retrospective cohort study from Switzerland. Swiss Medical Weekly, 2013, 143, w13753.	1.6	5
38	Ernst Grünthal, 1894–1972. American Journal of Psychiatry, 2002, 159, 926-926.	7.2	1
39	Characteristics of Presentations to the Emergency Department Following Attempted Suicide with Drugs. International Journal of Environmental Research and Public Health, 2021, 18, 10232.	2.6	1