
## Thomas J. Müller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9716998/publications.pdf Version: 2024-02-01



THOMAS | MÃ1/11 FD

#	Article	IF	CITATIONS
1	Characteristics of Presentations to the Emergency Department Following Attempted Suicide with Drugs. International Journal of Environmental Research and Public Health, 2021, 18, 10232.	2.6	1
2	Ambient temperature and mental health hospitalizations in Bern, Switzerland: A 45-year time-series study. PLoS ONE, 2021, 16, e0258302.	2.5	25
3	Technostress and Digital Competence Among Health Professionals in Swiss Psychiatric Hospitals: Cross-sectional Study. JMIR Mental Health, 2021, 8, e31408.	3.3	33
4	Dextromethorphan Abuse Among Opioid-Dependent Patients. Clinical Neuropharmacology, 2020, 43, 127-133.	0.7	5
5	Rescuers at Risk: Posttraumatic Stress Symptoms Among Police Officers, Fire Fighters, Ambulance Personnel, and Emergency and Psychiatric Nurses. Frontiers in Psychiatry, 2020, 11, 602064.	2.6	27
6	Inferior frontal gyrus gray matter volume is associated with aggressive behavior in schizophrenia spectrum disorders. Psychiatry Research - Neuroimaging, 2019, 290, 14-21.	1.8	9
7	Cost-effectiveness of a Brief Structured Intervention Program Aimed at Preventing Repeat Suicide Attempts Among Those Who Previously Attempted Suicide. JAMA Network Open, 2018, 1, e183680.	5.9	21
8	The Longitudinal Course of Gross Motor Activity in Schizophrenia ââ,¬â€œ Within and between Episodes. Frontiers in Psychiatry, 2015, 6, 10.	2.6	26
9	Sharp neck injuries in suicidal intention. European Archives of Oto-Rhino-Laryngology, 2015, 272, 3825-3831.	1.6	8
10	Psychomotor retardation is linked to frontal alpha asymmetry in major depression. Journal of Affective Disorders, 2015, 188, 167-172.	4.1	37
11	Limbic white matter microstructure plasticity reflects recovery from depression. Journal of Affective Disorders, 2015, 170, 143-149.	4.1	38
12	Rapid Tranquilization of Severely Agitated Patients With Schizophrenia Spectrum Disorders. Journal of Clinical Psychopharmacology, 2014, 34, 124-128.	1.4	32
13	Supplementary motor area (SMA) volume is associated with psychotic aberrant motor behaviour of patients with schizophrenia. Psychiatry Research - Neuroimaging, 2014, 223, 49-51.	1.8	43
14	White matter pathway organization of the reward system is related to positive and negative symptoms in schizophrenia. Schizophrenia Research, 2014, 153, 136-142.	2.0	69
15	White matter microstructure alterations of the medial forebrain bundle in melancholic depression. Journal of Affective Disorders, 2014, 155, 186-193.	4.1	76
16	Ventral striatum gray matter density reduction in patients with schizophrenia and psychotic emotional dysregulation. NeuroImage: Clinical, 2014, 4, 232-239.	2.7	49
17	Physical Activity in Schizophrenia is Higher in the First Episode than in Subsequent Ones. Frontiers in Psychiatry, 2014, 5, 191.	2.6	39
18	Altered cortico-basal ganglia motor pathways reflect reduced volitional motor activity in schizophrenia. Schizophrenia Research, 2013, 143, 269-276.	2.0	119

Thomas J. Müller

#	Article	IF	CITATIONS
19	Multimorbidity in Adult Asylum Seekers: A First Overview. PLoS ONE, 2013, 8, e82671.	2.5	23
20	Emergency department admissions to a prison hospital: a retrospective cohort study from Switzerland. Swiss Medical Weekly, 2013, 143, w13753.	1.6	5
21	Reduced Cerebral Blood Flow Within the Default-Mode Network and Within Total Gray Matter in Major Depression. Brain Connectivity, 2012, 2, 303-310.	1.7	44
22	Semantic Network Disconnection in Formal Thought Disorder. Neuropsychobiology, 2012, 66, 14-23.	1.9	41
23	Frontal white matter integrity is related to psychomotor retardation in major depression. Neurobiology of Disease, 2012, 47, 13-19.	4.4	134
24	Cortico-Cortical White Matter Motor Pathway Microstructure Is Related to Psychomotor Retardation in Major Depressive Disorder. PLoS ONE, 2012, 7, e52238.	2.5	74
25	Measuring motor activity in major depression: The association between the Hamilton Depression Rating Scale and actigraphy. Psychiatry Research, 2011, 190, 212-216.	3.3	48
26	Alterations of white matter integrity related to motor activity in schizophrenia. Neurobiology of Disease, 2011, 42, 276-283.	4.4	138
27	Higher Motor Activity in Schizophrenia Patients Treated With Olanzapine Versus Risperidone. Journal of Clinical Psychopharmacology, 2010, 30, 181-184.	1.4	19
28	White matter integrity associated with volitional motor activity. NeuroReport, 2010, 21, 381-385.	1.2	24
29	Gray matter volume differences specific to formal thought disorder in schizophrenia. Psychiatry Research - Neuroimaging, 2010, 182, 183-186.	1.8	50
30	Prodromal schizophrenia in primary care: a randomised sensitisation study. British Journal of General Practice, 2010, 60, e353-e359.	1.4	9
31	Performance during Face Processing Differentiates Schizophrenia Patients with Delusional Misidentifications. Psychopathology, 2010, 43, 127-136.	1.5	12
32	Structural and metabolic changes in language areas linked to formal thought disorder. British Journal of Psychiatry, 2009, 194, 130-138.	2.8	108
33	Increased motor activity in cycloid psychosis compared to schizophrenia. World Journal of Biological Psychiatry, 2009, 10, 746-751.	2.6	23
34	Quantitative Motor Activity Differentiates Schizophrenia Subtypes. Neuropsychobiology, 2009, 60, 80-86.	1.9	61
35	The neurophysiological time pattern of illusionary visual perceptual transitions: a simultaneous EEG and fMRI study. International Journal of Psychophysiology, 2005, 55, 299-312.	1.0	29
36	Cell-type specific alterations of cortical interneurons in schizophrenic patients. NeuroReport, 2002, 13, 713-717.	1.2	37

#	Article	IF	CITATIONS
37	Ernst Grünthal, 1894–1972. American Journal of Psychiatry, 2002, 159, 926-926.	7.2	1
38	Electrophysiological signs of reduced prefrontal response control in schizophrenic patients. Psychiatry Research - Neuroimaging, 2001, 107, 19-28.	1.8	44
39	The dendritic architecture of prefrontal pyramidal neurons in schizophrenic patients. NeuroReport, 2000, 11, 3621-3625.	1.2	128