

Robert E Synovec

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/972588/publications.pdf>

Version: 2024-02-01

192
papers

7,802
citations

41258

49
h-index

64668

79
g-index

194
all docs

194
docs citations

194
times ranked

4202
citing authors

#	ARTICLE	IF	CITATIONS
1	Dissolution behavior and surface tension effects of organic compounds in nucleating cloud droplets. <i>Geophysical Research Letters</i> , 1996, 23, 277-280.	1.5	429
2	Comprehensive Two-Dimensional High-Speed Gas Chromatography with Chemometric Analysis. <i>Analytical Chemistry</i> , 1998, 70, 2796-2804.	3.2	232
3	Cyclic changes in metabolic state during the life of a yeast cell. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 16886-16891.	3.3	232
4	Cardiac-Specific Deletion of Acetyl CoA Carboxylase 2 Prevents Metabolic Remodeling During Pressure-Overload Hypertrophy. <i>Circulation Research</i> , 2012, 111, 728-738.	2.0	214
5	High-speed peak matching algorithm for retention time alignment of gas chromatographic data for chemometric analysis. <i>Journal of Chromatography A</i> , 2003, 996, 141-155.	1.8	182
6	Pattern recognition of jet fuels: comprehensive GC-MS with ANOVA-based feature selection and principal component analysis. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2002, 60, 225-237.	1.8	178
7	Comprehensive Two-Dimensional Gas Chromatography Time-of-Flight Mass Spectrometry Analysis of Metabolites in Fermenting and Respiring Yeast Cells. <i>Analytical Chemistry</i> , 2006, 78, 2700-2709.	3.2	150
8	Classification of gasoline data obtained by gas chromatography using a piecewise alignment algorithm combined with feature selection and principal component analysis. <i>Journal of Chromatography A</i> , 2005, 1096, 101-110.	1.8	148
9	Multidimensional Gas Chromatography: Advances in Instrumentation, Chemometrics, and Applications. <i>Analytical Chemistry</i> , 2018, 90, 505-532.	3.2	147
10	Recent advancements in comprehensive two-dimensional separations with chemometrics. <i>Journal of Chromatography A</i> , 2008, 1184, 341-352.	1.8	146
11	Ultrafast Gas Chromatography on Single-Wall Carbon Nanotube Stationary Phases in Microfabricated Channels. <i>Analytical Chemistry</i> , 2006, 78, 5639-5644.	3.2	137
12	Fisher Ratio Method Applied to Third-Order Separation Data To Identify Significant Chemical Components of Metabolite Extracts. <i>Analytical Chemistry</i> , 2006, 78, 5068-5075.	3.2	135
13	Standardization of Second-Order Chromatographic/Spectroscopic Data for Optimum Chemical Analysis. <i>Analytical Chemistry</i> , 1998, 70, 218-225.	3.2	132
14	Review of chemometric analysis techniques for comprehensive two dimensional separations data. <i>Journal of Chromatography A</i> , 2012, 1255, 3-11.	1.8	132
15	Comprehensive Two-Dimensional Gas Chromatography and Chemometrics for the High-Speed Quantitative Analysis of Aromatic Isomers in a Jet Fuel Using the Standard Addition Method and an Objective Retention Time Alignment Algorithm. <i>Analytical Chemistry</i> , 2000, 72, 4154-4162.	3.2	127
16	A Comprehensive Two-Dimensional Retention Time Alignment Algorithm To Enhance Chemometric Analysis of Comprehensive Two-Dimensional Separation Data. <i>Analytical Chemistry</i> , 2005, 77, 7735-7743.	3.2	125
17	Objective Data Alignment and Chemometric Analysis of Comprehensive Two-Dimensional Separations with Run-to-Run Peak Shifting on Both Dimensions. <i>Analytical Chemistry</i> , 2001, 73, 5833-5840.	3.2	122
18	Comprehensive analysis of yeast metabolite GC-MS/MS data: combining discovery-mode and deconvolution chemometric software. <i>Analyst</i> , 2007, 132, 756-767.	1.7	103

#	ARTICLE	IF	CITATIONS
19	A principal component analysis based method to discover chemical differences in comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry (GC \times GC-TOFMS) separations of metabolites in plant samples. <i>Talanta</i> , 2006, 70, 797-804.	2.9	102
20	Trilinear chemometric analysis of two-dimensional comprehensive gas chromatography \times time-of-flight mass spectrometry data. <i>Journal of Chromatography A</i> , 2004, 1027, 269-277.	1.8	100
21	High-speed, temperature programmable gas chromatography utilizing a microfabricated chip with an improved carbon nanotube stationary phase. <i>Talanta</i> , 2009, 77, 1420-1425.	2.9	94
22	Parallel Factor Analysis (PARAFAC) of Target Analytes in GC \times GC-TOFMS Data: Automated Selection of a Model with an Appropriate Number of Factors. <i>Analytical Chemistry</i> , 2007, 79, 1611-1619.	3.2	90
23	Application of comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry method to identify potential biomarkers of perinatal asphyxia in a non-human primate model. <i>Journal of Chromatography A</i> , 2011, 1218, 1899-1906.	1.8	86
24	Recent advances in modulator technology for comprehensive two dimensional gas chromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 113, 379-391.	5.8	82
25	Two-Dimensional Gas Chromatography and Trilinear Partial Least Squares for the Quantitative Analysis of Aromatic and Naphthene Content in Naphtha. <i>Analytical Chemistry</i> , 2001, 73, 5677-5682.	3.2	80
26	Comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry detection: analysis of amino acid and organic acid trimethylsilyl derivatives, with application to the analysis of metabolites in rye grass samples. <i>Talanta</i> , 2005, 65, 380-388.	2.9	80
27	Impurity Profiling of a Chemical Weapon Precursor for Possible Forensic Signatures by Comprehensive Two-Dimensional Gas Chromatography/Mass Spectrometry and Chemometrics. <i>Analytical Chemistry</i> , 2010, 82, 689-698.	3.2	78
28	Tile-Based Fisher Ratio Analysis of Comprehensive Two-Dimensional Gas Chromatography Time-of-Flight Mass Spectrometry (GC \times GC-TOFMS) Data Using a Null Distribution Approach. <i>Analytical Chemistry</i> , 2015, 87, 3812-3819.	3.2	76
29	Liquid chromatography \times tandem quadrupole mass spectrometry and comprehensive two-dimensional gas chromatography \times time-of-flight mass spectrometry measurement of targeted metabolites of <i>Methylobacterium extorquens</i> AM1 grown on two different carbon sources. <i>Journal of Chromatography A</i> , 2009, 1216, 3280-3289.	1.8	75
30	Monolayer-Protected Gold Nanoparticles as a Stationary Phase for Open Tubular Gas Chromatography. <i>Analytical Chemistry</i> , 2003, 75, 4558-4564.	3.2	71
31	Tile-based Fisher-ratio software for improved feature selection analysis of comprehensive two-dimensional gas chromatography \times time-of-flight mass spectrometry data. <i>Talanta</i> , 2013, 115, 887-895.	2.9	71
32	Increasing the Number of Analyzable Peaks in Comprehensive Two-Dimensional Separations through Chemometrics. <i>Analytical Chemistry</i> , 2001, 73, 675-683.	3.2	69
33	Quantitative assessment of moisture damage for cacao bean quality using two-dimensional gas chromatography combined with time-of-flight mass spectrometry and chemometrics. <i>Journal of Chromatography A</i> , 2010, 1217, 1963-1970.	1.8	68
34	Comprehensive Three-Dimensional Gas Chromatography with Parallel Factor Analysis. <i>Analytical Chemistry</i> , 2007, 79, 8270-8280.	3.2	66
35	Handling within run retention time shifts in two-dimensional chromatography data using shift correction and modeling. <i>Journal of Chromatography A</i> , 2009, 1216, 4020-4029.	1.8	66
36	A Raman Waveguide Detector for Liquid Chromatography. <i>Analytical Chemistry</i> , 1999, 71, 4808-4814.	3.2	65

#	ARTICLE	IF	CITATIONS
37	Identification and evaluation of cycling yeast metabolites in two-dimensional comprehensive gas chromatography–time-of-flight-mass spectrometry data. <i>Journal of Chromatography A</i> , 2008, 1186, 401-411.	1.8	64
38	Development and application of a comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry method for the analysis of l- ¹⁵ N-methylamino-alanine in human tissue. <i>Journal of Chromatography A</i> , 2010, 1217, 4639-4647.	1.8	64
39	Algorithm for locating analytes of interest based on mass spectral similarity in GC–GC–TOF-MS data: analysis of metabolites in human infant urine. <i>Journal of Chromatography A</i> , 2004, 1058, 209-215.	1.8	63
40	Second-order chemometric standardization for high-speed hyphenated gas chromatography: Analysis of GC/MS and comprehensive GC ₂ /GC data. <i>Journal of Separation Science</i> , 1999, 11, 97-107.	1.0	61
41	Increasing selectivity in comprehensive three-dimensional gas chromatography via an ionic liquid stationary phase column in one dimension. <i>Journal of Chromatography A</i> , 2010, 1217, 3144-3149.	1.8	60
42	Enhancing the Limit of Detection for Comprehensive Two-Dimensional Gas Chromatography (GC–GC) using Bilinear Chemometric Analysis. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 215-224.	2.0	58
43	Quantification of naphthalenes in jet fuel with GC–GC/Tri-PLS and windowed rank minimization retention time alignment. <i>Journal of Separation Science</i> , 2004, 27, 410-416.	1.3	58
44	Comprehensive two-dimensional gas chromatography of volatile and semi-volatile components using a diaphragm valve-based instrument. <i>Journal of Chromatography A</i> , 2003, 983, 195-204.	1.8	56
45	Monolayer-protected gold nanoparticles as an efficient stationary phase for open tubular gas chromatography using a square capillary. <i>Journal of Chromatography A</i> , 2004, 1029, 185-192.	1.8	54
46	Automated Resolution of Nontarget Analyte Signals in GC–GC-TOFMS Data Using Parallel Factor Analysis. <i>Analytical Chemistry</i> , 2008, 80, 6677-6688.	3.2	53
47	Multivariate selectivity as a metric for evaluating comprehensive two-dimensional gas chromatography-time-of-flight mass spectrometry subjected to chemometric peak deconvolution. <i>Journal of Chromatography A</i> , 2004, 1056, 145-54.	1.8	53
48	Observations on “Orthogonality” in Comprehensive Two-Dimensional Separations. <i>Analytical Chemistry</i> , 2007, 79, 7924-7927.	3.2	52
49	Improvement of the limit of detection in chromatography by an integration method. <i>Analytical Chemistry</i> , 1985, 57, 2162-2167.	3.2	51
50	Valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection: instrumentation and figures-of-merit. <i>Journal of Chromatography A</i> , 2003, 1019, 79-87.	1.8	49
51	Toward automated peak resolution in complete GC–GC-TOFMS chromatograms by PARAFAC. <i>Journal of Chemometrics</i> , 2009, 23, 421-431.	0.7	49
52	Enhanced Chemical Analysis Using Parallel Column Gas Chromatography with Single-Detector Time-of-Flight Mass Spectrometry and Chemometric Analysis. <i>Analytical Chemistry</i> , 1999, 71, 1093-1099.	3.2	45
53	Data Analysis Methods. , 2012, , 415-434.		45
54	Time-Dependent Profiling of Metabolites from Snf1 Mutant and Wild Type Yeast Cells. <i>Analytical Chemistry</i> , 2008, 80, 8002-8011.	3.2	42

#	ARTICLE	IF	CITATIONS
55	Reversed Phase Liquid Chromatography of Organic Hydrocarbons with Water as the Mobile Phase. <i>Analytical Chemistry</i> , 1996, 68, 2838-2844.	3.2	41
56	Trends in chemometric analysis of comprehensive two-dimensional separations. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 1948-1951.	1.9	41
57	Classification of high-speed gas chromatography–mass spectrometry data by principal component analysis coupled with piecewise alignment and feature selection. <i>Journal of Chromatography A</i> , 2006, 1129, 111-118.	1.8	41
58	Chemical characterization of the acid alteration of diesel fuel: Non-targeted analysis by two-dimensional gas chromatography coupled with time-of-flight mass spectrometry with tile-based Fisher ratio and combinatorial threshold determination. <i>Journal of Chromatography A</i> , 2016, 1440, 179-190.	1.8	41
59	Comprehensive LC _i ½GC for enhanced headspace analysis. <i>Journal of Separation Science</i> , 2000, 12, 160-166.	1.0	39
60	Development of a GC–GC–TOFMS method using SPME to determine volatile compounds in cacao beans. <i>Journal of Separation Science</i> , 2009, 32, 2289-2295.	1.3	39
61	Development of gas chromatographic pattern recognition and classification tools for compliance and forensic analyses of fuels: A review. <i>Analytica Chimica Acta</i> , 2020, 1132, 157-186.	2.6	39
62	GC–GC temperature programming requirements to produce bilinear data for chemometric analysis. <i>Journal of Separation Science</i> , 2002, 25, 297-303.	1.3	38
63	Correlation of rocket propulsion fuel properties with chemical composition using comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry followed by partial least squares regression analysis. <i>Journal of Chromatography A</i> , 2014, 1327, 132-140.	1.8	38
64	Characterization and utilization of a novel triflate ionic liquid stationary phase for use in comprehensive two-dimensional gas chromatography. <i>Journal of Separation Science</i> , 2008, 31, 3429-3436.	1.3	36
65	High-Speed Gas Chromatography Using Synchronized Dual-Valve Injection. <i>Analytical Chemistry</i> , 2004, 76, 3517-3524.	3.2	34
66	Performance evaluation of tile-based Fisher Ratio analysis using a benchmark yeast metabolome dataset. <i>Journal of Chromatography A</i> , 2016, 1459, 101-111.	1.8	34
67	Correlation of Quantitative Analysis Precision to Retention Time Precision and Chromatographic Resolution for Rapid, Short-Column Analysis. <i>Analytical Chemistry</i> , 1995, 67, 631-640.	3.2	33
68	High-speed gas chromatography: The importance of instrumentation optimization and the elimination of extra-column band broadening. <i>Talanta</i> , 2008, 76, 703-717.	2.9	33
69	Achieving high peak capacity production for gas chromatography and comprehensive two-dimensional gas chromatography by minimizing off-column peak broadening. <i>Journal of Chromatography A</i> , 2011, 1218, 3130-3139.	1.8	33
70	High-speed gas chromatographic separations with diaphragm valve-based injection and chemometric analysis as a gas chromatographic “sensor”. <i>Analytica Chimica Acta</i> , 2003, 490, 223-230.	2.6	32
71	Total-transfer, valve-based comprehensive two-dimensional gas chromatography. <i>Analytica Chimica Acta</i> , 2006, 555, 68-74.	2.6	30
72	Unsupervised parameter optimization for automated retention time alignment of severely shifted gas chromatographic data using the piecewise alignment algorithm. <i>Journal of Chromatography A</i> , 2007, 1141, 106-116.	1.8	30

#	ARTICLE	IF	CITATIONS
73	Chemometric analysis of gas chromatography–mass spectrometry data using fast retention time alignment via a total ion current shift function. <i>Talanta</i> , 2010, 81, 120-128.	2.9	29
74	Comprehensive Three-Dimensional Gas Chromatography with Time-of-Flight Mass Spectrometry. <i>Analytical Chemistry</i> , 2017, 89, 1793-1800.	3.2	29
75	Diffusion coefficient measurement in a microfluidic analyzer using dual-beam microscale-refractive index gradient detection. <i>Journal of Chromatography A</i> , 2003, 1013, 77-91.	1.8	28
76	Experimental Study of the Quantitative Precision for Valve-Based Comprehensive Two-Dimensional Gas Chromatography. <i>Analytical Chemistry</i> , 2011, 83, 5190-5196.	3.2	28
77	Evaluation of the DotMap algorithm for locating analytes of interest based on mass spectral similarity in data collected using comprehensive two-dimensional gas chromatography coupled with time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2005, 1086, 185-192.	1.8	27
78	Toward a global analysis of metabolites in regulatory mutants of yeast. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 2387-2402.	1.9	27
79	Enhancing the chemical selectivity in discovery-based analysis with tandem ionization time-of-flight mass spectrometry detection for comprehensive two-dimensional gas chromatography. <i>Journal of Chromatography A</i> , 2018, 1537, 99-108.	1.8	27
80	Enhanced surfactant determination by ion-pair formation using flow-injection analysis and dynamic surface tension detection. <i>Talanta</i> , 1996, 43, 889-899.	2.9	26
81	Development and evaluation of gold-centered monolayer protected nanoparticle stationary phases for gas chromatography. <i>Journal of Chromatography A</i> , 2004, 1060, 225-236.	1.8	26
82	Analysis of bacteria by pyrolysis gas chromatography–differential mobility spectrometry and isolation of chemical components with a dependence on growth temperature. <i>Analyst, The</i> , 2007, 132, 1031.	1.7	25
83	Gas chromatography–mass spectrometry with chemometric analysis for determining ¹² C and ¹³ C labeled contributions in metabolomics and ¹³ C flux analysis. <i>Journal of Chromatography A</i> , 2012, 1240, 156-164.	1.8	25
84	Using Receiver Operating Characteristic Curves To Optimize Discovery-Based Software with Comprehensive Two-Dimensional Gas Chromatography with Time-of-Flight Mass Spectrometry. <i>Analytical Chemistry</i> , 2017, 89, 3606-3612.	3.2	25
85	Impact of data bin size on the classification of diesel fuels using comprehensive two-dimensional gas chromatography with principal component analysis. <i>Talanta</i> , 2020, 206, 120239.	2.9	25
86	Development of a positive pressure driven micro-fabricated liquid chromatographic analyzer through rapid-prototyping with poly(dimethylsiloxane) Optimizing chromatographic efficiency with sub-nanoliter injections. <i>Talanta</i> , 2000, 51, 1205-1212.	2.9	24
87	A Microscale-Molecular Weight Sensor: Probing Molecular Diffusion between Adjacent Laminar Flows by Refractive Index Gradient Detection. <i>Analytical Chemistry</i> , 2002, 74, 4558-4565.	3.2	24
88	Fast, high peak capacity separations in comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1266, 116-123.	1.8	24
89	Dynamic Surface Tension Detection by Optically Probing a Repeating Drop Rate. <i>Analytical Chemistry</i> , 1994, 66, 1209-1216.	3.2	23
90	Trilinearity deviation ratio: A new metric for chemometric analysis of comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry data. <i>Analytica Chimica Acta</i> , 2015, 871, 66-76.	2.6	23

#	ARTICLE	IF	CITATIONS
91	Untargeted profiling and differentiation of geographical variants of wine samples using headspace solid-phase microextraction flow-modulated comprehensive two-dimensional gas chromatography with the support of tile-based Fisher ratio analysis. <i>Journal of Chromatography A</i> , 2022, 1662, 462735.	1.8	23
92	Fast, High Peak Capacity Separations in Gas Chromatography—Time-of-Flight Mass Spectrometry. <i>Analytical Chemistry</i> , 2012, 84, 4167-4173.	3.2	22
93	Comprehensive two-dimensional gas chromatography using partial modulation via a pulsed flow valve with a short modulation period. <i>Talanta</i> , 2018, 177, 142-149.	2.9	22
94	Development of Ultrafast Separations Using Negative Pulse Partial Modulation To Enable New Directions in Gas Chromatography. <i>Analytical Chemistry</i> , 2019, 91, 7328-7335.	3.2	22
95	Dynamic Surface Tension and Adhesion Detection for the Rapid Analysis of Surfactants in Flowing Aqueous Liquids. <i>Analytical Chemistry</i> , 1997, 69, 3496-3505.	3.2	21
96	Toward a Fully Integrated Positive-Pressure Driven Microfabricated Liquid Analyzer. <i>Analytical Chemistry</i> , 2002, 74, 177-184.	3.2	21
97	Predictive Modeling of Aerospace Fuel Properties Using Comprehensive Two-Dimensional Gas Chromatography with Time-Of-Flight Mass Spectrometry and Partial Least Squares Analysis. <i>Energy & Fuels</i> , 2020, 34, 4084-4094.	2.5	21
98	Hydrophobic interaction chromatography coupled with dynamic surface tension detection for the determination of surface active species in protein formulations. <i>Journal of Chromatography A</i> , 1998, 806, 239-250.	1.8	20
99	Investigation of high-speed gas chromatography using synchronized dual-valve injection and resistively heated temperature programming. <i>Journal of Chromatography A</i> , 2007, 1148, 236-243.	1.8	20
100	The perinatal transition of the circulating metabolome in a nonhuman primate. <i>Pediatric Research</i> , 2012, 71, 338-344.	1.1	20
101	Targeted analyte deconvolution and identification by four-way parallel factor analysis using three-dimensional gas chromatography with mass spectrometry data. <i>Analytica Chimica Acta</i> , 2017, 983, 67-75.	2.6	20
102	Control-Normalized Fisher Ratio Analysis of Comprehensive Two-Dimensional Gas Chromatography Time-of-Flight Mass Spectrometry Data for Enhanced Biomarker Discovery in a Metabolomic Study of Orthopedic Knee-Ligament Injury. <i>Analytical Chemistry</i> , 2020, 92, 15526-15533.	3.2	20
103	Statistical inference of mass channel purity from Fisher ratio analysis using comprehensive two-dimensional gas chromatography with time of flight mass spectrometry data. <i>Journal of Chromatography A</i> , 2020, 1627, 461401.	1.8	20
104	Investigation of the limit of discovery using tile-based Fisher ratio analysis with comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2021, 1644, 462092.	1.8	20
105	Comparison of an integration procedure to Fourier transform and data averaging procedures in chromatographic data analysis. <i>Analytical Chemistry</i> , 1986, 58, 2093-2095.	3.2	19
106	Molecular weight sensing of polyethylene glycols by flow injection analysis and refractive index gradient detection. <i>Analytica Chimica Acta</i> , 1991, 246, 241-249.	2.6	19
107	Novel calibration of a dynamic surface tension detector: flow injection analysis of kinetically-hindered surface active analytes. <i>Talanta</i> , 1999, 50, 1045-1056.	2.9	19
108	Ultrafast separations via pulse flow valve modulation to enable high peak capacity multidimensional gas chromatography. <i>Journal of Chromatography A</i> , 2018, 1573, 115-124.	1.8	19

#	ARTICLE	IF	CITATIONS
109	Development of an Enhanced Total Ion Current Chromatogram Algorithm to Improve Untargeted Peak Detection. <i>Analytical Chemistry</i> , 2020, 92, 11365-11373.	3.2	19
110	Algorithm for locating analytes of interest based on mass spectral similarity in GC-TOF-MS data: analysis of metabolites in human infant urine. <i>Journal of Chromatography A</i> , 2004, 1058, 209-215.	1.8	19
111	Sample preparation methodology for mouse heart metabolomics using comprehensive two-dimensional gas chromatography coupled with time-of-flight mass spectrometry. <i>Talanta</i> , 2013, 108, 123-130.	2.9	18
112	High temperature diaphragm valve-based comprehensive two-dimensional gas chromatography. <i>Journal of Chromatography A</i> , 2015, 1424, 127-133.	1.8	18
113	Modeling RP-1 fuel advanced distillation data using comprehensive two-dimensional gas chromatography coupled with time-of-flight mass spectrometry and partial least squares analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 321-330.	1.9	18
114	Column selection approach to achieve a high peak capacity in comprehensive three-dimensional gas chromatography. <i>Talanta</i> , 2019, 195, 822-829.	2.9	18
115	Development and evaluation of gold-centered monolayer protected nanoparticle stationary phases for gas chromatography. <i>Journal of Chromatography A</i> , 2004, 1060, 225-236.	1.8	18
116	Constituents with independence from growth temperature for bacteria using pyrolysis-gas chromatography/differential mobility spectrometry with analysis of variance and principal component analysis. <i>Analyst</i> , 2008, 133, 760.	1.7	17
117	Implications of phase ratio for maximizing peak capacity in comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2018, 1536, 16-26.	1.8	17
118	Dynamic pressure gradient modulation for comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry detection. <i>Journal of Chromatography A</i> , 2020, 1620, 460982.	1.8	17
119	Radial measurement of hydrodynamically generated concentration profiles for molecular weight determination. <i>Analytical Chemistry</i> , 1992, 64, 2130-2137.	3.2	16
120	Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius. <i>Journal of Chromatography A</i> , 1995, 691, 195-204.	1.8	16
121	Parallel column liquid chromatography with a single multi-wavelength absorbance detector for enhanced selectivity using chemometric analysis. <i>Analytica Chimica Acta</i> , 2003, 490, 197-210.	2.6	16
122	Flow injection analysis with diode array absorbance detection and dynamic surface tension detection for studying denaturation and surface activity of globular proteins. <i>Analytical Biochemistry</i> , 2006, 351, 100-113.	1.1	16
123	Characterization of BSA unfolding and aggregation using a single-capillary viscometer and dynamic surface tension detector. <i>Talanta</i> , 2011, 85, 2553-2561.	2.9	16
124	High throughput analysis of atmospheric volatile organic compounds by thermal injection isothermal gas chromatography time-of-flight mass spectrometry. <i>Talanta</i> , 2013, 103, 95-102.	2.9	16
125	High temperature diaphragm valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry. <i>Talanta</i> , 2016, 161, 675-680.	2.9	16
126	Dynamic pressure gradient modulation for comprehensive two-dimensional gas chromatography. <i>Journal of Chromatography A</i> , 2020, 1609, 460488.	1.8	16

#	ARTICLE	IF	CITATIONS
127	Improved detection in superspeed size-exclusion chromatography by reducing on-column dilution and detector noise. <i>Analytical Chemistry</i> , 1988, 60, 1829-1832.	3.2	15
128	Ratio of sequential chromatograms for quantitative analysis and peak deconvolution: application to standard addition method and process monitoring. <i>Analytical Chemistry</i> , 1990, 62, 1597-1603.	3.2	15
129	Rapid polymeric surfactant characterization using a novel flow-injection system with dynamic surface tension detection. <i>Analytica Chimica Acta</i> , 2000, 412, 149-160.	2.6	15
130	Study of the interdependency of the data sampling ratio with retention time alignment and principal component analysis for gas chromatography. <i>Journal of Chromatography A</i> , 2011, 1218, 9091-9101.	1.8	15
131	Comprehensive two-dimensional gas chromatography and time-of-flight mass spectrometry detection with a 50 ms modulation period. <i>Journal of Chromatography A</i> , 2019, 1583, 117-123.	1.8	15
132	Advanced data handling in comprehensive two-dimensional gas chromatography. <i>Separation Science and Technology</i> , 2020, 12, 229-268.	0.0	15
133	Algorithm for locating analytes of interest based on mass spectral similarity in GC x GC-TOF-MS data: analysis of metabolites in human infant urine. <i>Journal of Chromatography A</i> , 2004, 1058, 209-15.	1.8	15
134	High-speed cryo-focusing injection for gas chromatography: Reduction of injection band broadening with concentration enrichment. <i>Talanta</i> , 2012, 97, 9-15.	2.9	14
135	Enhancing Gas Chromatography's Time of Flight Mass Spectrometry Data Analysis Using Two-Dimensional Mass Channel Cluster Plots. <i>Analytical Chemistry</i> , 2014, 86, 3973-3979.	3.2	14
136	Class comparison enabled mass spectrum purification for comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry. <i>Talanta</i> , 2022, 236, 122844.	2.9	14
137	Dynamic surface tension analysis of dodecyl sulfate association complexes. <i>Talanta</i> , 2001, 55, 551-560.	2.9	13
138	Sequential injection analysis with dynamic surface tension detection High throughput analysis of the interfacial properties of surface-active samples. <i>Talanta</i> , 2003, 59, 1153-1163.	2.9	13
139	High-Throughput Screening of Protein Surface Activity via Flow Injection Analysis-pH Gradient-Dynamic Surface Tension Detection. <i>Analytical Chemistry</i> , 2005, 77, 250-258.	3.2	13
140	Utilizing the Third Order Advantage with Isotope Dilution Mass Spectrometry. <i>Analytical Chemistry</i> , 2010, 82, 41-43.	3.2	13
141	Preliminary effects of real-world factors on the recovery and exploitation of forensic impurity profiles of a nerve-agent simulant from office media. <i>Journal of Chromatography A</i> , 2012, 1270, 269-282.	1.8	13
142	Partial least squares analysis of rocket propulsion fuel data using diaphragm valve-based comprehensive two-dimensional gas chromatography coupled with flame ionization detection. <i>Talanta</i> , 2016, 153, 203-210.	2.9	13
143	Minimum variance optimized Fisher ratio analysis of comprehensive two-dimensional gas chromatography / mass spectrometry data: Study of the pacu fish metabolome. <i>Journal of Chromatography A</i> , 2022, 1667, 462868.	1.8	13
144	Tile-Based Pairwise Analysis of GC-TOFMS Data to Facilitate Analyte Discovery and Mass Spectrum Purification. <i>Analytical Chemistry</i> , 2022, 94, 5658-5666.	3.2	13

#	ARTICLE	IF	CITATIONS
145	Multidimensional analysis of denatured milk proteins by hydrophobic interaction chromatography coupled to a dynamic surface tension detector. <i>Journal of Chromatography A</i> , 2004, 1023, 79-91.	1.8	12
146	Pixel-Level Data Analysis Methods for Comprehensive Two-Dimensional Chromatography. <i>Data Handling in Science and Technology</i> , 2015, 29, 427-463.	3.1	12
147	Method to determine the true modulation ratio for comprehensive two-dimensional gas chromatography. <i>Journal of Chromatography A</i> , 2016, 1476, 114-123.	1.8	12
148	Multivariate selectivity as a metric for evaluating comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry subjected to chemometric peak deconvolution. <i>Journal of Chromatography A</i> , 2004, 1056, 145-154.	1.8	11
149	Determining the Probability of Achieving a Successful Quantitative Analysis for Gas Chromatography–Mass Spectrometry. <i>Analytical Chemistry</i> , 2017, 89, 9926-9933.	3.2	11
150	Total-transfer comprehensive three-dimensional gas chromatography with time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2020, 1634, 461654.	1.8	11
151	Discovery-based analysis and quantification for comprehensive three-dimensional gas chromatography flame ionization detection data. <i>Journal of Chromatography A</i> , 2020, 1623, 461190.	1.8	11
152	A systematic investigation of comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry with dynamic pressure gradient modulation for high peak capacity separations. <i>Analytica Chimica Acta</i> , 2020, 1134, 115-124.	2.6	11
153	Multidimensional Analysis of Poly(ethylene glycols) by Size Exclusion Chromatography and Dynamic Surface Tension Detection. <i>Analytical Chemistry</i> , 2000, 72, 4372-4380.	3.2	10
154	Separation and determination of denatured caseins by hydrophobic interaction chromatography. Part II. Method validation and applications. <i>Analyst</i> , 2001, 126, 995-1000.	1.7	10
155	Development of a solid phase extraction protocol coupled with liquid chromatography mass spectrometry to analyze central carbon metabolites in lake sediment microcosms. <i>Journal of Separation Science</i> , 2011, 34, 3597-3605.	1.3	10
156	Impact of comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry experimental design on data trilinearity and parallel factor analysis deconvolution. <i>Journal of Chromatography A</i> , 2019, 1605, 460368.	1.8	10
157	Profiling Olefins in Gasoline by Bromination Using GC–GC-TOFMS Followed by Discovery-Based Comparative Analysis. <i>Analytical Chemistry</i> , 2022, 94, 9407-9414.	3.2	10
158	Simulating comprehensive two-dimensional gas chromatography mass spectrometry data with realistic run-to-run shifting to evaluate the robustness of tile-based Fisher ratio analysis. <i>Journal of Chromatography A</i> , 2022, 1677, 463321.	1.8	10
159	Methods of Discovery-Based and Targeted Metabolite Analysis by Comprehensive Two-Dimensional Gas Chromatography with Time-of-Flight Mass Spectrometry Detection. <i>Methods in Molecular Biology</i> , 2014, 1198, 83-97.	0.4	9
160	Effect of solution viscosity on dynamic surface tension detection. <i>Analytica Chimica Acta</i> , 2005, 534, 79-87.	2.6	8
161	Analysis of commercial beverage products by size exclusion chromatography coupled with UV–vis absorbance detection and dynamic surface tension detection. <i>Talanta</i> , 2010, 80, 1445-1451.	2.9	8
162	Non-targeted determination of ¹³ C-labeling in the <i>Methylobacterium extorquens</i> AM1 metabolome using the two-dimensional mass cluster method and principal component analysis. <i>Journal of Chromatography A</i> , 2016, 1432, 111-121.	1.8	8

#	ARTICLE	IF	CITATIONS
163	Comprehensive discovery of ¹³ C labeled metabolites in the bacterium <i>Methylobacterium extorquens</i> AM1 using gas chromatography–mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1317, 175-185.	1.8	7
164	Analytical Determination of the Severity of Potato Taste Defect in Roasted East African Arabica Coffee. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 2253-2261.	2.4	7
165	Development of variance rank initiated-unsupervised sample indexing for gas chromatography-mass spectrometry analysis. <i>Talanta</i> , 2021, 233, 122495.	2.9	7
166	Computational method for untargeted determination of cycling yeast metabolites using comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry. <i>Talanta</i> , 2022, 244, 123396.	2.9	7
167	Whole-Column Radioactivity Detection: Simultaneous Separation and Enhanced Detectability. <i>Analytical Chemistry</i> , 1999, 71, 2700-2707.	3.2	6
168	Real-time target selection optimization to enhance alignment of gas chromatograms. <i>Talanta</i> , 2011, 83, 738-743.	2.9	6
169	Evaluation of injection methods for fast, high peak capacity separations with low thermal mass gas chromatography. <i>Journal of Chromatography A</i> , 2015, 1392, 82-90.	1.8	6
170	Non-targeted discovery of class-distinguishing metabolites in Argentinian pacu fish by comprehensive two-dimensional gas chromatography with principal component analysis. <i>Microchemical Journal</i> , 2021, 164, 106004.	2.3	6
171	Determination of the Signal-To-Noise Ratio Enhancement in Comprehensive Three-Dimensional Gas Chromatography. <i>Analytical Chemistry</i> , 2021, 93, 8526-8535.	3.2	6
172	Principal component analysis of comprehensive three-dimensional gas chromatography time-of-flight mass spectrometry data. <i>Journal of Chromatography Open</i> , 2022, 2, 100043.	0.8	6
173	Tile-based variance rank initiated-unsupervised sample indexing for comprehensive two-dimensional gas chromatography-time-of-flight mass spectrometry. <i>Analytica Chimica Acta</i> , 2022, 1209, 339847.	2.6	6
174	Determination, by dynamic surface-tension analysis, of the molar mass of proteins denatured in guanidine thiocyanate. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 134-143.	1.9	5
175	Chemometric decomposition of comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry data employing partial modulation in the negative pulse mode. <i>Talanta</i> , 2020, 210, 120670.	2.9	5
176	Targeted mass spectral ratio analysis: A new tool for gas chromatography–mass spectrometry. <i>Talanta</i> , 2013, 103, 267-275.	2.9	4
177	Hydrocarbon Fuel Thermal Performance Modeling based on Systematic Measurement and Comprehensive Chromatographic Analysis. , 2016, , .		4
178	Baseline correction method for dynamic pressure gradient modulated comprehensive two-dimensional gas chromatography with flame ionization detection. <i>Journal of Chromatography A</i> , 2021, 1652, 462358.	1.8	4
179	Extension of the two-dimensional mass channel cluster plot method to fast separations utilizing low thermal mass gas chromatography with time-of-flight mass spectrometry. <i>Analytica Chimica Acta</i> , 2016, 913, 160-170.	2.6	3
180	A dynamic liquid–liquid interfacial pressure detector for the rapid analysis of surfactants in a flowing organic liquid. <i>Talanta</i> , 2005, 65, 722-729.	2.9	2

#	ARTICLE	IF	CITATIONS
181	Size exclusion chromatography with dual-beam refractive index gradient detection of polystyrene samples. <i>Talanta</i> , 2007, 73, 287-295.	2.9	2
182	Utilizing a constant peak width transform for isothermal gas chromatography. <i>Journal of Chromatography A</i> , 2011, 1218, 3718-3724.	1.8	2
183	Data analysis methods for gas chromatography. , 2021, , 525-546.		2
184	Size-Exclusion Chromatography with Dynamic Surface Tension Detection: Analysis of Polymers and Proteins. <i>ACS Symposium Series</i> , 2004, , 266-280.	0.5	1
185	Chapter 5 Chemometric Approaches. <i>Comprehensive Analytical Chemistry</i> , 2009, 55, 107-122.	0.7	1
186	Management and interpretation of capillary chromatography-mass spectrometry data. , 2020, , 449-480.		1
187	Second-order chemometric standardization for high-speed hyphenated gas chromatography: Analysis of GC/MS and comprehensive GC-MS data. , 1999, 11, 97.		1
188	Novel approaches in detector instrumentation for process liquid chromatography. <i>AIP Conference Proceedings</i> , 1989, , .	0.3	0
189	Trace Analysis of Organic Compounds in Groundwater. <i>ACS Symposium Series</i> , 1992, , 243-257.	0.5	0
190	Chemical analysis in a drop: a dynamic surface tension detector for polymer and protein characterization. <i>Polymer International</i> , 2013, 62, 1135-1143.	1.6	0
191	Examination of the two-dimensional mass channel cluster plot method for gas chromatography mass spectrometry in the context of the statistical model of overlap. <i>Journal of Chromatography A</i> , 2019, 1601, 319-326.	1.8	0
192	Monolayer-Protected Metal Nanoparticles: Chemical Sensing and Gas Chromatography. , 2014, , 2770-2778.		0