

Tom W J Huizinga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/973247/publications.pdf>

Version: 2024-02-01

581
papers

55,741
citations

2322

98
h-index

1505

219
g-index

598
all docs

598
docs citations

598
times ranked

42301
citing authors

#	ARTICLE	IF	CITATIONS
1	2010 Rheumatoid arthritis classification criteria: An American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2010, 62, 2569-2581.	6.7	6,781
2	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 960-977.	0.9	3,366
3	2010 Rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1580-1588.	0.9	2,994
4	Rheumatoid arthritis. <i>Lancet</i> , The, 2010, 376, 1094-1108.	13.7	2,712
5	Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014, 506, 376-381.	27.8	1,974
6	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 685-699.	0.9	1,860
7	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 964-975.	0.9	1,429
8	Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. <i>Nature Genetics</i> , 2010, 42, 508-514.	21.4	1,132
9	Transient expression of FOXP3 in human activated nonregulatory CD4 ⁺ T cells. <i>European Journal of Immunology</i> , 2007, 37, 129-138.	2.9	912
10	Genetic influence on cytokine production and fatal meningococcal disease. <i>Lancet</i> , The, 1997, 349, 170-173.	13.7	757
11	High-density genetic mapping identifies new susceptibility loci for rheumatoid arthritis. <i>Nature Genetics</i> , 2012, 44, 1336-1340.	21.4	558
12	Synovial inflammation, immune cells and their cytokines in osteoarthritis: a review. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1484-1499.	1.3	506
13	Refining the complex rheumatoid arthritis phenotype based on specificity of the HLA-DRB1 shared epitope for antibodies to citrullinated proteins. <i>Arthritis and Rheumatism</i> , 2005, 52, 3433-3438.	6.7	496
14	Common variants at CD40 and other loci confer risk of rheumatoid arthritis. <i>Nature Genetics</i> , 2008, 40, 1216-1223.	21.4	476
15	Autoantibodies recognizing carbamylated proteins are present in sera of patients with rheumatoid arthritis and predict joint damage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 17372-17377.	7.1	464
16	Interleukin 10 secretion in relation to human IL-10 locus haplotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 9465-9470.	7.1	458
17	Antibodies to citrullinated proteins and differences in clinical progression of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2005, 7, R949-58.	3.5	400
18	The Pi-linked receptor FcR γ is released on stimulation of neutrophils. <i>Nature</i> , 1988, 333, 667-669.	27.8	395

#	ARTICLE	IF	CITATIONS
19	Effect of folic or folinic acid supplementation on the toxicity and efficacy of methotrexate in rheumatoid arthritis: A forty-eight-week, multicenter, randomized, double-blind, placebo-controlled study. <i>Arthritis and Rheumatism</i> , 2001, 44, 1515-1524.	6.7	368
20	Efficacy of methotrexate treatment in patients with probable rheumatoid arthritis: A double-blind, randomized, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , 2007, 56, 1424-1432.	6.7	363
21	Long-term impact of delay in assessment of patients with early arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 3537-3546.	6.7	357
22	EULAR recommendations for terminology and research in individuals at risk of rheumatoid arthritis: report from the Study Group for Risk Factors for Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 638-641.	0.9	354
23	Novel Single Nucleotide Polymorphisms in the Distal IL-10 Promoter Affect IL-10 Production and Enhance the Risk of Systemic Lupus Erythematosus. <i>Journal of Immunology</i> , 2001, 166, 3915-3922.	0.8	353
24	Identification of PLOD2 as Telopeptide Lysyl Hydroxylase, an Important Enzyme in Fibrosis. <i>Journal of Biological Chemistry</i> , 2003, 278, 40967-40972.	3.4	333
25	Association between weight or body mass index and hand osteoarthritis: a systematic review. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 761-765.	0.9	332
26	A prediction rule for disease outcome in patients with Recent-onset undifferentiated arthritis: How to guide individual treatment decisions. <i>Arthritis and Rheumatism</i> , 2007, 56, 433-440.	6.7	320
27	Association between HLA class II genes and autoantibodies to cyclic citrullinated peptides (CCPs) influences the severity of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2004, 50, 2113-2121.	6.7	319
28	Meta-Analysis of Genome-Wide Association Studies in Celiac Disease and Rheumatoid Arthritis Identifies Fourteen Non-HLA Shared Loci. <i>PLoS Genetics</i> , 2011, 7, e1002004.	3.5	307
29	Genetic variants at CD28, PRDM1 and CD2/CD58 are associated with rheumatoid arthritis risk. <i>Nature Genetics</i> , 2009, 41, 1313-1318.	21.4	306
30	Do knee abnormalities visualised on MRI explain knee pain in knee osteoarthritis? A systematic review. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 60-67.	0.9	302
31	The HLA-DRB1 shared epitope alleles are primarily a risk factor for anti-cyclic citrullinated peptide antibodies and are not an independent risk factor for development of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006, 54, 1117-1121.	6.7	294
32	Epitope spreading of the anti-citrullinated protein antibody response occurs before disease onset and is associated with the disease course of early arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1554-1561.	0.9	268
33	Adding tocilizumab or switching to tocilizumab monotherapy in methotrexate inadequate responders: 24-week symptomatic and structural results of a 2-year randomised controlled strategy trial in rheumatoid arthritis (ACT-RAY). <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 43-50.	0.9	259
34	Defining conditions where long-term glucocorticoid treatment has an acceptably low level of harm to facilitate implementation of existing recommendations: viewpoints from an EULAR task force. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 952-957.	0.9	258
35	Transcription of the IL10 gene reveals allele-specific regulation at the mRNA level. <i>Human Molecular Genetics</i> , 2004, 13, 1755-1762.	2.9	249
36	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Phase 2 methodological report. <i>Arthritis and Rheumatism</i> , 2010, 62, 2582-2591.	6.7	246

#	ARTICLE	IF	CITATIONS
37	Predicting arthritis outcomes—what can be learned from the Leiden Early Arthritis Clinic?. <i>Rheumatology</i> , 2011, 50, 93-100.	1.9	240
38	A Candidate Gene Approach Identifies the TRAF1/C5 Region as a Risk Factor for Rheumatoid Arthritis. <i>PLoS Medicine</i> , 2007, 4, e278.	8.4	232
39	Inflammation underlying cardiovascular mortality is a late consequence of evolutionary programming. <i>FASEB Journal</i> , 2004, 18, 1022-1024.	0.5	231
40	A clinical pharmacogenetic model to predict the efficacy of methotrexate monotherapy in recent-onset rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 1765-1775.	6.7	225
41	Anti-citrullinated protein antibodies acquire a pro-inflammatory Fc glycosylation phenotype prior to the onset of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 234-241.	0.9	225
42	TNF- α promoter polymorphisms, production and susceptibility to multiple sclerosis in different groups of patients. <i>Journal of Neuroimmunology</i> , 1997, 72, 149-153.	2.3	214
43	Sarilumab Plus Methotrexate in Patients With Active Rheumatoid Arthritis and Inadequate Response to Methotrexate: Results of a Phase III Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1424-1437.	5.6	213
44	Evidence for treating rheumatoid arthritis to target: results of a systematic literature search. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 638-643.	0.9	203
45	Evaluating drug-free remission with abatacept in early rheumatoid arthritis: results from the phase 3b, multicentre, randomised, active-controlled AVERT study of 24 months, with a 12-month, double-blind treatment period. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 19-26.	0.9	201
46	Quantitative heritability of anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 916-923.	6.7	200
47	Antibodies to <i>Porphyromonas gingivalis</i> Are Associated with Anticitrullinated Protein Antibodies in Patients with Rheumatoid Arthritis and Their Relatives. <i>Journal of Rheumatology</i> , 2010, 37, 1105-1112.	2.0	195
48	Prevalence of and predictive factors for sustained disease-modifying antirheumatic drug-free remission in rheumatoid arthritis: Results from two large early arthritis cohorts. <i>Arthritis and Rheumatism</i> , 2009, 60, 2262-2271.	6.7	193
49	Efficacy and toxicity of methotrexate in early rheumatoid arthritis are associated with single-nucleotide polymorphisms in genes coding for folate pathway enzymes. <i>Arthritis and Rheumatism</i> , 2006, 54, 1087-1095.	6.7	188
50	Anti-carbamylated protein (anti-CarP) antibodies precede the onset of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 780-783.	0.9	185
51	The C677T mutation in the methylenetetrahydrofolate reductase gene: A genetic risk factor for methotrexate-related elevation of liver enzymes in rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 2001, 44, 2525-2530.	6.7	184
52	Glycan profiling of anti-citrullinated protein antibodies isolated from human serum and synovial fluid. <i>Arthritis and Rheumatism</i> , 2010, 62, 1620-1629.	6.7	183
53	The influence of ACPA status and characteristics on the course of RA. <i>Nature Reviews Rheumatology</i> , 2012, 8, 144-152.	8.0	173
54	Sarilumab, a fully human monoclonal antibody against IL-6R α in patients with rheumatoid arthritis and an inadequate response to methotrexate: efficacy and safety results from the randomised SARIL-RA-MOBILITY Part A trial. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1626-1634.	0.9	173

#	ARTICLE	IF	CITATIONS
55	Brief Report: Anti-Carbamylated Protein Antibodies Are Present in Arthralgia Patients and Predict the Development of Rheumatoid Arthritis. <i>Arthritis and Rheumatism</i> , 2013, 65, 911-915.	6.7	164
56	Widespread non-additive and interaction effects within HLA loci modulate the risk of autoimmune diseases. <i>Nature Genetics</i> , 2015, 47, 1085-1090.	21.4	164
57	An overview of autoantibodies in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2020, 110, 102392.	6.5	163
58	Extensive glycosylation of ACPA-IgG variable domains modulates binding to citrullinated antigens in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 578-585.	0.9	161
59	Genetic influence on cytokine production in meningococcal disease. <i>Lancet, The</i> , 1997, 349, 1912-1913.	13.7	159
60	Inflammation and ectopic lymphoid structures in rheumatoid arthritis synovial tissues dissected by genomics technology: Identification of the interleukin-7 signaling pathway in tissues with lymphoid neogenesis. <i>Arthritis and Rheumatism</i> , 2007, 56, 2492-2502.	6.7	156
61	Marked differences in fine specificity and isotype usage of the anti-citrullinated protein antibody in health and disease. <i>Arthritis and Rheumatism</i> , 2008, 58, 3000-3008.	6.7	156
62	Fine Mapping Seronegative and Seropositive Rheumatoid Arthritis to Shared and Distinct HLA Alleles by Adjusting for the Effects of Heterogeneity. <i>American Journal of Human Genetics</i> , 2014, 94, 522-532.	6.2	156
63	The impact of four dynamic, goal-steered treatment strategies on the 5-year outcomes of rheumatoid arthritis patients in the BeSt study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1039-1046.	0.9	155
64	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Methodological Report Phase I. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1589-1595.	0.9	152
65	Genome-Wide Association Study and Gene Expression Analysis Identifies CD84 as a Predictor of Response to Etanercept Therapy in Rheumatoid Arthritis. <i>PLoS Genetics</i> , 2013, 9, e1003394.	3.5	146
66	Validation of a prediction rule for disease outcome in patients with recent-onset undifferentiated arthritis: Moving toward individualized treatment decision-making. <i>Arthritis and Rheumatism</i> , 2008, 58, 2241-2247.	6.7	145
67	Genetics of rheumatoid arthritis: what have we learned?. <i>Immunogenetics</i> , 2011, 63, 459-466.	2.4	142
68	Value of anti-modified citrullinated vimentin and third-generation anti-cyclic citrullinated peptide compared with second-generation anti-cyclic citrullinated peptide and rheumatoid factor in predicting disease outcome in undifferentiated arthritis and rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 2232-2241.	6.7	138
69	Protection against anti-citrullinated protein antibody-positive rheumatoid arthritis is predominantly associated with HLA-DRB1*1301: A meta-analysis of HLA-DRB1 associations with anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis in four European populations. <i>Arthritis and Rheumatism</i> , 2010, 62, 1236-1245.	6.7	135
70	A genetic study on C5-TRAF1 and progression of joint damage in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 1.	3.5	135
71	Advances in the genetics of rheumatoid arthritis point to subclassification into distinct disease subsets. <i>Arthritis Research and Therapy</i> , 2008, 10, 205.	3.5	128
72	ASAS modification of the Berlin algorithm for diagnosing axial spondyloarthritis: results from the SPondyloArthritis Caught Early (SPACE)-cohort and from the Assessment of SpondyloArthritis international Society (ASAS)-cohort. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1646-1653.	0.9	127

#	ARTICLE	IF	CITATIONS
73	Determination of tumour necrosis factor- \hat{I} and interleukin-10 production in a whole blood stimulation system: assessment of laboratory error and individual variation. <i>Journal of Immunological Methods</i> , 1998, 218, 63-71.	1.4	126
74	Invasiveness of fibroblast-like synoviocytes is an individual patient characteristic associated with the rate of joint destruction in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2005, 52, 1999-2002.	6.7	126
75	Clinical factors, anticitrullinated peptide antibodies and MRI-detected subclinical inflammation in relation to progression from clinically suspect arthralgia to arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1824-1830.	0.9	126
76	The HLA-DRB1 shared epitope alleles differ in the interaction with smoking and predisposition to antibodies to cyclic citrullinated peptide. <i>Arthritis and Rheumatism</i> , 2007, 56, 425-432.	6.7	124
77	Relationship between genetic variants in the adenosine pathway and outcome of methotrexate treatment in patients with recent-onset rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006, 54, 2830-2839.	6.7	123
78	Fine-mapping and functional studies highlight potential causal variants for rheumatoid arthritis and type 1 diabetes. <i>Nature Genetics</i> , 2018, 50, 1366-1374.	21.4	122
79	Association between leptin, adiponectin and resistin and long-term progression of hand osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1282-1284.	0.9	120
80	Anti-cyclic citrullinated peptide antibodies are a collection of anti-citrullinated protein antibodies and contain overlapping and non-overlapping reactivities. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 188-193.	0.9	118
81	Autoantibody Development under Treatment with Immune-Checkpoint Inhibitors. <i>Cancer Immunology Research</i> , 2019, 7, 6-11.	3.4	118
82	FUNCTIONAL ANALYSIS OF LINKER-SCAN MUTANTS SPANNING THE $\hat{\sim}$ 376, $\hat{\sim}$ 308, $\hat{\sim}$ 244, AND $\hat{\sim}$ 238 POLYMORPHIC SITES OF THE TNF- \hat{I} PROMOTER. <i>Cytokine</i> , 2001, 14, 316-323.	3.2	116
83	Efficacy and safety of certolizumab pegol in a broad population of patients with active rheumatoid arthritis: results from the REALISTIC phase IIIb study. <i>Rheumatology</i> , 2012, 51, 2204-2214.	1.9	115
84	Biologic and oral disease-modifying antirheumatic drug monotherapy in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1897-1904.	0.9	114
85	Etanercept in patients with inflammatory hand osteoarthritis (EHOA): a multicentre, randomised, double-blind, placebo-controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1757-1764.	0.9	113
86	The joint-gut axis in inflammatory bowel diseases. <i>Journal of Crohn's and Colitis</i> , 2010, 4, 257-268.	1.3	112
87	The genetics of rheumatoid arthritis: risk and protection in different stages of the evolution of RA: Table 1. <i>Rheumatology</i> , 2016, 55, 199-209.	1.9	112
88	Production of IL-1 \hat{I} and IL-1Ra as risk factors for susceptibility and progression of relapse-onset multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2002, 126, 172-179.	2.3	111
89	Anti-CarP antibodies in two large cohorts of patients with rheumatoid arthritis and their relationship to genetic risk factors, cigarette smoking and other autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1761-1768.	0.9	111
90	Cutting Edge: TNFR-Shedding by CD4+CD25+ Regulatory T Cells Inhibits the Induction of Inflammatory Mediators. <i>Journal of Immunology</i> , 2008, 180, 2747-2751.	0.8	108

#	ARTICLE	IF	CITATIONS
91	An explorative study comparing levels of soluble mediators in control and osteoarthritic synovial fluid. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 918-922.	1.3	108
92	Pain in hand osteoarthritis is associated with inflammation: the value of ultrasound. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1367-1369.	0.9	107
93	Anti-carbamylated Protein Antibodies Are Present Prior to Rheumatoid Arthritis and Are Associated with Its Future Diagnosis. <i>Journal of Rheumatology</i> , 2015, 42, 572-579.	2.0	107
94	Thumb base involvement in symptomatic hand osteoarthritis is associated with more pain and functional disability: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 585-587.	0.9	106
95	Impaired innate immunity predicts frailty in old age. The Leiden 85-plus study. <i>Experimental Gerontology</i> , 2004, 39, 1407-1414.	2.8	105
96	Interleukin-10 microsatellite polymorphisms and IL-10 locus alleles in rheumatoid arthritis susceptibility. <i>Lancet</i> , The, 1998, 352, 1282-1283.	13.7	104
97	Identification of citrullinated vimentin peptides as T cell epitopes in HLA-DR4-positive patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 117-125.	6.7	103
98	An independent role of protective HLA class II alleles in rheumatoid arthritis severity and susceptibility. <i>Arthritis and Rheumatism</i> , 2005, 52, 2637-2644.	6.7	102
99	Baseline serum adipokine levels predict radiographic progression in early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 2567-2574.	6.7	102
100	Survival, comorbidities and joint damage 11 years after the COBRA combination therapy trial in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 807-812.	0.9	99
101	Carbamylation and antibodies against carbamylated proteins in autoimmunity and other pathologies. <i>Autoimmunity Reviews</i> , 2014, 13, 225-230.	5.8	99
102	De Novo Generation and Enhanced Suppression of Human CD4+CD25+ Regulatory T Cells by Retinoic Acid. <i>Journal of Immunology</i> , 2009, 183, 4119-4126.	0.8	98
103	Platelets and autoimmunity. <i>European Journal of Clinical Investigation</i> , 2013, 43, 746-757.	3.4	98
104	Rheumatoid arthritis risk allele <i>PTPRC</i> is also associated with response to anti-tumor necrosis factor therapy. <i>Arthritis and Rheumatism</i> , 2010, 62, 1849-1861.	6.7	95
105	Long-Term Outcomes of Patients With Recent-Onset Rheumatoid Arthritis After 10 Years of Tight Controlled Treatment. <i>Annals of Internal Medicine</i> , 2016, 164, 523.	3.9	95
106	Immature Dendritic Cells Suppress Collagen-Induced Arthritis by In Vivo Expansion of CD49b+ Regulatory T Cells. <i>Journal of Immunology</i> , 2006, 177, 3806-3813.	0.8	94
107	Genome-wide association analysis of anti-TNF drug response in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1375-1381.	0.9	94
108	Mortality in neuropsychiatric systemic lupus erythematosus (NPSLE). <i>Lupus</i> , 2014, 23, 31-38.	1.6	94

#	ARTICLE	IF	CITATIONS
109	Understanding the genetic contribution to rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2005, 17, 299-304.	4.3	92
110	The Devil in the Details: The Emerging Role of Anticitrulline Autoimmunity in Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2005, 175, 5575-5580.	0.8	92
111	Animal models for arthritis: innovative tools for prevention and treatment. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1357-1362.	0.9	92
112	Characterising arthralgia in the preclinical phase of rheumatoid arthritis using MRI. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1225-1232.	0.9	92
113	Association of a single nucleotide polymorphism in <i>CD40</i> with the rate of joint destruction in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 2242-2247.	6.7	91
114	Preventing progression from arthralgia to arthritis: targeting the right patients. <i>Nature Reviews Rheumatology</i> , 2018, 14, 32-41.	8.0	91
115	Brain histopathology in patients with systemic lupus erythematosus: identification of lesions associated with clinical neuropsychiatric lupus syndromes and the role of complement. <i>Rheumatology</i> , 2017, 56, 77-86.	1.9	90
116	Disease flares in rheumatoid arthritis are associated with joint damage progression and disability: 10-year results from the BeSt study. <i>Arthritis Research and Therapy</i> , 2015, 17, 232.	3.5	88
117	Sustained remission in rheumatoid arthritis: latest evidence and clinical considerations. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2017, 9, 249-262.	2.7	88
118	The B cell response to citrullinated antigens in the development of rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> , 2018, 14, 157-169.	8.0	88
119	Immunomodulatory Dendritic Cells Inhibit Th1 Responses and Arthritis via Different Mechanisms. <i>Journal of Immunology</i> , 2007, 179, 1506-1515.	0.8	86
120	Rituximab in relapsing Graves' disease, a phase II study. <i>European Journal of Endocrinology</i> , 2008, 159, 609-615.	3.7	86
121	Remission induction therapy with methotrexate and prednisone in patients with early rheumatoid and undifferentiated arthritis (the IMPROVED study). <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1472-1477.	0.9	86
122	Comparative Efficacy of Novel DMARDs as Monotherapy and in Combination with Methotrexate in Rheumatoid Arthritis Patients with Inadequate Response to Conventional DMARDs: A Network Meta-Analysis. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2015, 21, 409-423.	0.9	86
123	Allele-specific quantification of tumor necrosis factor β (TNF) transcription and the role of promoter polymorphisms in rheumatoid arthritis patients and healthy individuals. <i>Genes and Immunity</i> , 2001, 2, 135-144.	4.1	85
124	Confirmation of <i>STAT4</i> , <i>IL2/IL21</i> , and <i>CTLA4</i> polymorphisms in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 1255-1260.	6.7	84
125	Patients with chronic back pain of short duration from the SPACE cohort: which MRI structural lesions in the sacroiliac joints and inflammatory and structural lesions in the spine are most specific for axial spondyloarthritis?. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1308-1314.	0.9	84
126	Optimizing human fertility and survival. <i>Nature Medicine</i> , 2001, 7, 873-873.	30.7	83

#	ARTICLE	IF	CITATIONS
127	Prevention of autoimmune rheumatic disease: state of the art and future perspectives. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2062-2066.	0.9	83
128	Structural Analysis of Variable Domain Glycosylation of Anti-Citrullinated Protein Antibodies in Rheumatoid Arthritis Reveals the Presence of Highly Sialylated Glycans. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 278-287.	3.8	82
129	Triple Positivity for Anti-Citrullinated Protein Autoantibodies, Rheumatoid Factor, and Anti-Carbamylated Protein Antibodies Conferring High Specificity for Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 1721-1731.	5.6	81
130	Transition of healthy to diseased synovial tissue in rheumatoid arthritis is associated with gain of mesenchymal/fibrotic characteristics. <i>Arthritis Research and Therapy</i> , 2006, 8, R165.	3.5	80
131	Left ventricular dysfunction assessed by speckle-tracking strain analysis in patients with systemic sclerosis: Relationship to functional capacity and ventricular arrhythmias. <i>Arthritis and Rheumatism</i> , 2011, 63, 3969-3978.	6.7	80
132	Linked Glycans in the Variable Domain of IgG Anti-Citrullinated Protein Antibodies Predict the Development of Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1626-1633.	5.6	80
133	Mast cells are the main interleukin 17-positive cells in anticitrullinated protein antibody-positive and -negative rheumatoid arthritis and osteoarthritis synovium. <i>Arthritis Research and Therapy</i> , 2011, 13, R150.	3.5	79
134	Associations, populations, and the truth: Recommendations for genetic association studies in Arthritis & Rheumatism. <i>Arthritis and Rheumatism</i> , 2004, 50, 2066-2071.	6.7	78
135	Redefining the HLA and RA association: To be or not to be anti-CCP positive. <i>Journal of Autoimmunity</i> , 2005, 25, 21-25.	6.5	75
136	A Large-Scale Rheumatoid Arthritis Genetic Study Identifies Association at Chromosome 9q33.2. <i>PLoS Genetics</i> , 2008, 4, e1000107.	3.5	75
137	Antibodies and B cells recognising citrullinated proteins display a broad cross-reactivity towards other post-translational modifications. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 472-480.	0.9	74
138	Recognition of citrullinated and carbamylated proteins by human antibodies: specificity, cross-reactivity and the α -AMC-Senshu™ method. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 148-150.	0.9	73
139	Crowdsourced assessment of common genetic contribution to predicting anti-TNF treatment response in rheumatoid arthritis. <i>Nature Communications</i> , 2016, 7, 12460.	12.8	73
140	Identification and characterisation of citrullinated antigen-specific B cells in peripheral blood of patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1170-1176.	0.9	72
141	Adipocyte-derived lipids modulate CD4 ⁺ T cell function. <i>European Journal of Immunology</i> , 2013, 43, 1578-1587.	2.9	71
142	The association of treatment response and joint damage with ACPA-status in recent-onset RA: a subanalysis of the 8-year follow-up of the BeSt study. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 245-248.	0.9	70
143	Genetic studies on components of the Wnt signalling pathway and the severity of joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 769-775.	0.9	70
144	Functional regulatory immune responses against human cartilage glycoprotein-39 in health vs. proinflammatory responses in rheumatoid arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 17180-17185.	7.1	69

#	ARTICLE	IF	CITATIONS
145	Interleukin-10 promoter single-nucleotide polymorphisms as markers for disease susceptibility and disease severity in leprosy. <i>Genes and Immunity</i> , 2004, 5, 592-595.	4.1	69
146	Residual inflammation after rituximab treatment is associated with sustained synovial plasma cell infiltration and enhanced B cell repopulation. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1011-1016.	0.9	69
147	Circulating plasmablasts/plasmacells as a source of anticitrullinated protein antibodies in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1259-1263.	0.9	69
148	Health-related quality of life in patients with systemic lupus erythematosus: development and validation of a lupus specific symptom checklist. <i>Quality of Life Research</i> , 2003, 12, 635-644.	3.1	68
149	The ACPA isotype profile reflects long-term radiographic progression in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1110-1116.	0.9	68
150	In erosive hand osteoarthritis more inflammatory signs on ultrasound are found than in the rest of hand osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 930-934.	0.9	68
151	The specificity of anti-carbamylated protein antibodies for rheumatoid arthritis in a setting of early arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 339.	3.5	67
152	Treatment with TNF- $\hat{\pm}$ inhibitor infliximab might reduce hand osteoarthritis in patients with rheumatoid arthritis. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1256-1262.	1.3	65
153	Gene-environment interaction influences the reactivity of autoantibodies to citrullinated antigens in rheumatoid arthritis. <i>Nature Genetics</i> , 2010, 42, 814-816.	21.4	65
154	Immunogenetics of rheumatoid arthritis: Understanding functional implications. <i>Journal of Autoimmunity</i> , 2015, 64, 74-81.	6.5	65
155	Functional polymorphisms and methotrexate treatment outcome in recent-onset rheumatoid arthritis. <i>Pharmacogenomics</i> , 2010, 11, 163-175.	1.3	64
156	Genetic predisposition of the severity of joint destruction in rheumatoid arthritis: a population-based study. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 707-709.	0.9	64
157	Feasibility of Adenovirus-Mediated Nonsurgical Synovectomy in Collagen-Induced Arthritis-Affected Rhesus Monkeys. <i>Human Gene Therapy</i> , 1999, 10, 1139-1149.	2.7	63
158	Criteria for early rheumatoid arthritis: From Bayes' law revisited to new thoughts on pathogenesis. <i>Arthritis and Rheumatism</i> , 2002, 46, 1155-1159.	6.7	63
159	CTLA4 is differentially associated with autoimmune diseases in the Dutch population. <i>Human Genetics</i> , 2005, 118, 58-66.	3.8	63
160	Osteophytes and joint space narrowing are independently associated with pain in finger joints in hand osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1835-1837.	0.9	63
161	Anti-citrullinated protein antibodies contribute to platelet activation in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 209.	3.5	63
162	Low innate production of interleukin-1 $\hat{2}$ and interleukin-6 is associated with the absence of osteoarthritis in old age. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 942-947.	1.3	62

#	ARTICLE	IF	CITATIONS
163	Prospective Study of Clinical Phenotypes in Neuropsychiatric Systemic Lupus Erythematosus; Multidisciplinary Approach to Diagnosis and Therapy. <i>Journal of Rheumatology</i> , 2012, 39, 2118-2126.	2.0	62
164	Neuropsychiatric manifestations in patients with systemic lupus erythematosus: epidemiology and radiology pointing to an immune-mediated cause. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, ii76-ii79.	0.9	62
165	A method to decipher pleiotropy by detecting underlying heterogeneity driven by hidden subgroups applied to autoimmune and neuropsychiatric diseases. <i>Nature Genetics</i> , 2016, 48, 803-810.	21.4	62
166	Anti-NMDA receptor autoantibodies in patients with systemic lupus erythematosus and their first-degree relatives. <i>Lupus</i> , 2007, 16, 329-334.	1.6	61
167	The ACPA recognition profile and subgrouping of ACPA-positive RA patients. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 268-274.	0.9	61
168	Belimumab after rituximab as maintenance therapy in lupus nephritis. <i>Rheumatology</i> , 2014, 53, 2122-2124.	1.9	60
169	Protective effect of noninherited maternal HLA-DR antigens on rheumatoid arthritis development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19966-19970.	7.1	59
170	Activation of human basophils by combined toll-like receptor and μ RI triggering can promote Th2 skewing of naive Th helper cells. <i>European Journal of Immunology</i> , 2014, 44, 386-396.	2.9	59
171	An extended HLA-DQ-DR haplotype rather than DRB1 alone contributes to RA predisposition. <i>Immunogenetics</i> , 1998, 48, 394-401.	2.4	58
172	Evaluation of Magnetic Resonance Imaging-Detected Tenosynovitis in the Hand and Wrist in Early Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 869-876.	5.6	58
173	Association of the TNF +489 polymorphism with susceptibility and radiographic damage in rheumatoid arthritis. <i>Genes and Immunity</i> , 1999, 1, 91-96.	4.1	57
174	Exploratory analysis of four polymorphisms in human GGHandFPGSGenes and their effect in methotrexate-treated rheumatoid arthritis patients. <i>Pharmacogenomics</i> , 2007, 8, 141-150.	1.3	57
175	Potential role of pharmacogenetics in anti-TNF treatment of rheumatoid arthritis and Crohn's disease. <i>Drug Discovery Today</i> , 2007, 12, 125-131.	6.4	57
176	Fatigue in rheumatoid arthritis; a persistent problem: a large longitudinal study. <i>RMD Open</i> , 2015, 1, e000041-e000041.	3.8	57
177	Evidence for non-random distribution of Fc γ 3 receptor genotype combinations. <i>Immunogenetics</i> , 2003, 55, 240-246.	2.4	56
178	Sarilumab plus methotrexate improves patient-reported outcomes in patients with active rheumatoid arthritis and inadequate responses to methotrexate: results of a phase III trial. <i>Arthritis Research and Therapy</i> , 2016, 18, 198.	3.5	56
179	MR signal intensity: staying on the bright side in MR image interpretation. <i>RMD Open</i> , 2018, 4, e000728.	3.8	56
180	The interaction between HLA shared epitope alleles and smoking and its contribution to autoimmunity against several citrullinated antigens. <i>Arthritis and Rheumatism</i> , 2011, 63, 1823-1832.	6.7	55

#	ARTICLE	IF	CITATIONS
181	<i>PADI4</i> polymorphism predisposes male smokers to rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 512-515.	0.9	55
182	Glial and axonal changes in systemic lupus erythematosus measured with diffusion of intracellular metabolites. <i>Brain</i> , 2016, 139, 1447-1457.	7.6	54
183	Selective Involvement of the Amygdala in Systemic Lupus Erythematosus. <i>PLoS Medicine</i> , 2006, 3, e499.	8.4	53
184	Blood pressure changes in patients with recent-onset rheumatoid arthritis treated with four different treatment strategies: a post hoc analysis from the BeSt trial. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1342-1345.	0.9	53
185	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015, 44, 1706-1721.	1.9	53
186	Differences in the symptomatic phase preceding ACPA-positive and ACPA-negative RA: a longitudinal study in arthralgia during progression to clinical arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1751-1754.	0.9	53
187	Persistently activated, proliferative memory autoreactive B cells promote inflammation in rheumatoid arthritis. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	53
188	Onset of rheumatoid arthritis after COVID-19: coincidence or connected?. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1096-1098.	0.9	53
189	Targeted lipidomics reveals activation of resolution pathways in knee osteoarthritis in humans. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1150-1160.	1.3	52
190	Enhanced treatment strategies and distinct disease outcomes among autoantibody-positive and -negative rheumatoid arthritis patients over 25 years: A longitudinal cohort study in the Netherlands. <i>PLoS Medicine</i> , 2020, 17, e1003296.	8.4	52
191	Six microsatellite markers on the short arm of chromosome 6 in relation to HLA-DR3 and TNF α 308A in systemic lupus erythematosus. <i>Genes and Immunity</i> , 2001, 2, 373-380.	4.1	51
192	Association of the risk of osteoarthritis with high innate production of interleukin-1 β and low innate production of interleukin-10 ex vivo, upon lipopolysaccharide stimulation. <i>Arthritis and Rheumatism</i> , 2005, 52, 1443-1450.	6.7	51
193	Dendritic cells, but not macrophages or B cells, activate major histocompatibility complex class II-restricted CD4+T cells upon immune-complex uptake in vivo. <i>Immunology</i> , 2006, 119, 499-506.	4.4	51
194	Degree of synovitis on MRI by comprehensive whole knee semi-quantitative scoring method correlates with histologic and macroscopic features of synovial tissue inflammation in knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1606-1613.	1.3	51
195	Off-label use of rituximab for systemic lupus erythematosus in Europe. <i>Lupus Science and Medicine</i> , 2016, 3, e000163.	2.7	51
196	B-cell receptor sequencing of anti-citrullinated protein antibody (ACPA) IgG-expressing B cells indicates a selective advantage for the introduction of N-glycosylation sites during somatic hypermutation. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrhumdis-2017-212052.	0.9	51
197	Clinical and radiological outcomes of 5-year drug-free remission-steered treatment in patients with early arthritis: IMPROVED study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 111-118.	0.9	51
198	Interleukin-10 promoter haplotypes are differently distributed in the Brazilian versus the Dutch population. <i>Immunogenetics</i> , 2003, 54, 896-899.	2.4	50

#	ARTICLE	IF	CITATIONS
199	Gene Transfer of Tissue Inhibitor of Metalloproteinases-3 Reverses the Inhibitory Effects of TNF- α on Fas-Induced Apoptosis in Rheumatoid Arthritis Synovial Fibroblasts. <i>Journal of Immunology</i> , 2005, 174, 6524-6531.	0.8	50
200	Tractâ€¢based spatial statistics on diffusion tensor imaging in systemic lupus erythematosus reveals localized involvement of white matter tracts. <i>Arthritis and Rheumatism</i> , 2010, 62, 3716-3721.	6.7	50
201	Ability of Interleukinâ€¢3â€¢ and Immune Complexâ€¢Triggered Activation of Human Mast Cells to Downâ€¢Regulate Monocyteâ€¢Mediated Immune Responses. <i>Arthritis and Rheumatology</i> , 2015, 67, 2343-2353.	5.6	50
202	The TRAF1-C5 region on chromosome 9q33 is associated with multiple autoimmune diseases. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 696-699.	0.9	49
203	Communication between human mast cells and <sc>CD</sc>4⁺<sc>T</sc> cells through antigenâ€¢dependent interactions. <i>European Journal of Immunology</i> , 2013, 43, 1758-1768.	2.9	49
204	A multimodal MRI approach to identify and characterize microstructural brain changes in neuropsychiatric systemic lupus erythematosus. <i>NeuroImage: Clinical</i> , 2015, 8, 337-344.	2.7	49
205	Seronegative and seropositive RA: alike but different?. <i>Nature Reviews Rheumatology</i> , 2015, 11, 8-9.	8.0	49
206	Imaging modalities in central nervous system systemic lupus erythematosus. <i>Current Opinion in Rheumatology</i> , 2001, 13, 383-388.	4.3	48
207	Frequency of functional interleukin-10 promoter polymorphism is different between relapse-onset and primary progressive multiple sclerosis. <i>Human Immunology</i> , 2002, 63, 281-285.	2.4	48
208	MRI of hand and foot joints of patients with anticitrullinated peptide antibody positive arthralgia without clinical arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1540-1544.	0.9	48
209	IL-17-producing CD4+ T cells are increased in early, active axial spondyloarthritis including patients without imaging abnormalities. <i>Rheumatology</i> , 2015, 54, 728-735.	1.9	48
210	Innate production of interleukin-10 and tumor necrosis factor affects the risk of multiple sclerosis. <i>Annals of Neurology</i> , 2000, 48, 641-646.	5.3	47
211	Rituximab in early systemic sclerosis. <i>RMD Open</i> , 2017, 3, e000384.	3.8	47
212	Performance of classification criteria for peripheral spondyloarthritis and psoriatic arthritis in the Leiden early arthritis cohort. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1366-1369.	0.9	46
213	Incidence and risk factors for adalimumab and infliximab anti-drug antibodies in rheumatoid arthritis: A European retrospective multicohort analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 967-975.	3.4	46
214	Distinct ACPA fine specificities, formed under the influence of HLA shared epitope alleles, have no effect on radiographic joint damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1461-1464.	0.9	45
215	Demyelinating disease in SLE: Is it multiple sclerosis or lupus?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013, 27, 405-424.	3.3	45
216	Five-year outcomes of probable rheumatoid arthritis treated with methotrexate or placebo during the first year (the PROMPT study). <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 396-400.	0.9	45

#	ARTICLE	IF	CITATIONS
217	The Course of Bone Marrow Edema in Early Undifferentiated Arthritis and Rheumatoid Arthritis: A Longitudinal Magnetic Resonance Imaging Study at Bone Level. <i>Arthritis and Rheumatology</i> , 2016, 68, 1080-1088.	5.6	45
218	Emerging patterns of risk factor make-up enable subclassification of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 1728-1735.	6.7	44
219	Autoimmunity in rheumatoid arthritis: different antigensâ€™ common principles. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, ii132-ii136.	0.9	44
220	Do Comorbidities Play a Role in Hand Osteoarthritis Disease Burden? Data from the Hand Osteoarthritis in Secondary Care Cohort. <i>Journal of Rheumatology</i> , 2017, 44, 1659-1666.	2.0	44
221	Abnormal brain diffusivity in patients with neuropsychiatric systemic lupus erythematosus. <i>American Journal of Neuroradiology</i> , 2003, 24, 850-4.	2.4	44
222	Genetic variants in the prediction of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1694-1696.	0.9	43
223	Smoking is associated with the concurrent presence of multiple autoantibodies in rheumatoid arthritis rather than with anti-citrullinated protein antibodies per se: a multicenter cohort study. <i>Arthritis Research and Therapy</i> , 2016, 18, 285.	3.5	43
224	Aiming for a simpler early arthritis MRI protocol: can Gd contrast administration be eliminated?. <i>European Radiology</i> , 2015, 25, 1520-1527.	4.5	42
225	Apoptosis of cultured rat glomerular mesangial cells induced by IgG2a monoclonal anti-Thy-1 antibodies. <i>Kidney International</i> , 1996, 49, 403-412.	5.2	41
226	Infection efficiency of type 5 adenoviral vectors in synovial tissue can be enhanced with a type 16 fiber. <i>Arthritis and Rheumatism</i> , 2001, 44, 570-577.	6.7	41
227	Body mass index and alignment and their interaction as risk factors for progression of knees with radiographic signs of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1117-1122.	1.3	41
228	Metabolic Profiling Reveals Differences in Concentrations of Oxylipins and Fatty Acids Secreted by the Infrapatellar Fat Pad of Donors With Endâ€™stage Osteoarthritis and Normal Donors. <i>Arthritis and Rheumatism</i> , 2013, 65, 2606-2614.	6.7	41
229	Adipocytes Modulate the Phenotype of Human Macrophages through Secreted Lipids. <i>Journal of Immunology</i> , 2013, 191, 1356-1363.	0.8	41
230	Brief Report: Clinical Trials Aiming to Prevent Rheumatoid Arthritis Cannot Detect Prevention Without Adequate Risk Stratification: A Trial of Methotrexate Versus Placebo in Undifferentiated Arthritis as an Example. <i>Arthritis and Rheumatology</i> , 2017, 69, 926-931.	5.6	41
231	Polymorphism within the tumor necrosis factor $\hat{\pm}$ (TNF) promoter region in patients with ankylosing spondylitis. <i>Human Immunology</i> , 1999, 60, 140-144.	2.4	40
232	IL-10 and toll-like receptor-4 polymorphisms and the in vivo and ex vivo response to endotoxin. <i>Cytokine</i> , 2005, 29, 215-228.	3.2	40
233	Aspects of early arthritis. Definition of disease states in early arthritis: remission versus minimal disease activity. <i>Arthritis Research and Therapy</i> , 2006, 8, 216.	3.5	40
234	Determinants of absence of osteoarthritis in old age. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 68-73.	1.1	40

#	ARTICLE	IF	CITATIONS
235	Low-avidity anticitrullinated protein antibodies (ACPA) are associated with a higher rate of joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 270-276.	0.9	40
236	Identification of a genetic variant for joint damage progression in autoantibody-positive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 2038-2046.	0.9	40
237	Therapeutic and diagnostic outcomes of a standardised, comprehensive care pathway for patients with systemic sclerosis. <i>RMD Open</i> , 2016, 2, e000159.	3.8	40
238	The BeSt story: on strategy trials in rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2009, 21, 291-298.	4.3	39
239	Baseline autoantibody profile in rheumatoid arthritis is associated with early treatment response but not long-term outcomes. <i>Arthritis Research and Therapy</i> , 2018, 20, 33.	3.5	39
240	Sustained drug-free remission in rheumatoid arthritis after DAS-driven or non-DAS-driven therapy: a comparison of two cohort studies. <i>Rheumatology</i> , 2012, 51, 1120-1128.	1.9	38
241	A Multibiomarker Disease Activity Score for Rheumatoid Arthritis Predicts Radiographic Joint Damage in the BeSt Study. <i>Journal of Rheumatology</i> , 2014, 41, 2114-2119.	2.0	38
242	When rheumatologists report that they agree with a guideline, does this mean that they practise the guideline in clinical practice? Results of the International Recommendation Implementation Study (IRIS). <i>RMD Open</i> , 2016, 2, e000221.	3.8	38
243	Using a reference when defining an abnormal MRI reduces false-positive MRI results—a longitudinal study in two cohorts at risk for rheumatoid arthritis. <i>Rheumatology</i> , 2017, 56, 1700-1706.	1.9	38
244	Functional Killer Ig-Like Receptors on Human Memory CD4+ T Cells Specific for Cytomegalovirus. <i>Journal of Immunology</i> , 2009, 182, 4175-4182.	0.8	37
245	Two-year results of disease activity score (DAS)-remission-steered treatment strategies aiming at drug-free remission in early arthritis patients (the IMPROVED-study). <i>Arthritis Research and Therapy</i> , 2016, 18, 23.	3.5	37
246	Antibodies Specific for Carbamylated Proteins Precede the Onset of Clinical Symptoms in Mice with Collagen Induced Arthritis. <i>PLoS ONE</i> , 2014, 9, e102163.	2.5	37
247	Molecular basis for increased susceptibility of Indigenous North Americans to seropositive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1915-1923.	0.9	36
248	Detection of a C-insertion polymorphism within the human tumor necrosis factor alpha (TNFA) gene. <i>Human Genetics</i> , 1995, 96, 493.	3.8	35
249	Systemic Lupus Erythematosus: Diagnostic Application of Magnetization Transfer Ratio Histograms in Patients with Neuropsychiatric Symptoms—Initial Results. <i>Radiology</i> , 2002, 222, 722-728.	7.3	35
250	Repair of joint erosions in rheumatoid arthritis: prevalence and patient characteristics in a large inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 727-729.	0.9	35
251	Epistasis between two HLA antigens defines a subset of individuals at a very high risk for ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 974-978.	0.9	35
252	On the presence of HLA-SE alleles and ACPA-IgG variable domain glycosylation in the phase preceding the development of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1616-1620.	0.9	35

#	ARTICLE	IF	CITATIONS
253	Adalimumab Biosimilars in the Treatment of Rheumatoid Arthritis: A Systematic Review of the Evidence for Biosimilarity. <i>Rheumatology and Therapy</i> , 2021, 8, 41-61.	2.3	35
254	The influence of synovial fluid on adenovirus-mediated gene transfer to the synovial tissue. <i>Arthritis and Rheumatism</i> , 2001, 44, 48-52.	6.7	34
255	Detection of change in CNS involvement in neuropsychiatric SLE: A magnetization transfer study. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 812-816.	3.4	34
256	Integration of Sequence Data from a Consanguineous Family with Genetic Data from an Outbred Population Identifies PLB1 as a Candidate Rheumatoid Arthritis Risk Gene. <i>PLoS ONE</i> , 2014, 9, e87645.	2.5	34
257	Aiming for a shorter rheumatoid arthritis MRI protocol: can contrast-enhanced MRI replace T2 for the detection of bone marrow oedema?. <i>European Radiology</i> , 2014, 24, 2614-2622.	4.5	34
258	The production and secretion of complement component C1q by human mast cells. <i>Molecular Immunology</i> , 2016, 78, 164-170.	2.2	34
259	Different classes of anti-modified protein antibodies are induced on exposure to antigens expressing only one type of modification. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 908-916.	0.9	34
260	Tumor Necrosis Factor- α Genetic Predisposing Factors Can Influence Clinical Severity in Nephropathia Epidemica. <i>Viral Immunology</i> , 2006, 19, 558-564.	1.3	33
261	Clinical pharmacogenetic model to predict response of MTX monotherapy in patients with established rheumatoid arthritis after DMARD failure. <i>Pharmacogenomics</i> , 2012, 13, 1087-1094.	1.3	33
262	Marked variability in clinical presentation and outcome of patients with C1q immunodeficiency. <i>Journal of Autoimmunity</i> , 2015, 62, 39-44.	6.5	33
263	In rheumatoid arthritis, changes in autoantibody levels reflect intensity of immunosuppression, not subsequent treatment response. <i>Arthritis Research and Therapy</i> , 2019, 21, 28.	3.5	33
264	Anti-Inflammatory and Proresolving Effects of the Omega-6 Polyunsaturated Fatty Acid Adrenic Acid. <i>Journal of Immunology</i> , 2020, 205, 2840-2849.	0.8	33
265	Biomarkers for Radiographic Progression in Rheumatoid Arthritis. <i>Current Pharmaceutical Design</i> , 2014, 21, 147-169.	1.9	33
266	Murine Fc receptors for IgG are redundant in facilitating presentation of immune complex derived antigen to CD8+ T cells in vivo. <i>Molecular Immunology</i> , 2006, 43, 2045-2050.	2.2	32
267	Improved early identification of arthritis: evaluating the efficacy of Early Arthritis Recognition Clinics. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1295-1301.	0.9	32
268	IgE and IL-33-mediated triggering of human basophils inhibits TLR4-induced monocyte activation. <i>European Journal of Immunology</i> , 2014, 44, 3045-3055.	2.9	32
269	Relationship of multi-biomarker disease activity score and other risk factors with radiographic progression in an observational study of patients with rheumatoid arthritis. <i>Rheumatology</i> , 2016, 55, 357-366.	1.9	32
270	Predictive factors for treatment-related mortality and major adverse events after autologous haematopoietic stem cell transplantation for systemic sclerosis: results of a long-term follow-up multicentre study. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1084-1089.	0.9	32

#	ARTICLE	IF	CITATIONS
271	Mast cell depletion in the preclinical phase of collagen-induced arthritis reduces clinical outcome by lowering the inflammatory cytokine profile. <i>Arthritis Research and Therapy</i> , 2016, 18, 138.	3.5	31
272	Two years of sarilumab in patients with rheumatoid arthritis and an inadequate response to MTX: safety, efficacy and radiographic outcomes. <i>Rheumatology</i> , 2018, 57, 1423-1431.	1.9	31
273	Using genetics to prioritize diagnoses for rheumatology outpatients with inflammatory arthritis. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	31
274	Clinicogenomic factors of biotherapy immunogenicity in autoimmune disease: A prospective multicohort study of the ABIRISK consortium. <i>PLoS Medicine</i> , 2020, 17, e1003348.	8.4	31
275	Association of the 6q23 region with the rate of joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 567-570.	0.9	30
276	Personalized medicine: predicting responses to therapy in patients with RA. <i>Current Opinion in Pharmacology</i> , 2013, 13, 463-469.	3.5	30
277	Surface Ig variable domain glycosylation affects autoantigen binding and acts as threshold for human autoreactive B cell activation. <i>Science Advances</i> , 2022, 8, eabm1759.	10.3	30
278	Reactivity of cloned, expressed human Fc γ RIII isoforms with monoclonal antibodies which distinguish cell-type-specific and allelic forms of Fc γ RIII. <i>International Immunology</i> , 1990, 2, 303-310.	4.0	29
279	Variation in radiologic joint destruction in rheumatoid arthritis differs between monozygotic and dizygotic twins and pairs of unrelated patients. <i>Arthritis and Rheumatism</i> , 2006, 54, 2028-2030.	6.7	29
280	A Novel Role of Complement Factor C1q in Augmenting the Presentation of Antigen Captured in Immune Complexes to CD8+T Lymphocytes. <i>Journal of Immunology</i> , 2007, 178, 7581-7586.	0.8	29
281	Evaluation of the diagnostic accuracy of hand and foot MRI for early Rheumatoid Arthritis. <i>Rheumatology</i> , 2017, 56, 1367-1377.	1.9	29
282	Conversion to seronegative status after abatacept treatment in patients with early and poor prognostic rheumatoid arthritis is associated with better radiographic outcomes and sustained remission: post hoc analysis of the AGREE study. <i>RMD Open</i> , 2018, 4, e000564.	3.8	29
283	Identification of regulators of the myofibroblast phenotype of primary dermal fibroblasts from early diffuse systemic sclerosis patients. <i>Scientific Reports</i> , 2019, 9, 4521.	3.3	29
284	Machine Learning Electronic Health Record Identification of Patients with Rheumatoid Arthritis: Algorithm Pipeline Development and Validation Study. <i>JMIR Medical Informatics</i> , 2020, 8, e23930.	2.6	29
285	Concentration-controlled treatment of lupus nephritis with mycophenolate mofetil. <i>Lupus</i> , 2013, 22, 171-179.	1.6	28
286	Adoptive transfer of IL-10-secreting CD4+CD49b+ regulatory T cells suppresses ongoing arthritis. <i>Journal of Autoimmunity</i> , 2010, 34, 390-399.	6.5	27
287	Comparison of methodologies for analysing the progression of joint destruction in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 182-189.	1.1	27
288	Follow-up study of inflammatory ultrasound features in hand osteoarthritis over a period of 3 months: variable as well as constant. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 40-43.	1.3	27

#	ARTICLE	IF	CITATIONS
289	Mortality in osteoarthritis patients. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 70-73.	1.1	27
290	Breach of autoreactive B cell tolerance by post-translationally modified proteins. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1449-1457.	0.9	27
291	Anti-citrullinated protein antibodies (ACPA) in early rheumatoid arthritis. <i>Modern Rheumatology</i> , 2012, 22, 15-20.	1.8	26
292	Association study of candidate genes for the progression of hand osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 565-569.	1.3	26
293	HLA and rheumatoid arthritis: How do they connect?. <i>Annals of Medicine</i> , 2014, 46, 304-310.	3.8	26
294	Gene Therapy and Cement Injection for Restabilization of Loosened Hip Prostheses. <i>Human Gene Therapy</i> , 2008, 19, 83-96.	2.7	25
295	The pathogenic potential of autoreactive antibodies in rheumatoid arthritis. <i>Seminars in Immunopathology</i> , 2014, 36, 313-325.	6.1	25
296	Clustering of hand osteoarthritis progression and its relationship to progression of osteoarthritis at the knee. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 567-572.	0.9	25
297	Anti-carbamylated protein antibodies in rheumatoid arthritis patients of Asian descent: Fig. 1. <i>Rheumatology</i> , 2015, 54, 1930-1932.	1.9	25
298	An evidence-based approach to pre-pregnancy counselling for patients with systemic lupus erythematosus. <i>Rheumatology</i> , 2018, 57, 1707-1720.	1.9	25
299	Association of response to TNF inhibitors in rheumatoid arthritis with quantitative trait loci for <i>CD40</i> and <i>CD39</i> . <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1055-1061.	0.9	25
300	Depression and anxiety associate with less remission after 1 year in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e1-e1.	0.9	25
301	Drug-free remission: is it already possible?. <i>Current Opinion in Rheumatology</i> , 2011, 23, 266-272.	4.3	24
302	Crowdsourcing genetic prediction of clinical utility in the Rheumatoid Arthritis Responder Challenge. <i>Nature Genetics</i> , 2013, 45, 468-469.	21.4	24
303	TAC-TIC use of tacrolimus-based regimens in lupus nephritis. <i>Lupus Science and Medicine</i> , 2016, 3, e000169.	2.7	24
304	Efficacy of tofacitinib monotherapy in methotrexate-naive patients with early or established rheumatoid arthritis. <i>RMD Open</i> , 2016, 2, e000262.	3.8	24
305	Evaluating joint destruction in rheumatoid arthritis: is it necessary to radiograph both hands and feet?. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 345-349.	0.9	23
306	Are Rheumatoid Arthritis Patients Discernible from Other Early Arthritis Patients Using 1.5T Extremity Magnetic Resonance Imaging? A Large Cross-sectional Study. <i>Journal of Rheumatology</i> , 2014, 41, 1630-1637.	2.0	23

#	ARTICLE	IF	CITATIONS
307	Genetic Factors for the Severity of ACPA-negative Rheumatoid Arthritis in 2 Cohorts of Early Disease: A Genome-wide Study. <i>Journal of Rheumatology</i> , 2015, 42, 1383-1391.	2.0	23
308	Quality indicators in rheumatoid arthritis: results from the METEOR database. <i>Rheumatology</i> , 2015, 54, 1630-1639.	1.9	23
309	Synovial fluid mononuclear cells provide an environment for long-term survival of antibody-secreting cells and promote the spontaneous production of anti-citrullinated protein antibodies. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 2201-2207.	0.9	23
310	The increased ability to present citrullinated peptides is not unique to HLA-SE molecules: arginine-to-citrulline conversion also enhances peptide affinity for HLA-DQ molecules. <i>Arthritis Research and Therapy</i> , 2016, 18, 254.	3.5	23
311	The prevalence of ACPA is lower in rheumatoid arthritis patients with an older age of onset but the composition of the ACPA response appears identical. <i>Arthritis Research and Therapy</i> , 2017, 19, 115.	3.5	23
312	Changes in selected haematological parameters associated with JAK1/JAK2 inhibition observed in patients with rheumatoid arthritis treated with baricitinib. <i>RMD Open</i> , 2020, 6, e001370.	3.8	23
313	IgG Anti-citrullinated Protein Antibody Variable Domain Glycosylation Increases Before the Onset of Rheumatoid Arthritis and Stabilizes Thereafter: A Cross-sectional Study Encompassing ~1,500 Samples. <i>Arthritis and Rheumatology</i> , 2022, 74, 1147-1158.	5.6	23
314	Diabetes insipidus in metastatic cancer: Two case reports with review of the literature. <i>Annals of Oncology</i> , 2000, 11, 891-895.	1.2	22
315	Validity and responsiveness of the Michigan Hand Questionnaire in patients with systemic sclerosis. <i>Rheumatology</i> , 2016, 55, 1386-1393.	1.9	22
316	Health-related quality of life in patients with systemic sclerosis: evolution over time and main determinants. <i>Rheumatology</i> , 2021, 60, 3646-3655.	1.9	22
317	Association between Several Clinical and Radiological Determinants with Long-Term Clinical Progression and Good Prognosis of Lower Limb Osteoarthritis. <i>PLoS ONE</i> , 2011, 6, e25426.	2.5	22
318	Doyle Index is a valuable additional pain measure in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1046-1050.	1.3	21
319	Can we achieve true drug-free remission in patients with RA?. <i>Nature Reviews Rheumatology</i> , 2010, 6, 68-70.	8.0	21
320	Risk factors for reported influenza and influenza-like symptoms in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2012, 41, 359-365.	1.1	21
321	The concentration of anticitrullinated protein antibodies in serum and synovial fluid in relation to total immunoglobulin concentrations. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1059-1063.	0.9	21
322	Studies on ageing and the severity of radiographic joint damage in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 222.	3.5	21
323	An investigation of the added value of an ACPA multiplex assay in an early rheumatoid arthritis setting. <i>Arthritis Research and Therapy</i> , 2015, 17, 276.	3.5	21
324	Using predicted disease outcome to provide differentiated treatment of early rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2006, 33, 1747-53.	2.0	21

#	ARTICLE	IF	CITATIONS
325	Allele dose association of the C5orf30rs26232 variant with joint damage in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2013, 65, n/a-n/a.	6.7	20
326	Protein array autoantibody profiles to determine diagnostic markers for neuropsychiatric systemic lupus erythematosus. <i>Rheumatology</i> , 2017, 56, 1407-1416.	1.9	20
327	Functional limitations in the phase of clinically suspect arthralgia are as serious as in early clinical arthritis; a longitudinal study. <i>RMD Open</i> , 2017, 3, e000419.	3.8	20
328	Is the Site of Back Pain Related to the Location of Magnetic Resonance Imaging Lesions in Patients With Chronic Back Pain? Results From the Spondyloarthritis Caught Early Cohort. <i>Arthritis Care and Research</i> , 2017, 69, 717-723.	3.4	20
329	The isotype and IgG subclass distribution of anti-carbamylated protein antibodies in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2017, 19, 190.	3.5	20
330	ACPA-negative RA consists of subgroups: patients with high likelihood of achieving sustained DMARD-free remission can be identified by serological markers at disease presentation. <i>Arthritis Research and Therapy</i> , 2019, 21, 121.	3.5	20
331	Changes in Plasma FcRIII Demonstrate Increasing Receptor Production during Late Pregnancy and after Preterm Birth. <i>Pediatric Research</i> , 1992, 32, 505-508.	2.3	19
332	Recommendations for publication of genetic association studies in <i>Arthritis & Rheumatism</i> . <i>Arthritis and Rheumatism</i> , 2011, 63, 2839-2847.	6.7	19
333	A genetic variant in osteoprotegerin is associated with progression of joint destruction in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, R108.	3.5	19
334	IL2RA is associated with persistence of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 244.	3.5	19
335	Body mass index and extent of MRI-detected inflammation: opposite effects in rheumatoid arthritis versus other arthritides and asymptomatic persons. <i>Arthritis Research and Therapy</i> , 2016, 18, 245.	3.5	19
336	Repeated Fc μ RI triggering reveals modified mast cell function related to chronic allergic responses in tissue. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 869-880.	2.9	19
337	Circulating calprotectin (S100A8/A9) is higher in rheumatoid arthritis patients that relapse within 12 months of tapering anti-rheumatic drugs. <i>Arthritis Research and Therapy</i> , 2019, 21, 268.	3.5	19
338	Mortality in patients with systemic lupus erythematosus and neuropsychiatric involvement: A retrospective analysis from a tertiary referral center in the Netherlands. <i>Lupus</i> , 2020, 29, 1892-1901.	1.6	19
339	Lupus and the central nervous system. <i>Lupus</i> , 2008, 17, 376-379.	1.6	18
340	Evaluating processes underlying the predictive value of baseline erosions for future radiological damage in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 883-889.	0.9	18
341	Abatacept decreases disease activity in the absence of CD4+ T cells in a collagen-induced arthritis model. <i>Arthritis Research and Therapy</i> , 2015, 17, 220.	3.5	18
342	The role of anticitrullinated protein antibodies in the early stages of rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2016, 28, 275-281.	4.3	18

#	ARTICLE	IF	CITATIONS
343	Induction of sustained remission in early inflammatory arthritis with the combination of infliximab plus methotrexate: the DINORA trial. <i>Arthritis Research and Therapy</i> , 2018, 20, 174.	3.5	18
344	Association of Anti-Topoisomerase I Antibodies of the IgM Isotype With Disease Progression in Anti-Topoisomerase Positive Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2020, 72, 1897-1904.	5.6	18
345	The role of interleukin 10 promoter polymorphisms in the susceptibility of distal interphalangeal osteoarthritis. <i>Journal of Rheumatology</i> , 2005, 32, 1571-5.	2.0	18
346	High innate production of interleukin-10 and tumor necrosis factor- β contributes to susceptibility for non-paraneoplastic Lambert-Eaton myasthenic syndrome. <i>Journal of Neuroimmunology</i> , 2003, 140, 194-197.	2.3	17
347	Hyperpigmentation of the skin due to hydroxychloroquine. <i>Scandinavian Journal of Rheumatology</i> , 2008, 37, 158-158.	1.1	17
348	Validity of joint space width measurements in hand osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1349-1355.	1.3	17
349	Serum Pyridinoline Levels and Prediction of Severity of Joint Destruction in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2013, 40, 1303-1306.	2.0	17
350	Reasons for medical help-seeking behaviour of patients with recent-onset arthralgia. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1302-1307.	0.9	17
351	Sustained improvements in MRI outcomes with abatacept following the withdrawal of all treatments in patients with early, progressive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1501-1505.	0.9	17
352	Progression of Left Ventricular Myocardial Dysfunction in Systemic Sclerosis: A Speckle-tracking Strain Echocardiography Study. <i>Journal of Rheumatology</i> , 2019, 46, 405-415.	2.0	17
353	Association Between Bone Mineral Density and Autoantibodies in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2021, 73, 921-930.	5.6	17
354	Fatigue in patients with systemic lupus erythematosus and neuropsychiatric symptoms is associated with anxiety and depression rather than inflammatory disease activity. <i>Lupus</i> , 2021, 30, 1124-1132.	1.6	17
355	Early aggressive therapy in rheumatoid arthritis: a 'window of opportunity'?. <i>Nature Clinical Practice Rheumatology</i> , 2005, 1, 2-3.	3.2	16
356	Early Local Swelling and Tenderness Are Associated with Large-joint Damage After 8 Years of Treatment to Target in Patients with Recent-onset Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2013, 40, 624-629.	2.0	16
357	Twenty-eight-week results from the REALISTIC phase IIIb randomized trial: efficacy, safety and predictability of response to certolizumab pegol in a diverse rheumatoid arthritis population. <i>Arthritis Research and Therapy</i> , 2015, 17, 325.	3.5	16
358	Personalized medicine in rheumatoid arthritis: is the glass half full or half empty?. <i>Journal of Internal Medicine</i> , 2015, 277, 178-187.	6.0	16
359	Anticarbamylated protein antibodies can be detected in animal models of arthritis that require active involvement of the adaptive immune system. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 949-950.	0.9	16
360	Older age is associated with more MRI-detected inflammation in hand and foot joints. <i>Rheumatology</i> , 2016, 55, 2212-2219.	1.9	16

#	ARTICLE	IF	CITATIONS
361	Allele-Specific Expression of the IL-1 β Gene in Human CD4+ T Cell Clones. <i>Journal of Immunology</i> , 2003, 171, 2349-2353.	0.8	15
362	HLA and RA Revisited: Citrullinated Food for the SE Hypothesis, the DR6 Effect, and NIMA. <i>Human Immunology</i> , 2006, 67, 454-459.	2.4	15
363	Assessment of global disease activity in RA patients monitored in the METEOR database: the patient's versus the rheumatologist's opinion. <i>Clinical Rheumatology</i> , 2014, 33, 461-466.	2.2	15
364	Identification of a novel non-coding mutation in C1qB in a Dutch child with C1q deficiency associated with recurrent infections. <i>Immunobiology</i> , 2015, 220, 422-427.	1.9	15
365	Evaluation of the joint distribution at disease presentation of patients with rheumatoid arthritis: a large study across continents. <i>RMD Open</i> , 2017, 3, e000568.	3.8	15
366	Anti-citrullinated protein antibodies (ACPA) in early rheumatoid arthritis. <i>Modern Rheumatology</i> , 2012, 22, 15-20.	1.8	15
367	Genetics in rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2003, 17, 703-716.	3.3	14
368	Association between polymorphisms in the human chemokine receptor genes CCR2 and CX3 CR1 and rheumatoid arthritis. <i>Tissue Antigens</i> , 2003, 62, 170-174.	1.0	14
369	An innovative care model coordinated by a physical therapist and nurse practitioner for osteoarthritis of the hip and knee in specialist care: a prospective study. <i>Rheumatology International</i> , 2013, 33, 1821-1828.	3.0	14
370	Differential methylation within the major histocompatibility complex region in rheumatoid arthritis: a replication study. <i>Rheumatology</i> , 2014, 53, 2317-2318.	1.9	14
371	Reappraisal of the diagnostic and prognostic value of morning stiffness in arthralgia and early arthritis: results from the Groningen EARC, Leiden EARC, ESPÖIR, Leiden EAC and REACH. <i>Arthritis Research and Therapy</i> , 2015, 17, 108.	3.5	14
372	2014 treat-to-target RA recommendationsâ€”strategy is key. <i>Nature Reviews Rheumatology</i> , 2015, 11, 509-511.	8.0	14
373	The extensive glycosylation of the ACPA variable domain observed for ACPA-IgG is absent from ACPA-IgM. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1087-1088.	0.9	14
374	Performance of the proposed ACRâ€”EULAR classification criteria for systemic lupus erythematosus (SLE) in a cohort of patients with SLE with neuropsychiatric symptoms. <i>RMD Open</i> , 2019, 5, e000895.	3.8	14
375	Early intensive treatment normalises excess mortality in ACPA-negative RA but not in ACPA-positive RA. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, e124-e124.	0.9	14
376	Anticentromere Antibody Levels and Isotypes and the Development of Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2021, 73, 2338-2347.	5.6	14
377	Joint inflammation tends to recur in the same joints during the rheumatoid arthritis disease course. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 169-174.	0.9	14
378	Systematic literature review of observational cohorts and clinical trials into the success rate of glucocorticoid discontinuation after their use as bridging therapy in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 937-943.	0.9	14

#	ARTICLE	IF	CITATIONS
379	Rheumatoid arthritis: the goal rather than the health-care provider is key. <i>Lancet, The</i> , 2006, 367, 450-452.	13.7	13
380	Genetic markers of treatment response in rheumatoid arthritis. <i>Current Rheumatology Reports</i> , 2006, 8, 369-377.	4.7	13
381	Treatment strategies in recent onset rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2011, 23, 241-244.	4.3	13
382	Variants of gene for microsomal prostaglandin E2 synthase show association with disease and severe inflammation in rheumatoid arthritis. <i>European Journal of Human Genetics</i> , 2011, 19, 908-914.	2.8	13
383	The development of a simple questionnaire to screen patients with SLE for the presence of neuropsychiatric symptoms in routine clinical practice. <i>Lupus</i> , 2011, 20, 485-492.	1.6	13
384	Predictive factors of radiological progression after 2 years of remission-steered treatment in early arthritis patients: a post hoc analysis of the IMPROVED study. <i>RMD Open</i> , 2016, 2, e000172.	3.8	13
385	Genomic Influences on Susceptibility and Severity of Rheumatoid Arthritis. <i>Rheumatic Disease Clinics of North America</i> , 2017, 43, 347-361.	1.9	13
386	Sex hormones and sex hormone-targeting therapies in systemic sclerosis: A systematic literature review. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 140-148.	3.4	13
387	Evolution of interstitial lung disease one year after hematopoietic stem cell transplantation or cyclophosphamide for systemic sclerosis. <i>Arthritis Care and Research</i> , 2020, , .	3.4	13
388	Increasing incidence of autoantibody-negative RA is replicated and is partly explained by an aging population. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, e69-e69.	0.9	13
389	Different phenotypes of neuropsychiatric systemic lupus erythematosus are related to a distinct pattern of structural changes on brain MRI. <i>European Radiology</i> , 2021, 31, 8208-8217.	4.5	13
390	Control of systemic B cell-mediated autoimmune disease by nonmyeloablative conditioning and major histocompatibility complex-mismatched allogeneic bone marrow transplantation. <i>Blood</i> , 2005, 105, 2991-2994.	1.4	12
391	Genome-wide single-nucleotide polymorphism studies in rheumatology: Hype or hope?. <i>Arthritis and Rheumatism</i> , 2008, 58, 2591-2597.	6.7	12
392	Are Baseline High Molecular Weight Adiponectin Levels Associated with Radiographic Progression in Rheumatoid Arthritis and Osteoarthritis?. <i>Journal of Rheumatology</i> , 2014, 41, 853-857.	2.0	12
393	Macrophage migration inhibitory factor (MIF) -173 polymorphism is associated with clinical erythema nodosum in LÃ¶fgrenâ€™s syndrome. <i>Cytokine</i> , 2014, 69, 272-276.	3.2	12
394	Health-care utilization in Dutch systemic sclerosis patients. <i>Clinical Rheumatology</i> , 2014, 33, 825-832.	2.2	12
395	Effectiveness of four dynamic treatment strategies in patients with anticitrullinated protein antibody-negative rheumatoid arthritis: a randomised trial. <i>RMD Open</i> , 2016, 2, e000143.	3.8	12
396	Protective effect of HLA-DRB1*13 alleles during specific phases in the development of ACPA-positive RA. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1891-1898.	0.9	12

#	ARTICLE	IF	CITATIONS
397	In RA, becoming seronegative over the first year of treatment does not translate to better chances of drug-free remission. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1836-1838.	0.9	12
398	Cross-reactivity of IgM anti-modified protein antibodies in rheumatoid arthritis despite limited mutational load. <i>Arthritis Research and Therapy</i> , 2021, 23, 230.	3.5	12
399	Cerebral magnetic resonance imaging in quiescent Crohn's disease patients with fatigue. <i>World Journal of Gastroenterology</i> , 2017, 23, 1018.	3.3	12
400	Acitretin-related ossification. <i>Journal of Rheumatology</i> , 2007, 34, 837-8.	2.0	12
401	Loss of imprinting of <i>IGF2</i> characterises high IGF2 mRNA-expressing type of fibroblast-like synoviocytes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1239-1242.	0.9	11
402	Disease Activity Monitoring in Rheumatoid Arthritis in Daily Practice: Experiences with METEOR, a Free Online Tool. <i>Journal of Rheumatology</i> , 2010, 37, 2632-2633.	2.0	11
403	Evaluation of the Disease Activity Score in Twenty-Eight Joints-Based Flare Definitions in Rheumatoid Arthritis: Data From a Three-Year Clinical Trial. <i>Arthritis Care and Research</i> , 2015, 67, 1762-1766.	3.4	11
404	Determinants of reaching drug-free remission in patients with early rheumatoid or undifferentiated arthritis after one year of remission-steered treatment. <i>Rheumatology</i> , 2015, 54, 1380-1384.	1.9	11
405	Predicting the severity of joint damage in rheumatoid arthritis; the contribution of genetic factors. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 876-882.	0.9	11
406	Long-term mortality in patients with ST-segment elevation myocardial infarction is associated with anti-citrullinated protein antibodies. <i>International Journal of Cardiology</i> , 2017, 240, 20-24.	1.7	11
407	The anti-carbamylated protein antibody response is of overall low avidity despite extensive isotype switching. <i>Rheumatology</i> , 2018, 57, 1583-1591.	1.9	11
408	Autoantibody status is not associated with early treatment response to first-line methotrexate in patients with early rheumatoid arthritis. <i>Rheumatology</i> , 2019, 58, 149-153.	1.9	11
409	Genetic predisposition (HLA-SE) is associated with ACPA-IgG variable domain glycosylation in the predisease phase of RA. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 141-143.	0.9	11
410	The effect of corticosteroid medication on quantitative MR parameters of the brain. <i>American Journal of Neuroradiology</i> , 2005, 26, 2475-80.	2.4	11
411	Engraftment of cutaneous fibroblasts within synovial membrane in a nonhuman primate: Short-term results. <i>Joint Bone Spine</i> , 2007, 74, 48-51.	1.6	10
412	The use of data from early arthritis clinics for clinical research. <i>Best Practice and Research in Clinical Rheumatology</i> , 2009, 23, 117-123.	3.3	10
413	Evaluation of the contribution of cumulative levels of inflammation to the variance in joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 307-308.	0.9	10
414	Continued Participation in a Ten-Year Tight Control Treatment Target Study in Rheumatoid Arthritis: Why Keep Patients Doing their Best?. <i>Arthritis Care and Research</i> , 2015, 67, 739-745.	3.4	10

#	ARTICLE	IF	CITATIONS
415	Rheumatologists' adherence to a disease activity score steered treatment protocol in early arthritis patients is less if the target is remission. <i>Clinical Rheumatology</i> , 2017, 36, 317-326.	2.2	10
416	One year in review 2020: novelties in the treatment of rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 181-194.	0.8	10
417	Criteria for the selection of single nucleotide polymorphisms in pathway pharmacogenetics: TNF inhibitors as a case study. <i>Drug Discovery Today</i> , 2009, 14, 837-844.	6.4	9
418	DC-induced CD8 ⁺ T cell response is inhibited by MHC class II-dependent DX5 ⁺ CD4 ⁺ Treg. <i>European Journal of Immunology</i> , 2009, 39, 1765-1773.	2.9	9
419	Role of rheumatology clinical nurse specialists in optimizing management of hand osteoarthritis during daily practice in secondary care: an observational study. <i>Journal of Multidisciplinary Healthcare</i> , 2011, 4, 403.	2.7	9
420	Human mast cells costimulate T cells through a CD28-independent interaction. <i>European Journal of Immunology</i> , 2016, 46, 1132-1141.	2.9	9
421	Aesthetic dissatisfaction in patients with hand osteoarthritis and its impact on daily life. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 219-223.	1.1	9
422	Prognostic properties of anti-topoisomerase antibodies in patients identified by the ACR/EULAR 2013 systemic sclerosis criteria. <i>Rheumatology</i> , 2019, 58, 730-732.	1.9	9
423	Earlier is better when treating rheumatoid arthritis: but can we detect a window of opportunity?. <i>RMD Open</i> , 2020, 6, e001242.	3.8	9
424	Earlier chronotype in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2021, 40, 2185-2192.	2.2	9
425	Autoantibodies against specific post-translationally modified proteins are present in patients with lupus and associate with major neuropsychiatric manifestations. <i>RMD Open</i> , 2022, 8, e002079.	3.8	9
426	Analysis of allelic expression patterns of IL-2, IL-3, IL-4, and IL-13 in human CD4 ⁺ T cell clones. <i>European Journal of Immunology</i> , 2003, 33, 2142-2148.	2.9	8
427	Quality indicators in rheumatology: valid for whom?. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1797-1799.	0.9	8
428	Neutralization of IL-4 reverses the nonresponsiveness of CD4 ⁺ T cells to regulatory T-cell induction in non-responder mouse strains. <i>Molecular Immunology</i> , 2010, 48, 137-146.	2.2	8
429	Towards personalized treatment: predictors of short-term HAQ response in recent-onset active rheumatoid arthritis are different from predictors of rapid radiological progression. <i>Scandinavian Journal of Rheumatology</i> , 2012, 41, 15-19.	1.1	8
430	Brief Report: The Role of Rare Protein-Coding Variants in Anti-Tumor Necrosis Factor Treatment Response in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2017, 69, 735-741.	5.6	8
431	Re-treatment with abatacept plus methotrexate for disease flare after complete treatment withdrawal in patients with early rheumatoid arthritis: 2-year results from the AVERT study. <i>RMD Open</i> , 2019, 5, e000840.	3.8	8
432	Glucocorticoid discontinuation in patients with early rheumatoid and undifferentiated arthritis: a post-hoc analysis of the BeSt and IMPROVED studies. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1124-1129.	0.9	8

#	ARTICLE	IF	CITATIONS
433	Gene Therapy for the Treatment of Hip Prosthesis Loosening: Adverse Events in a Phase 1 Clinical Study. <i>Human Gene Therapy</i> , 2008, 19, 1029-1038.	2.7	7
434	Shared symptoms in rheumatic diseases: A blessing or a curse?. <i>Arthritis and Rheumatism</i> , 2009, 60, 2547-2549.	6.7	7
435	Auto-antibodies and cancer in systemic sclerosis. <i>Autoimmunity Reviews</i> , 2017, 16, 883-884.	5.8	7
436	Is current smoking status and its relationship to anti-cyclic citrullinated peptide antibodies a predictor of worse response to biological therapies in rheumatoid arthritis patients?. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 360-363.	1.1	7
437	Comparison between low disease activity or DAS remission as treatment target in patients with early active rheumatoid arthritis. <i>RMD Open</i> , 2018, 4, e000649.	3.8	7
438	Phenotype and treatment of elderly onset compared with younger onset rheumatoid arthritis patients in international daily practice. <i>Rheumatology</i> , 2021, 60, 4801-4810.	1.9	7
439	Ten years of METEOR (an international rheumatoid arthritis registry): development, research opportunities and future perspectives. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S87-S90.	0.8	7
440	Translating basic research into clinical rheumatology. <i>Best Practice and Research in Clinical Rheumatology</i> , 2008, 22, 299-310.	3.3	6
441	Validity of the disease activity score in undifferentiated arthritis. <i>Arthritis Care and Research</i> , 2010, 62, 1392-1398.	3.4	6
442	The window of opportunity in ACPA-positive rheumatoid arthritis is not explained by ACPA characteristics. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1697-1698.	0.9	6
443	Pathway analysis to identify genetic variants associated with efficacy of adalimumab in rheumatoid arthritis. <i>Pharmacogenomics</i> , 2017, 18, 945-953.	1.3	6
444	Interpreting big-data analysis of retrospective observational data. <i>Lancet Rheumatology</i> , The, 2020, 2, e652-e653.	3.9	6
445	Association Between Centromere- and Topoisomerase-specific Immune Responses and the Degree of Microangiopathy in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2021, 48, 402-409.	2.0	6
446	Effectiveness of a multidisciplinary clinical pathway for women with systemic lupus erythematosus and/or antiphospholipid syndrome. <i>Lupus Science and Medicine</i> , 2021, 8, e000472.	2.7	6
447	Seasonal variation of primary neuropsychiatric systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2006, 33, 1913-4; author reply 1914.	2.0	6
448	Fc gamma receptor binding profile of anti-citrullinated protein antibodies in immune complexes suggests a role for Fcγ3RI in the pathogenesis of synovial inflammation. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 284-293.	0.8	6
449	In rheumatoid arthritis patients, total IgA1 and IgA2 levels are elevated: implications for the mucosal origin hypothesis. <i>Rheumatology</i> , 2022, 62, 407-416.	1.9	6
450	DX5 ⁺ CD4 ⁺ T cells modulate cytokine production by CD4 ⁺ T cells towards IL-10 via the production of IL-4. <i>European Journal of Immunology</i> , 2010, 40, 2731-2740.	2.9	5

#	ARTICLE	IF	CITATIONS
451	Feasibility of tailored treatment based on risk stratification in patients with early rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, 430.	3.5	5
452	A prediction model for progressive disease in systemic sclerosis. <i>RMD Open</i> , 2015, 1, e000113.	3.8	5
453	Drivers of costly treatment strategies in rheumatoid arthritis. <i>Lancet, The</i> , 2016, 388, 213-214.	13.7	5
454	Illness perceptions, risk perceptions and worries in patients with early systemic sclerosis: A focus group study. <i>Musculoskeletal Care</i> , 2020, 18, 177-186.	1.4	5
455	Rheumatic?â€”A Digital Diagnostic Decision Support Tool for Individuals Suspecting Rheumatic Diseases: A Multicenter Pilot Validation Study. <i>Frontiers in Medicine</i> , 2022, 9, 774945.	2.6	5
456	5 Fc-gamma receptors: mediators, targets and markers of disease. <i>Best Practice and Research: Clinical Haematology</i> , 1991, 4, 889-902.	1.1	4
457	Genetics in rheumatoid arthritis. <i>Current Rheumatology Reports</i> , 2002, 4, 195-200.	4.7	4
458	Arthrography inÂloosened hip prostheses. Assessment ofÂpossibilities forÂintra-articular therapy. <i>Joint Bone Spine</i> , 2006, 73, 684-690.	1.6	4
459	Health care usage in Dutch systemic lupus erythematosus patients. <i>Lupus</i> , 2011, 20, 1147-1154.	1.6	4
460	<scp>DX</scp>5⁺<scp>CD</scp>4⁺<scp>T</scp> cells modulate <scp>CD</scp>4⁺<scp>T</scp>â€”cell response via inhibition of <scp>IL</scp>12 production by <scp>DC</scp>s. <i>European Journal of Immunology</i> , 2013, 43, 439-446.	2.9	4
461	Autoimmunity: Break-through in the diagnosis and treatment of immune-mediated inflammatory diseases. <i>Immunology Letters</i> , 2014, 162, 150-162.	2.5	4
462	THU0114â€”Effect of Anti-Cyclic Citrullinated Peptide 2 Immunoglobulin M Serostatus on Efficacy Outcomes Following Treatment with Abatacept Plus Methotrexate in the Avert Trial. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 234.3-235.	0.9	4
463	Impact of pulmonary fibrosis and elevated pulmonary pressures on right ventricular function in patients with systemic sclerosis. <i>Rheumatology</i> , 2016, 55, kev342.	1.9	4
464	FRIO090â€”Analysis of neutrophils, lymphocytes, and platelets in pooled phase 2 and phase 3 studies of baricitinib for rheumatoid arthritis. , 2017, , .		4
465	Rheumatoid arthritis patients with continued low disease activity have similar outcomes over 10 years, regardless of initial therapy. <i>Rheumatology</i> , 2017, 56, 1721-1728.	1.9	4
466	On-drug and drug-free remission by baseline symptom duration: abatacept with methotrexate in patients with early rheumatoid arthritis. <i>Rheumatology International</i> , 2018, 38, 2225-2231.	3.0	4
467	Impact of the combined presence of erosions and ACPA on rheumatoid arthritis disease activity over time: results from the METEOR registry. <i>RMD Open</i> , 2019, 5, e000969.	3.8	4
468	Lung function is associated with minimal EQ-5D changes over time in patients with systemic sclerosis. <i>Clinical Rheumatology</i> , 2020, 39, 1543-1549.	2.2	4

#	ARTICLE	IF	CITATIONS
469	On using machine learning algorithms to define clinically meaningful patient subgroups. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, e154-e154.	0.9	4
470	Substitution of the quantitative serological component in the 2010 criteria for RA with qualitative presence of three autoantibodies yields similar performance: response to the article by Regueiro et al. <i>Arthritis Research and Therapy</i> , 2020, 22, 85.	3.5	4
471	Contribution of Sex and Autoantibodies to Microangiopathy Assessed by Nailfold Videocapillaroscopy in Systemic Sclerosis: A Systematic Review of the Literature. <i>Arthritis Care and Research</i> , 2021, 73, 722-731.	3.4	4
472	White matter hyperintensities associate with cognitive slowing in patients with systemic lupus erythematosus and neuropsychiatric symptoms. <i>RMD Open</i> , 2021, 7, e001650.	3.8	4
473	Profiling the Secretion of Soluble Mediators by End Stage Osteoarthritis Synovial Tissue Explants Reveals a Reduced Responsiveness to an Inflammatory Trigger. <i>PLoS ONE</i> , 2013, 8, e62634.	2.5	4
474	Suspected Transverse Myelitis with Normal MRI and CSF Findings in a Patient with Lupus: What to Do? A Case Series and Systematic Review. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 3173-3186.	2.2	4
475	A quantitative approach to early rheumatoid arthritis. <i>Bulletin of the NYU Hospital for Joint Diseases</i> , 2011, 69, 116-21.	0.7	4
476	To what extent do autoantibodies help to identify high-risk patients in systemic sclerosis?. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 113, 109-117.	0.8	4
477	ACPA-negative and ACPA-positive RA patients achieving disease resolution demonstrate distinct patterns of MRI-detected joint-inflammation. <i>Rheumatology</i> , 2022, 62, 124-134.	1.9	4
478	Fibroblast-like synoviocytes from rheumatoid arthritis patients express less FLICE-inhibitory protein than fibroblast-like synoviocytes from trauma patients: Comment on the article by Schedel et al. <i>Arthritis and Rheumatism</i> , 2003, 48, 858-859.	6.7	3
479	Genetics and clinical characteristics to predict rheumatoid arthritis: where are we now and what are the future prospects?. <i>Future Rheumatology</i> , 2006, 1, 79-89.	0.2	3
480	Early Rheumatoid Arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2009, 23, 1-2.	3.3	3
481	The interaction between HLA SE alleles and smoking and its contribution to autoimmunity against several citrullinated antigens. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A1-A1.	0.9	3
482	The additive value of magnetic resonance imaging for bone edema in predicting rheumatoid arthritis development in early undifferentiated arthritis: Comment on the article by Duer-Jensen et al. <i>Arthritis and Rheumatism</i> , 2012, 64, 321-322.	6.7	3
483	Similar short-term clinical response to high-dose versus low-dose methotrexate in monotherapy and combination therapy in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017, 19, 258.	3.5	3
484	Pharmacological conditioning in the treatment of recent-onset rheumatoid arthritis: a randomized controlled trial study protocol. <i>Trials</i> , 2020, 21, 15.	1.6	3
485	Body mass index and treatment survival in patients with RA starting treatment with TNF α -inhibitors: long-term follow-up in the real-life METEOR registry. <i>RMD Open</i> , 2020, 6, e001203.	3.8	3
486	New risk model is able to identify patients with a low risk of progression in systemic sclerosis. <i>RMD Open</i> , 2021, 7, e001524.	3.8	3

#	ARTICLE	IF	CITATIONS
487	A Polymorphism in C-C Chemokine Receptor 5 (CCR5) Associates with LÃ¶fgrenâ€™s Syndrome and Alters Receptor Expression as well as Functional Response. <i>Cells</i> , 2021, 10, 1967.	4.1	3
488	Longitudinal changes in cerebral white matter microstructure in newly diagnosed systemic lupus erythematosus patients. <i>Rheumatology</i> , 2021, 60, 2678-2687.	1.9	3
489	Management of contemporary early undifferentiated arthritis: data on EULARâ€™s recommendation on the risk of persistent disease. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 740-741.	0.9	3
490	Soluble FcÎ³RIIIa as a marker for rheumatoid arthritis: the use of genetics in selected populations to study pathogenetic pathways. <i>Journal of Rheumatology</i> , 2003, 30, 1904-6.	2.0	3
491	N-of-1 trial of low-dose methotrexate and/or prednisolone in lieu of anti-CCP, MRI, or ultrasound, as first option in suspected rheumatoid arthritis?. <i>Journal of Rheumatology</i> , 2007, 34, 250-2.	2.0	3
492	MRI-Based Classification of Neuropsychiatric Systemic Lupus Erythematosus Patients With Self-Supervised Contrastive Learning. <i>Frontiers in Neuroscience</i> , 2022, 16, 695888.	2.8	3
493	Every shared epitope allele for itself?. <i>Nature Reviews Rheumatology</i> , 2009, 5, 477-478.	8.0	2
494	A7.1â€™.A Genetic Variant in the Region of MMP-9 is Associated with Serum Levels and Progression of Joint Damage in Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A48.1-A48.	0.9	2
495	A5.4â€™.Anti Carbamylated Protein Antibodies (Anti-CarP) Are Present in Arthralgia Patients and Predict the Development of Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A31.2-A31.	0.9	2
496	A1.25â€™.Visualisation and characterisation of citrullinated antigen-specific B cells from peripheral blood of patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, A11.1-A11.	0.9	2
497	DAS steered therapy in clinical practice; cross-sectional results from the METEOR database. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 33.	1.9	2
498	Anti-cyclic citrullinated peptide antibodies, other common autoantibodies, and smoking as risk factors for lymphoma in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 270-275.	1.1	2
499	Treat-to-Target Strategies in Rheumatoid Arthritis. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 83.	7.4	2
500	Quantitative susceptibility mapping in the thalamus and basal ganglia of systemic lupus erythematosus patients with neuropsychiatric complaints. <i>NeuroImage: Clinical</i> , 2021, 30, 102637.	2.7	2
501	Light chain skewing in autoantibodies and B-cell receptors of the citrullinated antigen-binding B-cell response in rheumatoid arthritis. <i>PLoS ONE</i> , 2021, 16, e0247847.	2.5	2
502	Cumulative endogenous estrogen exposure is not associated with severity of peripheral microangiopathy in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 119, 82-87.	0.8	2
503	Smoking and systemic sclerosis: influence on microangiopathy and expression of anti-topoisomerase I antibodies in a monocentric cohort. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 125, 25-28.	0.8	2
504	Gastrointestinal symptom severity and progression in systemic sclerosis. <i>Rheumatology</i> , 2022, , .	1.9	2

#	ARTICLE	IF	CITATIONS
505	NT-proBNP and sRAGE levels in early rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 243-249.	1.1	2
506	OUP accepted manuscript. <i>Rheumatology</i> , 2022, , .	1.9	2
507	Cytokine-Suppressive Anti-Inflammatory Drugs. <i>BioDrugs</i> , 1996, 6, 395-404.	0.7	1
508	Is the tuberculin skin test an accurate method of detecting tuberculosis in patients with rheumatoid arthritis?. <i>Nature Clinical Practice Rheumatology</i> , 2006, 2, 188-189.	3.2	1
509	The battle between anti-cyclic citrullinated peptide and rheumatoid factor testsâ€”a winner at last?. <i>Nature Clinical Practice Rheumatology</i> , 2007, 3, 696-697.	3.2	1
510	Which elements of the criteria for RA are stable over time?. <i>Rheumatology</i> , 2011, 50, 248-249.	1.9	1
511	Genetic interaction in the susceptibility of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A84-A84.	0.9	1
512	Genetic predisposition of the severity of joint destruction in rheumatoid arthritis; a population based study. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A56.2-A56.	0.9	1
513	Anticytomegalovirus seropositivity in rheumatoid arthritis is not associated with the presence of severe extraarticular complications: Comment on the article by Pierer et al. <i>Arthritis and Rheumatism</i> , 2012, 64, 2803-2804.	6.7	1
514	A7.10â€¦Genetic Variants in the<i>IL-4</i>and<i>IL-4</i>Receptor Genes in Association with the Severity of Joint Damage in Rheumatoid Arthritis: A Study in Seven Cohorts. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A51.2-A51.	0.9	1
515	A1.1â€¦Anti-Citrullinated Protein Antibody Specific Fc Glycosylation Patterns in Arthralgia Patients. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A1.1-A1.	0.9	1
516	A1.8â€¦Magnetic Resonance Imaging of Hand and Foot Joints of Patients with ACPA Positive Arthralgia without Clinical Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A3.3-A3.	0.9	1
517	A4.5â€¦Do High Molecular Weight Adiponectin Levels Associate with Radiographic Progression in early Rheumatoid Arthritis and Hand Osteoarthritis?. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A25.1-A25.	0.9	1
518	87.â€¦Comparative Efficacy of Novel Disease-Modifying Antirheumatic Drugs as Monotherapy and in Combination with Methotrexate in Rheumatoid Arthritis Patients with an Inadequate Response to Traditional Dmards: A Network Meta-Analysis. <i>Rheumatology</i> , 2014, 53, i88-i89.	1.9	1
519	Is HLA-B27 Increased in Patients Diagnosed with Undifferentiated Arthritis? Results from the Leiden Early Arthritis Cohort. <i>Journal of Rheumatology</i> , 2014, 41, 1948-1951.	2.0	1
520	A1.28â€¦Anti-carp antibodies in two large cohorts of patients with rheumatoid arthritis and their relationship to genetic risk factors and smoking. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A11.3-A12.	0.9	1
521	FR10152â€¦On Drug and Drug-Free Remission by Baseline Disease Duration in the Avert Trial: Abatacept Versus Methotrexate Comparison in Patients with Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 477.2-478.	0.9	1
522	AB0446â€¦Treatment Effects and Minimal Clinically Important Differences in Patient-Reported Outcomes Following Treatment and Withdrawal of Abatacept, Methotrexate Or Combination Therapy in Patients with Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1044.1-1044.	0.9	1

#	ARTICLE	IF	CITATIONS
523	Is optimising gout treatment the key to closing the mortality gap in gout patients?. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, e2-e2.	0.9	1
524	PS7:129â€¦Synergetic b-cell immunomodulation with rituximab and belimumab combination treatment in severe, refractory sle. , 2018, , .		1
525	Disruptive innovation in rheumatology: new networks of global publicâ€“private partnerships are needed to take advantage of scientific progress. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 553-555.	0.9	1
526	087â€¦On Drug and Drug-Free Remission by Baseline Disease Duration in the Avert Trial: Abatacept Versus Methotrexate Comparison in Patients with Early Rheumatoid Arthritis. <i>Rheumatology</i> , 0, , .	1.9	1
527	THU0024â€¦Treatment with immune checkpoint inhibitors and the break of b-cell tolerance to autoantigens. , 2018, , .		1
528	Dissociation in SLE: A part of lupus fog?. <i>Lupus</i> , 2021, 30, 096120332110503.	1.6	1
529	Optical imaging compared to clinical examination in 484 rheumatoid arthritis patients: the Leeuwarden Handscan Registry. <i>Rheumatology International</i> , 2022, , .	3.0	1
530	Vascular compromise of a finger due to tenosynovitis. <i>Journal of Rheumatology</i> , 2008, 35, 354.	2.0	1
531	No excess mortality in contemporary undifferentiated arthritis, in contrast to rheumatoid arthritis: a study with a follow-up of at least 10 years. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1197-1199.	0.9	1
532	Allele-specific quantification of TNFA transcripts in rheumatoid arthritis. <i>Human Genetics</i> , 1996, 97, 813-818.	3.8	1
533	What will treatment of autoimmune diseases entail in 2010?. <i>Seminars in Immunopathology</i> , 2001, 23, 187-192.	4.0	0
534	Tweaking Microtubules to Treat Scleroderma. <i>PLoS Medicine</i> , 2005, 2, e415.	8.4	0
535	Pharmacogenetics in the future treatment of rheumatology. <i>Future Rheumatology</i> , 2007, 2, 337-339.	0.2	0
536	A european perspective on the 50th anniversary of Arthritis & Rheumatism. <i>Arthritis and Rheumatism</i> , 2008, 58, S136-S139.	6.7	0
537	State of the art lecture: IP53. Inflammatory Arthritis: Prospects for Next Decade. <i>Rheumatology</i> , 2011, 50, iii11-iii11.	1.9	0
538	Meta-analysis of genome-wide association studies in celiac disease and rheumatoid arthritis identifies fourteen non-HLA shared loci. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A21-A21.	0.9	0
539	Fc-glycosylation of IgG1 is modulated by B cell Stimuli. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A61-A61.	0.9	0
540	Distinct ACPA fine-specificities, formed under the influence of HLA shared epitope alleles, have no effect on radiographic joint damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A5-A5.	0.9	0

#	ARTICLE	IF	CITATIONS
541	The contribution of genetic risk factors other than the HLA shared epitope alleles to the genetic variance of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A52.1-A52.	0.9	0
542	Immunosuppressive DX5+ T cells are potent inhibitors of Th-1 responses via modulation of DCs. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A17.2-A18.	0.9	0
543	Pathogenic relevance of anti-citrullinated vimentin antibodies: Comment on the article by Montes et al. <i>Arthritis and Rheumatism</i> , 2013, 65, 541-542.	6.7	0
544	Editorial: Family Studies in the Information Age. <i>Arthritis and Rheumatism</i> , 2013, 65, 2762-2764.	6.7	0
545	Dr. Zirkzee, et al reply. <i>Journal of Rheumatology</i> , 2013, 40, 204.2-204.	2.0	0
546	A4.2â€¦Adipocytes Modulate T Cell Function through Release of Lipids. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A24.1-A24.	0.9	0
547	OP0193â€¦Motivations for seeking medical advice in arthralgia and early arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 120.1-120.	0.9	0
548	A10.21â€¦Toll-Like Receptor Triggering of Human Basophils May Synergise with IgE-Mediated Activation in ACPA+ RA. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A79.2-A79.	0.9	0
549	OP0134â€¦Risk stratification in patients with undifferentiated arthritis according to the 2010 ACR/EULAR criteria. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 98.3-99.	0.9	0
550	THU0020â€¦Serum pyridinoline levels predict the severity of future joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 160.2-160.	0.9	0
551	A5.29â€¦Spontaneous Production of Anti-Citrullinated Protein Antibodies in Cultures of Peripheral Blood Mononuclear Cells and Synovial Fluid Mononuclear Cells Isolated from Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A41.1-A41.	0.9	0
552	A4.3â€¦Adipocytes Modulate the Phenotype of Macrophages through Secreted Lipids. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A24.2-A24.	0.9	0
553	OP0114â€¦Improving early recognition of arthritis: Evaluation of the first year results on two early arthritis recognition clinics. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 91.3-92.	0.9	0
554	FRIO402â€¦Cluster Analysis of an ARRAY of Autoantibodies in Neuropsychiatric Systemic Lupus Erythematosus (NPSLE). <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 532.3-533.	0.9	0
555	A1.49â€¦Anti-carbamylated protein antibodies (ANTI-CARP) precede the onset of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A21.1-A21.	0.9	0
556	HLA-B60 and the HLA-B27/HLA-B60 genotype are not risk factors for acute anterior uveitis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 633-634.	0.9	0
557	A1.29â€¦In rheumatoid arthritis, smoking is not primarily associated with anti-citrullinaged protein antibodies, but with the presence of several autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A12.1-A12.	0.9	0
558	FRIO186â€¦Impact of Concomitant Methotrexate Dose on the Efficacy and Safety of Sarilumab for Treatment of Moderate-to-Severe Rheumatoid Arthritis: The Mobility Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 491.2-492.	0.9	0

#	ARTICLE	IF	CITATIONS
559	Response to "Feasibility of tailored treatment based on risk stratification in patients with early rheumatoid arthritis" authors' reply. <i>Arthritis Research and Therapy</i> , 2015, 17, 171.	3.5	0
560	A7.4...The specificity of anti-carbamylated protein antibodies for rheumatoid arthritis in a setting of early arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, A76.1-A76.	0.9	0
561	THU0040...In Rheumatoid Arthritis, Smoking is not Associated with Anti-Citrullinated Protein Antibodies (ACPA) Per SE, but with the Concurrent Presence of Rheumatoid Factor, Acpa and Anti-Carbamylated Protein Antibodies. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 206.4-207.	0.9	0
562	A2.10...The isotype and subclass distribution of anti-carbamylated protein antibodies in rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, A19.1-A19.	0.9	0
563	A2.15...Ra phenotype at presentation differs among patients with few versus many autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, A21.1-A21.	0.9	0
564	FRIO086...Before Clinically Detectable Arthritis Develops, ACPA-Positive and ACPA-Negative Arthralgia Patients Have Different Symptoms. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 458.1-458.	0.9	0
565	08.18...Anti-citrullinated protein antibodies: a marker of cardiovascular disease and mortality in patients without rheumatoid arthritis. , 2017, , .		0
566	05.11...Antisense long noncoding rnas are deregulated in skin tissue of ssc patients. , 2017, , .		0
567	AB0084...Breadth of baseline autoantibody profile and treatment response in rheumatoid arthritis patients. , 2017, , .		0
568	P5410Clinical and echocardiographic associates of all-cause mortality and cardiovascular outcomes in patients with systemic sclerosis. <i>European Heart Journal</i> , 2017, 38, .	2.2	0
569	P39...Longitudinal changes of cerebral white matter tissue microstructure in early-onset systemic lupus erythematosus. , 2020, , .		0
570	Prospective study into COVID-19-like symptoms in patients with and without immune-mediated inflammatory diseases or immunomodulating drugs. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1364-1365.	0.9	0
571	OP0145...Gene-environment and disease interactions: is it smart to use cohort studies?. , 2001, , .		0
572	OP0313...Molecular analysis of anti-citrullinated protein antibody variable regions indicates aberrant selection processes during acpa b-cell development. , 2018, , .		0
573	Neuropsychiatric systemic lupus erythematosus is associated with a distinct type and shape of cerebral white matter hyperintensities. <i>Rheumatology</i> , 2021, , .	1.9	0
574	To treat or not to treat with immunosuppressive therapy: psychiatric disorders in patients with systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2022, 9, e000629.	2.7	0
575	Title is missing!. , 2020, 17, e1003296.		0
576	Title is missing!. , 2020, 17, e1003296.		0

#	ARTICLE	IF	CITATIONS
577	Title is missing!. , 2020, 17, e1003296.		0
578	Title is missing!. , 2020, 17, e1003296.		0
579	Title is missing!. , 2020, 17, e1003296.		0
580	Title is missing!. , 2020, 17, e1003296.		0
581	Presence of SARS-CoV-2 antibodies in patients with COVID-19 like symptoms from the IENIMINI cohort. Scandinavian Journal of Rheumatology, 0, , 1-4.	1.1	0