

Pal Pacher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/974703/publications.pdf>

Version: 2024-02-01

378
papers

47,396
citations

1531

109
h-index

2512

202
g-index

394
all docs

394
docs citations

394
times ranked

52653
citing authors

#	ARTICLE	IF	CITATIONS
1	Nitric Oxide and Peroxynitrite in Health and Disease. <i>Physiological Reviews</i> , 2007, 87, 315-424.	13.1	5,209
2	The Endocannabinoid System as an Emerging Target of Pharmacotherapy. <i>Pharmacological Reviews</i> , 2006, 58, 389-462.	7.1	2,274
3	Adenosine receptors: therapeutic aspects for inflammatory and immune diseases. <i>Nature Reviews Drug Discovery</i> , 2008, 7, 759-770.	21.5	990
4	Therapeutic Effects of Xanthine Oxidase Inhibitors: Renaissance Half a Century after the Discovery of Allopurinol. <i>Pharmacological Reviews</i> , 2006, 58, 87-114.	7.1	984
5	CD39 and CD73 in immunity and inflammation. <i>Trends in Molecular Medicine</i> , 2013, 19, 355-367.	3.5	914
6	Endocannabinoid activation at hepatic CB1 receptors stimulates fatty acid synthesis and contributes to diet-induced obesity. <i>Journal of Clinical Investigation</i> , 2005, 115, 1298-1305.	3.9	847
7	Measurement of cardiac function using pressure-volume conductance catheter technique in mice and rats. <i>Nature Protocols</i> , 2008, 3, 1422-1434.	5.5	633
8	NO-independent stimulators and activators of soluble guanylate cyclase: discovery and therapeutic potential. <i>Nature Reviews Drug Discovery</i> , 2006, 5, 755-768.	21.5	623
9	Activation of the Peripheral Endocannabinoid System in Human Obesity. <i>Diabetes</i> , 2005, 54, 2838-2843.	0.3	619
10	Immunity, inflammation and cancer: a leading role for adenosine. <i>Nature Reviews Cancer</i> , 2013, 13, 842-857.	12.8	612
11	Endocannabinoid signaling at the periphery: 50 years after THC. <i>Trends in Pharmacological Sciences</i> , 2015, 36, 277-296.	4.0	524
12	Cannabinoids mediate analgesia largely via peripheral type 1 cannabinoid receptors in nociceptors. <i>Nature Neuroscience</i> , 2007, 10, 870-879.	7.1	504
13	Endocannabinoid activation at hepatic CB1 receptors stimulates fatty acid synthesis and contributes to diet-induced obesity. <i>Journal of Clinical Investigation</i> , 2005, 115, 1298-1305.	3.9	494
14	Soluble Guanylate Cyclase as an Emerging Therapeutic Target in Cardiopulmonary Disease. <i>Circulation</i> , 2011, 123, 2263-2273.	1.6	483
15	Dysregulation of the Peripheral and Adipose Tissue Endocannabinoid System in Human Abdominal Obesity. <i>Diabetes</i> , 2006, 55, 3053-3060.	0.3	477
16	Cannabidiol Attenuates Cardiac Dysfunction, Oxidative Stress, Fibrosis, and Inflammatory and Cell Death Signaling Pathways in Diabetic Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2010, 56, 2115-2125.	1.2	389
17	Resveratrol induces mitochondrial biogenesis in endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H13-H20.	1.5	378
18	Drug-induced mitochondrial dysfunction and cardiotoxicity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H1453-H1467.	1.5	377

#	ARTICLE	IF	CITATIONS
19	Is lipid signaling through cannabinoid 2 receptors part of a protective system?. Progress in Lipid Research, 2011, 50, 193-211.	5.3	362
20	Evidence for novel cannabinoid receptors. , 2005, 106, 133-145.		350
21	Role of the Peroxynitrite-Poly(ADP-Ribose) Polymerase Pathway in Human Disease. American Journal of Pathology, 2008, 173, 2-13.	1.9	348
22	Cardiovascular Side Effects of New Antidepressants and Antipsychotics: New Drugs, old Concerns?. Current Pharmaceutical Design, 2004, 10, 2463-2475.	0.9	344
23	Simultaneous detection of apoptosis and mitochondrial superoxide production in live cells by flow cytometry and confocal microscopy. Nature Protocols, 2007, 2, 2295-2301.	5.5	324
24	Modulating the endocannabinoid system in human health and disease – successes and failures. FEBS Journal, 2013, 280, 1918-1943.	2.2	315
25	Role of superoxide, nitric oxide, and peroxynitrite in doxorubicin-induced cell death in vivo and in vitro. American Journal of Physiology - Heart and Circulatory Physiology, 2009, 296, H1466-H1483.	1.5	314
26	Role of Nitrosative Stress and Peroxynitrite in the Pathogenesis of Diabetic Complications. Emerging New Therapeutic Strategies. Current Medicinal Chemistry, 2005, 12, 267-275.	1.2	308
27	Adenosine promotes alternative macrophage activation via A2A and A2B receptors. FASEB Journal, 2012, 26, 376-386.	0.2	306
28	Endocannabinoids Acting at Cannabinoid-1 Receptors Regulate Cardiovascular Function in Hypertension. Circulation, 2004, 110, 1996-2002.	1.6	304
29	Resveratrol attenuates mitochondrial oxidative stress in coronary arterial endothelial cells. American Journal of Physiology - Heart and Circulatory Physiology, 2009, 297, H1876-H1881.	1.5	300
30	The Role of Poly(ADP-Ribose) Polymerase Activation in the Development of Myocardial and Endothelial Dysfunction in Diabetes. Diabetes, 2002, 51, 514-521.	0.3	286
31	Cardiovascular effects of marijuana and synthetic cannabinoids: the good, the bad, and the ugly. Nature Reviews Cardiology, 2018, 15, 151-166.	6.1	286
32	Simple quantitative detection of mitochondrial superoxide production in live cells. Biochemical and Biophysical Research Communications, 2007, 358, 203-208.	1.0	283
33	Role of Poly(ADP-Ribose) polymerase 1 (PARP1) in Cardiovascular Diseases: The Therapeutic Potential of PARP Inhibitors. Cardiovascular Drug Reviews, 2007, 25, 235-260.	4.4	282
34	Cannabinoid CB2 receptor ligand profiling reveals biased signalling and off-target activity. Nature Communications, 2017, 8, 13958.	5.8	265
35	Potent Metalloporphyrin Peroxynitrite Decomposition Catalyst Protects Against the Development of Doxorubicin-Induced Cardiac Dysfunction. Circulation, 2003, 107, 896-904.	1.6	263
36	Endothelial dysfunction and angiogenesis impairment in the ageing vasculature. Nature Reviews Cardiology, 2018, 15, 555-565.	6.1	256

#	ARTICLE	IF	CITATIONS
37	Vasoprotective effects of resveratrol and SIRT1: attenuation of cigarette smoke-induced oxidative stress and proinflammatory phenotypic alterations. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H2721-H2735.	1.5	246
38	Adenosine Augments IL-10 Production by Macrophages through an A2B Receptor-Mediated Posttranscriptional Mechanism. <i>Journal of Immunology</i> , 2005, 175, 8260-8270.	0.4	237
39	Interplay of oxidative, nitrosative/nitrative stress, inflammation, cell death and autophagy in diabetic cardiomyopathy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 232-242.	1.8	232
40	Role of Poly(ADP-Ribose) Polymerase Activation in Diabetic Neuropathy. <i>Diabetes</i> , 2004, 53, 711-720.	0.3	224
41	CB ₂ -receptor stimulation attenuates TNF- α -induced human endothelial cell activation, transendothelial migration of monocytes, and monocyte-endothelial adhesion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H2210-H2218.	1.5	223
42	Propagation of the apoptotic signal by mitochondrial waves. <i>EMBO Journal</i> , 2001, 20, 4107-4121.	3.5	219
43	Nitrosative stress and pharmacological modulation of heart failure. <i>Trends in Pharmacological Sciences</i> , 2005, 26, 302-310.	4.0	217
44	Cannabinoid μ 2 receptor mediates protection against hepatic ischemia/reperfusion injury. <i>FASEB Journal</i> , 2007, 21, 1788-1800.	0.2	215
45	Cannabinoid 1 Receptor Promotes Cardiac Dysfunction, Oxidative Stress, Inflammation, and Fibrosis in Diabetic Cardiomyopathy. <i>Diabetes</i> , 2012, 61, 716-727.	0.3	214
46	A2B adenosine receptors in immunity and inflammation. <i>Trends in Immunology</i> , 2009, 30, 263-270.	2.9	208
47	Cannabidiol Attenuates Cisplatin-Induced Nephrotoxicity by Decreasing Oxidative/Nitrosative Stress, Inflammation, and Cell Death. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 328, 708-714.	1.3	207
48	The endocannabinoid system of the skin in health and disease: novel perspectives and therapeutic opportunities. <i>Trends in Pharmacological Sciences</i> , 2009, 30, 411-420.	4.0	207
49	A2A receptors in inflammation and injury: lessons learned from transgenic animals. <i>Journal of Leukocyte Biology</i> , 2008, 83, 447-455.	1.5	206
50	Lipopolysaccharide Induces Anandamide Synthesis in Macrophages via CD14/MAPK/Phosphoinositide 3-Kinase/NF- κ B Independently of Platelet-activating Factor. <i>Journal of Biological Chemistry</i> , 2003, 278, 45034-45039.	1.6	203
51	Oxidative-Nitrosative Stress and Poly(ADP-Ribose) Polymerase (PARP) Activation in Experimental Diabetic Neuropathy: The Relation Is Revisited. <i>Diabetes</i> , 2005, 54, 3435-3441.	0.3	201
52	Shaping of monocyte and macrophage function by adenosine receptors. , 2007, 113, 264-275.		199
53	CB ₂ cannabinoid receptor agonists attenuate TNF α -induced human vascular smooth muscle cell proliferation and migration. <i>British Journal of Pharmacology</i> , 2008, 153, 347-357.	2.7	193
54	Pharmacological Inhibition of CB1 Cannabinoid Receptor Protects Against Doxorubicin-Induced Cardiotoxicity. <i>Journal of the American College of Cardiology</i> , 2007, 50, 528-536.	1.2	188

#	ARTICLE	IF	CITATIONS
55	Activation of Poly(ADP-Ribose) Polymerase-1 Is a Central Mechanism of Lipopolysaccharide-Induced Acute Lung Inflammation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 372-377.	2.5	187
56	Role of Oxidative-Nitrosative Stress and Downstream Pathways in Various Forms of Cardiomyopathy and Heart Failure. <i>Current Vascular Pharmacology</i> , 2005, 3, 221-229.	0.8	187
57	Adenosine receptor signaling in the brain immune system. <i>Trends in Pharmacological Sciences</i> , 2005, 26, 511-516.	4.0	186
58	The machinery of local Ca ²⁺ signalling between sarcoendoplasmic reticulum and mitochondria. <i>Journal of Physiology</i> , 2000, 529, 69-81.	1.3	185
59	Endocannabinoids and cannabinoid receptors in ischaemia-reperfusion injury and preconditioning. <i>British Journal of Pharmacology</i> , 2008, 153, 252-262.	2.7	185
60	A2A adenosine receptors and C/EBP β are crucially required for IL-10 production by macrophages exposed to <i>Escherichia coli</i> . <i>Blood</i> , 2007, 110, 2685-2695.	0.6	182
61	Role of peroxynitrite in the redox regulation of cell signal transduction pathways. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 4809.	3.0	181
62	Cannabinoid-2 receptor limits inflammation, oxidative/nitrosative stress, and cell death in nephropathy. <i>Free Radical Biology and Medicine</i> , 2010, 48, 457-467.	1.3	181
63	Poly(ADP-Ribose) Polymerase Is Activated in Subjects at Risk of Developing Type 2 Diabetes and Is Associated With Impaired Vascular Reactivity. <i>Circulation</i> , 2002, 106, 2680-2686.	1.6	179
64	Cell Type-Dependent Pro- and Anti-Inflammatory Role of Signal Transducer and Activator of Transcription 3 in Alcoholic Liver Injury. <i>Gastroenterology</i> , 2008, 134, 1148-1158.	0.6	179
65	Mitochondrial-targeted antioxidants represent a promising approach for prevention of cisplatin-induced nephropathy. <i>Free Radical Biology and Medicine</i> , 2012, 52, 497-506.	1.3	178
66	Anti-CD73 in Cancer Immunotherapy: Awakening New Opportunities. <i>Trends in Cancer</i> , 2016, 2, 95-109.	3.8	177
67	Activation of Poly(ADP-Ribose) Polymerase Contributes to Development of Doxorubicin-Induced Heart Failure. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 300, 862-867.	1.3	175
68	Regulation of Macrophage Function by Adenosine. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 865-869.	1.1	175
69	N-arachidonoyl l-serine, an endocannabinoid-like brain constituent with vasodilatory properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 2428-2433.	3.3	174
70	Cannabidiol attenuates high glucose-induced endothelial cell inflammatory response and barrier disruption. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H610-H619.	1.5	168
71	Aldose Reductase Inhibition Counteracts Oxidative-Nitrosative Stress and Poly(ADP-Ribose) Polymerase Activation in Tissue Sites for Diabetes Complications. <i>Diabetes</i> , 2005, 54, 234-242.	0.3	165
72	Adenosine A _{2A} receptor activation inhibits T helper 1 and T helper 2 cell development and effector function. <i>FASEB Journal</i> , 2008, 22, 3491-3499.	0.2	164

#	ARTICLE	IF	CITATIONS
73	Cannabidiol protects against hepatic ischemia/reperfusion injury by attenuating inflammatory signaling and response, oxidative/nitrative stress, and cell death. <i>Free Radical Biology and Medicine</i> , 2011, 50, 1368-1381.	1.3	163
74	CB1 cannabinoid receptors promote oxidative stress and cell death in murine models of doxorubicin-induced cardiomyopathy and in human cardiomyocytes. <i>Cardiovascular Research</i> , 2010, 85, 773-784.	1.8	162
75	Part I: Pathogenetic Role of Peroxynitrite in the Development of Diabetes and Diabetic Vascular Complications: Studies With FP15, A Novel Potent Peroxynitrite Decomposition Catalyst. <i>Molecular Medicine</i> , 2002, 8, 571-580.	1.9	162
76	Poly(ADP-Ribose) Polymerase Inhibition Reduces Reperfusion Injury After Heart Transplantation. <i>Circulation Research</i> , 2002, 90, 100-106.	2.0	160
77	Opportunities for the repurposing of PARP inhibitors for the therapy of nononcological diseases. <i>British Journal of Pharmacology</i> , 2018, 175, 192-222.	2.7	160
78	Role of peroxynitrite in the pathogenesis of cardiovascular complications of diabetes. <i>Current Opinion in Pharmacology</i> , 2006, 6, 136-141.	1.7	159
79	Role of Poly(ADP-Ribose) Polymerase-1 Activation in the Pathogenesis of Diabetic Complications: Endothelial Dysfunction, as a Common Underlying Theme. <i>Antioxidants and Redox Signaling</i> , 2005, 7, 1568-1580.	2.5	158
80	Trends in the Development of New Antidepressants. Is there a Light at the End of the Tunnel?. <i>Current Medicinal Chemistry</i> , 2004, 11, 925-943.	1.2	155
81	Resistance to Acute Septic Peritonitis in Poly(ADP-ribose) Polymerase-1-Deficient Mice. <i>Shock</i> , 2002, 17, 286-292.	1.0	148
82	Oxidative stress and accelerated vascular aging: implications for cigarette smoking. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 3128.	3.0	148
83	Ca ²⁺ marks: Miniature calcium signals in single mitochondria driven by ryanodine receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2380-2385.	3.3	146
84	Endothelial function and vascular oxidative stress in long-lived GH/IGF-deficient Ames dwarf mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H1882-H1894.	1.5	139
85	Control of apoptosis by IP ₃ and ryanodine receptor driven calcium signals. <i>Cell Calcium</i> , 2000, 28, 349-363.	1.1	138
86	Poly(ADP-Ribose) Polymerase Inhibition Alleviates Experimental Diabetic Sensory Neuropathy. <i>Diabetes</i> , 2006, 55, 1686-1694.	0.3	137
87	Adenosine signalling in diabetes mellitus pathophysiology and therapeutic considerations. <i>Nature Reviews Endocrinology</i> , 2015, 11, 228-241.	4.3	133
88	Vascular Dysfunction in Aging: Potential Effects of Resveratrol, an Anti-Inflammatory Phytoestrogen. <i>Current Medicinal Chemistry</i> , 2006, 13, 989-996.	1.2	132
89	Peroxynitrite is a major trigger of cardiomyocyte apoptosis in vitro and in vivo. <i>Free Radical Biology and Medicine</i> , 2006, 41, 886-895.	1.3	131
90	Adenosine signaling and the immune system: When a lot could be too much. <i>Immunology Letters</i> , 2019, 205, 9-15.	1.1	130

#	ARTICLE	IF	CITATIONS
91	Dysfunction of Nitric Oxide Mediation in Isolated Rat Arterioles With Methionine Diet-Induced Hyperhomocysteinemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 1899-1904.	1.1	127
92	Aging aggravates alcoholic liver injury and fibrosis in mice by downregulating sirtuin 1 expression. <i>Journal of Hepatology</i> , 2017, 66, 601-609.	1.8	123
93	Pivotal Advance: Cannabinoid-2 receptor agonist HU-308 protects against hepatic ischemia/reperfusion injury by attenuating oxidative stress, inflammatory response, and apoptosis. <i>Journal of Leukocyte Biology</i> , 2007, 82, 1382-1389.	1.5	122
94	Cannabinoids in pancreatic cancer: Correlation with survival and pain. <i>International Journal of Cancer</i> , 2008, 122, 742-750.	2.3	121
95	Adenosine augments IL-10-induced STAT3 signaling in M2c macrophages. <i>Journal of Leukocyte Biology</i> , 2013, 94, 1309-1315.	1.5	120
96	Cannabidiol Protects against Doxorubicin-Induced Cardiomyopathy by Modulating Mitochondrial Function and Biogenesis. <i>Molecular Medicine</i> , 2015, 21, 38-45.	1.9	120
97	Current Trends in the Development of New Antidepressants. <i>Current Medicinal Chemistry</i> , 2001, 8, 89-100.	1.2	119
98	Adenosine A2A Receptor Inactivation Increases Survival in Polymicrobial Sepsis. <i>Journal of Immunology</i> , 2006, 176, 5616-5626.	0.4	119
99	The Endocannabinoid System and Plant-Derived Cannabinoids in Diabetes and Diabetic Complications. <i>American Journal of Pathology</i> , 2012, 180, 432-442.	1.9	119
100	NLR4 Inflammasome-Mediated Production of IL-1 β Modulates Mucosal Immunity in the Lung against Gram-Negative Bacterial Infection. <i>Journal of Immunology</i> , 2012, 188, 5623-5635.	0.4	119
101	CB ₁ cannabinoid receptors promote oxidative/nitrosative stress, inflammation and cell death in a murine nephropathy model. <i>British Journal of Pharmacology</i> , 2010, 160, 657-668.	2.7	118
102	Role of the endocannabinoid system in diabetes and diabetic complications. <i>British Journal of Pharmacology</i> , 2016, 173, 1116-1127.	2.7	118
103	A2B Adenosine Receptors Protect against Sepsis-Induced Mortality by Dampening Excessive Inflammation. <i>Journal of Immunology</i> , 2010, 185, 542-550.	0.4	117
104	Trastuzumab Alters the Expression of Genes Essential for Cardiac Function and Induces Ultrastructural Changes of Cardiomyocytes in Mice. <i>PLoS ONE</i> , 2013, 8, e79543.	1.1	117
105	Inhibition of voltage-gated calcium channels by fluoxetine in rat hippocampal pyramidal cells. <i>Neuropharmacology</i> , 2000, 39, 1029-1036.	2.0	116
106	Monoacylglycerol Lipase Controls Endocannabinoid and Eicosanoid Signaling and Hepatic Injury in Mice. <i>Gastroenterology</i> , 2013, 144, 808-817.e15.	0.6	116
107	PARP inhibition protects against alcoholic and non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2017, 66, 589-600.	1.8	116
108	The Purinergic System as a Pharmacological Target for the Treatment of Immune-Mediated Inflammatory Diseases. <i>Pharmacological Reviews</i> , 2019, 71, 345-382.	7.1	115

#	ARTICLE	IF	CITATIONS
109	Left ventricular pressure-volume relationship in a rat model of advanced aging-associated heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H2132-H2137.	1.5	114
110	Pathophysiological mechanisms of catecholamine and cocaine-mediated cardiotoxicity. <i>Heart Failure Reviews</i> , 2014, 19, 815-824.	1.7	114
111	Fat-Specific Protein 27/CIDEA Promotes Development of Alcoholic Steatohepatitis in Mice and Humans. <i>Gastroenterology</i> , 2015, 149, 1030-1041.e6.	0.6	114
112	Cannabinoid 1 receptor activation induces reactive oxygen species-dependent and -independent mitogen-activated protein kinase activation and cell death in human coronary artery endothelial cells. <i>British Journal of Pharmacology</i> , 2010, 160, 688-700.	2.7	113
113	Δ^9 -Tetrahydrocannabinol ameliorates cisplatin-induced nephrotoxicity in a cannabinoid 2 receptor-dependent manner. <i>Free Radical Biology and Medicine</i> , 2012, 52, 1325-1333.	1.3	112
114	Mitochondrial reactive oxygen species generation triggers inflammatory response and tissue injury associated with hepatic ischemia-reperfusion: Therapeutic potential of mitochondrially targeted antioxidants. <i>Free Radical Biology and Medicine</i> , 2012, 53, 1123-1138.	1.3	111
115	Interleukin-22 ameliorates acute-on-chronic liver failure by reprogramming impaired regeneration pathways in mice. <i>Journal of Hepatology</i> , 2020, 72, 736-745.	1.8	109
116	Endocannabinoids acting at CB1 receptors mediate the cardiac contractile dysfunction in vivo in cirrhotic rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H1689-H1695.	1.5	107
117	The emerging role of the endocannabinoid system in cardiovascular disease. <i>Seminars in Immunopathology</i> , 2009, 31, 63-77.	2.8	107
118	Beyond THC and Endocannabinoids. <i>Annual Review of Pharmacology and Toxicology</i> , 2020, 60, 637-659.	4.2	107
119	The adenosine A3 receptor agonist, N6-(3-iodobenzyl)-adenosine-5'-N-methyluronamide, is protective in two murine models of colitis. <i>European Journal of Pharmacology</i> , 2003, 466, 323-329.	1.7	106
120	Extracellular ATP protects against sepsis through macrophage P2X7 purinergic receptors by enhancing intracellular bacterial killing. <i>FASEB Journal</i> , 2015, 29, 3626-3637.	0.2	106
121	Role of Oxidative and Nitrosative Stress, Longevity Genes and Poly(ADP-ribose) Polymerase in Cardiovascular Dysfunction Associated with Aging. <i>Current Vascular Pharmacology</i> , 2005, 3, 285-291.	0.8	104
122	Poly (ADP-ribose) polymerase-1 is a key mediator of liver inflammation and fibrosis. <i>Hepatology</i> , 2014, 59, 1998-2009.	3.6	103
123	Overactive cannabinoid 1 receptor in podocytes drives type 2 diabetic nephropathy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E5420-8.	3.3	102
124	A Mechanistic Review of Cell Death in Alcohol-Induced Liver Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 1215-1223.	1.4	102
125	Targeting cannabinoid receptor CB2 in cardiovascular disorders: promises and controversies. <i>British Journal of Pharmacology</i> , 2012, 167, 313-323.	2.7	101
126	Pharmacologic inhibition of poly(adenosine diphosphate-ribose) polymerase may represent a novel therapeutic approach in chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1006-1016.	1.2	100

#	ARTICLE	IF	CITATIONS
127	Haemodynamic profile and responsiveness to anandamide of TRPV1 receptor knock-out mice. <i>Journal of Physiology</i> , 2004, 558, 647-657.	1.3	100
128	Modulation of the Endocannabinoid System in Cardiovascular Disease. <i>Hypertension</i> , 2008, 52, 601-607.	1.3	100
129	Cutting Edge: IL-1 β Is a Crucial Danger Signal Triggering Acute Myocardial Inflammation during Myocardial Infarction. <i>Journal of Immunology</i> , 2015, 194, 499-503.	0.4	100
130	Flagellin from Gram-Negative Bacteria is a Potent Mediator of Acute Pulmonary Inflammation in Sepsis. <i>Shock</i> , 2003, 19, 131-137.	1.0	99
131	Decreased age-related cardiac dysfunction, myocardial nitrative stress, inflammatory gene expression, and apoptosis in mice lacking fatty acid amide hydrolase. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H909-H918.	1.5	99
132	Adenosine Augments IL-10 Production by Microglial Cells through an A2B Adenosine Receptor-Mediated Process. <i>Journal of Immunology</i> , 2012, 188, 445-453.	0.4	99
133	Cisplatin Nephrotoxicity Involves Mitochondrial Injury with Impaired Tubular Mitochondrial Enzyme Activity. <i>Journal of Histochemistry and Cytochemistry</i> , 2012, 60, 521-529.	1.3	99
134	Potential role for 8-oxoguanine DNA glycosylase in regulating inflammation. <i>FASEB Journal</i> , 2005, 19, 1-18.	0.2	98
135	A2B Adenosine Receptors Prevent Insulin Resistance by Inhibiting Adipose Tissue Inflammation via Maintaining Alternative Macrophage Activation. <i>Diabetes</i> , 2014, 63, 850-866.	0.3	98
136	Quantification of calcium signal transmission from sarcoplasmic reticulum to the mitochondria. <i>Journal of Physiology</i> , 2000, 529, 553-564.	1.3	97
137	Oxidative Inactivation of Key Mitochondrial Proteins Leads to Dysfunction and Injury in Hepatic Ischemia Reperfusion. <i>Gastroenterology</i> , 2008, 135, 1344-1357.	0.6	96
138	Trastuzumab cardiotoxicity: from clinical trials to experimental studies. <i>British Journal of Pharmacology</i> , 2017, 174, 3727-3748.	2.7	95
139	Neutrophil-Hepatic Stellate Cell Interactions Promote Fibrosis in Experimental Steatohepatitis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 5, 399-413.	2.3	95
140	Cannabinoids Ameliorate Pain and Reduce Disease Pathology in Cerulein-Induced Acute Pancreatitis. <i>Gastroenterology</i> , 2007, 132, 1968-1978.	0.6	94
141	Diabetes-induced overexpression of endothelin-1 and endothelin receptors in the rat renal cortex is mediated via poly(ADP-ribose) polymerase activation. <i>FASEB Journal</i> , 2003, 17, 1-18.	0.2	93
142	Adenosine receptor activation ameliorates type 1 diabetes. <i>FASEB Journal</i> , 2007, 21, 2379-2388.	0.2	93
143	Nicotine Exerts an Anti-inflammatory Effect in a Murine Model of Acute Lung Injury. <i>Inflammation</i> , 2011, 34, 231-237.	1.7	93
144	Poly(ADP-ribose) polymerases as modulators of mitochondrial activity. <i>Trends in Endocrinology and Metabolism</i> , 2015, 26, 75-83.	3.1	92

#	ARTICLE	IF	CITATIONS
145	Comparison of Inflammation, Organ Damage, and Oxidant Stress Induced by Salmonella enterica Serovar Muenchen Flagellin and Serovar Enteritidis Lipopolysaccharide. <i>Infection and Immunity</i> , 2002, 70, 192-198.	1.0	90
146	A new cannabinoid CB ₂ receptor agonist HU-910 attenuates oxidative stress, inflammation and cell death associated with hepatic ischaemia/reperfusion injury. <i>British Journal of Pharmacology</i> , 2012, 165, 2462-2478.	2.7	90
147	Sulforaphane, a natural constituent of broccoli, prevents cell death and inflammation in nephropathy. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 494-500.	1.9	89
148	Endothelial dysfunction in aging animals: the role of poly(ADP-ribose) polymerase activation. <i>British Journal of Pharmacology</i> , 2002, 135, 1347-1350.	2.7	88
149	Aldose reductase inhibition counteracts nitrosative stress and poly(ADP-ribose) polymerase activation in diabetic rat kidney and high-glucose-exposed human mesangial cells. <i>Free Radical Biology and Medicine</i> , 2006, 40, 1454-1465.	1.3	88
150	Definition of hidden drug cardiotoxicity: paradigm change in cardiac safety testing and its clinical implications. <i>European Heart Journal</i> , 2019, 40, 1771-1777.	1.0	88
151	A peroxy-nitrite decomposition catalyst counteracts sensory neuropathy in streptozotocin-diabetic mice. <i>European Journal of Pharmacology</i> , 2007, 569, 48-58.	1.7	86
152	DEP domain-containing mTOR-interacting protein suppresses lipogenesis and ameliorates hepatic steatosis and acute-to-chronic liver injury in alcoholic liver disease. <i>Hepatology</i> , 2018, 68, 496-514.	3.6	85
153	Neutrophil-to-hepatocyte communication via LDLR-dependent miR-223-enriched extracellular vesicle transfer ameliorates nonalcoholic steatohepatitis. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	85
154	Speculations on Difference between Tricyclic and Selective Serotonin Reuptake Inhibitor Antidepressants on Their Cardiac Effects. Is There Any?. <i>Current Medicinal Chemistry</i> , 1999, 6, 469-480.	1.2	85
155	G Protein-coupled Endothelial Receptor for Atypical Cannabinoid Ligands Modulates a Ca ²⁺ -dependent K ⁺ Current. <i>Journal of Biological Chemistry</i> , 2003, 278, 46188-46194.	1.6	84
156	Inosine Reduces Systemic Inflammation and Improves Survival in Septic Shock Induced by Cecal Ligation and Puncture. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 1213-1220.	2.5	83
157	A New, Potent Poly(ADP-ribose) Polymerase Inhibitor Improves Cardiac and Vascular Dysfunction Associated with Advanced Aging. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 311, 485-491.	1.3	83
158	Early diabetes-induced biochemical changes in the retina: comparison of rat and mouse models. <i>Diabetologia</i> , 2006, 49, 2525-2533.	2.9	83
159	Ecto-5'-Nucleotidase (CD73) Decreases Mortality and Organ Injury in Sepsis. <i>Journal of Immunology</i> , 2011, 187, 4256-4267.	0.4	83
160	Macrophage P2X4 receptors augment bacterial killing and protect against sepsis. <i>JCI Insight</i> , 2018, 3, .	2.3	82
161	Increased myogenic tone in skeletal muscle arterioles of diabetic rats. Possible role of increased activity of smooth muscle Ca ²⁺ channels and protein kinase C. <i>Cardiovascular Research</i> , 1999, 43, 1018-1028.	1.8	81
162	Inosine Exerts a Broad Range of Antiinflammatory Effects in a Murine Model of Acute Lung Injury. <i>Annals of Surgery</i> , 2002, 235, 568-578.	2.1	81

#	ARTICLE	IF	CITATIONS
163	Poly(ADP-ribose) polymerase-1 is a key mediator of cisplatin-induced kidney inflammation and injury. <i>Free Radical Biology and Medicine</i> , 2011, 51, 1774-1788.	1.3	81
164	Neuroprotection in Oxidative Stress-Related Neurodegenerative Diseases: Role of Endocannabinoid System Modulation. <i>Antioxidants and Redox Signaling</i> , 2018, 29, 75-108.	2.5	80
165	Part I: pathogenetic role of peroxynitrite in the development of diabetes and diabetic vascular complications: studies with FP15, a novel potent peroxynitrite decomposition catalyst. <i>Molecular Medicine</i> , 2002, 8, 571-80.	1.9	80
166	Angiotensin II-Mediated Endothelial Dysfunction: Role of Poly(ADP-ribose) Polymerase Activation. <i>Molecular Medicine</i> , 2004, 10, 28-35.	1.9	78
167	Cannabidiol attenuates alcohol-induced liver steatosis, metabolic dysregulation, inflammation and neutrophil-mediated injury. <i>Scientific Reports</i> , 2017, 7, 12064.	1.6	78
168	Evaluation of orally active poly(ADP-ribose) polymerase inhibitor in streptozotocin-diabetic rat model of early peripheral neuropathy. <i>Diabetologia</i> , 2004, 47, 710-717.	2.9	76
169	Restoration of Altered MicroRNA Expression in the Ischemic Heart with Resveratrol. <i>PLoS ONE</i> , 2010, 5, e15705.	1.1	76
170	Inhibition of Poly (ADP-ribose) Polymerase Attenuates Acute Lung Injury in an Ovine Model of Sepsis. <i>Shock</i> , 2004, 21, 126-133.	1.0	75
171	Blood pressure regulation by endocannabinoids and their receptors. <i>Neuropharmacology</i> , 2005, 48, 1130-1138.	2.0	75
172	Xanthine oxidase inhibitor allopurinol attenuates the development of diabetic cardiomyopathy. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 2330-2341.	1.6	75
173	Selective serotonin-reuptake inhibitor antidepressants increase the risk of falls and hip fractures in elderly people by inhibiting cardiovascular ion channels. <i>Medical Hypotheses</i> , 2001, 57, 469-471.	0.8	74
174	Nicotine Reduces the Incidence of Type I Diabetes in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 300, 876-881.	1.3	73
175	Hemodynamic profile, responsiveness to anandamide, and baroreflex sensitivity of mice lacking fatty acid amide hydrolase. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H533-H541.	1.5	73
176	Fatty acid amide hydrolase is a key regulator of endocannabinoid-induced myocardial tissue injury. <i>Free Radical Biology and Medicine</i> , 2011, 50, 179-195.	1.3	73
177	Poly(ADP-ribose)polymerase inhibition decreases angiogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2006, 350, 1056-1062.	1.0	72
178	Diastolic dysfunction in prediabetic male rats: Role of mitochondrial oxidative stress. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 311, H927-H943.	1.5	72
179	Endocannabinoids in cerebrovascular regulation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H785-H801.	1.5	70
180	Peroxynitrite Is a Potent Inhibitor of NF- κ B Activation Triggered by Inflammatory Stimuli in Cardiac and Endothelial Cell Lines*. <i>Journal of Biological Chemistry</i> , 2005, 280, 34878-34887.	1.6	68

#	ARTICLE	IF	CITATIONS
181	Selective Photoaffinity Probe That Enables Assessment of Cannabinoid CB ₂ Receptor Expression and Ligand Engagement in Human Cells. <i>Journal of the American Chemical Society</i> , 2018, 140, 6067-6075.	6.6	68
182	Î²-Caryophyllene protects against alcoholic steatohepatitis by attenuating inflammation and metabolic dysregulation in mice. <i>British Journal of Pharmacology</i> , 2018, 175, 320-334.	2.7	68
183	Pharmacological inhibition of poly(ADP-ribose) polymerase inhibits angiogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2006, 350, 352-357.	1.0	66
184	Adenosine A _{2A} receptor activation protects CD4 ⁺ T lymphocytes against activation-induced cell death. <i>FASEB Journal</i> , 2010, 24, 2631-2640.	0.2	66
185	Cannabinoid 1 receptor activation contributes to vascular inflammation and cell death in a mouse model of diabetic retinopathy and a human retinal cell line. <i>Diabetologia</i> , 2011, 54, 1567-1578.	2.9	66
186	Novel modulators of poly(ADP-ribose) polymerase. <i>Trends in Pharmacological Sciences</i> , 2006, 27, 626-630.	4.0	65
187	Oxidants Positively or Negatively Regulate Nuclear Factor Î²B in a Context-dependent Manner. <i>Journal of Biological Chemistry</i> , 2010, 285, 15746-15752.	1.6	65
188	Peroxynitrite activates ERK via Raf-1 and MEK, independently from EGF receptor and p21 in H9C2 cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 38, 765-775.	0.9	63
189	Digoxin Suppresses Pyruvate Kinase M2-Promoted HIF-1Î± Transactivation in Steatohepatitis. <i>Cell Metabolism</i> , 2018, 27, 339-350.e3.	7.2	62
190	Anti-inflammatory and Anti-apoptotic Roles of Endothelial Cell STAT3 in Alcoholic Liver Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 719-725.	1.4	61
191	Peroxynitrite induces HMGB1 release by cardiac cells in vitro and HMGB1 upregulation in the infarcted myocardium in vivo. <i>Cardiovascular Research</i> , 2011, 89, 586-594.	1.8	61
192	Selective Activation of Cannabinoid Receptor 2 in Leukocytes Suppresses Their Engagement of the Brain Endothelium and Protects the Blood-Brain Barrier. <i>American Journal of Pathology</i> , 2013, 183, 1548-1558.	1.9	61
193	Aldose reductase inhibitor fidarestat counteracts diabetes-associated cataract formation, retinal oxidative-nitrosative stress, glial activation, and apoptosis. <i>International Journal of Molecular Medicine</i> , 2008, 21, 667-76.	1.8	61
194	Dissociation between liver inflammation and hepatocellular damage induced by carbon tetrachloride in myeloid cell-specific signal transducer and activator of transcription 3 gene knockout mice. <i>Hepatology</i> , 2010, 51, 1724-1734.	3.6	60
195	Hybrid inhibitor of peripheral cannabinoid-1 receptors and inducible nitric oxide synthase mitigates liver fibrosis. <i>JCI Insight</i> , 2016, 1, .	2.3	59
196	Beneficial effects of a novel ultrapotent poly(ADP-ribose) polymerase inhibitor in murine models of heart failure. <i>International Journal of Molecular Medicine</i> , 2006, 17, 369-75.	1.8	59
197	Matrix metalloproteinase activation is an early event in doxorubicin-induced cardiotoxicity. <i>Oncology Reports</i> , 2004, 11, 505-8.	1.2	59
198	Chronic plus binge ethanol feeding induces myocardial oxidative stress, mitochondrial and cardiovascular dysfunction, and steatosis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H1658-H1670.	1.5	58

#	ARTICLE	IF	CITATIONS
199	Fluoxetine Dilates Isolated Small Cerebral Arteries of Rats and Attenuates Constrictions to Serotonin, Norepinephrine, and a Voltage-Dependent Ca ²⁺ Channel Opener. <i>Stroke</i> , 1999, 30, 1949-1954.	1.0	57
200	CB2 Cannabinoid Receptors Contribute to Bacterial Invasion and Mortality in Polymicrobial Sepsis. <i>PLoS ONE</i> , 2009, 4, e6409.	1.1	57
201	Poly(ADP-ribose) polymerase regulates myocardial calcium handling in doxorubicin-induced heart failure. <i>Biochemical Pharmacology</i> , 2005, 69, 725-732.	2.0	56
202	Cannabidiol Limits T Cell-Mediated Chronic Autoimmune Myocarditis: Implications to Autoimmune Disorders and Organ Transplantation. <i>Molecular Medicine</i> , 2016, 22, 136-146.	1.9	56
203	Inflammation is independent of steatosis in a murine model of steatohepatitis. <i>Hepatology</i> , 2017, 66, 108-123.	3.6	56
204	Impaired TFEB-mediated lysosomal biogenesis promotes the development of pancreatitis in mice and is associated with human pancreatitis. <i>Autophagy</i> , 2019, 15, 1954-1969.	4.3	56
205	Cannabinoid antagonist SR-141716 inhibits endotoxic hypotension by a cardiac mechanism not involving CB1 or CB2 receptors. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H595-H600.	1.5	55
206	Alcohol and Mitochondria in Cardiac Apoptosis: Mechanisms and Visualization. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 693-701.	1.4	55
207	The novel, orally available and peripherally restricted selective cannabinoid CB ₂ receptor agonist LEI-101 prevents cisplatin-induced nephrotoxicity. <i>British Journal of Pharmacology</i> , 2016, 173, 446-458.	2.7	55
208	Poly(ADP-ribose) Polymerase is a Regulator of Chemokine Production: Relevance for the Pathogenesis of Shock and Inflammation. <i>Molecular Medicine</i> , 2002, 8, 283-289.	1.9	54
209	Pepcan-12 (RVD-hemopressin) is a CB2 receptor positive allosteric modulator constitutively secreted by adrenals and in liver upon tissue damage. <i>Scientific Reports</i> , 2017, 7, 9560.	1.6	54
210	Activation of poly(ADP-ribose) polymerase contributes to the endothelial dysfunction associated with hypertension and aging. <i>International Journal of Molecular Medicine</i> , 2002, 9, 659-64.	1.8	54
211	Electrophysiological effects of fluoxetine in mammalian cardiac tissues. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2000, 361, 67-73.	1.4	53
212	Role of poly(ADP-ribose) polymerase activation in endotoxin-induced cardiac collapse in rodents. <i>Biochemical Pharmacology</i> , 2002, 64, 1785-1791.	2.0	53
213	Glucocorticoid receptor dimerization is required for proper recovery of LPS-induced inflammation, sickness behavior and metabolism in mice. <i>Molecular Psychiatry</i> , 2013, 18, 1006-1017.	4.1	53
214	CD39 improves survival in microbial sepsis by attenuating systemic inflammation. <i>FASEB Journal</i> , 2015, 29, 25-36.	0.2	53
215	Discovery of a NAPE-PLD inhibitor that modulates emotional behavior in mice. <i>Nature Chemical Biology</i> , 2020, 16, 667-675.	3.9	53
216	Cannabinoid CB1 receptor inhibition decreases vascular smooth muscle migration and proliferation. <i>Biochemical and Biophysical Research Communications</i> , 2008, 377, 1248-1252.	1.0	52

#	ARTICLE	IF	CITATIONS
217	Endocannabinoids and cardiac contractile function: Pathophysiological implications. <i>Pharmacological Research</i> , 2009, 60, 99-106.	3.1	52
218	PCSK9 inhibition as a novel therapeutic target for alcoholic liver disease. <i>Scientific Reports</i> , 2019, 9, 17167.	1.6	52
219	Interplay of cardiovascular mediators, oxidative stress and inflammation in liver disease and its complications. <i>Nature Reviews Cardiology</i> , 2021, 18, 117-135.	6.1	52
220	PARPs in lipid metabolism and related diseases. <i>Progress in Lipid Research</i> , 2021, 84, 101117.	5.3	52
221	Inosine Protects Against the Development of Diabetes in Multiple-Low-Dose Streptozotocin and Nonobese Diabetic Mouse Models of Type 1 Diabetes. <i>Molecular Medicine</i> , 2003, 9, 96-104.	1.9	51
222	Part II: Beneficial Effects of the Peroxynitrite Decomposition Catalyst FP15 in Murine Models of Arthritis and Colitis. <i>Molecular Medicine</i> , 2002, 8, 581-590.	1.9	50
223	Longevity is associated with increased vascular resistance to high glucose-induced oxidative stress and inflammatory gene expression in <i>Peromyscus leucopus</i> . <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H946-H956.	1.5	50
224	Cardiac NO signalling in the metabolic syndrome. <i>British Journal of Pharmacology</i> , 2015, 172, 1415-1433.	2.7	49
225	Poly(ADP-ribose) polymerase inhibitors counteract diabetes- and hypoxia-induced retinal vascular endothelial growth factor overexpression. <i>International Journal of Molecular Medicine</i> , 2004, 14, 55-64.	1.8	49
226	Oxidative stress-induced isoprostane formation may contribute to aspirin resistance in platelets. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2002, 66, 557-558.	1.0	48
227	Na^+/H^+ exchanger blockade inhibits enterocyte inflammatory response and protects against colitis. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 283, G122-G132.	1.6	48
228	Cannabinoid $\text{CB}1$ receptor deletion in podocytes mitigates both glomerular and tubular dysfunction in a mouse model of diabetic nephropathy. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 698-708.	2.2	48
229	Testing hypotheses of aging in long-lived mice of the genus <i>Peromyscus</i> : association between longevity and mitochondrial stress resistance, ROS detoxification pathways, and DNA repair efficiency. <i>Age</i> , 2008, 30, 121-133.	3.0	47
230	Serotonin Reuptake Inhibitor Fluoxetine Decreases Arteriolar Myogenic Tone by Reducing Smooth Muscle $[\text{Ca}^{2+}]_i$. <i>Journal of Cardiovascular Pharmacology</i> , 2000, 35, 849-854.	0.8	47
231	Cannabinoids Reduce Markers of Inflammation and Fibrosis in Pancreatic Stellate Cells. <i>PLoS ONE</i> , 2008, 3, e1701.	1.1	47
232	New Trends in the Development of Oral Antidiabetic Drugs. <i>Current Medicinal Chemistry</i> , 2002, 9, 53-71.	1.2	46
233	Execution of Superoxide-Induced Cell Death by the Proapoptotic Bcl-2-Related Proteins Bid and Bak. <i>Molecular and Cellular Biology</i> , 2009, 29, 3099-3112.	1.1	46
234	Ado-Trastuzumab Emtansine Targets Hepatocytes Via Human Epidermal Growth Factor Receptor 2 to Induce Hepatotoxicity. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 480-490.	1.9	46

#	ARTICLE	IF	CITATIONS
235	Interplay of Liver-Heart Inflammatory Axis and Cannabinoid 2 Receptor Signaling in an Experimental Model of Hepatic Cardiomyopathy. <i>Hepatology</i> , 2020, 71, 1391-1407.	3.6	46
236	Bile acid-activated macrophages promote biliary epithelial cell proliferation through integrin $\alpha 6$ upregulation following liver injury. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	46
237	Electrophysiological changes in rat ventricular and atrial myocardium at different stages of experimental diabetes. <i>Acta Physiologica Scandinavica</i> , 1999, 166, 7-13.	2.3	45
238	Alcohol inhibits T-cell glucose metabolism and hepatitis in ALDH2-deficient mice and humans: roles of acetaldehyde and glucocorticoids. <i>Gut</i> , 2019, 68, 1311-1322.	6.1	44
239	Uncoupling of ER-mitochondrial calcium communication by transforming growth factor- $\beta 2$. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F1303-F1312.	1.3	43
240	Role of slow delayed rectifier K^{+} current in QT prolongation in the alloxan-induced diabetic rabbit heart. <i>Acta Physiologica</i> , 2008, 192, 359-368.	1.8	42
241	Endocannabinoids and Liver Disease. III. Endocannabinoid effects on immune cells: implications for inflammatory liver diseases. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, G850-G854.	1.6	42
242	Bacterial flagellin elicits widespread innate immune defense mechanisms, apoptotic signaling, and a sepsis-like systemic inflammatory response in mice. <i>Critical Care</i> , 2010, 14, R160.	2.5	42
243	Serotonin reuptake inhibitor, fluoxetine, dilates isolated skeletal muscle arterioles. Possible role of altered Ca^{2+} sensitivity. <i>British Journal of Pharmacology</i> , 1999, 127, 740-746.	2.7	41
244	Inhibition of matrix metalloproteinase-2 by PARP inhibitors. <i>Biochemical and Biophysical Research Communications</i> , 2009, 387, 646-650.	1.0	40
245	The Endogenous Brain Constituent N-Arachidonoyl L-Serine Is an Activator of Large Conductance Ca^{2+} -Activated K^{+} Channels. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 328, 351-361.	1.3	39
246	Resveratrol attenuates azidothymidine-induced cardiotoxicity by decreasing mitochondrial reactive oxygen species generation in human cardiomyocytes. <i>Molecular Medicine Reports</i> , 2011, 4, 151-5.	1.1	39
247	Glycogen phosphorylase inhibition improves beta cell function. <i>British Journal of Pharmacology</i> , 2018, 175, 301-319.	2.7	39
248	Evaluation of the peroxynitrite decomposition catalyst Fe(III) tetra-mesitylporphyrin octasulfonate on peripheral neuropathy in a mouse model of type 1 diabetes. <i>International Journal of Molecular Medicine</i> , 2007, 20, 783-92.	1.8	39
249	Role of Intracellular Calcium Mobilization and Cell-Density-Dependent Signaling in Oxidative-Stress-Induced Cytotoxicity in HaCaT Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2003, 121, 88-95.	0.3	38
250	Homocysteine induces cell death in H9C2 cardiomyocytes through the generation of peroxynitrite. <i>Biochemical and Biophysical Research Communications</i> , 2007, 359, 445-450.	1.0	38
251	Increased fear- and stress-related anxiety-like behavior in mice lacking tuberoinfundibular peptide of 39 residues. <i>Genes, Brain and Behavior</i> , 2008, 7, 933-942.	1.1	38
252	Effects of a Potent Peroxynitrite Decomposition Catalyst in Murine Models of Endotoxemia and Sepsis. <i>Shock</i> , 2011, 35, 560-566.	1.0	38

#	ARTICLE	IF	CITATIONS
253	Î” ⁸ Tetrahydrocannabinol prevents hepatic ischaemia/reperfusion injury by decreasing oxidative stress and inflammatory responses through cannabinoid CB ₂ receptors. <i>British Journal of Pharmacology</i> , 2012, 165, 2450-2461.	2.7	38
254	PARP inhibition in leukocytes diminishes inflammation via effects on integrins/cytoskeleton and protects the blood-brain barrier. <i>Journal of Neuroinflammation</i> , 2016, 13, 254.	3.1	38
255	Disruption of Renal Arginine Metabolism Promotes Kidney Injury in Hepatorenal Syndrome in Mice. <i>Hepatology</i> , 2018, 68, 1519-1533.	3.6	38
256	Bacterial Flagellin Triggers Cardiac Innate Immune Responses and Acute Contractile Dysfunction. <i>PLoS ONE</i> , 2010, 5, e12687.	1.1	38
257	Oxidative/Nitrative Stress and Inflammation Drive Progression of Doxorubicin-Induced Renal Fibrosis in Rats as Revealed by Comparing a Normal and a Fibrosis-Resistant Rat Strain. <i>PLoS ONE</i> , 2015, 10, e0127090.	1.1	38
258	Endothelial Nrf2 activation: a new target for resveratrol?. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H10-H12.	1.5	37
259	Endotoxin impairs cardiac hemodynamics by affecting loading conditions but not by reducing cardiac inotropism. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H492-H501.	1.5	37
260	Intrapulmonary G-CSF Rescues Neutrophil Recruitment to the Lung and Neutrophil Release to Blood in Gram-Negative Bacterial Infection in MCP-1 ^{-/-} Mice. <i>Journal of Immunology</i> , 2012, 189, 5849-5859.	0.4	37
261	Inhibition of poly(adenosine diphosphate-ribose) polymerase by the active form of vitamin D. <i>International Journal of Molecular Medicine</i> , 2007, 19, 947-52.	1.8	37
262	Restoration of the endothelial function in the aortic rings of apolipoprotein E deficient mice by pharmacological inhibition of the nuclear enzyme poly(ADP-ribose) polymerase. <i>Life Sciences</i> , 2004, 75, 1255-1261.	2.0	36
263	Transcriptional basis for exercise limitation in male eNOS-knockout mice with age: heart failure and the fetal phenotype. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H1399-H1407.	1.5	36
264	Poly(ADP-ribose)polymerase inhibition counteracts renal hypertrophy and multiple manifestations of peripheral neuropathy in diabetic Akita mice. <i>International Journal of Molecular Medicine</i> , 2011, 28, 629-35.	1.8	36
265	Cannabinoids cool the intestine. <i>Nature Medicine</i> , 2004, 10, 678-679.	15.2	34
266	PCB-induced endothelial cell dysfunction: Role of poly(ADP-ribose) polymerase. <i>Biochemical Pharmacology</i> , 2009, 78, 959-965.	2.0	34
267	Cannabinoid CB ₁ Receptor Antagonists for Atherosclerosis and Cardiometabolic Disorders. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 7-9.	1.1	34
268	Mitochondrial Ca ²⁺ Signaling and Cardiac Apoptosis. <i>NeuroSignals</i> , 2001, 10, 200-223.	0.5	33
269	Circulating anandamide and blood pressure in patients with obstructive sleep apnea. <i>Journal of Hypertension</i> , 2012, 30, 2345-2351.	0.3	33
270	Rethinking Communication in the Immune System: The Quorum Sensing Concept. <i>Trends in Immunology</i> , 2019, 40, 88-97.	2.9	33

#	ARTICLE	IF	CITATIONS
271	Role of Macrophages in the Endocrine System. Trends in Endocrinology and Metabolism, 2021, 32, 238-256.	3.1	33
272	Activation of the Cholinergic Antiinflammatory Pathway Reduces Ricin-Induced Mortality and Organ Failure in Mice. Molecular Medicine, 2009, 15, 166-172.	1.9	32
273	MicroRNA signatures of resveratrol in the ischemic heart. Annals of the New York Academy of Sciences, 2011, 1215, 109-116.	1.8	32
274	Alternative Splicing of NOX4 in the Failing Human Heart. Frontiers in Physiology, 2017, 8, 935.	1.3	32
275	Anaphylatoxin C5a contributes to the pathogenesis of cisplatin-induced nephrotoxicity. American Journal of Physiology - Renal Physiology, 2009, 296, F496-F504.	1.3	31
276	Design, Synthesis, and Biological Evaluation of Novel, Non-Brain-Penetrant, Hybrid Cannabinoid CB ₁ R Inverse Agonist/Inducible Nitric Oxide Synthase (iNOS) Inhibitors for the Treatment of Liver Fibrosis. Journal of Medicinal Chemistry, 2017, 60, 1126-1141.	2.9	31
277	Development of High-Specificity Fluorescent Probes to Enable Cannabinoid Type 2 Receptor Studies in Living Cells. Journal of the American Chemical Society, 2020, 142, 16953-16964.	6.6	31
278	Differential effects of fluoxetine enantiomers in mammalian neural and cardiac tissues. International Journal of Molecular Medicine, 2003, 11, 535-42.	1.8	31
279	Poly(ADP-ribose) polymerase inhibitors counteract diabetes- and hypoxia-induced retinal vascular endothelial growth factor overexpression. International Journal of Molecular Medicine, 2004, 14, 55.	1.8	30
280	Matrix metalloproteinase activation is an early event in doxorubicin-induced cardiotoxicity. Oncology Reports, 2004, 11, 505.	1.2	30
281	Peripheral neuropathy in mice with neuronal nitric oxide synthase gene deficiency. International Journal of Molecular Medicine, 2009, 23, 571-80.	1.8	30
282	Investigational A ₃ adenosine receptor targeting agents. Expert Opinion on Investigational Drugs, 2011, 20, 757-768.	1.9	30
283	A 2A adenosine receptors control pancreatic dysfunction in high-fat diet-induced obesity. FASEB Journal, 2017, 31, 4985-4997.	0.2	30
284	Review of Cardiovascular Effects of Fluoxetine, A Selective Serotonin Reuptake Inhibitor, Compared to Tricyclic Antidepressants. Current Medicinal Chemistry, 1998, 5, 381-390.	1.2	30
285	Comparative study of cardiac electrophysiological effects of atrial natriuretic peptide. Molecular and Cellular Biochemistry, 1996, 160-161, 53-59.	1.4	29
286	Activation of poly(ADP-ribose) polymerase contributes to the endothelial dysfunction associated with hypertension and aging. International Journal of Molecular Medicine, 2002, 9, 659.	1.8	29
287	Adenosine receptors differentially regulate type 2 cytokine production by IL-33-activated bone marrow cells, ILC2s, and macrophages. FASEB Journal, 2018, 32, 829-837.	0.2	29
288	Electrophysiological effects of risperidone in mammalian cardiac cells. Naunyn-Schmiedeberg's Archives of Pharmacology, 2002, 366, 350-356.	1.4	28

#	ARTICLE	IF	CITATIONS
289	Protection from Radiation-Induced Pulmonary Fibrosis by Peripheral Targeting of Cannabinoid Receptor-1. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2015, 53, 555-562.	1.4	28
290	Critical Role of TFEB-Mediated Lysosomal Biogenesis in Alcohol-Induced Pancreatitis in Mice and Humans. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 10, 59-81.	2.3	28
291	The flagellin-TLR5 axis: Therapeutic opportunities. <i>Drug News and Perspectives</i> , 2002, 15, 397.	1.9	28
292	Evaluation of PMI-5011, an ethanolic extract of <i>Artemisia dracunculus</i> L., on peripheral neuropathy in streptozotocin-diabetic mice. <i>International Journal of Molecular Medicine</i> , 2011, 27, 299-307.	1.8	27
293	Suppression of intestinal polyposis in <i>Apcmin/+</i> mice by targeting the nitric oxide or poly(ADP-ribose) pathways. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2004, 548, 107-116.	0.4	26
294	Female X-Chromosome Mosaicism for NOX2 Deficiency Presents Unique Inflammatory Phenotype and Improves Outcome in Polymicrobial Sepsis. <i>Journal of Immunology</i> , 2011, 186, 6465-6473.	0.4	26
295	Stimulation of A2B adenosine receptors protects against trauma-induced hemorrhagic shock-induced lung injury. <i>Purinergic Signalling</i> , 2013, 9, 427-432.	1.1	26
296	Quorum sensing in the immune system. <i>Nature Reviews Immunology</i> , 2018, 18, 537-538.	10.6	26
297	The Activated Endocannabinoid System in Atherosclerosis: Driving Force or Protective Mechanism?. <i>Current Drug Targets</i> , 2015, 16, 334-341.	1.0	26
298	Role of Endocannabinoids and Cannabinoid-1 Receptors in Cerebrocortical Blood Flow Regulation. <i>PLoS ONE</i> , 2013, 8, e53390.	1.1	25
299	Toll-like receptor 5 deficiency exacerbates cardiac injury and inflammation induced by myocardial ischaemia-reperfusion in the mouse. <i>Clinical Science</i> , 2015, 129, 187-198.	1.8	25
300	Identification and Preclinical Development of a 2,5,6-Trisubstituted Fluorinated Pyridine Derivative as a Radioligand for the Positron Emission Tomography Imaging of Cannabinoid Type 2 Receptors. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 10287-10306.	2.9	25
301	Role of A2A adenosine receptors in regulation of opsonized <i>E. coli</i> -induced macrophage function. <i>Purinergic Signalling</i> , 2007, 3, 447-452.	1.1	24
302	Mice lacking GPR3 receptors display late-onset obese phenotype due to impaired thermogenic function in brown adipose tissue. <i>Scientific Reports</i> , 2015, 5, 14953.	1.6	24
303	Feasibility Evaluation of Myocardial Cannabinoid Type 1 Receptor Imaging in Obesity. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 320-332.	2.3	24
304	P2X4 receptors, immunity, and sepsis. <i>Current Opinion in Pharmacology</i> , 2019, 47, 65-74.	1.7	24
305	Poly(ADP-ribose) polymerase is a regulator of chemokine production: relevance for the pathogenesis of shock and inflammation. <i>Molecular Medicine</i> , 2002, 8, 283-9.	1.9	24
306	CB ₁ Cannabinoid Receptor Inhibition: Promising Approach for Heart Failure?. <i>Congestive Heart Failure</i> , 2008, 14, 330-334.	2.0	23

#	ARTICLE	IF	CITATIONS
307	Cannabinoid receptor CB2 protects against balloon-induced neointima formation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H1064-H1074.	1.5	23
308	Interplay of cannabinoid 2 (CB2) receptors with nitric oxide synthases, oxidative and nitrative stress, and cell death during remote neurodegeneration. <i>Journal of Molecular Medicine</i> , 2012, 90, 347-351.	1.7	23
309	Endogenous cannabinoid receptor CB1 activation promotes vascular smooth-muscle cell proliferation and neointima formation. <i>Journal of Lipid Research</i> , 2013, 54, 1360-1368.	2.0	23
310	Cardiac electrophysiological effects of citalopram in guinea pig papillary muscle Comparison with clomipramine. <i>General Pharmacology</i> , 2000, 34, 17-23.	0.7	22
311	Anti-inflammatory effects of inosine in human monocytes, neutrophils and epithelial cells in vitro. <i>International Journal of Molecular Medicine</i> , 2001, 8, 617.	1.8	22
312	The role of P2Y receptors in regulating immunity and metabolism. <i>Biochemical Pharmacology</i> , 2021, 187, 114419.	2.0	22
313	Beneficial effects of a novel ultrapotent poly(ADP-ribose) polymerase inhibitor in murine models of heart failure. <i>International Journal of Molecular Medicine</i> , 2006, 17, 369.	1.8	21
314	Peroxynitrite Is a Key Mediator of the Cardioprotection Afforded by Ischemic Postconditioning In Vivo. <i>PLoS ONE</i> , 2013, 8, e70331.	1.1	21
315	Alcohol Misuse and Kidney Injury: Epidemiological Evidence and Potential Mechanisms. <i>Alcohol Research: Current Reviews</i> , 2017, 38, 283-288.	1.9	20
316	Hyperglycaemia alters the endothelium-dependent relaxation of canine coronary arteries. <i>Acta Physiologica Scandinavica</i> , 2000, 169, 183-187.	2.3	19
317	The adenosine A2A receptor agonist CGS 21680 fails to ameliorate the course of dextran sulphate-induced colitis in mice. <i>Inflammation Research</i> , 2007, 56, 204-209.	1.6	19
318	Aldose reductase inhibitor fidarestat counteracts diabetes-associated cataract formation, retinal oxidative-nitrosative stress, glial activation, and apoptosis. <i>International Journal of Molecular Medicine</i> , 2008, , .	1.8	19
319	Serotonin reuptake inhibitors fluoxetine and citalopram relax intestinal smooth muscle. <i>Canadian Journal of Physiology and Pharmacology</i> , 2001, 79, 580-584.	0.7	18
320	Cirrhotic cardiomyopathy: an endocannabinoid connection?. <i>British Journal of Pharmacology</i> , 2005, 146, 313-314.	2.7	18
321	Cannabinoid-2 receptor activation ameliorates hepatorenal syndrome. <i>Free Radical Biology and Medicine</i> , 2020, 152, 540-550.	1.3	18
322	Adenosine and inflammation: it's time to (re)solve the problem. <i>Trends in Pharmacological Sciences</i> , 2022, 43, 43-55.	4.0	18
323	Topical administration of a novel nitric oxide donor, linear polyethylenimine-nitric oxide/nucleophile adduct (DS1), selectively increases vaginal blood flow in anesthetized rats. <i>International Journal of Impotence Research</i> , 2003, 15, 461-464.	1.0	17
324	Peripheral Endocannabinoid System Activity in Patients Treated With Sibutramine. <i>Obesity</i> , 2008, 16, 1135-1137.	1.5	17

#	ARTICLE	IF	CITATIONS
325	Part II: beneficial effects of the peroxynitrite decomposition catalyst FP15 in murine models of arthritis and colitis. <i>Molecular Medicine</i> , 2002, 8, 581-90.	1.9	17
326	Parenteral administration of glipizide sodium salt, an inhibitor of adenosine triphosphate-sensitive potassium channels, prolongs short-term survival after severe controlled hemorrhage in rats*. <i>Critical Care Medicine</i> , 2003, 31, 2429-2436.	0.4	16
327	Role of nonsynaptic communication in regulating the immune response. <i>Neurochemistry International</i> , 2008, 52, 52-59.	1.9	16
328	Electrophysiological effects of homocysteine in isolated rat right ventricular papillary muscles and left atria. <i>General Pharmacology</i> , 1999, 32, 439-443.	0.7	15
329	Inosine monophosphate and inosine differentially regulate endotoxemia and bacterial sepsis. <i>FASEB Journal</i> , 2021, 35, e21935.	0.2	15
330	Spatio-Temporal Organization of the Mitochondrial Phase of Apoptosis. <i>IUBMB Life</i> , 2001, 52, 237-245.	1.5	13
331	Differential effects of fluoxetine enantiomers in mammalian neural and cardiac tissues. <i>International Journal of Molecular Medicine</i> , 2003, 11, 535.	1.8	13
332	Evaluation of the peroxynitrite decomposition catalyst Fe(III) tetra-mesitylporphyrin octasulfonate on peripheral neuropathy in a mouse model of type 1 diabetes. <i>International Journal of Molecular Medicine</i> , 2007, , .	1.8	13
333	Pleiotropic effects of the CB2 cannabinoid receptor activation on human monocyte migration: implications for atherosclerosis and inflammatory diseases. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H1133-H1134.	1.5	13
334	Na ⁺ /H ⁺ -exchanger-1 inhibition counteracts diabetic cataract formation and retinal oxidative-nitrative stress and apoptosis. <i>International Journal of Molecular Medicine</i> , 2012, 29, 989-98.	1.8	13
335	Towards the use of non-psychoactive cannabinoids for prostate cancer. <i>British Journal of Pharmacology</i> , 2013, 168, 76-78.	2.7	13
336	PCSK9 and the Gut-Liver-Brain Axis: A Novel Therapeutic Target for Immune Regulation in Alcohol Use Disorder. <i>Journal of Clinical Medicine</i> , 2021, 10, 1758.	1.0	13
337	Cyanide emerges as an endogenous mammalian gasotransmitter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	13
338	Can simvastatin promote tumor growth by inducing angiogenesis similar to VEGF?. <i>Medical Hypotheses</i> , 2002, 58, 85-86.	0.8	12
339	Role of poly(ADP-ribosyl)ation in a "two-hit" model of hypoxia and oxidative stress in human A549 epithelial cells in vitro. <i>International Journal of Molecular Medicine</i> , 2013, 32, 339-346.	1.8	12
340	Ectonucleotidases in Inflammation, Immunity, and Cancer. <i>Journal of Immunology</i> , 2021, 206, 1983-1990.	0.4	12
341	Soluble Guanylate Cyclase Agonists Inhibit Expression and Procoagulant Activity of Tissue Factor. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1578-1586.	1.1	11
342	THE NOVEL INOSINE ANALOGUE INO-2002 EXERTS AN ANTI-INFLAMMATORY EFFECT IN A MURINE MODEL OF ACUTE LUNG INJURY. <i>Shock</i> , 2009, 32, 258-262.	1.0	11

#	ARTICLE	IF	CITATIONS
343	Aerosolized Linear Polyethylenimine-Nitric Oxide/Nucleophile Adduct Attenuates Endotoxin-induced Lung Injury in Sheep. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 166, 1436-1442.	2.5	10
344	Inhibition of poly(adenosine diphosphate-ribose) polymerase by the active form of vitamin D. <i>International Journal of Molecular Medicine</i> , 2007, 19, 947.	1.8	10
345	The novel inosine analogue, INO-2002, protects against diabetes development in multiple low-dose streptozotocin and non-obese diabetic mouse models of type I diabetes. <i>Journal of Endocrinology</i> , 2008, 198, 581-589.	1.2	10
346	The Outsiders: Emerging Roles of Ectonucleotidases in Inflammation. <i>Science Translational Medicine</i> , 2012, 4, 146ps14.	5.8	10
347	Activity-based protein profiling of the human failing ischemic heart reveals alterations in hydrolase activities involving the endocannabinoid system. <i>Pharmacological Research</i> , 2020, 151, 104578.	3.1	10
348	Cannabinoid receptor 2 activation alleviates diabetes-induced cardiac dysfunction, inflammation, oxidative stress, and fibrosis. <i>GeroScience</i> , 2022, 44, 1727-1741.	2.1	10
349	Poly(ADP-ribose) polymerase inhibition as a novel therapeutic approach against intraepidermal nerve fiber loss and neuropathic pain associated with advanced diabetic neuropathy: A commentary on "PARP Inhibition or gene deficiency counteracts intraepidermal nerve fiber loss and neuropathic pain in advanced diabetic neuropathy". <i>Free Radical Biology and Medicine</i> , 2008, 44, 969-971.	1.3	9
350	Evaluation of the aldose reductase inhibitor fidarestat on ischemia-reperfusion injury in rat retina. <i>International Journal of Molecular Medicine</i> , 2010, 26, 135-42.	1.8	9
351	Alcohol Binge-Induced Cardiovascular Dysfunction Involves Endocannabinoid "CB1-R Signaling. <i>JACC Basic To Translational Science</i> , 2019, 4, 625-637.	1.9	9
352	Targeting of G-protein coupled receptors in sepsis. , 2020, 211, 107529.		9
353	Loss of acinar cell VMP1 triggers spontaneous pancreatitis in mice. <i>Autophagy</i> , 2022, 18, 1572-1582.	4.3	8
354	A2A adenosine receptor activation prevents neutrophil aging and promotes polarization from N1 towards N2 phenotype. <i>Purinergic Signalling</i> , 2022, 18, 345-358.	1.1	7
355	Use of Selective Serotonin Reuptake Inhibitors and Myocardial Infarction. <i>Circulation</i> , 2002, 105, e84.	1.6	5
356	Novel Myocardial PET/CT Receptor Imaging and Potential Therapeutic Targets. <i>Current Cardiology Reports</i> , 2019, 21, 55.	1.3	5
357	Post-partum prolongation of the atrial repolarization in rabbit. <i>Acta Physiologica Scandinavica</i> , 1999, 166, 1-5.	2.3	4
358	Can the Electrophysiological Action of Rosiglitazone Explain its Cardiac Side Effects?. <i>Current Medicinal Chemistry</i> , 2011, 18, 3720-3728.	1.2	4
359	Role of Peroxynitrite in the Cardiovascular Dysfunction of Septic Shock. <i>Current Vascular Pharmacology</i> , 2013, 11, 196-207.	0.8	4
360	Extracellular ectonucleotidases are differentially regulated in murine tissues and human polymorphonuclear leukocytes during sepsis and inflammation. <i>Purinergic Signalling</i> , 2021, 17, 713-724.	1.1	4

#	ARTICLE	IF	CITATIONS
361	New Piece in the Jigsaw Puzzle: Adipose Tissue-Derived Stem Cells From Obese Subjects Drive Th17 Polarization. <i>Diabetes</i> , 2015, 64, 2341-2343.	0.3	3
362	Age-dependent cardiovascular effects of sepsis in a murine model of cecal ligation and puncture: implications for the design of interventional studies. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 315, H1356-H1357.	1.5	3
363	Laser interferometer for position measurement and control. <i>Mechatronics</i> , 1993, 3, 181-184.	2.0	2
364	Abstract 1091: Cannabinoids inhibit epidermal growth factor receptor transactivation in lung cancer cells. , 2012, , .		2
365	Teaching physics by means of computer modeling. <i>Computer Physics Communications</i> , 1990, 61, 260-266.	3.0	1
366	Mitochondrially Targeted Antioxidants Ameliorate Inflammatory Response and Tissue Injury Associated with Hepatic Ischemia-Reperfusion in Mice. <i>Free Radical Biology and Medicine</i> , 2012, 53, S113.	1.3	1
367	MOLECULAR IMAGING OF MYOCARDIAL CANNABINOID TYPE 1 RECEPTOR UPREGULATION IN OBESITY. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1516.	1.2	1
368	Psoriasis-Related Visceral Adiposity and Arterial Inflammation. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 358-360.	2.3	1
369	Maternal binge alcohol consumption leads to distinctive acute perturbations in embryonic cardiac gene expression profiles. <i>Alcoholism: Clinical and Experimental Research</i> , 0, , .	1.4	1
370	Changes in cardiac electrophysiology, morphology, tissue biochemistry and vascular reactions in glutathione depleted animals. <i>Molecular and Cellular Biochemistry</i> , 1998, 185, 183-190.	1.4	0
371	Potassium currents in alloxan induced diabetes in rabbit hearts. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, A29.	0.9	0
372	Editorial [Hot Topic: Role of Oxidative-Nitrostatic Stress and Poly(ADP-ribose) Polymerase in Cardiovascular Pathophysiology (Guest Editor: Pal Pacher)]. <i>Current Vascular Pharmacology</i> , 2005, 3, 207-207.	0.8	0
373	Role of peroxynitrite in the pathogenesis of cardiovascular complications of diabetes. <i>Current Opinion in Pharmacology</i> , 2006, 6, 319.	1.7	0
374	Suppression of Tumorigenicity 2. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 183, 841-843.	2.5	0
375	Poly (ADP-ribose) Polymerase-1 is a Key Mediator of Liver Inflammation and Fibrosis. <i>Free Radical Biology and Medicine</i> , 2013, 65, S38-S39.	1.3	0
376	SP320OXIDATIVE/NITRATIVE STRESS AND INFLAMMATION DRIVE PROGRESSION OF DOXORUBICIN-INDUCED RENAL FIBROSIS IN RATS AS REVEALED BY COMPARING A NORMAL AND A FIBROSIS-RESISTANT RAT STRAIN. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii485-iii485.	0.4	0
377	Poly(ADP-ribose)polymerase-1 (PARP) activation and diabetic neuropathic pain. <i>FASEB Journal</i> , 2006, 20, A777.	0.2	0
378	The Role of Endocannabinoids and Their Receptors in the Control of Hepatic Functions. , 0, , 1091-1103.		0