

Pal Pacher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/974703/publications.pdf>

Version: 2024-02-01

379
papers

47,396
citations

1301
109
h-index

2178
202
g-index

394
all docs

394
docs citations

394
times ranked

48411
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss of acinar cell VMP1 triggers spontaneous pancreatitis in mice. <i>Autophagy</i> , 2022, 18, 1572-1582.	9.1	8
2	Adenosine and inflammation: it's time to (re)solve the problem. <i>Trends in Pharmacological Sciences</i> , 2022, 43, 43-55.	8.7	18
3	Cannabinoid receptor 2 activation alleviates diabetes-induced cardiac dysfunction, inflammation, oxidative stress, and fibrosis. <i>GeroScience</i> , 2022, 44, 1727-1741.	4.6	10
4	A2A adenosine receptor activation prevents neutrophil aging and promotes polarization from N1 towards N2 phenotype. <i>Purinergic Signalling</i> , 2022, 18, 345-358.	2.2	7
5	Interplay of cardiovascular mediators, oxidative stress and inflammation in liver disease and its complications. <i>Nature Reviews Cardiology</i> , 2021, 18, 117-135.	13.7	52
6	Neutrophil-to-hepatocyte communication via LDLR-dependent miR-223-enriched extracellular vesicle transfer ameliorates nonalcoholic steatohepatitis. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	85
7	Ectonucleotidases in Inflammation, Immunity, and Cancer. <i>Journal of Immunology</i> , 2021, 206, 1983-1990.	0.8	12
8	Role of Macrophages in the Endocrine System. <i>Trends in Endocrinology and Metabolism</i> , 2021, 32, 238-256.	7.1	33
9	PCSK9 and the Gut-Liver-Brain Axis: A Novel Therapeutic Target for Immune Regulation in Alcohol Use Disorder. <i>Journal of Clinical Medicine</i> , 2021, 10, 1758.	2.4	13
10	Bile acid-activated macrophages promote biliary epithelial cell proliferation through integrin $\alpha 6$ upregulation following liver injury. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	46
11	The role of P2Y receptors in regulating immunity and metabolism. <i>Biochemical Pharmacology</i> , 2021, 187, 114419.	4.4	22
12	Cyanide emerges as an endogenous mammalian gasotransmitter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	13
13	Inosine monophosphate and inosine differentially regulate endotoxemia and bacterial sepsis. <i>FASEB Journal</i> , 2021, 35, e21935.	0.5	15
14	PARPs in lipid metabolism and related diseases. <i>Progress in Lipid Research</i> , 2021, 84, 101117.	11.6	52
15	Extracellular ectonucleotidases are differentially regulated in murine tissues and human polymorphonuclear leukocytes during sepsis and inflammation. <i>Purinergic Signalling</i> , 2021, 17, 713-724.	2.2	4
16	Beyond THC and Endocannabinoids. <i>Annual Review of Pharmacology and Toxicology</i> , 2020, 60, 637-659.	9.4	107
17	Interplay of Liver-Heart Inflammatory Axis and Cannabinoid 2 Receptor Signaling in an Experimental Model of Hepatic Cardiomyopathy. <i>Hepatology</i> , 2020, 71, 1391-1407.	7.3	46
18	Interleukin-22 ameliorates acute-on-chronic liver failure by reprogramming impaired regeneration pathways in mice. <i>Journal of Hepatology</i> , 2020, 72, 736-745.	3.7	109

#	ARTICLE	IF	CITATIONS
19	Activity-based protein profiling of the human failing ischemic heart reveals alterations in hydrolase activities involving the endocannabinoid system. <i>Pharmacological Research</i> , 2020, 151, 104578.	7.1	10
20	Cannabinoid-2 receptor activation ameliorates hepatorenal syndrome. <i>Free Radical Biology and Medicine</i> , 2020, 152, 540-550.	2.9	18
21	Development of High-Specificity Fluorescent Probes to Enable Cannabinoid Type 2 Receptor Studies in Living Cells. <i>Journal of the American Chemical Society</i> , 2020, 142, 16953-16964.	13.7	31
22	Identification and Preclinical Development of a 2,5,6-Trisubstituted Fluorinated Pyridine Derivative as a Radioligand for the Positron Emission Tomography Imaging of Cannabinoid Type 2 Receptors. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 10287-10306.	6.4	25
23	Discovery of a NAPE-PLD inhibitor that modulates emotional behavior in mice. <i>Nature Chemical Biology</i> , 2020, 16, 667-675.	8.0	53
24	Targeting of G-protein coupled receptors in sepsis. , 2020, 211, 107529.		9
25	Critical Role of TFEB-Mediated Lysosomal Biogenesis in Alcohol-Induced Pancreatitis in Mice and Humans. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 10, 59-81.	4.5	28
26	Alcohol inhibits T-cell glucose metabolism and hepatitis in ALDH2-deficient mice and humans: roles of acetaldehyde and glucocorticoids. <i>Gut</i> , 2019, 68, 1311-1322.	12.1	44
27	Definition of hidden drug cardiotoxicity: paradigm change in cardiac safety testing and its clinical implications. <i>European Heart Journal</i> , 2019, 40, 1771-1777.	2.2	88
28	Alcohol Binge-Induced Cardiovascular Dysfunction Involves Endocannabinoidâ€“CB1-R Signaling. <i>JACC Basic To Translational Science</i> , 2019, 4, 625-637.	4.1	9
29	The Purinergic System as a Pharmacological Target for the Treatment of Immune-Mediated Inflammatory Diseases. <i>Pharmacological Reviews</i> , 2019, 71, 345-382.	16.0	115
30	Novel Myocardial PET/CT Receptor Imaging and Potential Therapeutic Targets. <i>Current Cardiology Reports</i> , 2019, 21, 55.	2.9	5
31	Impaired TFEB-mediated lysosomal biogenesis promotes the development of pancreatitis in mice and is associated with human pancreatitis. <i>Autophagy</i> , 2019, 15, 1954-1969.	9.1	56
32	P2X4 receptors, immunity, and sepsis. <i>Current Opinion in Pharmacology</i> , 2019, 47, 65-74.	3.5	24
33	PCSK9 inhibition as a novel therapeutic target for alcoholic liver disease. <i>Scientific Reports</i> , 2019, 9, 17167.	3.3	52
34	Rethinking Communication in the Immune System: The Quorum Sensing Concept. <i>Trends in Immunology</i> , 2019, 40, 88-97.	6.8	33
35	Adenosine signaling and the immune system: When a lot could be too much. <i>Immunology Letters</i> , 2019, 205, 9-15.	2.5	130
36	DEP domainâ€“containing mTORâ€“interacting protein suppresses lipogenesis and ameliorates hepatic steatosis and acuteâ€“onâ€“chronic liver injury in alcoholic liver disease. <i>Hepatology</i> , 2018, 68, 496-514.	7.3	85

#	ARTICLE	IF	CITATIONS
37	Disruption of Renal Arginine Metabolism Promotes Kidney Injury in Hepatorenal Syndrome in Mice. <i>Hepatology</i> , 2018, 68, 1519-1533.	7.3	38
38	Selective Photoaffinity Probe That Enables Assessment of Cannabinoid CB ₂ Receptor Expression and Ligand Engagement in Human Cells. <i>Journal of the American Chemical Society</i> , 2018, 140, 6067-6075.	13.7	68
39	Digoxin Suppresses Pyruvate Kinase M2-Promoted HIF-1 α Transactivation in Steatohepatitis. <i>Cell Metabolism</i> , 2018, 27, 339-350.e3.	16.2	62
40	Feasibility Evaluation of Myocardial Cannabinoid Type 1 Receptor Imaging in Obesity. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 320-332.	5.3	24
41	Neutrophil-Hepatic Stellate Cell Interactions Promote Fibrosis in Experimental Steatohepatitis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 5, 399-413.	4.5	95
42	Glycogen phosphorylase inhibition improves beta cell function. <i>British Journal of Pharmacology</i> , 2018, 175, 301-319.	5.4	39
43	Neuroprotection in Oxidative Stress-Related Neurodegenerative Diseases: Role of Endocannabinoid System Modulation. <i>Antioxidants and Redox Signaling</i> , 2018, 29, 75-108.	5.4	80
44	Δ^9 -Tetrahydrocannabinol protects against alcoholic steatohepatitis by attenuating inflammation and metabolic dysregulation in mice. <i>British Journal of Pharmacology</i> , 2018, 175, 320-334.	5.4	68
45	Opportunities for the repurposing of PARP inhibitors for the therapy of non-oncological diseases. <i>British Journal of Pharmacology</i> , 2018, 175, 192-222.	5.4	160
46	Psoriasis-Related Visceral Adiposity and Arterial Inflammation. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 358-360.	5.3	1
47	Adenosine receptors differentially regulate type 2 cytokine production by IL-3 α -activated bone marrow cells, ILC2s, and macrophages. <i>FASEB Journal</i> , 2018, 32, 829-837.	0.5	29
48	Cardiovascular effects of marijuana and synthetic cannabinoids: the good, the bad, and the ugly. <i>Nature Reviews Cardiology</i> , 2018, 15, 151-166.	13.7	286
49	Cannabinoid Δ 1 receptor deletion in podocytes mitigates both glomerular and tubular dysfunction in a mouse model of diabetic nephropathy. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 698-708.	4.4	48
50	Macrophage P2X4 receptors augment bacterial killing and protect against sepsis. <i>JCI Insight</i> , 2018, 3, .	5.0	82
51	Endothelial dysfunction and angiogenesis impairment in the ageing vasculature. <i>Nature Reviews Cardiology</i> , 2018, 15, 555-565.	13.7	256
52	Age-dependent cardiovascular effects of sepsis in a murine model of cecal ligation and puncture: implications for the design of interventional studies. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 315, H1356-H1357.	3.2	3
53	Quorum sensing in the immune system. <i>Nature Reviews Immunology</i> , 2018, 18, 537-538.	22.7	26
54	Design, Synthesis, and Biological Evaluation of Novel, Non-Brain-Penetrant, Hybrid Cannabinoid CB ₁ R Inverse Agonist/Inducible Nitric Oxide Synthase (iNOS) Inhibitors for the Treatment of Liver Fibrosis. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 1126-1141.	6.4	31

#	ARTICLE	IF	CITATIONS
55	Inflammation is independent of steatosis in a murine model of steatohepatitis. <i>Hepatology</i> , 2017, 66, 108-123.	7.3	56
56	MOLECULAR IMAGING OF MYOCARDIAL CANNABINOID TYPE 1 RECEPTOR UPREGULATION IN OBESITY. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1516.	2.8	1
57	Cannabinoid CB2 receptor ligand profiling reveals biased signalling and off-target activity. <i>Nature Communications</i> , 2017, 8, 13958.	12.8	265
58	Cannabidiol attenuates alcohol-induced liver steatosis, metabolic dysregulation, inflammation and neutrophil-mediated injury. <i>Scientific Reports</i> , 2017, 7, 12064.	3.3	78
59	Pepcan-12 (RVD-hemopressin) is a CB2 receptor positive allosteric modulator constitutively secreted by adrenals and in liver upon tissue damage. <i>Scientific Reports</i> , 2017, 7, 9560.	3.3	54
60	A 2A adenosine receptors control pancreatic dysfunction in high-fat diet-induced obesity. <i>FASEB Journal</i> , 2017, 31, 4985-4997.	0.5	30
61	Aging aggravates alcoholic liver injury and fibrosis in mice by downregulating sirtuin 1 expression. <i>Journal of Hepatology</i> , 2017, 66, 601-609.	3.7	123
62	PARP inhibition protects against alcoholic and non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2017, 66, 589-600.	3.7	116
63	Trastuzumab cardiotoxicity: from clinical trials to experimental studies. <i>British Journal of Pharmacology</i> , 2017, 174, 3727-3748.	5.4	95
64	Alternative Splicing of NOX4 in the Failing Human Heart. <i>Frontiers in Physiology</i> , 2017, 8, 935.	2.8	32
65	Alcohol Misuse and Kidney Injury: Epidemiological Evidence and Potential Mechanisms. <i>Alcohol Research: Current Reviews</i> , 2017, 38, 283-288.	3.6	20
66	Cannabidiol Limits T Cell-Mediated Chronic Autoimmune Myocarditis: Implications to Autoimmune Disorders and Organ Transplantation. <i>Molecular Medicine</i> , 2016, 22, 136-146.	4.4	56
67	Hybrid inhibitor of peripheral cannabinoid-1 receptors and inducible nitric oxide synthase mitigates liver fibrosis. <i>JCI Insight</i> , 2016, 1, .	5.0	59
68	PARP inhibition in leukocytes diminishes inflammation via effects on integrins/cytoskeleton and protects the blood-brain barrier. <i>Journal of Neuroinflammation</i> , 2016, 13, 254.	7.2	38
69	The novel, orally available and peripherally restricted selective cannabinoid CB ₂ receptor agonist LEA-101 prevents cisplatin-induced nephrotoxicity. <i>British Journal of Pharmacology</i> , 2016, 173, 446-458.	5.4	55
70	Role of the endocannabinoid system in diabetes and diabetic complications. <i>British Journal of Pharmacology</i> , 2016, 173, 1116-1127.	5.4	118
71	A Mechanistic Review of Cell Death in Alcohol-Induced Liver Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 1215-1223.	2.4	102
72	Endocannabinoids in cerebrovascular regulation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H785-H801.	3.2	70

#	ARTICLE	IF	CITATIONS
73	Diastolic dysfunction in prediabetic male rats: Role of mitochondrial oxidative stress. American Journal of Physiology - Heart and Circulatory Physiology, 2016, 311, H927-H943.	3.2	72
74	Chronic plus binge ethanol feeding induces myocardial oxidative stress, mitochondrial and cardiovascular dysfunction, and steatosis. American Journal of Physiology - Heart and Circulatory Physiology, 2016, 310, H1658-H1670.	3.2	58
75	Anti-CD73 in Cancer Immunotherapy: Awakening New Opportunities. Trends in Cancer, 2016, 2, 95-109.	7.4	177
76	Ado-Trastuzumab Emtansine Targets Hepatocytes Via Human Epidermal Growth Factor Receptor 2 to Induce Hepatotoxicity. Molecular Cancer Therapeutics, 2016, 15, 480-490.	4.1	46
77	Toll-like receptor 5 deficiency exacerbates cardiac injury and inflammation induced by myocardial ischaemia-reperfusion in the mouse. Clinical Science, 2015, 129, 187-198.	4.3	25
78	Mice lacking GPR3 receptors display late-onset obese phenotype due to impaired thermogenic function in brown adipose tissue. Scientific Reports, 2015, 5, 14953.	3.3	24
79	SP320OXIDATIVE/NITRATIVE STRESS AND INFLAMMATION DRIVE PROGRESSION OF DOXORUBICIN-INDUCED RENAL FIBROSIS IN RATS AS REVEALED BY COMPARING A NORMAL AND A FIBROSIS-RESISTANT RAT STRAIN. Nephrology Dialysis Transplantation, 2015, 30, iii485-iii485.	0.7	0
80	Cannabidiol Protects against Doxorubicin-Induced Cardiomyopathy by Modulating Mitochondrial Function and Biogenesis. Molecular Medicine, 2015, 21, 38-45.	4.4	120
81	Extracellular ATP protects against sepsis through macrophage P2X7 purinergic receptors by enhancing intracellular bacterial killing. FASEB Journal, 2015, 29, 3626-3637.	0.5	106
82	Cutting Edge: IL-1 β Is a Crucial Danger Signal Triggering Acute Myocardial Inflammation during Myocardial Infarction. Journal of Immunology, 2015, 194, 499-503.	0.8	100
83	Poly(ADP-ribose) polymerases as modulators of mitochondrial activity. Trends in Endocrinology and Metabolism, 2015, 26, 75-83.	7.1	92
84	Adenosine signalling in diabetes mellitusâ€”pathophysiology and therapeutic considerations. Nature Reviews Endocrinology, 2015, 11, 228-241.	9.6	133
85	New Piece in the Jigsaw Puzzle: Adipose Tissueâ€”Derived Stem Cells From Obese Subjects Drive Th17 Polarization. Diabetes, 2015, 64, 2341-2343.	0.6	3
86	Fat-Specific Protein 27/CIDEA Promotes Development of Alcoholic Steatohepatitis in Mice and Humans. Gastroenterology, 2015, 149, 1030-1041.e6.	1.3	114
87	Endocannabinoid signaling at the periphery: 50 years after THC. Trends in Pharmacological Sciences, 2015, 36, 277-296.	8.7	524
88	Drug-induced mitochondrial dysfunction and cardiotoxicity. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309, H1453-H1467.	3.2	377
89	Protection from Radiation-Induced Pulmonary Fibrosis by Peripheral Targeting of Cannabinoid Receptor-1. American Journal of Respiratory Cell and Molecular Biology, 2015, 53, 555-562.	2.9	28
90	CD39 improves survival in microbial sepsis by attenuating systemic inflammation. FASEB Journal, 2015, 29, 25-36.	0.5	53

#	ARTICLE	IF	CITATIONS
91	Cardiac <sc>NO</sc> signalling in the metabolic syndrome. British Journal of Pharmacology, 2015, 172, 1415-1433.	5.4	49
92	Interplay of oxidative, nitrosative/nitrative stress, inflammation, cell death and autophagy in diabetic cardiomyopathy. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2015, 1852, 232-242.	3.8	232
93	Oxidative/Nitrative Stress and Inflammation Drive Progression of Doxorubicin-Induced Renal Fibrosis in Rats as Revealed by Comparing a Normal and a Fibrosis-Resistant Rat Strain. PLoS ONE, 2015, 10, e0127090.	2.5	38
94	The Activated Endocannabinoid System in Atherosclerosis: Driving Force or Protective Mechanism?. Current Drug Targets, 2015, 16, 334-341.	2.1	26
95	Overactive cannabinoid 1 receptor in podocytes drives type 2 diabetic nephropathy. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E5420-8.	7.1	102
96	Pathophysiological mechanisms of catecholamine and cocaine-mediated cardiotoxicity. Heart Failure Reviews, 2014, 19, 815-824.	3.9	114
97	Poly (ADP-ribose) polymerase-1 is a key mediator of liver inflammation and fibrosis. Hepatology, 2014, 59, 1998-2009.	7.3	103
98	A2B Adenosine Receptors Prevent Insulin Resistance by Inhibiting Adipose Tissue Inflammation via Maintaining Alternative Macrophage Activation. Diabetes, 2014, 63, 850-866.	0.6	98
99	Adenosine augments IL-10-induced STAT3 signaling in M2c macrophages. Journal of Leukocyte Biology, 2013, 94, 1309-1315.	3.3	120
100	Stimulation of A2B adenosine receptors protects against trauma-induced hemorrhagic shock-induced lung injury. Purinergic Signalling, 2013, 9, 427-432.	2.2	26
101	Poly (ADP-ribose) Polymerase-1 is a Key Mediator of Liver Inflammation and Fibrosis. Free Radical Biology and Medicine, 2013, 65, S38-S39.	2.9	0
102	Immunity, inflammation and cancer: a leading role for adenosine. Nature Reviews Cancer, 2013, 13, 842-857.	28.4	612
103	Monoacylglycerol Lipase Controls Endocannabinoid and Eicosanoid Signaling and Hepatic Injury in Mice. Gastroenterology, 2013, 144, 808-817.e15.	1.3	116
104	Glucocorticoid receptor dimerization is required for proper recovery of LPS-induced inflammation, sickness behavior and metabolism in mice. Molecular Psychiatry, 2013, 18, 1006-1017.	7.9	53
105	Selective Activation of Cannabinoid Receptor 2 in Leukocytes Suppresses Their Engagement of the Brain Endothelium and Protects the Blood-Brain Barrier. American Journal of Pathology, 2013, 183, 1548-1558.	3.8	61
106	Towards the use of non-psychoactive cannabinoids for prostate cancer. British Journal of Pharmacology, 2013, 168, 76-78.	5.4	13
107	Modulating the endocannabinoid system in human health and disease - successes and failures. FEBS Journal, 2013, 280, 1918-1943.	4.7	315
108	CD39 and CD73 in immunity and inflammation. Trends in Molecular Medicine, 2013, 19, 355-367.	6.7	914

#	ARTICLE	IF	CITATIONS
109	Endogenous cannabinoid receptor CB1 activation promotes vascular smooth-muscle cell proliferation and neointima formation. <i>Journal of Lipid Research</i> , 2013, 54, 1360-1368.	4.2	23
110	Role of Peroxynitrite in the Cardiovascular Dysfunction of Septic Shock. <i>Current Vascular Pharmacology</i> , 2013, 11, 196-207.	1.7	4
111	Role of poly(ADP-ribose)ylation in a "two-hit" model of hypoxia and oxidative stress in human A549 epithelial cells in vitro. <i>International Journal of Molecular Medicine</i> , 2013, 32, 339-346.	4.0	12
112	Role of Endocannabinoids and Cannabinoid-1 Receptors in Cerebrocortical Blood Flow Regulation. <i>PLoS ONE</i> , 2013, 8, e53390.	2.5	25
113	Peroxynitrite Is a Key Mediator of the Cardioprotection Afforded by Ischemic Postconditioning In Vivo. <i>PLoS ONE</i> , 2013, 8, e70331.	2.5	21
114	Trastuzumab Alters the Expression of Genes Essential for Cardiac Function and Induces Ultrastructural Changes of Cardiomyocytes in Mice. <i>PLoS ONE</i> , 2013, 8, e79543.	2.5	117
115	Cannabinoid receptor CB2 protects against balloon-induced neointima formation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H1064-H1074.	3.2	23
116	Intrapulmonary G-CSF Rescues Neutrophil Recruitment to the Lung and Neutrophil Release to Blood in Gram-Negative Bacterial Infection in MCP-1 ^{-/-} Mice. <i>Journal of Immunology</i> , 2012, 189, 5849-5859.	0.8	37
117	Adenosine Augments IL-10 Production by Microglial Cells through an A2B Adenosine Receptor-Mediated Process. <i>Journal of Immunology</i> , 2012, 188, 445-453.	0.8	99
118	The Outsiders: Emerging Roles of Ectonucleotidases in Inflammation. <i>Science Translational Medicine</i> , 2012, 4, 146ps14.	12.4	10
119	Cisplatin Nephrotoxicity Involves Mitochondrial Injury with Impaired Tubular Mitochondrial Enzyme Activity. <i>Journal of Histochemistry and Cytochemistry</i> , 2012, 60, 521-529.	2.5	99
120	Na ⁺ /H ⁺ -exchanger-1 inhibition counteracts diabetic cataract formation and retinal oxidative-nitrative stress and apoptosis. <i>International Journal of Molecular Medicine</i> , 2012, 29, 989-98.	4.0	13
121	Circulating anandamide and blood pressure in patients with obstructive sleep apnea. <i>Journal of Hypertension</i> , 2012, 30, 2345-2351.	0.5	33
122	Targeting cannabinoid receptor CB ₂ in cardiovascular disorders: promises and controversies. <i>British Journal of Pharmacology</i> , 2012, 167, 313-323.	5.4	101
123	Regulation of Macrophage Function by Adenosine. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 865-869.	2.4	175
124	Interplay of cannabinoid 2 (CB2) receptors with nitric oxide synthases, oxidative and nitrative stress, and cell death during remote neurodegeneration. <i>Journal of Molecular Medicine</i> , 2012, 90, 347-351.	3.9	23
125	Mitochondrial reactive oxygen species generation triggers inflammatory response and tissue injury associated with hepatic ischemia-reperfusion: Therapeutic potential of mitochondrially targeted antioxidants. <i>Free Radical Biology and Medicine</i> , 2012, 53, 1123-1138.	2.9	111
126	Mitochondrially Targeted Antioxidants Ameliorate Inflammatory Response and Tissue Injury Associated with Hepatic Ischemia-Reperfusion in Mice. <i>Free Radical Biology and Medicine</i> , 2012, 53, S113.	2.9	1

#	ARTICLE	IF	CITATIONS
127	Adenosine promotes alternative macrophage activation via A2A and A2B receptors. FASEB Journal, 2012, 26, 376-386.	0.5	306
128	Δ ⁸ -Tetrahydrocannabivarin prevents hepatic ischaemia/reperfusion injury by decreasing oxidative stress and inflammatory responses through cannabinoid CB ₂ receptors. British Journal of Pharmacology, 2012, 165, 2450-2461.	5.4	38
129	Cannabinoid 1 Receptor Promotes Cardiac Dysfunction, Oxidative Stress, Inflammation, and Fibrosis in Diabetic Cardiomyopathy. Diabetes, 2012, 61, 716-727.	0.6	214
130	The Endocannabinoid System and Plant-Derived Cannabinoids in Diabetes and Diabetic Complications. American Journal of Pathology, 2012, 180, 432-442.	3.8	119
131	NLRC4 Inflammasome-Mediated Production of IL-1 β Modulates Mucosal Immunity in the Lung against Gram-Negative Bacterial Infection. Journal of Immunology, 2012, 188, 5623-5635.	0.8	119
132	A new cannabinoid CB ₂ receptor agonist HU-910 attenuates oxidative stress, inflammation and cell death associated with hepatic ischaemia/reperfusion injury. British Journal of Pharmacology, 2012, 165, 2462-2478.	5.4	90
133	Mitochondrial-targeted antioxidants represent a promising approach for prevention of cisplatin-induced nephropathy. Free Radical Biology and Medicine, 2012, 52, 497-506.	2.9	178
134	Δ^2 -Caryophyllene ameliorates cisplatin-induced nephrotoxicity in a cannabinoid 2 receptor-dependent manner. Free Radical Biology and Medicine, 2012, 52, 1325-1333.	2.9	112
135	Sulforaphane, a natural constituent of broccoli, prevents cell death and inflammation in nephropathy. Journal of Nutritional Biochemistry, 2012, 23, 494-500.	4.2	89
136	Abstract 1091: Cannabinoids inhibit epidermal growth factor receptor transactivation in lung cancer cells. , 2012, , .		2
137	Resveratrol attenuates azidothymidine-induced cardiotoxicity by decreasing mitochondrial reactive oxygen species generation in human cardiomyocytes. Molecular Medicine Reports, 2011, 4, 151-5.	2.4	39
138	Soluble Guanylate Cyclase as an Emerging Therapeutic Target in Cardiopulmonary Disease. Circulation, 2011, 123, 2263-2273.	1.6	483
139	Is lipid signaling through cannabinoid 2 receptors part of a protective system?. Progress in Lipid Research, 2011, 50, 193-211.	11.6	362
140	Poly(ADP-ribose)polymerase inhibition counteracts renal hypertrophy and multiple manifestations of peripheral neuropathy in diabetic Akita mice. International Journal of Molecular Medicine, 2011, 28, 629-35.	4.0	36
141	Evaluation of PMI-5011, an ethanolic extract of Artemisia dracunculus L., on peripheral neuropathy in streptozotocin-diabetic mice. International Journal of Molecular Medicine, 2011, 27, 299-307.	4.0	27
142	MicroRNA signatures of resveratrol in the ischemic heart. Annals of the New York Academy of Sciences, 2011, 1215, 109-116.	3.8	32
143	Fatty acid amide hydrolase is a key regulator of endocannabinoid-induced myocardial tissue injury. Free Radical Biology and Medicine, 2011, 50, 179-195.	2.9	73
144	Cannabidiol protects against hepatic ischemia/reperfusion injury by attenuating inflammatory signaling and response, oxidative/nitrative stress, and cell death. Free Radical Biology and Medicine, 2011, 50, 1368-1381.	2.9	163

#	ARTICLE	IF	CITATIONS
145	Poly(ADP-ribose) polymerase-1 is a key mediator of cisplatin-induced kidney inflammation and injury. Free Radical Biology and Medicine, 2011, 51, 1774-1788.	2.9	81
146	Nicotine Exerts an Anti-inflammatory Effect in a Murine Model of Acute Lung Injury. Inflammation, 2011, 34, 231-237.	3.8	93
147	Cannabinoid 1 receptor activation contributes to vascular inflammation and cell death in a mouse model of diabetic retinopathy and a human retinal cell line. Diabetologia, 2011, 54, 1567-1578.	6.3	66
148	Suppression of Tumorigenicity 2. American Journal of Respiratory and Critical Care Medicine, 2011, 183, 841-843.	5.6	0
149	Can the Electrophysiological Action of Rosiglitazone Explain its Cardiac Side Effects?. Current Medicinal Chemistry, 2011, 18, 3720-3728.	2.4	4
150	Investigational A ₃ adenosine receptor targeting agents. Expert Opinion on Investigational Drugs, 2011, 20, 757-768.	4.1	30
151	Effects of a Potent Peroxynitrite Decomposition Catalyst in Murine Models of Endotoxemia and Sepsis. Shock, 2011, 35, 560-566.	2.1	38
152	Female X-Chromosome Mosaicism for NOX2 Deficiency Presents Unique Inflammatory Phenotype and Improves Outcome in Polymicrobial Sepsis. Journal of Immunology, 2011, 186, 6465-6473.	0.8	26
153	Ecto-5'-Nucleotidase (CD73) Decreases Mortality and Organ Injury in Sepsis. Journal of Immunology, 2011, 187, 4256-4267.	0.8	83
154	Peroxynitrite induces HMGB1 release by cardiac cells in vitro and HMGB1 upregulation in the infarcted myocardium in vivo. Cardiovascular Research, 2011, 89, 586-594.	3.8	61
155	Evaluation of the aldose reductase inhibitor fidarestat on ischemia-reperfusion injury in rat retina. International Journal of Molecular Medicine, 2010, 26, 135-42.	4.0	9
156	Cannabinoid-2 receptor limits inflammation, oxidative/nitrosative stress, and cell death in nephropathy. Free Radical Biology and Medicine, 2010, 48, 457-467.	2.9	181
157	Dissociation between liver inflammation and hepatocellular damage induced by carbon tetrachloride in myeloid cell-specific signal transducer and activator of transcription 3 gene knockout mice. Hepatology, 2010, 51, 1724-1734.	7.3	60
158	Anti-inflammatory and Anti-apoptotic Roles of Endothelial Cell STAT3 in Alcoholic Liver Injury. Alcoholism: Clinical and Experimental Research, 2010, 34, 719-725.	2.4	61
159	Cannabinoid-1 receptor activation induces reactive oxygen species-dependent and -independent mitogen-activated protein kinase activation and cell death in human coronary artery endothelial cells. British Journal of Pharmacology, 2010, 160, 688-700.	5.4	113
160	CB ₁ cannabinoid receptors promote oxidative/nitrosative stress, inflammation and cell death in a murine nephropathy model. British Journal of Pharmacology, 2010, 160, 657-668.	5.4	118
161	CB1 cannabinoid receptors promote oxidative stress and cell death in murine models of doxorubicin-induced cardiomyopathy and in human cardiomyocytes. Cardiovascular Research, 2010, 85, 773-784.	3.8	162
162	Oxidants Positively or Negatively Regulate Nuclear Factor- κ B in a Context-dependent Manner. Journal of Biological Chemistry, 2010, 285, 15746-15752.	3.4	65

#	ARTICLE	IF	CITATIONS
163	Adenosine A _{2A} receptor activation protects CD4 ⁺ T lymphocytes against activation-induced cell death. <i>FASEB Journal</i> , 2010, 24, 2631-2640.	0.5	66
164	Endothelial Nrf2 activation: a new target for resveratrol?. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H10-H12.	3.2	37
165	Endotoxin impairs cardiac hemodynamics by affecting loading conditions but not by reducing cardiac inotropism. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H492-H501.	3.2	37
166	Cannabidiol Attenuates Cardiac Dysfunction, Oxidative Stress, Fibrosis, and Inflammatory and Cell Death Signaling Pathways in Diabetic Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2010, 56, 2115-2125.	2.8	389
167	A2B Adenosine Receptors Protect against Sepsis-Induced Mortality by Dampening Excessive Inflammation. <i>Journal of Immunology</i> , 2010, 185, 542-550.	0.8	117
168	Bacterial flagellin elicits widespread innate immune defense mechanisms, apoptotic signaling, and a sepsis-like systemic inflammatory response in mice. <i>Critical Care</i> , 2010, 14, R160.	5.8	42
169	Bacterial Flagellin Triggers Cardiac Innate Immune Responses and Acute Contractile Dysfunction. <i>PLoS ONE</i> , 2010, 5, e12687.	2.5	38
170	Restoration of Altered MicroRNA Expression in the Ischemic Heart with Resveratrol. <i>PLoS ONE</i> , 2010, 5, e15705.	2.5	76
171	Activation of the Cholinergic Antiinflammatory Pathway Reduces Ricin-Induced Mortality and Organ Failure in Mice. <i>Molecular Medicine</i> , 2009, 15, 166-172.	4.4	32
172	Oxidative stress and accelerated vascular aging: implications for cigarette smoking. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 3128.	3.0	148
173	Role of peroxynitrite in the redox regulation of cell signal transduction pathways. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 4809.	3.0	181
174	CB2 Cannabinoid Receptors Contribute to Bacterial Invasion and Mortality in Polymicrobial Sepsis. <i>PLoS ONE</i> , 2009, 4, e6409.	2.5	57
175	Resveratrol attenuates mitochondrial oxidative stress in coronary arterial endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H1876-H1881.	3.2	300
176	Execution of Superoxide-Induced Cell Death by the Proapoptotic Bcl-2-Related Proteins Bid and Bak. <i>Molecular and Cellular Biology</i> , 2009, 29, 3099-3112.	2.3	46
177	Soluble Guanylate Cyclase Agonists Inhibit Expression and Procoagulant Activity of Tissue Factor. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1578-1586.	2.4	11
178	Longevity is associated with increased vascular resistance to high glucose-induced oxidative stress and inflammatory gene expression in <i>Peromyscus leucopus</i> . <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H946-H956.	3.2	50
179	Anaphylatoxin C5a contributes to the pathogenesis of cisplatin-induced nephrotoxicity. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, F496-F504.	2.7	31
180	Cannabidiol Attenuates Cisplatin-Induced Nephrotoxicity by Decreasing Oxidative/Nitrosative Stress, Inflammation, and Cell Death. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 328, 708-714.	2.5	207

#	ARTICLE	IF	CITATIONS
181	The Endogenous Brain Constituent <i>N</i> -Arachidonoyl L-Serine Is an Activator of Large Conductance Ca^{2+} -Activated K^{+} Channels. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 328, 351-361.	2.5	39
182	Xanthine oxidase inhibitor allopurinol attenuates the development of diabetic cardiomyopathy. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 2330-2341.	3.6	75
183	PCB-induced endothelial cell dysfunction: Role of poly(ADP-ribose) polymerase. <i>Biochemical Pharmacology</i> , 2009, 78, 959-965.	4.4	34
184	The emerging role of the endocannabinoid system in cardiovascular disease. <i>Seminars in Immunopathology</i> , 2009, 31, 63-77.	6.1	107
185	Inhibition of matrix metalloproteinase-2 by PARP inhibitors. <i>Biochemical and Biophysical Research Communications</i> , 2009, 387, 646-650.	2.1	40
186	The endocannabinoid system of the skin in health and disease: novel perspectives and therapeutic opportunities. <i>Trends in Pharmacological Sciences</i> , 2009, 30, 411-420.	8.7	207
187	A2B adenosine receptors in immunity and inflammation. <i>Trends in Immunology</i> , 2009, 30, 263-270.	6.8	208
188	Endocannabinoids and cardiac contractile function: Pathophysiological implications. <i>Pharmacological Research</i> , 2009, 60, 99-106.	7.1	52
189	Cannabinoid CB ₁ Receptor Antagonists for Atherosclerosis and Cardiometabolic Disorders. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 7-9.	2.4	34
190	Role of superoxide, nitric oxide, and peroxynitrite in doxorubicin-induced cell death in vivo and in vitro. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H1466-H1483.	3.2	314
191	Resveratrol induces mitochondrial biogenesis in endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H13-H20.	3.2	378
192	THE NOVEL INOSINE ANALOGUE INO-2002 EXERTS AN ANTI-INFLAMMATORY EFFECT IN A MURINE MODEL OF ACUTE LUNG INJURY. <i>Shock</i> , 2009, 32, 258-262.	2.1	11
193	Peripheral neuropathy in mice with neuronal nitric oxide synthase gene deficiency. <i>International Journal of Molecular Medicine</i> , 2009, 23, 571-80.	4.0	30
194	Testing hypotheses of aging in long-lived mice of the genus <i>Peromyscus</i> : association between longevity and mitochondrial stress resistance, ROS detoxification pathways, and DNA repair efficiency. <i>Age</i> , 2008, 30, 121-133.	3.0	47
195	Cannabinoids in pancreatic cancer: Correlation with survival and pain. <i>International Journal of Cancer</i> , 2008, 122, 742-750.	5.1	121
196	Increased fear- and stress-related anxiety-like behavior in mice lacking tuberoinfundibular peptide of 39 residues. <i>Genes, Brain and Behavior</i> , 2008, 7, 933-942.	2.2	38
197	Role of slow delayed rectifier K^{+} current in QT prolongation in the alloxan-induced diabetic rabbit heart. <i>Acta Physiologica</i> , 2008, 192, 359-368.	3.8	42
198	Peripheral Endocannabinoid System Activity in Patients Treated With Sibutramine. <i>Obesity</i> , 2008, 16, 1135-1137.	3.0	17

#	ARTICLE	IF	CITATIONS
199	CB ₂ cannabinoid receptor agonists attenuate TNF α -induced human vascular smooth muscle cell proliferation and migration. <i>British Journal of Pharmacology</i> , 2008, 153, 347-357.	5.4	193
200	Endocannabinoids and cannabinoid receptors in ischaemia-reperfusion injury and preconditioning. <i>British Journal of Pharmacology</i> , 2008, 153, 252-262.	5.4	185
201	Measurement of cardiac function using pressure-volume conductance catheter technique in mice and rats. <i>Nature Protocols</i> , 2008, 3, 1422-1434.	12.0	633
202	Adenosine receptors: therapeutic aspects for inflammatory and immune diseases. <i>Nature Reviews Drug Discovery</i> , 2008, 7, 759-770.	46.4	990
203	Poly(ADP-ribose) polymerase inhibition as a novel therapeutic approach against intraepidermal nerve fiber loss and neuropathic pain associated with advanced diabetic neuropathy: A commentary on "PARP Inhibition or gene deficiency counteracts intraepidermal nerve fiber loss and neuropathic pain in advanced diabetic neuropathy". <i>Free Radical Biology and Medicine</i> , 2008, 44, 969-971.	2.9	9
204	CB ₁ Cannabinoid Receptor Inhibition: Promising Approach for Heart Failure?. <i>Congestive Heart Failure</i> , 2008, 14, 330-334.	2.0	23
205	Cell Type-Dependent Pro- and Anti-Inflammatory Role of Signal Transducer and Activator of Transcription 3 in Alcoholic Liver Injury. <i>Gastroenterology</i> , 2008, 134, 1148-1158.	1.3	179
206	Oxidative Inactivation of Key Mitochondrial Proteins Leads to Dysfunction and Injury in Hepatic Ischemia Reperfusion. <i>Gastroenterology</i> , 2008, 135, 1344-1357.	1.3	96
207	Role of nonsynaptic communication in regulating the immune response. <i>Neurochemistry International</i> , 2008, 52, 52-59.	3.8	16
208	Cannabinoid CB1 receptor inhibition decreases vascular smooth muscle migration and proliferation. <i>Biochemical and Biophysical Research Communications</i> , 2008, 377, 1248-1252.	2.1	52
209	Role of the Peroxynitrite-Poly(ADP-Ribose) Polymerase Pathway in Human Disease. <i>American Journal of Pathology</i> , 2008, 173, 2-13.	3.8	348
210	Modulation of the Endocannabinoid System in Cardiovascular Disease. <i>Hypertension</i> , 2008, 52, 601-607.	2.7	100
211	A2A receptors in inflammation and injury: lessons learned from transgenic animals. <i>Journal of Leukocyte Biology</i> , 2008, 83, 447-455.	3.3	206
212	Adenosine A _{2A} receptor activation inhibits T helper 1 and T helper 2 cell development and effector function. <i>FASEB Journal</i> , 2008, 22, 3491-3499.	0.5	164
213	Uncoupling of ER-mitochondrial calcium communication by transforming growth factor- β 2. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F1303-F1312.	2.7	43
214	Endocannabinoids and Liver Disease. III. Endocannabinoid effects on immune cells: implications for inflammatory liver diseases. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, G850-G854.	3.4	42
215	Vasoprotective effects of resveratrol and SIRT1: attenuation of cigarette smoke-induced oxidative stress and proinflammatory phenotypic alterations. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H2721-H2735.	3.2	246
216	Pleiotropic effects of the CB2 cannabinoid receptor activation on human monocyte migration: implications for atherosclerosis and inflammatory diseases. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H1133-H1134.	3.2	13

#	ARTICLE	IF	CITATIONS
217	Endothelial function and vascular oxidative stress in long-lived GH/IGF-deficient Ames dwarf mice. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 295, H1882-H1894.	3.2	139
218	The novel inosine analogue, INO-2002, protects against diabetes development in multiple low-dose streptozotocin and non-obese diabetic mouse models of type I diabetes. Journal of Endocrinology, 2008, 198, 581-589.	2.6	10
219	Aldose reductase inhibitor fidarestat counteracts diabetes-associated cataract formation, retinal oxidative-nitrosative stress, glial activation, and apoptosis. International Journal of Molecular Medicine, 2008, , .	4.0	19
220	Cannabinoids Reduce Markers of Inflammation and Fibrosis in Pancreatic Stellate Cells. PLoS ONE, 2008, 3, e1701.	2.5	47
221	Aldose reductase inhibitor fidarestat counteracts diabetes-associated cataract formation, retinal oxidative-nitrosative stress, glial activation, and apoptosis. International Journal of Molecular Medicine, 2008, 21, 667-76.	4.0	61
222	Nitric Oxide and Peroxynitrite in Health and Disease. Physiological Reviews, 2007, 87, 315-424.	28.8	5,209
223	CB ₂ -receptor stimulation attenuates TNF- α -induced human endothelial cell activation, transendothelial migration of monocytes, and monocyte-endothelial adhesion. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H2210-H2218.	3.2	223
224	Decreased age-related cardiac dysfunction, myocardial nitrative stress, inflammatory gene expression, and apoptosis in mice lacking fatty acid amide hydrolase. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H909-H918.	3.2	99
225	Inhibition of poly(adenosine diphosphate-ribose) polymerase by the active form of vitamin D. International Journal of Molecular Medicine, 2007, 19, 947.	4.0	10
226	Pivotal Advance: Cannabinoid-2 receptor agonist HU-308 protects against hepatic ischemia/reperfusion injury by attenuating oxidative stress, inflammatory response, and apoptosis. Journal of Leukocyte Biology, 2007, 82, 1382-1389.	3.3	122
227	Endocannabinoids acting at CB ₁ receptors mediate the cardiac contractile dysfunction in vivo in cirrhotic rats. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H1689-H1695.	3.2	107
228	Adenosine receptor activation ameliorates type 1 diabetes. FASEB Journal, 2007, 21, 2379-2388.	0.5	93
229	Cannabidiol attenuates high glucose-induced endothelial cell inflammatory response and barrier disruption. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H610-H619.	3.2	168
230	A _{2A} adenosine receptors and C/EBP β are crucially required for IL-10 production by macrophages exposed to Escherichia coli. Blood, 2007, 110, 2685-2695.	1.4	182
231	Evaluation of the peroxynitrite decomposition catalyst Fe(III) tetra-mesitylporphyrin octasulfonate on peripheral neuropathy in a mouse model of type 1 diabetes. International Journal of Molecular Medicine, 2007, , .	4.0	13
232	Simple quantitative detection of mitochondrial superoxide production in live cells. Biochemical and Biophysical Research Communications, 2007, 358, 203-208.	2.1	283
233	Homocysteine induces cell death in H9C2 cardiomyocytes through the generation of peroxynitrite. Biochemical and Biophysical Research Communications, 2007, 359, 445-450.	2.1	38
234	Cannabinoid α 2 receptor mediates protection against hepatic ischemia/reperfusion injury. FASEB Journal, 2007, 21, 1788-1800.	0.5	215

#	ARTICLE	IF	CITATIONS
235	Cannabinoids Ameliorate Pain and Reduce Disease Pathology in Cerulein-Induced Acute Pancreatitis. <i>Gastroenterology</i> , 2007, 132, 1968-1978.	1.3	94
236	Pharmacological Inhibition of CB1 Cannabinoid Receptor Protects Against Doxorubicin-Induced Cardiotoxicity. <i>Journal of the American College of Cardiology</i> , 2007, 50, 528-536.	2.8	188
237	Cannabinoids mediate analgesia largely via peripheral type 1 cannabinoid receptors in nociceptors. <i>Nature Neuroscience</i> , 2007, 10, 870-879.	14.8	504
238	Simultaneous detection of apoptosis and mitochondrial superoxide production in live cells by flow cytometry and confocal microscopy. <i>Nature Protocols</i> , 2007, 2, 2295-2301.	12.0	324
239	Role of Poly(ADP-ribose) polymerase 1 (PARP-1) in Cardiovascular Diseases: The Therapeutic Potential of PARP Inhibitors. <i>Cardiovascular Drug Reviews</i> , 2007, 25, 235-260.	4.1	282
240	A peroxynitrite decomposition catalyst counteracts sensory neuropathy in streptozotocin-diabetic mice. <i>European Journal of Pharmacology</i> , 2007, 569, 48-58.	3.5	86
241	Shaping of monocyte and macrophage function by adenosine receptors. , 2007, 113, 264-275.		199
242	The adenosine A2A receptor agonist CGS 21680 fails to ameliorate the course of dextran sulphate-induced colitis in mice. <i>Inflammation Research</i> , 2007, 56, 204-209.	4.0	19
243	Role of A2A adenosine receptors in regulation of opsonized E. coli-induced macrophage function. <i>Purinergic Signalling</i> , 2007, 3, 447-452.	2.2	24
244	Inhibition of poly(adenosine diphosphate-ribose) polymerase by the active form of vitamin D. <i>International Journal of Molecular Medicine</i> , 2007, 19, 947-52.	4.0	37
245	Evaluation of the peroxynitrite decomposition catalyst Fe(III) tetra-mesitylporphyrin octasulfonate on peripheral neuropathy in a mouse model of type 1 diabetes. <i>International Journal of Molecular Medicine</i> , 2007, 20, 783-92.	4.0	39
246	Therapeutic Effects of Xanthine Oxidase Inhibitors: Renaissance Half a Century after the Discovery of Allopurinol. <i>Pharmacological Reviews</i> , 2006, 58, 87-114.	16.0	984
247	Pharmacological inhibition of poly(ADP-ribose) polymerase inhibits angiogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2006, 350, 352-357.	2.1	66
248	Poly(ADP-ribose)polymerase inhibition decreases angiogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2006, 350, 1056-1062.	2.1	72
249	Role of peroxynitrite in the pathogenesis of cardiovascular complications of diabetes. <i>Current Opinion in Pharmacology</i> , 2006, 6, 136-141.	3.5	159
250	Role of peroxynitrite in the pathogenesis of cardiovascular complications of diabetes. <i>Current Opinion in Pharmacology</i> , 2006, 6, 319.	3.5	0
251	The Endocannabinoid System as an Emerging Target of Pharmacotherapy. <i>Pharmacological Reviews</i> , 2006, 58, 389-462.	16.0	2,274
252	Novel modulators of poly(ADP-ribose) polymerase. <i>Trends in Pharmacological Sciences</i> , 2006, 27, 626-630.	8.7	65

#	ARTICLE	IF	CITATIONS
253	Beneficial effects of a novel ultrapotent poly(ADP-ribose) polymerase inhibitor in murine models of heart failure. International Journal of Molecular Medicine, 2006, 17, 369.	4.0	21
254	Adenosine A2A Receptor Inactivation Increases Survival in Polymicrobial Sepsis. Journal of Immunology, 2006, 176, 5616-5626.	0.8	119
255	NO-independent stimulators and activators of soluble guanylate cyclase: discovery and therapeutic potential. Nature Reviews Drug Discovery, 2006, 5, 755-768.	46.4	623
256	Early diabetes-induced biochemical changes in the retina: comparison of rat and mouse models. Diabetologia, 2006, 49, 2525-2533.	6.3	83
257	Aldose reductase inhibition counteracts nitrosative stress and poly(ADP-ribose) polymerase activation in diabetic rat kidney and high-glucose-exposed human mesangial cells. Free Radical Biology and Medicine, 2006, 40, 1454-1465.	2.9	88
258	Peroxynitrite is a major trigger of cardiomyocyte apoptosis in vitro and in vivo. Free Radical Biology and Medicine, 2006, 41, 886-895.	2.9	131
259	Vascular Dysfunction in Aging: Potential Effects of Resveratrol, an Anti- Inflammatory Phytoestrogen. Current Medicinal Chemistry, 2006, 13, 989-996.	2.4	132
260	Dysregulation of the Peripheral and Adipose Tissue Endocannabinoid System in Human Abdominal Obesity. Diabetes, 2006, 55, 3053-3060.	0.6	477
261	Poly(ADP-Ribose) Polymerase Inhibition Alleviates Experimental Diabetic Sensory Neuropathy. Diabetes, 2006, 55, 1686-1694.	0.6	137
262	N-arachidonoyl l-serine, an endocannabinoid-like brain constituent with vasodilatory properties. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 2428-2433.	7.1	174
263	Poly(ADP-ribose)polymerase-1 (PARP) activation and diabetic neuropathic pain. FASEB Journal, 2006, 20, A777.	0.5	0
264	Beneficial effects of a novel ultrapotent poly(ADP-ribose) polymerase inhibitor in murine models of heart failure. International Journal of Molecular Medicine, 2006, 17, 369-75.	4.0	59
265	Role of Nitrosative Stress and Peroxynitrite in the Pathogenesis of Diabetic Complications. Emerging New Therapeutical Strategies. Current Medicinal Chemistry, 2005, 12, 267-275.	2.4	308
266	Cirrhotic cardiomyopathy: an endocannabinoid connection?. British Journal of Pharmacology, 2005, 146, 313-314.	5.4	18
267	Alcohol and Mitochondria in Cardiac Apoptosis: Mechanisms and Visualization. Alcoholism: Clinical and Experimental Research, 2005, 29, 693-701.	2.4	55
268	Poly(ADP-ribose) polymerase regulates myocardial calcium handling in doxorubicin-induced heart failure. Biochemical Pharmacology, 2005, 69, 725-732.	4.4	56
269	Evidence for novel cannabinoid receptors. , 2005, 106, 133-145.		350
270	Adenosine Augments IL-10 Production by Macrophages through an A2B Receptor-Mediated Posttranscriptional Mechanism. Journal of Immunology, 2005, 175, 8260-8270.	0.8	237

#	ARTICLE	IF	CITATIONS
271	Hemodynamic profile, responsiveness to anandamide, and baroreflex sensitivity of mice lacking fatty acid amide hydrolase. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H533-H541.	3.2	73
272	Transcriptional basis for exercise limitation in male eNOS-knockout mice with age: heart failure and the fetal phenotype. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H1399-H1407.	3.2	36
273	Editorial [Hot Topic: Role of Oxidative-Nitrosative Stress and Poly(ADP-ribose) Polymerase in Cardiovascular Pathophysiology (Guest Editor: Pal Pacher)]. <i>Current Vascular Pharmacology</i> , 2005, 3, 207-207.	1.7	0
274	Role of Oxidative and Nitrosative Stress, Longevity Genes and Poly(ADPribose) Polymerase in Cardiovascular Dysfunction Associated with Aging. <i>Current Vascular Pharmacology</i> , 2005, 3, 285-291.	1.7	104
275	Aldose Reductase Inhibition Counteracts Oxidative-Nitrosative Stress and Poly(ADP-Ribose) Polymerase Activation in Tissue Sites for Diabetes Complications. <i>Diabetes</i> , 2005, 54, 234-242.	0.6	165
276	Peroxynitrite Is a Potent Inhibitor of NF- κ B Activation Triggered by Inflammatory Stimuli in Cardiac and Endothelial Cell Lines*. <i>Journal of Biological Chemistry</i> , 2005, 280, 34878-34887.	3.4	68
277	Oxidative-Nitrosative Stress and Poly(ADP-Ribose) Polymerase (PARP) Activation in Experimental Diabetic Neuropathy: The Relation Is Revisited. <i>Diabetes</i> , 2005, 54, 3435-3441.	0.6	201
278	Activation of the Peripheral Endocannabinoid System in Human Obesity. <i>Diabetes</i> , 2005, 54, 2838-2843.	0.6	619
279	Potential role for 8-oxoguanine DNA glycosylase in regulating inflammation. <i>FASEB Journal</i> , 2005, 19, 1-18.	0.5	98
280	Role of Oxidative-Nitrosative Stress and Downstream Pathways in Various Forms of Cardiomyopathy and Heart Failure. <i>Current Vascular Pharmacology</i> , 2005, 3, 221-229.	1.7	187
281	Peroxynitrite activates ERK via Raf-1 and MEK, independently from EGF receptor and p21 in H9C2 cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 38, 765-775.	1.9	63
282	Nitrosative stress and pharmacological modulation of heart failure. <i>Trends in Pharmacological Sciences</i> , 2005, 26, 302-310.	8.7	217
283	Adenosine receptor signaling in the brain immune system. <i>Trends in Pharmacological Sciences</i> , 2005, 26, 511-516.	8.7	186
284	Blood pressure regulation by endocannabinoids and their receptors. <i>Neuropharmacology</i> , 2005, 48, 1130-1138.	4.1	75
285	Role of Poly(ADP-Ribose) Polymerase-1 Activation in the Pathogenesis of Diabetic Complications: Endothelial Dysfunction, as a Common Underlying Theme. <i>Antioxidants and Redox Signaling</i> , 2005, 7, 1568-1580.	5.4	158
286	Endocannabinoid activation at hepatic CB1 receptors stimulates fatty acid synthesis and contributes to diet-induced obesity. <i>Journal of Clinical Investigation</i> , 2005, 115, 1298-1305.	8.2	847
287	Endocannabinoid activation at hepatic CB1 receptors stimulates fatty acid synthesis and contributes to diet-induced obesity. <i>Journal of Clinical Investigation</i> , 2005, 115, 1298-1305.	8.2	494
288	Angiotensin II-Mediated Endothelial Dysfunction: Role of Poly(ADP-ribose) Polymerase Activation. <i>Molecular Medicine</i> , 2004, 10, 28-35.	4.4	78

#	ARTICLE	IF	CITATIONS
289	Trends in the Development of New Antidepressants. Is there a Light at the End of the Tunnel?. Current Medicinal Chemistry, 2004, 11, 925-943.	2.4	155
290	Poly(ADP-ribose) polymerase inhibitors counteract diabetes- and hypoxia-induced retinal vascular endothelial growth factor overexpression. International Journal of Molecular Medicine, 2004, 14, 55.	4.0	30
291	Role of Poly(ADP-Ribose) Polymerase Activation in Diabetic Neuropathy. Diabetes, 2004, 53, 711-720.	0.6	224
292	Endocannabinoids Acting at Cannabinoid-1 Receptors Regulate Cardiovascular Function in Hypertension. Circulation, 2004, 110, 1996-2002.	1.6	304
293	Left ventricular pressure-volume relationship in a rat model of advanced aging-associated heart failure. American Journal of Physiology - Heart and Circulatory Physiology, 2004, 287, H2132-H2137.	3.2	114
294	Cannabinoid antagonist SR-141716 inhibits endotoxic hypotension by a cardiac mechanism not involving CB1 or CB2 receptors. American Journal of Physiology - Heart and Circulatory Physiology, 2004, 287, H595-H600.	3.2	55
295	Cannabinoids cool the intestine. Nature Medicine, 2004, 10, 678-679.	30.7	34
296	Haemodynamic profile and responsiveness to anandamide of TRPV1receptor knock-out mice. Journal of Physiology, 2004, 558, 647-657.	2.9	100
297	Suppression of intestinal polyposis in Apcmin/+ mice by targeting the nitric oxide or poly(ADP-ribose) pathways. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2004, 548, 107-116.	1.0	26
298	Evaluation of orally active poly(ADP-ribose) polymerase inhibitor in streptozotocin-diabetic rat model of early peripheral neuropathy. Diabetologia, 2004, 47, 710-717.	6.3	76
299	A New, Potent Poly(ADP-ribose) Polymerase Inhibitor Improves Cardiac and Vascular Dysfunction Associated with Advanced Aging. Journal of Pharmacology and Experimental Therapeutics, 2004, 311, 485-491.	2.5	83
300	Restoration of the endothelial function in the aortic rings of apolipoprotein E deficient mice by pharmacological inhibition of the nuclear enzyme poly(ADP-ribose) polymerase. Life Sciences, 2004, 75, 1255-1261.	4.3	36
301	Matrix metalloproteinase activation is an early event in doxorubicin-induced cardiotoxicity. Oncology Reports, 2004, 11, 505.	2.6	30
302	Inhibition of Poly (ADP-ribose) Polymerase Attenuates Acute Lung Injury in an Ovine Model of Sepsis. Shock, 2004, 21, 126-133.	2.1	75
303	Cardiovascular Side Effects of New Antidepressants and Antipsychotics: New Drugs, old Concerns?. Current Pharmaceutical Design, 2004, 10, 2463-2475.	1.9	344
304	Matrix metalloproteinase activation is an early event in doxorubicin-induced cardiotoxicity. Oncology Reports, 2004, 11, 505-8.	2.6	59
305	Poly(ADP-ribose) polymerase inhibitors counteract diabetes- and hypoxia-induced retinal vascular endothelial growth factor overexpression. International Journal of Molecular Medicine, 2004, 14, 55-64.	4.0	49
306	The adenosine A3 receptor agonist, N6-(3-iodobenzyl)-adenosine-5'-N-methyluronamide, is protective in two murine models of colitis. European Journal of Pharmacology, 2003, 466, 323-329.	3.5	106

#	ARTICLE	IF	CITATIONS
307	Role of Intracellular Calcium Mobilization and Cell-Density-Dependent Signaling in Oxidative-Stress-Induced Cytotoxicity in HaCaT Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2003, 121, 88-95.	0.7	38
308	Topical administration of a novel nitric oxide donor, linear polyethylenimine-nitric oxide/nucleophile adduct (DS1), selectively increases vaginal blood flow in anesthetized rats. <i>International Journal of Impotence Research</i> , 2003, 15, 461-464.	1.8	17
309	Potent Metalloporphyrin Peroxynitrite Decomposition Catalyst Protects Against the Development of Doxorubicin-Induced Cardiac Dysfunction. <i>Circulation</i> , 2003, 107, 896-904.	1.6	263
310	G Protein-coupled Endothelial Receptor for Atypical Cannabinoid Ligands Modulates a Ca ²⁺ -dependent K ⁺ Current. <i>Journal of Biological Chemistry</i> , 2003, 278, 46188-46194.	3.4	84
311	Lipopolysaccharide Induces Anandamide Synthesis in Macrophages via CD14/MAPK/Phosphoinositide 3-Kinase/NF- κ B Independently of Platelet-activating Factor. <i>Journal of Biological Chemistry</i> , 2003, 278, 45034-45039.	3.4	203
312	Diabetes-induced overexpression of endothelin-1 and endothelin receptors in the rat renal cortex is mediated via poly(ADP-ribose) polymerase activation. <i>FASEB Journal</i> , 2003, 17, 1-18.	0.5	93
313	Differential effects of fluoxetine enantiomers in mammalian neural and cardiac tissues. <i>International Journal of Molecular Medicine</i> , 2003, 11, 535.	4.0	13
314	Flagellin from Gram-Negative Bacteria is a Potent Mediator of Acute Pulmonary Inflammation in Sepsis. <i>Shock</i> , 2003, 19, 131-137.	2.1	99
315	Parenteral administration of glipizide sodium salt, an inhibitor of adenosine triphosphate-sensitive potassium channels, prolongs short-term survival after severe controlled hemorrhage in rats*. <i>Critical Care Medicine</i> , 2003, 31, 2429-2436.	0.9	16
316	Inosine Protects Against the Development of Diabetes in Multiple-Low-Dose Streptozotocin and Nonobese Diabetic Mouse Models of Type 1 Diabetes. <i>Molecular Medicine</i> , 2003, 9, 96-104.	4.4	51
317	Differential effects of fluoxetine enantiomers in mammalian neural and cardiac tissues. <i>International Journal of Molecular Medicine</i> , 2003, 11, 535-42.	4.0	31
318	Ca ²⁺ marks: Miniature calcium signals in single mitochondria driven by ryanodine receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2380-2385.	7.1	146
319	Poly(ADP-Ribose) Polymerase Inhibition Reduces Reperfusion Injury After Heart Transplantation. <i>Circulation Research</i> , 2002, 90, 100-106.	4.5	160
320	Comparison of Inflammation, Organ Damage, and Oxidant Stress Induced by Salmonella enterica Serovar Muenchen Flagellin and Serovar Enteritidis Lipopolysaccharide. <i>Infection and Immunity</i> , 2002, 70, 192-198.	2.2	90
321	Activation of poly(ADP-ribose) polymerase contributes to the endothelial dysfunction associated with hypertension and aging. <i>International Journal of Molecular Medicine</i> , 2002, 9, 659.	4.0	29
322	New Trends in the Development of Oral Antidiabetic Drugs. <i>Current Medicinal Chemistry</i> , 2002, 9, 53-71.	2.4	46
323	Activation of Poly(ADP-Ribose) Polymerase-1 Is a Central Mechanism of Lipopolysaccharide-Induced Acute Lung Inflammation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 372-377.	5.6	187
324	Activation of Poly(ADP-Ribose) Polymerase Contributes to Development of Doxorubicin-Induced Heart Failure. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 300, 862-867.	2.5	175

#	ARTICLE	IF	CITATIONS
325	Aerosolized Linear Polyethylenimine-Nitric Oxide/Nucleophile Adduct Attenuates Endotoxin-induced Lung Injury in Sheep. American Journal of Respiratory and Critical Care Medicine, 2002, 166, 1436-1442.	5.6	10
326	Poly(ADP-Ribose) Polymerase Is Activated in Subjects at Risk of Developing Type 2 Diabetes and Is Associated With Impaired Vascular Reactivity. Circulation, 2002, 106, 2680-2686.	1.6	179
327	Use of Selective Serotonin Reuptake Inhibitors and Myocardial Infarction. Circulation, 2002, 105, e84.	1.6	5
328	The Role of Poly(ADP-Ribose) Polymerase Activation in the Development of Myocardial and Endothelial Dysfunction in Diabetes. Diabetes, 2002, 51, 514-521.	0.6	286
329	Inosine Exerts a Broad Range of Antiinflammatory Effects in a Murine Model of Acute Lung Injury. Annals of Surgery, 2002, 235, 568-578.	4.2	81
330	Resistance to Acute Septic Peritonitis in Poly(ADP-ribose) Polymerase-1-Deficient Mice. Shock, 2002, 17, 286-292.	2.1	148
331	Pharmacologic inhibition of poly(adenosine diphosphate-ribose) polymerase may represent a novel therapeutic approach in chronic heart failure. Journal of the American College of Cardiology, 2002, 40, 1006-1016.	2.8	100
332	Potassium currents in alloxan induced diabetes in rabbit hearts. Journal of Molecular and Cellular Cardiology, 2002, 34, A29.	1.9	0
333	Can simvastatin promote tumor growth by inducing angiogenesis similar to VEGF?. Medical Hypotheses, 2002, 58, 85-86.	1.5	12
334	Oxidative stress-induced isoprostane formation may contribute to aspirin resistance in platelets. Prostaglandins Leukotrienes and Essential Fatty Acids, 2002, 66, 557-558.	2.2	48
335	Na ⁺ /H ⁺ exchanger blockade inhibits enterocyte inflammatory response and protects against colitis. American Journal of Physiology - Renal Physiology, 2002, 283, G122-G132.	3.4	48
336	Part II: Beneficial Effects of the Peroxynitrite Decomposition Catalyst FP15 in Murine Models of Arthritis and Colitis. Molecular Medicine, 2002, 8, 581-590.	4.4	50
337	Poly(ADP-ribose) Polymerase is a Regulator of Chemokine Production: Relevance for the Pathogenesis of Shock and Inflammation. Molecular Medicine, 2002, 8, 283-289.	4.4	54
338	Role of poly(ADP-ribose) polymerase activation in endotoxin-induced cardiac collapse in rodents. Biochemical Pharmacology, 2002, 64, 1785-1791.	4.4	53
339	Electrophysiological effects of risperidone in mammalian cardiac cells. Naunyn-Schmiedeberg's Archives of Pharmacology, 2002, 366, 350-356.	3.0	28
340	Endothelial dysfunction in aging animals: the role of poly(ADP-ribose) polymerase activation. British Journal of Pharmacology, 2002, 135, 1347-1350.	5.4	88
341	Nicotine Reduces the Incidence of Type I Diabetes in Mice. Journal of Pharmacology and Experimental Therapeutics, 2002, 300, 876-881.	2.5	73
342	Part I: Pathogenetic Role of Peroxynitrite in the Development of Diabetes and Diabetic Vascular Complications: Studies With FP15, A Novel Potent Peroxynitrite Decomposition Catalyst. Molecular Medicine, 2002, 8, 571-580.	4.4	162

#	ARTICLE	IF	CITATIONS
343	The flagellin-TLR5 axis: Therapeutic opportunities. Drug News and Perspectives, 2002, 15, 397.	1.5	28
344	Part II: beneficial effects of the peroxynitrite decomposition catalyst FP15 in murine models of arthritis and colitis. Molecular Medicine, 2002, 8, 581-90.	4.4	17
345	Part I: pathogenetic role of peroxynitrite in the development of diabetes and diabetic vascular complications: studies with FP15, a novel potent peroxynitrite decomposition catalyst. Molecular Medicine, 2002, 8, 571-80.	4.4	80
346	Poly(ADP-ribose) polymerase is a regulator of chemokine production: relevance for the pathogenesis of shock and inflammation. Molecular Medicine, 2002, 8, 283-9.	4.4	24
347	Activation of poly(ADP-ribose) polymerase contributes to the endothelial dysfunction associated with hypertension and aging. International Journal of Molecular Medicine, 2002, 9, 659-64.	4.0	54
348	Selective serotonin-reuptake inhibitor antidepressants increase the risk of falls and hip fractures in elderly people by inhibiting cardiovascular ion channels. Medical Hypotheses, 2001, 57, 469-471.	1.5	74
349	Mitochondrial Ca ²⁺ Signaling and Cardiac Apoptosis. NeuroSignals, 2001, 10, 200-223.	0.9	33
350	Propagation of the apoptotic signal by mitochondrial waves. EMBO Journal, 2001, 20, 4107-4121.	7.8	219
351	Spatio-Temporal Organization of the Mitochondrial Phase of Apoptosis. IUBMB Life, 2001, 52, 237-245.	3.4	13
352	Anti-inflammatory effects of inosine in human monocytes, neutrophils and epithelial cells in vitro. International Journal of Molecular Medicine, 2001, 8, 617.	4.0	22
353	Serotonin reuptake inhibitors fluoxetine and citalopram relax intestinal smooth muscle. Canadian Journal of Physiology and Pharmacology, 2001, 79, 580-584.	1.4	18
354	Inosine Reduces Systemic Inflammation and Improves Survival in Septic Shock Induced by Cecal Ligation and Puncture. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 1213-1220.	5.6	83
355	Current Trends in the Development of New Antidepressants. Current Medicinal Chemistry, 2001, 8, 89-100.	2.4	119
356	Serotonin reuptake inhibitors fluoxetine and citalopram relax intestinal smooth muscle. Canadian Journal of Physiology and Pharmacology, 2001, 79, 580-584.	1.4	1
357	Hyperglycaemia alters the endothelium-dependent relaxation of canine coronary arteries. Acta Physiologica Scandinavica, 2000, 169, 183-187.	2.2	19
358	The machinery of local Ca ²⁺ signalling between sarcoendoplasmic reticulum and mitochondria. Journal of Physiology, 2000, 529, 69-81.	2.9	185
359	Quantification of calcium signal transmission from sarcoendoplasmic reticulum to the mitochondria. Journal of Physiology, 2000, 529, 553-564.	2.9	97
360	Cardiac electrophysiological effects of citalopram in guinea pig papillary muscle Comparison with clomipramine. General Pharmacology, 2000, 34, 17-23.	0.7	22

#	ARTICLE	IF	CITATIONS
361	Control of apoptosis by IP ₃ and ryanodine receptor driven calcium signals. <i>Cell Calcium</i> , 2000, 28, 349-363.	2.4	138
362	Electrophysiological effects of fluoxetine in mammalian cardiac tissues. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2000, 361, 67-73.	3.0	53
363	Inhibition of voltage-gated calcium channels by fluoxetine in rat hippocampal pyramidal cells. <i>Neuropharmacology</i> , 2000, 39, 1029-1036.	4.1	116
364	Serotonin Reuptake Inhibitor Fluoxetine Decreases Arteriolar Myogenic Tone by Reducing Smooth Muscle [Ca ²⁺] _i . <i>Journal of Cardiovascular Pharmacology</i> , 2000, 35, 849-854.	1.9	47
365	Increased myogenic tone in skeletal muscle arterioles of diabetic rats. Possible role of increased activity of smooth muscle Ca ²⁺ channels and protein kinase C. <i>Cardiovascular Research</i> , 1999, 43, 1018-1028.	3.8	81
366	Dysfunction of Nitric Oxide Mediation in Isolated Rat Arterioles With Methionine Diet-Induced Hyperhomocysteinemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 1899-1904.	2.4	127
367	Post-partum prolongation of the atrial repolarization in rabbit. <i>Acta Physiologica Scandinavica</i> , 1999, 166, 1-5.	2.2	4
368	Electrophysiological changes in rat ventricular and atrial myocardium at different stages of experimental diabetes. <i>Acta Physiologica Scandinavica</i> , 1999, 166, 7-13.	2.2	45
369	Serotonin reuptake inhibitor, fluoxetine, dilates isolated skeletal muscle arterioles. Possible role of altered Ca ²⁺ sensitivity. <i>British Journal of Pharmacology</i> , 1999, 127, 740-746.	5.4	41
370	Electrophysiological effects of homocysteine in isolated rat right ventricular papillary muscles and left atria. <i>General Pharmacology</i> , 1999, 32, 439-443.	0.7	15
371	Fluoxetine Dilates Isolated Small Cerebral Arteries of Rats and Attenuates Constrictions to Serotonin, Norepinephrine, and a Voltage-Dependent Ca ²⁺ Channel Opener. <i>Stroke</i> , 1999, 30, 1949-1954.	2.0	57
372	Speculations on Difference between Tricyclic and Selective Serotonin Reuptake Inhibitor Antidepressants on Their Cardiac Effects. Is There Any?. <i>Current Medicinal Chemistry</i> , 1999, 6, 469-480.	2.4	85
373	Changes in cardiac electrophysiology, morphology, tissue biochemistry and vascular reactions in glutathione depleted animals. <i>Molecular and Cellular Biochemistry</i> , 1998, 185, 183-190.	3.1	0
374	Review of Cardiovascular Effects of Fluoxetine, A Selective Serotonine Reuptake Inhibitor, Compared to Tricyclic Antidepressants. <i>Current Medicinal Chemistry</i> , 1998, 5, 381-390.	2.4	30
375	Comparative study of cardiac electrophysiological effects of atrial natriuretic peptide. <i>Molecular and Cellular Biochemistry</i> , 1996, 160-161, 53-59.	3.1	29
376	Laser interferometer for position measurement and control. <i>Mechatronics</i> , 1993, 3, 181-184.	3.3	2
377	Teaching physics by means of computer modeling. <i>Computer Physics Communications</i> , 1990, 61, 260-266.	7.5	1
378	The Role of Endocannabinoids and Their Receptors in the Control of Hepatic Functions. , 0, , 1091-1103.		0

#	ARTICLE	IF	CITATIONS
379	Maternal binge alcohol consumption leads to distinctive acute perturbations in embryonic cardiac gene expression profiles. Alcoholism: Clinical and Experimental Research, 0, , .	2.4	1